

DAFTAR PUSTAKA

- Ahile, U.J., Wuana, R.A., Itodo, A.U., Sha'Ato, R., and Dantas, R.F., 2020, A Review on The Use of Chelating Agents as An Alternative to Promote Photo-Fenton at Neutral pH: Current Trends, Knowledge Gap and Future Studies, *Sci. Total Environ.*, 710, 134872.
- Ambarita, Y.P., M, I.P.H., and Maulina, S., 2015, Pembuatan Asam Oksalat dari Pelepah Kelapa Sawit (*Elaeis guineensis*) Melalui Reaksi Oksidasi Asam Nitrat, *J. Tek. Kim. USU*, 4, 46–50.
- Birawidha, D.C., Sari, Y.M.A., Hendronursito, Y., Isnugroho, K., Amin, M., and Manurung, P., 2018, Ekstraksi Asam Oksalat dari Belimbing Wuluh (*Averrhoa bilimbi* L) dengan Larutan NaOH Dan HNO₃, *Pros. Semnas Sinta FT UNILA*, 1, 2655–2914.
- Bissey, L.L., Smith, J.L., and Watts, R.J., 2006, Soil Organic Matter-Hydrogen Peroxide Dynamics in The Treatment of Contaminated Soils and Groundwater Using Catalyzed H₂O₂ Propagations (Modified Fenton's Reagent), *Water Res.*, 40, 2477–2484.
- Çalışkan, M. and Zool, T.J., 2000, The Metabolism of Oxalic Acid, *Turkish J. Zool.*, 24, .
- Chidiac, C., Kim, Y., and de Lannoy, C., 2022, Enhanced Pb(II) Removal from Water Using Conductive Carbonaceous Nanomaterials as Bacterial Scaffolds: An Experimental and Modelling Approach, *J. Hazard. Mater.*, 431, 128516.
- Dala Ngapa, Y. and Gago, J., 2019, Adsorpsi Ion Pb(II) oleh Zeolit Alam Ende Teraktivasi Asam, *Cakra Kim. (Indonesian E-Journal Appl. Chem.)*, 7, 84–91.
- Flora Gagan, Gupta Deepesh, and Tiwari Archana, 2015, Toxicity of Lead: A Review with Recent Updates, *Rev. Artic.*, .
- Guo, X. and Wang, Di., 2019, Photo-Fenton Degradation of Methylene Blue by Synergistic Action of Oxalic Acid and Hydrogen Peroxide with NiFe₂O₄ Hollow Nanospheres Catalyst, *J. Environ. Chem. Eng.*, 7, .
- Gutteridge, J.M.C., Maitt, L., and Poyer, L., 1990, Superoxide Dismutase and Fenton Chemistry. Reaction of Ferric-EDTA Complex and Ferric-Bipyridyl Complex with Hydrogen Peroxide Without The Apparent Formation of Iron(II), *Biochem. J.*, 269, 169–174.
- Han, X., Chen, T., Li, J., Cheng, F., Zhang, M., and Guo, M., 2020, Synthesis of (Ni,Mg,Cu)Fe₂O₄ from Nickel Sulfide Ore: A Novel Heterogeneous Photo-Fenton-like Catalyst with Enhanced Activity in The Presence of Oxalic Acid, *J. Photochem. Photobiol. A Chem.*, 390, 112308.
- Harjasa, S., Okto, S., and Putri, A.R., 2022, Green Synthesis Nanopartikel TiO₂ dari Ekstrak Daun Juwet (*Syzygium cumini*) sebagai Material Fotokatalitik :

Removing Ion- Pb dalam Air Limbah Industri, *Pros. Semin. Nas. UNIMUS*, 5, 647–656.

Herlena Fitriani, Nurlailah, D.R., 2016, Kandungan Asam Oksalat Sayur Bayam, *Med. Lab. Technol. J.*, 2, 51–55.

Irdiansyah, Reza Critian Yuda, and Indah Prihatiningtyas, 2017, C, T Studi I Kinetika Pengaruh Suhu Terhadap Ekstraksi Minyak Atsiri dari Kulit Jeruk Nipis dengan Pelarut Etanol, 01, 22–26.

Iriany, Andrew Faguh Sitanggang, and Rahmad Dennie A. Pohan, 2015, Pembuatan Asam Oksalat dari Alang-alang (*Imperata Cylindrica*) Dengan Metode Peleburan Alkali, *J. Tek. Kim. USU*, 4, 16–19.

Iriyani, D. and Nugrahani, P., 2014, Kandungan Klorofil, Karotenoid, dan Vitamin C Beberapa Jenis Sayuran Daun pada Pertanian Periurban di Kota Surabaya, *J. Mat. Sains dan Teknol.*, 15, 84–90.

Jeong, J. and Yoon, J., 2005, pH Effect on OH Radical Production in Photo/Ferrioxalate System, *Water Res.*, 39, 2893–2900.

Khataee, A.R., Zarei, M., and Moradkhannejhad, L., 2010, Application of Response Surface Methodology for Optimization of Azo Dye Removal by Oxalate Catalyzed Photoelectro-Fenton Process Using Carbon Nanotube-PTFE Cathode, *Desalination*, 258, 112–119.

Kishimoto, N., Kitamura, T., Kato, M., and Otsu, H., 2013, Influence of Chelating Agents on Fenton-Type Reaction Using Ferrous Ion and Hypochlorous Acid, *J. Water Environ. Technol.*, 11, 21–32.

Kuponiyyi, T.I.E. and Amuda, O.S., 2013, Evaluation of The Production of Oxalic Acid from Some Solid Industrial Wastes in Nigeria, *Int. J. Basic Appl. Sci.*, 2, 91–97.

Li, J., Mailhot, G., Wu, F., and Deng, N., 2010, Photochemical Efficiency of Fe(III)-EDDS Complex: OH Radical Production and 17 β -Estradiol Degradation, *J. Photochem. Photobiol. A Chem.*, 212, 1–7.

Liu, S.Q., Feng, L.R., Xu, N., Chen, Z.G., and Wang, X.M., 2012, Magnetic Nickel Ferrite as A Heterogeneous Photo-Fenton Catalyst for The Degradation of Rhodamine B in The Presence of Oxalic Acid, *Chem. Eng. J.*, 203, 432–439.

Liu, S.T., Huang, J., Ye, Y., Zhang, A.B., Pan, L., and Chen, X.G., 2013, Microwave Enhanced Fenton Process for The Removal of Methylene Blue from Aqueous Solution, *Chem. Eng. J.*, 215–216, 586–590.

Mardina, P., Norhayani, and Triutami, D., 2014, Pembuatan Asam Oksalat dari Sekam Padi dengan Hidrolisis Berkatalisator NaOH dan Ca(OH)₂, *J. Bahan Alam Terbarukan*, 2, 75160.

Marlina, 2012, Pemanfaatan Biomassa Karang *Heliofungia Actiniformis* Sebagai Biosorben Ion Pb(II),.

- Muchtar, R., Fudiesta, Y., Windaryanti, D., Kimia, J., Matematika, F., Ilmu, D., Alam, P., Jenderal, U., and Yani, A., 2018, Analisis Pengaruh Waktu Pemanasan Terhadap Kadar Oksalat dalam Bayam Hijau (*Amarantus hybridus*) dengan Menggunakan Metode Spektrofotometri UV-Vis, *J. Sains dan Kesehat.*, 1, 415–421.
- Mufid, M., Wibowo, A.A., Suryandari, A.S., Fithriasari, A.N., and Nastiti, P.A., 2018, Sintesis Asam Oksalat dari Limbah Serbuk Kayu Jati (*Tectona Grandis L.F.*) dengan Proses Hidrolisis Alkali, *J. Tek. Kim. dan Lingkung.*, 2, 17–22.
- Nakagawa, H. and Yamaguchi, E., 2012, Influence of Oxalic Acid Formed on The Degradation of Phenol by Fenton Reagent, *Chemosphere*, 88, 183–187.
- Naldoni, A., Schiboula, A., Bianchi, C.L., and Bremner, D.H., 2011, Mineralisation of Surfactants Using Ultrasound and The Advanced Fenton Process, *Water. Air. Soil Pollut.*, 215, 487–495.
- Novi, C., Tri, W.E., and Aprilita, N.H., 2013, Pengaruh Ion Pb(II) Dan Ion Cd(II) Terhadap Efektivitas Fotoreduksi Ion Hg(II) yang Terkatalisis TiO₂, *Berk. MIPA*, 2, 14–27.
- Palar, H., 2008, Pencemaran dan Toksikologi Logam Berat, Rineka Cipta.
- Peck, A.B., Canales, B.K., and Nguyen, C.Q., 2016, Oxalate-Degrading Microorganisms or Oxalate-Degrading Enzymes: Which Is The Future Therapy for Enzymatic Dissolution of Calcium-Oxalate Uroliths in Recurrent Stone Disease?, *Urolithiasis*, 44, 45–50.
- Purwadi, A., 2007, Prinsip Dasar Teknologi Oksidasi Maju : Teknologi Hibrida Ozon dengan Titania, 170–178.
- Rohmatika, U., 2019, Uji Laboratorium Pengukuran Kandungan Zat Besi (Fe) pada Ekstrak Bayam Hijau (*Amaranthus Hybridus l*), *Maternal*, 2, 154–159.
- Said, N.I., 2018, Disinfeksi untuk Proses Pengolahan Air Minum, *J. Air Indones.*, 3, 15–28.
- Salindra, B.P., Ningrum, P.T., and Ariyanto, Y., 2022, Analisis Kandungan Timbal (Pb) pada Aliran Limbah Cair dan Air Sumur serta Keluhan Kesehatan Masyarakat.
- Shendkar, C.D., Torane, R.C., Mundhe, K.S., Lavate, S.M., Pawar, A.B., and Deshpande, N.R., 2013, Characterization and Application of Activated Carbon Prepared from Waste Weed, *Int. J. Pharm. Pharm. Sci.*, 5, 527–529.
- Suci, F.C., 2012, Pemanfaatan Abu Layang Batubara (*Fly Ash*) Teraktivasi sebagai Adsorben Ion Logam Pb(II), *Dep. Kim. Fak. Sains dan Teknol. Univ. Airlangga.*,
- Vedrenne, M., Vasquez-Medrano, R., Prato-Garcia, D., Frontana-Urbe, B.A., Hernandez-Esparza, M., and de Andrés, J.M., 2012, A ferrous Oxalate Mediated Photo-Fenton System: Toward An Increased Biodegradability of

Indigo Dyed Wastewaters, *J. Hazard. Mater.*, 243, 292–301.

Verayana, V. (Verayana), Paputungan, M. (Mardjan), and Iyabu, H. (Hendri), 2018, Pengaruh Aktivator HCl dan H₃PO₄ terhadap Karakteristik (Morfologi Pori) Arang Aktif Tempurung Kelapa Serta Uji Adsorpsi pada Logam Timbal (Pb), *Jambura J. Educ. Chem.*, 13, 67–75.

Verma, A., Kore, R., Corbin, D.R., and Shiflett, M.B., 2019, Metal Recovery Using Oxalate Chemistry: A Technical Review, *Ind. Eng. Chem. Res.*, 58, 15381–15393.

Wahyuni, E.T., Siswanta, D., Kunarti, E.S., Supraba, D., and Budiraharjo, S., 2019, Removal of Pb(II) Ions in The Aqueous Solution by Photo-Fenton Method, *Glob. Nest J.*, 21, 180–186.

Wang, F., Dong, W., Zhao, Z., Wang, H., Li, W., Zhang, L., Ouyang, H., Huang, X., and Li, J., 2022, Mechanistic Insights into Fe(II)-Citric Acid Complex Catalyzed CaO₂ Fenton-like Process for Enhanced Benzo[a]pyrene Removal from Black-Odor Sediment at Circumneutral pH, *Water Res.*, 226, .

Yehia, F.Z., Helal, M.H., Ali, O., Elfadly, A.M., Mady, A.H., and Roshdy, A.A., 2013, Catalytic Degradation of Phenol Using Different Chelating Agent at Near Neutral pH in Modified-Fenton Process, *Egypt. J. Chem.*, 56, 199–212.

Yong, Shao, Z., and Yi, X., 2020, Novel Fenton-Biological Combined Process at Neutral pH by Virtue of Endogenous Acidification and Fungal Degradation: Performance and Cost Analysis in The Lab-Scale Study, *Chem. Eng. J.*, 399, 125745.

Yulaipi, S. and Aunurohim, 2013, Timbal Bioakumulasi Logam Berat Timbal (Pb) dan Hubungannya dengan Laju Pertumbuhan Ikan Mujair (*Oreochromis mossambicus*), *Sains dan Semi Pomits*, 2, 2337–3520.

Zhou, T., Li, Y., Wong, F.S., and Lu, X., 2008, Enhanced Degradation of 2,4-Dichlorophenol by Ultrasound in A New Fenton Like System (Fe/EDTA) at Ambient Circumstance, *Ultrason. Sonochem.*, 15, 782–790.

Zhou, Y., Fang, X., Wang, T., Hu, Y., and Lu, J., 2017, Chelating Agents Enhanced CaO₂ Oxidation of Bisphenol A Catalyzed by Fe³⁺ and Reuse of Ferric Sludge as A Source of Catalyst, *Chem. Eng. J.*, 313, 638–645.

Zian, Ulfin, I., and Harmami, 2016, Pengaruh Waktu Kontak pada Adsorpsi Remazol Violet 5R Menggunakan Adsorben Nata de Coco, *J. Sains Dan Seni Its*, 5, 2337–3520.