

DAFTAR PUSTAKA

- Akseer, N., Kandru, G., Keats, E. C., & Bhutta, Z. A. (2020). COVID-19 pandemic and mitigation strategies: Implications for maternal and child health and nutrition. *American Journal of Clinical Nutrition*, 112(2), 251–256. <https://doi.org/10.1093/ajcn/nqaa171>
- Alam, M. A., Richard, S. A., Fahim, S. M., Mahfuz, M., Nahar, B., Das, S., Shrestha, B., Koshy, B., Mduma, E., Seidman, J. C., Murray-Kolb, L. E., Caulfield, L. E., & Ahmed, T. (2020). Impact of early-onset persistent stunting on cognitive development at 5 years of age: Results from a multi-country cohort study. *PLoS ONE*, 15(1), 1–16. <https://doi.org/10.1371/journal.pone.0227839>
- Anderson, P.J. (2010) “Underestimation of developmental delay by the new Bayley-III scale,” *Archives of Pediatrics & Adolescent Medicine*, 164(4), p. 352. Available at: <https://doi.org/10.1001/archpediatrics.2010.20>.
- Aramico, B., Huriyati, E., & Dewi, F. S. T. (2020). Determinant Factors of Stunting and Effectiveness of Nutrition, Information, Education Interventions to Prevent Stunting in The First 1000 Days of Life: A Systematic Review. *Childhood Stunting, Wasting, and Obesity, as the Critical Global Health Issues: Forging Cross-Sectoral Solutions*, 285–300. <https://doi.org/10.26911/the7thicph-FP.03.30>
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L. M. (2018). A review of child stunting determinants in Indonesia. *Maternal and Child Nutrition*, 1–10. <https://doi.org/10.1111/mcn.12617>
- Berkman, D., Lescano, A., Gilman, R., Lopez, S., & Black, M. (2002). Effects of stunting, diarrhoeal disease, and parasitic infection during infancy on cognition in late childhood: a follow-up study. *The Lancet*, 359, 564–571.
- Berkman DS; Lescano AG; Gilman RH; Lopez SL; Black MM; (no date) *Effects of stunting, diarrhoeal disease, and parasitic infection during infancy on cognition in late childhood: A follow-up study, Lancet (London, England)*. U.S. National Library of Medicine. Available at: <https://pubmed.ncbi.nlm.nih.gov/11867110/> (Accessed: January 23, 2023).
- Bhargava, R., Kumar, R. and Bhawe, A. (2015) “Validation of a new Lucknow Intelligence Screening Test for Indian children aged 9 to 15 yr,” *Journal of Pediatric Neurology*, 09(02), pp. 215–220. Available at: <https://doi.org/10.3233/jpn-2011-0472>.
- Budhathoki, S. S., Bhandari, A., Gurung, R., Gurung, A., & Kc, A. (2020). Stunting Among Under 5-Year-Olds in Nepal: Trends and Risk Factors. *Maternal and Child Health Journal*, 24, 39–47. <https://doi.org/10.1007/s10995-019-02817-1>.
- Casale, D., & Desmond, C. (2015). Recovery from stunting and cognitive outcomes in young children: Evidence from the South African Birth to Twenty Cohort Study. *Journal of Developmental Origins of Health and Disease*, 7(2), 163–171. <https://doi.org/10.1017/S2040174415007175>.

- de Onis, M., & Branca, F. (2016). Childhood stunting: A global perspective. *Maternal and Child Nutrition*, 12, 12–26. <https://doi.org/10.1111/mcn.12231>
- Ekholuenetale, M., Barrow, A., Ekholuenetale, C. E., & Tudeme, G. (2020). Impact of stunting on early childhood cognitive development in Benin: evidence from Demographic and Health Survey. *Egyptian Pediatric Association Gazette*, 68(31), 1–11. <https://doi.org/10.1186/s43054-020-00043-x>
- Fore, H. H., Dongyu, Q., Beasley, D. M., & Ghebreyesus, T. A. (2020). Child malnutrition and COVID-19: the time to act is now. *The Lancet*, 396(10250), 517–518. [https://doi.org/10.1016/S0140-6736\(20\)31648-2](https://doi.org/10.1016/S0140-6736(20)31648-2)
- Glascoe, F.P. *et al.* (1992) “Accuracy of the denver-II in developmental screening,” *Pediatrics*, 89(6), pp. 1221–1225. Available at: <https://doi.org/10.1542/peds.89.6.1221>.
- Handryastuti, S. *et al.* (2020) “Comparison of cognitive and other developmental functions in children with stunting and malnutrition.” Available at: <https://doi.org/10.21203/rs.3.rs-72816/v1>.
- Headey, D., Heidkamp, R., Osendarp, S., Ruel, M., Scott, N., Black, R., Shekar, M., Bouis, H., Flory, A., Haddad, L., & Walker, N. (2020). Impacts of COVID-19 on childhood malnutrition and nutrition-related mortality. In *The Lancet* (Vol. 396, Issue 10250, pp. 519–521). Lancet Publishing Group. [https://doi.org/10.1016/S0140-6736\(20\)31647-0](https://doi.org/10.1016/S0140-6736(20)31647-0)
- Hulshoff Pol HE;Hoek HW;Susser E;Brown AS;Dingemans A;Schnack HG;van Haren NE;Pereira Ramos LM;Gispén-de Wied CC;Kahn RS; (2000) *Prenatal exposure to famine and brain morphology in schizophrenia*, *The American journal of psychiatry*. U.S. National Library of Medicine. Available at: <https://pubmed.ncbi.nlm.nih.gov/10873931/> (Accessed: January 23, 2023).
- Indriani, D., Dewi, Y. L. R., Murti, B., & Qadrijati, I. (2018). Prenatal Factors Associated with the Risk of Stunting: A Multilevel Analysis Evidence from Nganjuk, East Java. *Journal of Maternal and Child Health*, 03(04), 294–300. <https://doi.org/10.26911/thejmch.2018.03.04.07>
- Kang, Y., Aguayo, V. M., Campbell, R. K., & West, K. P. (2018). Association between stunting and early childhood development among children aged 36–59 months in South Asia. *Maternal and Child Nutrition*, 14, 1–11. <https://doi.org/10.1111/mcn.12684>.
- Kementerian Kesehatan Republik Indonesia. (2021). *PROFIL KESEHATAN INDONESIA TAHUN 2020*.
- Koenen, K.C. *et al.* (2009) *Childhood IQ and adult mental disorders: A test of the cognitive reserve hypothesis*, *The American journal of psychiatry*. U.S. National Library of Medicine. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2705657/> (Accessed: January 29, 2023).
- Koshy, B., Srinivasan, M., Gopalakrishnan, S., Mohan, V. R., Scharf, R., Murray-Kolb, L., John, S., Beulah, R., Muliyl, J., & Kang, G. (2022). Are early childhood stunting

- and catch-up growth associated with school age cognition? -Evidence from an Indian birth cohort. *PLoS ONE*, 17(3), 1–14. <https://doi.org/10.1371/journal.pone.0264010>
- Lipkin, P.H. *et al.* (2020) “Promoting optimal development: Identifying infants and young children with developmental disorders through developmental surveillance and screening,” *Pediatrics*, 145(1). Available at: <https://doi.org/10.1542/peds.2019-3449>.
- MAL-ED Network Investigators. (2017). Childhood stunting in relation to the pre- and postnatal environment during the first 2 years of life: The MAL-ED longitudinal birth cohort study. *PLoS Medicine*, 14(10), 1–21. <https://doi.org/10.1371/journal.pmed.1002408>
- Meylia, K. N., Siswati, T., Paramashanti, B. A., & Hati, F. S. (2022). Fine motor, gross motor, and social independence skills among stunted and non-stunted children. *Early Child Development and Care*, 192(1), 95–102. <https://doi.org/10.1080/03004430.2020.1739028>
- Nahar, B., Hossain, M., Mahfuz, M., Islam, M. M., Hossain, M. I., Murray-Kolb, L. E., Seidman, J. C., & Ahmed, T. (2020). Early childhood development and stunting: Findings from the MAL-ED birth cohort study in Bangladesh. *Maternal and Child Nutrition*, 16(1), 1–12. <https://doi.org/10.1111/mcn.12864>
- Neugebauer, R., Hoek, H.W. and Susser, E. (2000) “Prenatal exposure to wartime famine and development of antisocial personality disorder in early adulthood,” *Obstetrical & Gynecological Survey*, 55(1), p. 8. Available at: <https://doi.org/10.1097/00006254-200001000-00005>.
- Oot, L., Sethuraman, K., Ross, J., & Sommerfeldt, A. E. (2016). *Food and Nutrition Technical Assistance III Project The Effect of Chronic Malnutrition (Stunting) on Learning Ability, a Measure of Human Capital: A Model in PROFILES for Country-Level Advocacy*.
- Prado, E. L., Larson, L. M., Cox, K., Bettencourt, K., Kubes, J. N., & Shankar, A. H. (2019). Do effects of early life interventions on linear growth correspond to effects on neurobehavioural development? A systematic review and meta-analysis. *The Lancet Global Health*, 7(10), e1398–e1413. [https://doi.org/10.1016/S2214-109X\(19\)30361-4](https://doi.org/10.1016/S2214-109X(19)30361-4)
- Prendergast, A. J., & Humphrey, J. H. (2014). The stunting syndrome in developing countries. *Paediatrics and International Child Health*, 34(4), 250–265. <https://doi.org/10.1179/2046905514Y.00000000158>.
- Pusat Data dan Infomasi Kementerian Kesehatan RI. (2018). *Situasi Balita Pendek (Stunting) di Indonesia*.
- Roberton, T., Carter, E. D., Chou, V. B., Stegmuller, A. R., Jackson, B. D., Tam, Y., Sawadogo-Lewis, T., & Walker, N. (2020). Early estimates of the indirect effects of the COVID-19 pandemic on maternal and child mortality in low-income and middle-income countries: a modelling study. *The Lancet Global Health*, 8(7), e901–e908. [https://doi.org/10.1016/S2214-109X\(20\)30229-1](https://doi.org/10.1016/S2214-109X(20)30229-1)

- Rutter, M. (1987) "The role of cognition in child development and disorder," *British Journal of Medical Psychology*, 60(1), pp. 1–16. Available at: <https://doi.org/10.1111/j.2044-8341.1987.tb02712.x>.
- Sanou, A. S., Diallo, A. H., Holding, P., Nankabirwa, V., Engebretsen, I. M. S., Ndeezi, G., Tumwine, J. K., Meda, N., Tylleskär, T., & Kashala-Abotnes, E. (2018). Association between stunting and neuro-psychological outcomes among children in Burkina Faso, West Africa. *Child and Adolescent Psychiatry and Mental Health*, 12(30), 1–10. <https://doi.org/10.1186/s13034-018-0236-1>
- Setianingsih, Permatasari, D., Sawitri, E., & Ratnadilah, D. (2020). Impact of Stunting on Development of Children Aged 12-60 Months. *Advances in Health Sciences Research*, 27, 186–189.
- Sokolovic, N., Selvam, S., Srinivasan, K., Thankachan, P., Kurpad, A. v., & Thomas, T. (2014). Catch-up growth does not associate with cognitive development in Indian school-age children. *European Journal of Clinical Nutrition*, 68(1), 14–18. <https://doi.org/10.1038/ejcn.2013.208>
- Soliman, A., de Sanctis, V., Alaraj, N., Ahmed, S., Alyafei, F., Hamed, N., & Soliman, N. (2021). Early and long-term consequences of nutritional stunting: From childhood to adulthood. *Acta Biomedica*, 92(1), 1–12. <https://doi.org/10.23750/abm.v92i1.11346>
- Strupp, B.J. and Levitsky, D.A. (1995) "Enduring cognitive effects of early malnutrition: A theoretical reappraisal," *The Journal of Nutrition*, 125(suppl_8). Available at: https://doi.org/10.1093/jn/125.suppl_8.2221s.
- Trivedi, J.K. (2006) *Cognitive deficits in psychiatric disorders: Current status*, *Indian journal of psychiatry*. U.S. National Library of Medicine. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2913637/> (Accessed: January 23, 2023).
- UNICEF/WHO/ World Bank Group Joint Child Malnutrition Estimates. (2021). *Levels and trends in child malnutrition*.
- Vincer, M.J. *et al.* (2005) "A population-based study to determine the performance of the cognitive adaptive test/clinical linguistic and auditory milestone scale to predict the mental developmental index at 18 months on the Bayley Scales of infant development-II in very preterm infants," *Pediatrics*, 116(6). Available at: <https://doi.org/10.1542/peds.2005-0447>.
- Walker, S.P. *et al.* (2007) "Early childhood stunting is associated with poor psychological functioning in late adolescence and effects are reduced by psychosocial stimulation," *The Journal of Nutrition*, 137(11), pp. 2464–2469. Available at: <https://doi.org/10.1093/jn/137.11.2464>.
- Warsito, O. *et al.* (2012) *Relationship between nutritional status, psychosocial stimulation, and cognitive development in preschool children in Indonesia*, *Nutrition research and practice*. U.S. National Library of Medicine. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3506877/#sec-24title> (Accessed: January 23, 2023).

- Wirth, J. P., Rohner, F., Petry, N., Onyango, A. W., Matji, J., Bailes, A., de Onis, M., & Woodruff, B. A. (2017). Assessment of the WHO Stunting Framework using Ethiopia as a case study. *Maternal and Child Nutrition*, 13(2), 1–16. <https://doi.org/10.1111/mcn.12310>.
- World Health Organization. (2013). *CHILDHOOD STUNTING: Challenges and opportunities*.
- World Health Organization. (2020a). *World Health Statistics 2020 Monitoring Health for the SDGs*.
- World Health Organization. (2020b). *World Health Statistics 2020 Monitoring Health for the SDGs*.
- Xie, W. et al. (2019) *Growth faltering is associated with altered brain functional connectivity and cognitive outcomes in urban Bangladeshi children exposed to early adversity*, *BMC medicine*. U.S. National Library of Medicine. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6876085/#Sec15title> (Accessed: January 23, 2023).