



## DAFTAR PUSTAKA

- Ahmadi-Baloutaki, M., Carriveau, R., & Ting, D. S. K. (2014). Straight-bladed vertical axis wind turbine rotor design guide based on aerodynamic performance and loading analysis. *Proceedings of the Institution of Mechanical Engineers, Part A: Journal of Power and Energy*, 228(7), 742–759. <https://doi.org/10.1177/0957650914538631>
- Ahmadi-Baloutaki, M., Carriveau, R., & Ting, D. S. K. (2016). A wind tunnel study on the aerodynamic interaction of vertical axis wind turbines in array configurations. *Renewable Energy*, 96, 904–913. <https://doi.org/10.1016/j.renene.2016.05.060>
- Aji, P. (2019). *Rancangan Bangun Bilah Inverse Taper dengan Airfoil S1210 pada Turbin Angin Skala Kecil*. Skripsi. Universitas Gadjah Mada.
- Alexander, A. S., & Santhanakrishnan, A. (2020). Mechanisms of power augmentation in two side-by-side vertical axis wind turbines. *Renewable Energy*, 148, 600–610. <https://doi.org/10.1016/j.renene.2019.10.149>
- Ali, S., Lee, S. M., & Jang, C. M. (2017). Techno-economic assessment of wind energy potential at three locations in South Korea using long-Term measured wind data. *Energies*, 10(9), 1–23. <https://doi.org/10.3390/en10091442>
- Amazon. (n.d.). *Amazon.co.jp: 400W/600W White Camper Wind Energy Generator 12V/24V Noise Vertical Shaft Windmill for Home Camping (12V 600W, Red) : DIY, Tools & Garden*. Retrieved February 25, 2022, from <https://www.amazon.co.jp/en/Camper-Generator-Vertical-Windmill-Camping/dp/B07ZM57Q2D>
- Arborwind. (n.d.). *Vertical Axis Wind Turbines generate safe, economical, clean energy*. Retrieved February 25, 2022, from <https://arborwind.com/vertical-axis-wind-turbines/>
- Armstrong, S., Fiedler, A., & Tullis, S. (2012). Flow separation on a high Reynolds number, high solidity vertical axis wind turbine with straight and canted blades and canted blades with fences. *Renewable Energy*, 41, 13–22. <https://doi.org/10.1016/j.renene.2011.09.002>
- Bingga, G., Lutz, T., & Krämer, E. (2018). Energy assessment of two vertical axis wind turbines in side-by-side arrangement. *Journal of Renewable and Sustainable Energy*, 10(3). <https://doi.org/10.1063/1.5028199>
- Barnes, A., & Hughes, B. (2019). Determining the impact of VAWT farm configurations on power output. *Renewable Energy*, 143, 1111–1120. <https://doi.org/10.1016/j.renene.2019.05.084>
- Barnes, A., Marshall-Cross, D., & Hughes, B. R. (2021). Towards a standard approach for future Vertical Axis Wind Turbine aerodynamics research and development. *Renewable and Sustainable Energy Reviews*, 148(June). <https://doi.org/10.1016/j.rser.2021.111221>
- Brownstein, I. D., Wei, N. J., & Dabiri, J. O. (2019). Aerodynamically Interacting Vertical-Axis Wind Turbines: Performance Enhancement and Three-Dimensional Flow. *Energies*, 12(14), 2724. <https://doi.org/10.3390/en12142724>
- Castelli, M. R., Ardizzon, G., Battisti, L., Benini, E., & Pavesi, G. (2010). Modeling strategy and numerical validation for a Darrieus vertical axis micro-wind turbine. *ASME International Mechanical Engineering Congress and Exposition*,



- Proceedings (IMECE), 7(PARTS A AND B), 409–418.  
<https://doi.org/10.1115/IMECE2010-39548>
- Chen, W. H., Chen, C. Y., Huang, C. Y., & Hwang, C. J. (2017). Power output analysis and optimization of two straight-bladed vertical-axis wind turbines. *Applied Energy*, 185, 223–232. <https://doi.org/10.1016/j.apenergy.2016.10.076>
- Chen, W., Ocreto, J. B., Wang, J., Tuan, A., & Liou, J. (2021). Two-stage optimization of three and four straight-bladed vertical axis wind turbines (SB-VAWT) based on Taguchi approach. *E-Prime - Advances in Electrical Engineering, Electronics and Energy*, 1(September), 100025. <https://doi.org/10.1016/j.prime.2021.100025>
- de Tavernier, D., Ferreira, C., Li, A., Paulsen, U. S., & Madsen, H. A. (2018). Towards the understanding of vertical-axis wind turbines in double-rotor configuration. *Journal of Physics: Conference Series*, 1037(2). <https://doi.org/10.1088/1742-6596/1037/2/022015>
- Durkacz, J., Islam, S., Chan, R., Fong, E., Gillies, H., Karnik, A., & Mullan, T. (2021). CFD modelling and prototype testing of a Vertical Axis Wind Turbines in planetary cluster formation. *Energy Reports*, 7, 119–126. <https://doi.org/10.1016/j.egyr.2021.06.019>
- Fluent, A. (2009). *ANSYS FLUENT 12.0 User's Guide - 11.2.3 Solution Strategies for Sliding Meshes*. <https://www.ansys.com/-/media/assets/fluent/12.0/doc/html/node392.htm>
- Franchina, N., Persico, G., & Savini, M. (2019). 2D-3D Computations of a Vertical Axis Wind Turbine Flow Field: Modeling Issues and Physical Interpretations. *Renewable Energy*, 136, 1170–1189. <https://doi.org/10.1016/j.renene.2018.09.086>
- G. Abu-El-Yazied, T. (2014). Investigation of the Aerodynamic Performance of Darrieus Vertical Axis Wind Turbine. *IOSR Journal of Engineering*, 4(5), 18–29. <https://doi.org/10.9790/3021-04571829>
- Hand, B., Kelly, G., & Cashman, A. (2021). Aerodynamic design and performance parameters of a lift-type vertical axis wind turbine: A comprehensive review. *Renewable and Sustainable Energy Reviews*, 139(December 2019), 110699. <https://doi.org/10.1016/j.rser.2020.110699>
- Hassanpour, M., & Azadani, L. N. (2021). Aerodynamic optimization of the configuration of a pair of vertical axis wind turbines. *Energy Conversion and Management*, 238, 114069. <https://doi.org/10.1016/j.enconman.2021.114069>
- He, J., Jin, X., Xie, S., Cao, L., Wang, Y., Lin, Y., & Wang, N. (2020). CFD modeling of varying complexity for aerodynamic analysis of H-vertical axis wind turbines. *Renewable Energy*, 145, 2658–2670. <https://doi.org/10.1016/j.renene.2019.07.132>
- Hezaveh, S. H., Bou-Zeid, E., Dabiri, J., Kinzel, M., Cortina, G., & Martinelli, L. (2018). Increasing the Power Production of Vertical-Axis Wind-Turbine Farms Using Synergistic Clustering. *Boundary-Layer Meteorology*, 169(2), 275–296. <https://doi.org/10.1007/s10546-018-0368-0>
- Hidayat, T. (2022). Wind Power in Indonesia: Potential, Challenges, and Current Technology Overview. In *Indonesia Post-Pandemic Outlook: Strategy towards Net-Zero Emissions by 2060 from the Renewables and Carbon-Neutral Energy Perspectives*. Penerbit BRIN. <https://doi.org/10.55981/brin.562.c7>



- Jiang, N., Layton, W., McLaughlin, M., Rong, Y., & Zhao, H. (2020). On the foundations of eddy viscosity models of turbulence. *Fluids*, 5(4), 1–15. <https://doi.org/10.3390/fluids5040167>
- Jiang, Y., Zhao, P., Stoesser, T., Wang, K., & Zou, L. (2020). Experimental and numerical investigation of twin vertical axis wind turbines with a deflector. *Energy Conversion and Management*, 209(February). <https://doi.org/10.1016/j.enconman.2020.112588>
- Jin, G., Zong, Z., Jiang, Y., & Zou, L. (2020). Aerodynamic analysis of side-by-side placed twin vertical-axis wind turbines. *Ocean Engineering*, 209(March). <https://doi.org/10.1016/j.oceaneng.2020.107296>
- JMP. (n.d.). *Design of Experiments*. Retrieved April 19, 2022, from [https://www.jmp.com/en\\_ph/statistics-knowledge-portal/what-is-design-of-experiments.html](https://www.jmp.com/en_ph/statistics-knowledge-portal/what-is-design-of-experiments.html)
- KLHK. (2022). *Laporan IGRK MPV 2021*.
- Lam, H. F., & Peng, H. Y. (2017). Measurements of the wake characteristics of co- and counter-rotating twin H-rotor vertical axis wind turbines. *Energy*, 131, 13–26. <https://doi.org/10.1016/j.energy.2017.05.015>
- Lanzafame, R., Mauro, S., Messina, M., & Brusca, S. (2020). Development and validation of CFD 2D models for the simulation of micro H-darrieus turbines subjected to high boundary layer instabilities. *Energies*, 13(21). <https://doi.org/10.3390/en13215564>
- Li, C., Xiao, Y., Xu, Y. lin, Peng, Y. xin, Hu, G., & Zhu, S. (2018). Optimization of blade pitch in H-rotor vertical axis wind turbines through computational fluid dynamics simulations. *Applied Energy*, 212(July 2017), 1107–1125. <https://doi.org/10.1016/j.apenergy.2017.12.035>
- Li, S., Li, Y., Yang, C., Wang, Q., Zhao, B., Li, D., Zhao, R., Ren, T., Zheng, X., Gao, Z., & Xu, W. (2021). Experimental investigation of solidity and other characteristics on dual vertical axis wind turbines in an urban environment. *Energy Conversion and Management*, 229(November 2020). <https://doi.org/10.1016/j.enconman.2020.113689>
- Ma, N., Lei, H., Han, Z., Zhou, D., Bao, Y., Zhang, K., Zhou, L., & Chen, C. (2018). Airfoil optimization to improve power performance of a high-solidity vertical axis wind turbine at a moderate tip speed ratio. *Energy*, 150, 236–252. <https://doi.org/10.1016/j.energy.2018.02.115>
- Mansour, H., & Afify, R. (2020). Design and 3D CFD static performance study of a two-blade icewind turbine. *Energies*, 13(20). <https://doi.org/10.3390/en13205356>
- Mantovani, J. (2020). *What is the source of mesh quality spectrum? — Ansys Learning Forum*. <https://forum.ansys.com/discussion/12577/what-is-the-source-of-mesh-quality-spectrum>
- Manwell, J. F., McGowan, J. G., & Rogers, A. L. (2010). Wind Energy Explained: Theory, Design and Application. In *Wind Energy Explained: Theory, Design and Application* (Vol. 112, Issue 483). <https://doi.org/10.1002/9781119994367>
- Marsh, P., Ranmuthugala, D., Penesis, I., & Thomas, G. (2017). The influence of turbulence model and two and three-dimensional domain selection on the simulated performance characteristics of vertical axis tidal turbines. *Renewable Energy*, 105, 106–116. <https://doi.org/10.1016/j.renene.2016.11.063>



- Meana-Fernández, A., Solís-Gallego, I., Fernández Oro, J. M., Argüelles Díaz, K. M., & Velarde-Suárez, S. (2018). Parametrical evaluation of the aerodynamic performance of vertical axis wind turbines for the proposal of optimized designs. *Energy*, 147, 504–517. <https://doi.org/10.1016/j.energy.2018.01.062>
- Moghimi, M., & Motawej, H. (2020). Developed DMST model for performance analysis and parametric evaluation of Gorlov vertical axis wind turbines. *Sustainable Energy Technologies and Assessments*, 37(December 2019), 100616. <https://doi.org/10.1016/j.seta.2019.100616>
- OJK. (2017). *Paris Agreement*. OJK. <https://www.ojk.go.id/sustainable-finance/id/publikasi/prinsip-dan-kesepakatan-internasional/Pages/Paris-Agreement.aspx>
- P3TekEBTKE. (2021). *Pusat Penelitian dan Pengembangan Teknologi Ketenagalistrikan, Energi Baru, Terbarukan, dan Konservasi Energi*.
- Paraschivoiu, I. (2002). *Wind Turbine Design With Emphasis on Darrieus Concept*. Polytechnic International Pres.
- Peng, H. Y., Han, Z. D., Liu, H. J., Lin, K., & Lam, H. F. (2020a). Assessment and optimization of the power performance of twin vertical axis wind turbines via numerical simulations. *Renewable Energy*, 147, 43–54. <https://doi.org/10.1016/j.renene.2019.08.124>
- Peng, H. Y., Han, Z. D., Liu, H. J., Lin, K., & Lam, H. F. (2020b). Assessment and optimization of the power performance of twin vertical axis wind turbines via numerical simulations. *Renewable Energy*, 147, 43–54. <https://doi.org/10.1016/j.renene.2019.08.124>
- Peng, H. Y., Lam, H. F., & Liu, H. J. (2019). Power performance assessment of H-rotor vertical axis wind turbines with different aspect ratios in turbulent flows via experiments. *Energy*, 173, 121–132. <https://doi.org/10.1016/j.energy.2019.01.140>
- Peng, H. Y., Liu, M. N., Liu, H. J., & Lin, K. (2022). Optimization of twin vertical axis wind turbines through large eddy simulations and Taguchi method. *Energy*, 240(XXXX), 122560. <https://doi.org/10.1016/j.energy.2021.122560>
- Peng, Y. X., Xu, Y. L., & Zhan, S. (2019). A hybrid DMST model for pitch optimization and performance assessment of high-solidity straight-bladed vertical axis wind turbines. *Applied Energy*, 250(March), 215–228. <https://doi.org/10.1016/j.apenergy.2019.04.127>
- Posa, A. (2020). Influence of Tip Speed Ratio on wake features of a Vertical Axis Wind Turbine. *Journal of Wind Engineering and Industrial Aerodynamics*, 197(January), 104076. <https://doi.org/10.1016/j.jweia.2019.104076>
- Rapp, B. E. (2017). Finite Volume Method. *Microfluidics: Modelling, Mechanics and Mathematics*, 633–654. <https://doi.org/10.1016/B978-1-4557-3141-1.50031-9>
- Rezaeiha, A., Montazeri, H., & Blocken, B. (2018). Towards accurate CFD simulations of vertical axis wind turbines at different tip speed ratios and solidities: Guidelines for azimuthal increment, domain size and convergence. *Energy Conversion and Management*, 156(December 2017), 301–316. <https://doi.org/10.1016/j.enconman.2017.11.026>



- Rezaeihha, A., Montazeri, H., & Blocken, B. (2019). On the accuracy of turbulence models for CFD simulations of vertical axis wind turbines. *Energy*, 180, 838–857. <https://doi.org/10.1016/j.energy.2019.05.053>
- Royal Swedish Academy of Sciences. (2021). *The Nobel prize in physics 2021 They found hidden patterns in the climate and in other complex phenomena.*
- Sahebzadeh, S., Rezaeihha, A., & Montazeri, H. (2020). Towards optimal layout design of vertical-axis wind-turbine farms: Double rotor arrangements. *Energy Conversion and Management*, 226(November). <https://doi.org/10.1016/j.enconman.2020.113527>
- Sahebzadeh, S., Rezaeihha, A., & Montazeri, H. (2021). CFD-based surrogate modelling of urban wind farms using artificial neural networks: Double rotor arrangements. *Journal of Physics: Conference Series*, 2042(1). <https://doi.org/10.1088/1742-6596/2042/1/012093>
- Salim, S. M., & Cheah, S. C. (2009). Wall y + Strategy for Dealing with Wall-bounded Turbulent Flows. *International MultiConference of Engineers and Computer Scientists (IMECS)*, II(January 2009), 1–6.
- Sayed, E. T., Wilberforce, T., Elsaied, K., Rabaia, M. K. H., Abdelkareem, M. A., Chae, K. J., & Olabi, A. G. (2021). A critical review on environmental impacts of renewable energy systems and mitigation strategies: Wind, hydro, biomass and geothermal. *Science of the Total Environment*, 766, 144505. <https://doi.org/10.1016/j.scitotenv.2020.144505>
- Sebestyén, V. (2021). *Renewable and Sustainable Energy Reviews : Environmental impact networks of renewable energy power plants*. 151(December 2020).
- Shaaban, S., Albatal, A., & Mohamed, M. H. (2018). Optimization of H-Rotor Darrieus turbines' mutual interaction in staggered arrangements. *Renewable Energy*, 125, 87–99. <https://doi.org/10.1016/j.renene.2018.02.094>
- Simanjuntak, J. S. (2021). *Techno-Economic and Institutional Assessment of Wind Energy in Indonesia*. TU Delft.
- Stout, C., Islam, S., White, A., Arnott, S., Kollovozi, E., Shaw, M., Droubi, G., Sinha, Y., & Bird, B. (2017). Efficiency Improvement of Vertical Axis Wind Turbines with an Upstream Deflector. *Energy Procedia*, 118, 141–148. <https://doi.org/10.1016/j.egypro.2017.07.032>
- Streamlines and Streamtubes.* (n.d.). Retrieved March 24, 2022, from [https://www.princeton.edu/~asmits/Bicycle\\_web/streamline.html](https://www.princeton.edu/~asmits/Bicycle_web/streamline.html)
- Sun, J., Sun, X., & Huang, D. (2020). Aerodynamics of vertical-axis wind turbine with boundary layer suction – Effects of suction momentum. *Energy*, 209, 118446. <https://doi.org/10.1016/j.energy.2020.118446>
- Thomas, R. N. (2004). *Coupled Vortex Vertical Axis Wind Turbine*.
- Trivellato, F., & Raciti Castelli, M. (2014). On the Courant-Friedrichs-Lowy criterion of rotating grids in 2D vertical-axis wind turbine analysis. *Renewable Energy*, 62, 53–62. <https://doi.org/10.1016/j.renene.2013.06.022>
- UNEP. (2016). GOAL 7: Affordable and clean energy | UNEP - UN Environment Programme. In *United Nation Environmental Program*.



UNFCCC. (2022). Enhanced NDC Republic of Indonesia.

[https://unfccc.int/documents/615084?gclid=Cj0KCQjw\\_O2lBhCFARIsAB0E8B\\_uei4K8CDOpDbMS89e9phioh7CVXHPuKynb9TLYfNzqMHbkB28bOoaAqlSEA\\_Lw\\_wcB](https://unfccc.int/documents/615084?gclid=Cj0KCQjw_O2lBhCFARIsAB0E8B_uei4K8CDOpDbMS89e9phioh7CVXHPuKynb9TLYfNzqMHbkB28bOoaAqlSEA_Lw_wcB)

Vergaerde, A., de Troyer, T., Standaert, L., Kluczewska-Bordier, J., Pitance, D., Immas, A., Silvert, F., & Runacres, M. C. (2020). Experimental validation of the power enhancement of a pair of vertical-axis wind turbines. *Renewable Energy*, 146, 181–187. <https://doi.org/10.1016/j.renene.2019.06.115>

Versteeg, H. K., & W. Malalasekera. (2007). *An Introduction to Computational Fluid Dynamics*. Pearson Education.

Wang, Y., Shen, S., Li, G., Huang, D., & Zheng, Z. (2018). Investigation on aerodynamic performance of vertical axis wind turbine with different series airfoil shapes. *Renewable Energy*, 126, 801–818. <https://doi.org/10.1016/j.renene.2018.02.095>

Wang, Z., & Zhuang, M. (2017). Leading-edge serrations for performance improvement on a vertical-axis wind turbine at low tip-speed-ratios. *Applied Energy*, 208(September), 1184–1197. <https://doi.org/10.1016/j.apenergy.2017.09.034>

Wong, K. H., Chong, W. T., Poh, S. C., Shiah, Y. C., Sukiman, N. L., & Wang, C. T. (2018). 3D CFD simulation and parametric study of a flat plate deflector for vertical axis wind turbine. *Renewable Energy*, 129, 32–55. <https://doi.org/10.1016/j.renene.2018.05.085>

Xisto, C. M., Páscoa, J. C., & Trancossi, M. (2016). Geometrical Parameters Influencing the Aerodynamic Efficiency of a Small-Scale Self-Pitch High-Solidity VAWT. *Journal of Solar Energy Engineering, Transactions of the ASME*, 138(3), 1–8. <https://doi.org/10.1115/1.4032794>

Zheng, H. D., Zheng, X. Y., & Zhao, S. X. (2020). Arrangement of clustered straight-bladed wind turbines. *Energy*, 200. <https://doi.org/10.1016/j.energy.2020.117563>

Zhou, L. (2018). Modeling of Single-Phase Turbulence. *Theory and Modeling of Dispersed Multiphase Turbulent Reacting Flows*, 89–120. <https://doi.org/10.1016/B978-0-12-813465-8.00005-3>