

DAFTAR PUSTAKA

- Abdul Khalil, H. P. S., T. K. Lai, Y. Y. Tye, S. Rizal, E. W. N. Chong, S. W. Yap, A. A. Hamzah, M. R. Nurul Fazita and M. T. Paridah. 2018. A Review of Extractions of Seaweed Hydrocolloids: Properties and Applications. *Express Polymer Letters*, 12(4): 296–317.
- Abou-taleb, K. A., and G. F. Galal. 2018. A Comparative Study Between One-Factor-at-A-Time and Minimum Runs Resolution-IV Methods for Enhancing the Production of Polysaccharide By *Stenotrophomonas daejeonensis* and *Pseudomonas geniculata*. *Annals of Agricultural Sciences*, 63(2): 173–180.
- Alavijeh, R. S., K. Karimi, R. H. Wijffels, C. V. D. Berg and M. Eppink. 2020. Combined Bead Milling and Enzymatic Hydrolysis for Efficient Fractionation of Lipids, Proteins, and Carbohydrates of *Chlorella vulgaris* Microalgae. *Bioresource Technology*, 309: 1-9.
- Al-Nahdi, Z. M., A. Al-Alawi and I. Al-Marhobi. 2019. The Effect of Extraction Conditions on Chemical and Thermal Characteristics of Kappa-Carrageenan Extracted from *Hypnea bryoides*. *Journal of Marine Biology*, 2019.
- Anggriani, R., Nisa, R.K. & Harini, N. 2022. The difference of coconut varieties and temperature in carrageenan extraction from seaweed (*Eucheuma cottonii*). *Jurnal Teknologi Pangan*, 16(1), 103–115.
- Anisuzzaman, S.M., Bono, A., Samiran, S., Ariffin, B. & Farm, Y.Y. 2013. Influence of potassium hydroxide concentration on the carrageenan functional group composition. *Developments in Sustainable Chemical and Bioprocess Technology*, 355–363.
- Anwar, F., Djunaedi, A. & Santosa, G.W. 2013. Pengaruh konsentrasi KOH yang berbeda terhadap kualitas alginat rumput laut coklat *Sargassum duplicatum*, *Jornal of Marine Research*, 2(1), 7-14.
- Arasua, M. V., S. Arokiyarajb, P. Viayaraghavanc, T. S. J. Kumarc, V. Duraipandiyana, N. A. Al-Dhabia and K. Kaviyarasu. 2019. One Step Green Synthesis of Larvicidal, and Azo Dye Degrading Antibacterial Nanoparticles By Response Surface Methodology. *Journal of Photochemistry and Photobiology Biology*, 190: 154-162.
- Arshanitsa, A., Ponomarenko, J., Lauberte, L., Jurkjane, V., Pals, M., Akishin, Y., Lauberts, M., Jashina, L., Bikovens, O. & Telysheva, G. 2022. Advantages of MW-assisted water extraction, combined with steam explosion, of black alder bark in terms of isolating valuable compounds and energy efficiency. *Industrial Crops & Products*, 181, 1-14.
- Asri Jaya, Sumarni, N.K. & Ridhay, A. (2019). Ekstraksi dan karakterisasi karagenan kasar rumput laut *Eucheuma cottonii*. *KOVALEN*, 5(2), 146–154.
- Astuti, K.W., Wijayanti, N.P.A.D., Putra, I.G.N.A.D. & Laksmiani, N.P.L. 2017. Optimization of isolation method of carrageenan from *Kappaphycuss alvarezii* Doty using factorial experimental design. *Journal of Health Sciences and Medicine*, 1(2), 4-7.
- Aulia. L. P dan S. B. Widjarnako. 2018. Optimasi Proses Ekstraksi Daun Sirsak (*Annona muricata L*) Metode MAE (*Microwave Assisted Extraction*) dengan Respon Aktivitas Antioksidan dan Total Fenol. *Jurnal Agroindustri Halal*, 4(1): 79-87.

- Awalliyah, A., Ikhwan, H., Nugiasari, V., Zainul, R., Padang, U. N., Padang, U. N., Kimia, L., Padang, U. N., Fisika, L., Padang, U. N., dan Milling, F. (2018). Prinsip Dasar Milling. Laboratorium Kimia, FMIPA, Universitas Negeri Padang, Indonesia, 21.
- Azevedo, G., Torres, M.D., Sousa-Pinto, I. & Hilliou, L. 2015. Effect of pre-extraction alkali treatment on the chemical structure and gelling properties of extracted hybrid carrageenan from *Chondrus crispus* and *Ahnfeltiopsis devoniensis*. *Food Hydrocolloids*, 50, 150–158.
- Bahari, A., Moelants, K., Wallecan, J., Mangiante, G., Mazoyer, J., Hendrickx, M. & Grauwet, T. (2021). Understanding the effect of time, temperature and salts on carrageenan extraction from *Chondrus crispus*. *Algal Research*. 58, 1-9.
- Balboa, E. M., C. Gallego-Fabrega, A. Moure. 2015. Study of the Seasonal Variation on Proximate Composition of Oven-Dried *Sargassum muticum* Biomass Collected in Vigo Ria, Spain. *Journal Applied Phycology*, 13(5): 488–495.
- Barba, F. J., N. Grimi and E. Vorobiev. 2015. New Approaches for the use of Non-Conventional Cell Disruption Technologies to Extract Potential Food Additives and Nutraceuticals from Microalgae. *Food Engineering Reviews*, 7(1): 45–62.
- Bezerra, M. A., R. E. Santelli, E. P. Oliveira, L. S. Villar and L. A. Escaleira. 2008. Response Surface Methodology (RSM) as a Tool for Optimization in Analytical Chemistry. *Talanta*, 76(5): 965–977.
- Bono, A., S. Anisuzzaman and O. Ding. 2014. Effect of Process Condition on the Gel Viscosity and Gel Strength of Semi Refined Carrageenan (SRC) Produced Seaweed (*Kappaphycus alvarezii*). *Journal of King Saudy University*, 26(1): 3-9.
- Borhan, M. Z., R. Ahmad, M. Rusop and S. Abdullah. 2013. Optimization of Ball Milling Parameters to Produce *Centella asiatica* Herbal Nanopowders. *Journal of Nanostructure in Chemistry*, 3(1): 2–9.
- Byreddy, A. R., C. J. Barrowa and M. Puri. 2016. Bead Milling for Lipid Recovery from Thraustochytrid Cells and Selective Hydrolysis of Schizochytrium DT3 Oil using Lipase. *Bioresource Technology*, 200: 464–469.
- Campo, V. L., D. F. Kawano, D. B. da. Silva and I. Carvalho. 2009. Carrageenans: Biological Properties, Chemical Modifications and Structural Analysis - A Review. *Carbohydrate Polymers*, 77(2): 167–180.
- Chemat, F., N. Rombaut, A. G. Sicaire, A. Meullemiestre, A. S. Fabiano-Tixier and M. Abert-Vian. 2017. Ultrasound Assisted Extraction of Food and Natural Products. Mechanisms, Techniques, Combinations, Protocols and Applications. A Review. *Journal of Ultrasonics Sonochemistry*, 34: 540–560.
- Clavijo Rivera, E., V. Montalescot, M. Viau, D. Drouin, P. Bourseau, M. Frappart, C. Monteux and E. Couallier. 2018. Mechanical Cell Disruption of *Parachlorella kessleri* Microalgae: Impact on Lipid Fraction Composition. *Bioresource Technology*, 256: 77–85.
- Cravotto, G., L. Boffa, S. Mantegna, P. Perego, M. Avogadro and P. Cintas, P. 2008. Improved Extraction of Vegetable Oils Under High-Intensity Ultrasound and/or Microwaves. *Ultrasonics Sonochemistry*, 15(5): 898–902.

- Darmayanti, M.G., Radiman, C.L. & Sudarma, I.M. 2016. Kappa-carrageenan as an attractive green substitute for polyacrylamide in enhanced oil recovery applications. *International Journal of Technology*, 3, 431-43.
- Das, S. K., A. R. Das, A. K. Guha, D. T. Nagrale, A. P. Gaikwad, L. Sharma, G. D. Lilia Anghel, Marcin Nowicki, A. N. Marzena Nowakowska, E. U. Kozik, H. H. N. Mazumdar, D. Rautaray, A. Sanyal, S. D. Adyanthaya, A. Ahmad, M. Sastry, J. S. Samuel, S. S. Abraham and J. A Gade, A. Ingle, S. Ikram. 2013. A Study on Biosynthesis of Iron Nanoparticles by *Pleurotus* sp. *Vegetable Crops Research Bulletin*, 8(1): 5–19.
- De Oliveira, V.A.V., Dos Santos Alves, K., Da Silva-Junior, A.A., Araújo, R.M., Balaban, R.C. & Hilliou, L. 2020. Testing carrageenans with different chemical structures for water-based drilling fluid application. *Journal of Molecular Liquids*, 299, 1-28.
- Desiana, E. & Hendrawati, T.Y. 2015. Pembuatan karagenan dari *Eucheuma cottonii* dengan Ekstraksi KOH menggunakan variabel waktu ekstraksi. *Seminar Nasional Sains dan Teknologi*, 1-7.
- Diharmi, A. 2016. Karakteristik fisiko-kimia karagenan rumput laut merah *Eucheuma spinosum* dari Perairan Nusa Penida, Sumenep, dan Takalar. *Science of Surveying and Mapping*, 41.
- Ding, K., H. Lin, L. Liu, X. Jia, H. Zhang, Y. Tan, X. Liang, Y. He, D. Liu, L. Han and W. Xiao. 2023. Effect of Ball Milling on Enzymatic Sugar Production from Fractionated Corn Stover. *Journal of Industrial Crops and Products*, 196: 1-11.
- Distantina, S. & Fahrurrozi, M. 2011. Carrageenan properties extracted from *Eucheuma cottonii*, Indonesia. *Seminar Nasional Sains dan Teknologi*. 1-7.
- Distantina, S., & Fahrurrozi, M. 2010. Proses Ekstraksi Karagenan dari *Eucheuma cottonii*. 4–5.
- Distantina, S., O. Rusman dan S. Hartati. 2006. Pengaruh Konsentrasi Asam Asetat Pada Perendaman Terhadap Kecepatan Ekstraksi Agar-agar. *Jurnal Ekuilibrium*, 5(1): 34-39.
- Dumondor, B., Makapedua, D.M., Taher, N., Dotulong, V., Mongi, E.L. & Montolalu, R.I. 2018. Kualitas semi-refined carrageenan chips pada rumput merah *Kappaphycus alvarezii* yang dikeringkan dengan menggunakan cabinet dryer. *Media Teknologi Hasil Perikanan*, 7(1), 1.
- Ega, L., Lopulalan, C.G.C. & Rangkoratat, R. 2015. Studi lama waktu ekstraksi terhadap mutu karagenan (*Eucheuma cottonii*). *Jurnal Agroforestri* 10(3), 228-238.
- Eliza, M.Y., Shahrudin, M., Noormaziah, J. & Rosli, W.D.W. 2015. Carboxymethyl cellulose (CMC) from oil palm empty fruit bunch (OPEFB) in the new solvent dimethyl sulfoxide (DMSO)/tetrabutylammonium fluoride (TBAF). *Journal of Physics: Conference Series*, 622, 1-10.
- Faidliyah, N.M. 2010. Tinjauan Kualitas Karagenan *Eucheuma cottonii* pada Penggunaan Pelarut dan Waktu Ekstraksi yang Berbeda pada Metode Ekstraksi. Prosiding Seminar Nasional Teknik Kimia.
- Fardhyanti, D. S dan S. S. Julianur. 2015. Karakterisasi Edible Film Berbahan Dasar Ekstrak Karagenan dari Rumput Laut (*Eucheuma Cottonii*). *Jurnal Bahan Alam Terbarukan*, 4(2): 68-73.

- Faridah, A., S. B. Widjanarko, A. Sutrisno dan B. Susilo. 2012. Optimasi Produksi Tepung Porang dari ChipPorang Secara Mekanis dengan Metode Permukaan Respons. *Jurnal Teknik Industri*,13(2): 158–166.
- Ferdiansyah, R., Abdassah, M., Zainuddin, A., Rachmaniar, R. & Chaerunisaa, A.Y. 2023. Effects of alkaline solvent type and pH on solid physical properties of carrageenan from *Eucheuma cottonii*. *Gels*, 9(397), 1-14.
- Firdayanti, L., R. Yanti, E. S. Rahayu and C. Hidayat. 2023. Carrageenan Extraction from Red Seaweed (*Kappaphycopsis cottonii*) using the Bead Mill Method. *Journal of Algal Research*, 69: 1-11.
- Gomez, L. P., C. Alvarez, M. Zhao, U. Tiwari, J. Curtin, M. G. Vaquero and B. K. Tiwari. 2020. Innovative Processing Strategies and Technologies to Obtain Hydrocolloids from Macroalgae for Food Applications. *Journal of Carbohydrate Polymers*, 248: 1-14.
- Gómez-Ordóñez, E. & Rupérez, P. 2011. FTIR-ATR spectroscopy as a tool for polysaccharide identification in edible brown and red seaweeds. *Food Hydrocolloids*, 25, 1514-1520.
- Günerken, E., D'Hondt, E., Eppink, M.H.M., Garcia-Gonzalez, L., Elst, K. & Wijffels, R.H. 2015. Cell disruption for microalgae biorefineries. *Biotechnology Advances*, 33, 243–260.
- Hakim, A.R., Wibowo, S., Arfini, F. & Peranginangin, R. 2011. Pengaruh perbandingan air pengestrak, suhu presipitasi, dan konsentrasi kalium klorida (KCl) terhadap mutu karaginan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 6(1), 1-11.
- Handayani, T. 2006. Protein pada Rumput Laut ISSN 0216-1877. *Jurnal Oseana*, 31(4): 23-30.
- Hardjono,H., C. E. Lusiani, A. A. Wibowo dan M. A. I. Iswara. 2020. Aplikasi *Response Surface Methodology* pada Optimasi Penambahan *Blast Furnace Slag* Terhadap Waktu Pengikatan dan Kuat Tekan Semen. *Jurnal Teknik Kimia dan Lingkungan*, 4(2): 61-67.
- Heriyanto, H., Kustiningsih, I. & Sari, D.K. 2018. The effect of temperature and time of extraction on the quality of Semi Refined Carrageenan (SRC). *MATEC Web of Conferences*, 154,1-6.
- Ilhamdy, A. Fadli and W. K. S. Jumsurizal. 2019. Penerapan Teknologi Proses Pencampuran Semi Refined Carrageenan (SRC) dan Refined Carrageenan (RC) Rumput Laut Merah (*Kappaphycus alvarezii*) Terhadap Karakteristik Fisiko-Kimia Karaginan. *Marinade*, 2(02): 1–10.
- Ilias, M.A., Ismail, A. & Othman, R. 2017. Analysis of carrageenan yield and gel strength of *Kappaphycus* species in Semporna Sabah. *J. Trop. Plant Physiol*, 9, 14-23.
- Kailas, T., Kersen, P., Martin, G., Truus, K., Tuvikene, R. & Vaher, M. (2006). Extraction and quantification of hybrid carrageenans from the biomass of the red algae *Furcellaria lumbriicalis* and *Coccotylus truncatus*. *Proc. Estonian Acad. Sci. Chem*, 55(1), 40–53.
- Kedutaan Besar Republik Indonesia [KBRI]. 2021. Potensi Rumput Laut Indonesia. <https://kemlu.go.id/maputo/id/news/11741/potensi-rumputlaut-indonesia>.
- Khoa, H. X., S. Bae, S. Bae, B. Kim and S. Kim. 2014. Planetary Ball Mill Process in Aspect of Milling Energy. *Journal of Korean Powder Metallurgy Institute*, 21(2): 155-164.

- Kiran-Yildirim, B., J. Hale, D. Wefers and V. Gaukel. 2021. Ice Recrystallization Inhibition of Commercial κ -, ι -, and λ -carrageenans. *Journal of Food Engineering*, 290: 110-269.
- Kurniawan, B., Mantiri, D. M. H., Kemer, K., Rompas, R. M., Kawung, N. J., & Mudeng, J. D. 2022. Application of chlorophyll in carrageenan from algae *Kappaphycus alvarezii* (Doty) Doty 1996. *Jurnal Ilmiah PLATAX*, 10 (2), 330.
- Laksono, H., Dyah, C.K., Putri, R.P.G., Soraya, M. & Purwoto, H. 2022. Characteristics of rapid visco analyzer carrageenan extract with enzymatic pretreatment of *Kappaphycus striatum*. *ASEAN Journal of Chemical Engineering* 2022, 22(2), 326-336.
- Lee, S. Y., J. M. Cho, Y. K. Chang and Y. K. Oh. 2017. Cell Disruption and Lipid Extraction for Microalgal Biorefineries: A Review. *Bioresource Technology*, 244: 1317–1328.
- Lekahena, V.N.J., Saniapon, J., Kamisi, H.L. & Tupamahu, Y.M. 2019. Physicochemical characteristics of alkali treated cottonii (ATC) flour of *Kappaphycus alvarezii* seaweed from Morotai Island in North Maluku. *Journal of Physics: Conference Series*, 1364, 1-8.
- Liu, L., Y. Wang, C. Peng dan J. Wang. 2013. Optimization of the Preparation of Fish Protein Anti-Obesity Hydrolysates Using Response Surface Methodology. *Journal of Molecular Sciences*, 14: 3124-3139.
- Lorbeer, A., J. Lahnstein, G. Fincher, P. Su and W. Zhang. 2015. Kinetics of Conventional and Microwave-Assisted Fucoïdan Extractions from the Brown Alga, *Ecklonia radiata*. *Journal of Applied Phycology*, 27(5): 2079–2087.
- Made Joni, I., M. Vanitha, C. Panatarani and F. Faizal. 2020. Dispersion of Amorphous Silica Nanoparticles Via Beads Milling Process and their Particle Size Analysis, Hydrophobicity and Anti-Bacterial Activity. *Advanced Powder Technology*, 31(1): 370–380.
- Mahardika, A., Susanto, A.B., Pramesti, R., Matsuyoshi, H., Andriana, B.B., Matsuda, Y. & Sato, H. 2019. Application of imaging raman spectroscopy to study the distribution of kappa carrageenan in the seaweed *Kappaphycus alvarezii*. *Journal of Applied Phycology*, 1-8.
- Mahyati & Azis, A. (2019). Optimization of temperature and time in carrageenan extraction of seaweed (*Kappaphycus alvarezii*) using ultrasonic wave extraction methods. *IOP Conf. Series: Earth and Environmental Science*, 370, 1-6.
- Martínez-Sanz, M., Gómez-Mascaraque, L.G., Ballester, A.R., Martínez-Abad, A., Brodkorb, A. & López-Rubio, A. (2019). Production of unpurified agar-based extracts from red seaweed *Gelidium sesquipedale* by means of simplified extraction protocols. *Algal Research*, 38, 1-12.
- Mawarni, R. T and S. B. Widjanarko. 2015. Terhadap Penurunan Oksalat Tepung Porang Grinding By Ball Mill With Chemical Purification on Reducing Oxalate in Porang Flour. *Jurnal Pangan dan Agroindustri*, 3(2): 571–581.
- Meiyasa, F. & Tarigan, N. 2019. Peranan kalium hidroksida (KOH) terhadap mutu karagenan *Eucheuma cottonii* di Indonesia. *Jurnal Ilmu-Ilmu Pertanian*, 2(2), 131-136.
- Meullemiestre, A., C. Breil, M. Abert-Vian and F. Chemat. 2016. Microwave, Ultrasound, Thermal Treatments, and Bead Milling as Intensification

- Techniques for Extraction of Lipids from Oleaginous *Yarrowia lipolytica* Yeast for a Biojetfuel Application. *Bioresource Technology*, 211: 190–199.
- Moelyono. 2016. Farmasi Bahari. Yogyakarta: Deepublish
- Mohrni, A. S., E. Yuliwati dan R. K. Muhrobin. 2015. Optimasi Kondisi Pemesinan untuk Kekasaran Permukaan pada Proses *Slot Milling* Baja Tahan Karat AISI 304. *Jurnal Energi dan Manufaktur*, 8(1): 1-8.
- Montalescot, V., T. Rinaldi, R. Touchard, S. Jubeau, M. Frappart, P. Jaouen, P. Bourseau and L. Marchal. 2015. Optimization of Bead Milling Parameters for the Cell Disruption of Microalgae: Process Modeling and Application to *Porphyridium cruentum* and *Nannochloropsis oculata*. *Bioresource Technology*, 196: 339–346.
- Montolalu R. I., Y. Tashiro, S. Matsukawa and H. Ogawa. 2008. Effect of Extraction Parameters on Gel Properties of Carrageenan from *Kappaphycus alvarezii* (Rhodophyta). *Journal of Applied Phycocolloids*, 20: 521-526.
- Moses, J., Anandhakumar, R. & Shanmugam, M. 2015. Effect of alkaline treatment on the sulfate content and quality of semi-refined carrageenan prepared from seaweed *Kappaphycus alvarezii* Doty (Doty) farmed in Indian waters. *African Journal of Biotechnology*, 14(18), 1584-1589.
- Mustamin, S. 2012. Studi Pengaruh Konsentrasi KOH dan Lama Ekstraksi Terhadap Karakteristik Karagenan dari Rumput Laut (*Eucheuma cottonii*). Skripsi Program Studi Ilmu dan Teknologi Pangan Jurusan Teknologi Pertanian Fakultas Pertanian Universitas Hasanuddin Makassar.
- Mustapha, S., Chandar, H., Abidin, Z.Z., Saghravani, R. & Harun, M.Y. (2011). Production of semi- refined carrageenan from *Eucheuma cottonii*. *Journal of Scientific & Industrial Research*, 70, 865-870.
- Nasruddin, A. N., Asikin dan I. Kusumaningrum. 2016. Pengaruh Konsentrasi KOH Terhadap Karakteristik Karagenan dari *Kappaphycus alvarezii*. *Jurnal Ilmu Perikanan Tropis*, 21(2): 55–63.
- Nazurah, N.F., Hanani, Z.A.N., 2017. Physicochemical characterization of kappa-carrageenan (*Euchemum cottonii*) based films incorporated with various plant oils. *Carbohydr. Polym.* 157, 1479–1487.
- Nguyen B. T., T. Nicolai, L. Benyahia and C. Chassenieux. 2014. Synergistic Effects of Mixed Salt on the Gelation of *K*-Carrageenan. *Carbohydrate Polymer*, 112: 10-15.
- Ningsih, F. L. 2014. Jenis dan Konsentrasi Alkali dengan Presipitasi KCl yang Berbeda Terhadap Mutu Karagenan dari Rumput Laut *Kappaphycus alvarezii* Asal Pulo Panjang Serang Banten. (Skripsi). Universitas Ageng Tirtayasa. Serang. 70 hlm.
- Nugroho, A. D., M. E. Sianto dan L. J. Asrini. 2017. Optimalisasi Faktor-Faktor yang Berpengaruh pada Beban Lentur Genteng Beton dengan Metode *Response Surface*. *Jurnal Ilmiah Widya Teknik*, 16(1): 97-104.
- Nurhayati, A. 2020. Substitusi Rumput Laut (*Eucheuma Cottonii*) pada Pembuatan Nugget Pisang Sebagai Alternatif Makanan Tinggi Serat. *Jurnal Gizi dan Kesehatan*.
- Nurika, I., Nisa', F.N., Azizah, N. & Suhartini, S. 2021. Optimasi kondisi ekstraksi vanillin hasil degradasi lignoselulosa bagas tebu menggunakan response surface method (RSM). *Jurnal Bioteknologi & Biosains Indonesia*, 8(1), 89-104.

- Nurmasani, A. E. Utami. & Al Fatta. H. 2017. Analisis support vector machine pada prediksi produksi komoditi padi. *Jurnal Informasi Interaktif*, 2(1), 39-46.
- Nurmiah, S., Syarief, R., Sukarno, S., Peranginangin, R. & Nurmata, B. 2013. Aplikasi response surface methodology pada optimalisasi kondisi proses pengolahan alkali treated cottonii (ATC). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(1), 9-22.
- Pan, Z., Y. Huang, Y. Wang and Z. Wu. 2017. Disintegration of *Nannochloropsis* sp. Cells in an Improved Turbine Bead Mill. *Bioresource Technology*, 245: 641–648.
- Pan-utai, W., S. Boonpok and S. Pornpukdeewattana. 2021. Combination of Mechanical and Chemical extraction of Astaxanthin from *Haematococcus pluvialis* and its Properties of Microencapsulation. *Journal of Biocatalysis and Agricultural Biotechnology*, 33: 1-10.
- Prabudi, M., B. Nurtama dan E. H. Purnomo. 2018. Aplikasi *Response Surface Methodology* (RSM) dengan Historical Data pada Optimasi Proses Produksi Burger. *Jurnal Mutu Pangan*, 5(2): 109-115.
- Priastami, C. C. (2011). Karagenan Sebagai Bahan Penstabil pada Proses Pembuatan Melorin. Institut Pertanian Bogor. Bogor. [Skripsi].
- Princewill, N. C. 2017. Development and Performance Evaluation of Improved Hammer Mill. *Journal of Scientific and Engineering Research*, 4(8): 159-164.
- Purwoto, H dan G. J. Christi. 2017. Optimasi Formula *Edible Film* Berbasis Amilopektin Pati Singkong dan Karagenan. *Jurnal Manajemen Pendidikan Islam*, 1(1): 31-40.
- Rahman, I. (n.d.). Pengolahan mineral.
- Rengga, W.D.P., Hartanto. D., Wibowo, B.T. & Setiawan, M. 2019. Ekstraksi minyak kulit biji mete dari limbah kulit biji mete (*Anacardium occidentale*) dengan bantuan ultrasonic. *Jurnal Eksergi*, 16(1), 1-6.
- Rhein-Knudsen, N., Ale, M.T., Ajallouelian, F., Yu, L. & Meyer, A.S. 2017. Rheological properties of agar and carrageenan from Ghanaian red seaweeds. *Food Hydrocolloids*, 63, 50–58.
- Rismawati. 2012. Studi Laju Pengeringan Semi-Refined Carrageenan (SRC) yang Diproduksi dari Rumput Laut *Eucheuma cottonii* dengan Metode Pemanasan Konvensional dan Pemanasan Ohmic. Skripsi. Program Studi Keteknikan Pertanian, Jurusan Teknologi Pertanian, Fakultas Pertanian, Universitas Hasanuddin. Makassar.
- Riyadi, P. H., E. Suprayitno, Aulanni'am dan T. D. Sulistiati. 2019. Optimization of Protein Hydrolysate from Visceral Waste of Nile Tilapia (*Oreochromis niloticus*) by Response Surface Methodology. *Journal of Bioflux*, 12: 2347-2358.
- Rizal, M., M. Mappiratu and A. R. Razak. 2016. Optimalisasi Produksi Semi Refined Caraginan (SRC) dari Rumput Laut (*Eucheuma cottonii*). *Kovalen*, 2(1): 33–38.
- Rodriguez-Jasso, R. M., S. I. Mussatto, L. Pastrana, C. N. Aguilar and J. A. Teixeira. 2011. Microwave-Assisted Extraction of Sulfated Polysaccharides (*Fuoidan*) from Brown Seaweed. *Carbohydrate Polymers*, 86(3): 1137–1144.

- Roslan, J., S. M. M. Kamal, K. F. M. Yunos dan N. Adullah. 2014. Optimization of Enzymatic Hydrolysis of Tilapia Muscle (*Oreochromis niloticus*) using Response Surface Methodology (RSM). *Journal of Sains Malaysiana*, 43(11): 1715-1723.
- Safia, Budiyaniti dan Musrif. 2020. Kandungan Nutrisi dan Senyawa Bioaktif Rumput Laut (*Eucheuma Cottonii*) yang dibudidayakan dengan Teknik Rakit Gantung pada Kedalaman Berbeda. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(2): 261-272.
- Samarasinghe, N., S. Fernando, R. Lacey and W. B. Faulkner. 2012. Algal Cell Rupture using High Pressure Homogenization as a Prelude to Oil Extraction. *Renewable Energy*, 48: 300–308.
- Sandria, N., Uju, U. & Suptijah, P. 2017. The depolymerization of kappa carrageenan using peracetic acid. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(3), 524-535.
- Saputra, S.A., Yulian, M. & Nisahi, K. 2021. Karakteristik dan kualitas mutu karagenan rumput laut Indonesia. *Lantanida Journal*, 9(1), 25-37.
- Sarafraz, M. M., I. Tlili, Z. Tian, M. Bakouri and M. R. Safaei. 2019. Smart Optimization of a Thermosyphon Heat Pipe for an Evacuated Tube Solar Collector using Response Surface Methodology (RSM). *Physica A: Statistical Mechanics and Its Applications*, 534: 122-146.
- Sari, D. K., D. Barleany, R. S. D. Lestari and L. Mustikawati. 2019. Extraction Refined Carrageenan using Ultrasonic Irradiation in from *Kappaphycus Alvarezii* Originated from Lontar. *IOP Conference Series: Materials Science and Engineering*, 673(1).
- Setijawati, D., Nursyam, H. & Salis, H. 2018. Carrageenan : the difference between PNG and KCL gel precipitation method as *Lactobacillus acidophilus* encapsulation material. *IOP Conf. Series: Earth and Environmental Science*, 137, 1-9.
- Setyorini, D., A. Q. Syafaatullah dan Y. Variyana. 2020. Pengaruh Waktu dan Suhu Maserasi Terhadap Strength Gel Karagenan *Euचेuma Cottonii* Menggunakan Pelarut NaOH. *Jurnal Teknologi Kimia Mineral*, 1(2): 65-69.
- Silalahi, H. R. D., F. T. Kristanti dan M. Muslih. 2018. Pengaruh Rasio Keuangan dan Ukuran Perusahaan Terhadap Kondisi Kesulitan Keuangan (Financial Distress) pada Perusahaan Sub-Sektor Transportasi yang Terdaftar Di Bursa Efek Indonesia (BEI) Periode 2013-2016. *Jurnal Management*, 5(1): 796-802.
- Siregar, R. F., J. Santoso and Uju. 2016. Karakteristik Fisiko Kimia Kappa Karagenan Hasil Degradasi Menggunakan Hidrogen Peroksida. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 19(3): 256–266.
- Suarez Garcia, E., Lo, C., Eppink, M.H.M., Wijffels, R.H. & Van Den Berg, C. 2019. Understanding mild cell disintegration of microalgae in bead mills for the release of biomolecules. *Chemical Engineering Science*, 203, 380–390.
- Suliman, R. 2017. Open Prairie : Open Public Research Access Institutional Repository and Information Exchange Response Surface Methodology and Its Application in Optimizing the Efficiency of Organic Solar Cells.
- Suryaningrum T. D dan B. S. D. Utomo. 2002. Petunjuk Analisis Rumput Laut dan Hasil Olahannya. Pusat Riset Pengolahan Produk dan Sosial Ekonomi Perikanan dan Kelautan. Jakarta.

- Syahrudin, 2019. Optimization of extraction and quality assessment based on physicochemical properties of carrageenan from red algae (*Kappaphycus alvarezii*) origin of South Sulawesi Indonesia. *Journal of Physics: Conference Series*, 1341, 1-19.
- Tambun, R., H. P. Limbong, C. Pinem dan E. Manurung. 2016. Pengaruh Ukuran Partikel, Waktu dan Suhu pada Ekstraksi Fenol dari Lengkuas Merah. *Jurnal Teknik Kimia USU*, 5(4): 53-56.
- Teo, H. L and R. A. Wahab. 2020. Towards an Eco-Friendly Deconstruction of Agro-Industrial Biomass and Preparation of Renewable Cellulose Nanomaterials: A Review. *International Journal of Biological Macromolecules*, 161: 1414–1430.
- Thrimawithana T. R, S. Young, D. E. Dunstanb and R. G. Alany. 2010. Texture and Rheological Characterization of Kappa and Iota Carrageenan in the Presence of Counter Ions. *Carbohydrate Polymers*, 82: 69-77.
- Vinas. M. A., N. G. Ballesteros, M. D. Torres, L. L. Hortas, C. Vanini, G. Domingo, M. C. R. Arguelles and H. Domínguez. 2022. Efficient Extraction of Carrageenans from *Chondrus Crispus* for the Green Synthesis of Gold Nanoparticles and Formulation of Printable Hydrogels. *International Journal of Biological Macromolecules*, 206: 553-566.
- Vitelli, M., A. R. Rajabzadeh, S. Tabtabaei, A. Assatory, E. Shahnam and R. L. Legge. 2020. Effect of Hammer and Pin Milling on Triboelectrostatic Separation of Legume Flour. *Powder Technology*, 372: 317–324.
- Wang, B.-H., Cao, J.-J., Zhang, B. & Chen, H.-Q. 2019. Structural characterization, physicochemical properties and α -glucosidase inhibitory activity of polysaccharide from the fruits of wax apple. *Carbohydrate Polymers*, 211, 227–236.
- Wang, L., Shen, Z., Mu, H., Lin, Y., Zhang, J. & Jiang, X. 2017. Impact of alkali pretreatment on yield, physico-chemical and gelling properties of high quality agar from *Gracilaria tenuistipitata*. *Food Hydrocolloids*, 70, 356–362.
- Wang, M., Bi, W., Huang, X. & Chen, D.D.Y. 2016. Ball mill assisted rapid mechanochemical extraction method for natural products from plants. *Journal of Chromatography A*, 1449, 8–16.
- Webber, V., Carvalho, S.M.D., Ogliari, P.J., Hayashi, L. & Barreto, P.L.M. 2012. Optimization of the extraction of carrageenan from *Kappaphycus alvarezii* using response surface methodology. *Food Science & Technology*, 32, 812–818.
- Wenno, M.R., Thenu, J.L. & Cristina Lopulalan, C.G. 2012. Karakteristik kappa karagenan dari *Kappaphycus alvarezii* pada berbagai umur panen. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 7(1), 61-67.
- Wibowo, A. & Ridlo, A. 2013. Pengaruh suhu ekstraksi terhadap kualitas alginat rumput laut *Turbinaria* sp. dari pantai Krakal, Gunung Kidul-Yogyakarta. *Journal of Marine Research*, 2(3), 15-24.
- Wibowo, A. (2019). Rumput Laut, Komoditas Penting Yang Belum Dioptimalkan. Dapat diakses secara online <https://kkp.go.id/djpdspkp/bbp2hp/artikel/14127-rumput-laut-komoditas-penting-yang-belum-dioptimalkan>.
- Wulandari, N.S., Pramesti, R. & Susanto. AB. 2019. Analisis parameter fisika dan kimia karagenan *Kappaphycus alvarezii* Doty 1985 (Florideophyceae :

- Solieriaceae) dengan variasi ekstraksi dari Perairan Bluto. *Journal of Marine Research*, 8(4), 409-415.
- Wulandari, R. 2009. Pembuatan Karagenan dari Rumput Laut *Eucheuma Cottoni* dengan Dua Metode, Surakarta.
- Yarnpakdee, S., Benjakul, S. & Kingwascharapong, P. 2015. Physico-chemical and gel properties of agar from *Gracilaria tenuistipitata* from the lake of Songkhla, Thailand. *Food Hydrocolloids*, 51, 217–226.
- Yolanda, N.T. & Agustono, A. 2020. Extraction process and physics chemical characterization of agar powders from *Gracilaria* sp. laboratory scale in PT. Java Biocolloid Surabaya. *Journal of Marine and Coastal Science*, 7(3), 127-138.
- Zia, K. M., S. Tabasum, M. Nasif, N. Sultan, N. Aslam, A. Noreen and M. Zuber. 2017. A Review on Synthesis, Properties and Applications of Natural Polymer Based Carrageenan Blends and Composites. *International Journal of Biological Macromolecules*, 96: 282-301.
- Zinkoné, T.R., Gifuni, I., Lavenant, L., Pruvost, J. & Marchal, L. (2018). Bead milling disruption kinetics of microalgae: process modeling, optimization and application to biomolecules recovery from *Chlorella sorokiniana*. *Bioresource Technology*, 267, 458–465.