

## DAFTAR PUSTAKA

- American Cancer Society, 2020. Colorectal Cancer Causes, Risk Factors, and Prevention. *American Cancer Society*.
- Aristin Revilla, S., Kranenburg, O., Coffey, P.J., 2022. Colorectal Cancer-Infiltrating Regulatory T Cells: Functional Heterogeneity, Metabolic Adaptation, and Therapeutic Targeting. *Front Immunol* 13.
- Artac, M., Uysal, M., Karaağaç, M., Korkmaz, L., Er, Z., Güler, T., Börüban, M.C., Bozcuk, H., 2017. Prognostic Impact of Neutrophil/Lymphocyte Ratio, Platelet Count, CRP, and Albumin Levels in Metastatic Colorectal Cancer Patients Treated with FOLFIRI-Bevacizumab. *J Gastrointest Cancer* 48, 176–180.
- Baidoun, F., Elshiw, K., Elkerai, Y., Merjane, Z., Khoudari, G., Sarmini, M.T., Gad, M., Al-Husseini, M., Saad, A., 2020. Colorectal Cancer Epidemiology: Recent Trends and Impact on Outcomes. *Curr Drug Targets* 22, 998–1009.
- Bandamiri, M.Z., Fararouei, M., Zohourinia, S., Daneshi, N., Dianatinasab, M., 2017. Risk factors predicting colorectal cancer recurrence following initial treatment: A 5-year cohort study. *APJCP* 18, 2465–2470.
- Berg, I. Van Den, Coebergh, R.R.J., Vugt, J.L.A., Ijzermans, J.N.M., Buettner, S., 2021. Actual Survival After Resection of Primary Colorectal Cancer: Results From A Prospective Multicenter Study. *World J Surg Oncol* 19.
- Borazan, E., Balik, A.A., Bozdağ, Z., Arik, M.K., Aytekin, A., Yilmaz, L., Elçi, M., Başkonuş, I., 2017. Assessment of the relationship between neutrophil lymphocyte ratio and prognostic factors in non-metastatic colorectal cancer. *Turk J Surg* 33, 185–189.
- Buyruk, A.M., Kazaz, S.N., Oztop, I., Semiz, H.S., Oflazoglu, U., Somali, I., 2017. The Use of Neutrophil/Lymphocyte Ratio (Nlr), Platelet/Lymphocyte Ratio (Plr), and Mean Platelet Volume (Mpv) As Inflammatory Biomarkers in the Prognosis of Patients with Early-Stage Colorectal Adenocarcinoma. *UHOD - Uluslararası Hematoloji-Onkoloji Dergisi* 27, 220–228.
- Cao, Y., Zheng, X., Hu, Y., Li, J., Huang, B., Zhao, N., Liu, T., Cai, K., Tian, S., 2023. Levels of systemic inflammation response index are correlated with tumor-associated bacteria in colorectal cancer. *Cell Death Dis* 14.
- Chen, J.H., Zhai, E.T., Yuan, Y.J., Wu, K.M., Xu, B.J., Peng Jian Jun, Chen, C.Q., He, Y.L., Cai, S.R., 2017. Systemic immune-inflammation index for predicting prognosis of colorectal cancer. *World J Gastroenterol* 23, 6261–6272.

- Chiang, S.-F., Hung, H.-Y., Tang, R., Changchien, C.R., Chen, J.-S., You, Y.-T., Chiang, J.-M., Lin, J.-R., 2012. Can neutrophil-to-lymphocyte ratio predict the survival of colorectal cancer patients who have received curative surgery electively? *Int J Colorectal Dis* 27, 1347–1357.
- Cui, M., Xu, R., Yan, B., 2020a. A persistent high neutrophil-to-lymphocyte ratio predicts poor prognosis in patients with colorectal cancer undergoing resection. *Mol Clin Oncol* 13, 1–7.
- Dmello, R.S., To, S.Q., Chand, A.L., 2021. Therapeutic targeting of the tumour microenvironment in metastatic colorectal cancer. *Int J Mol Sci* 22, 1–18.
- Duineveld, L.A.M., van Asselt, K.M., Bemelman, W.A., Smits, A.B., Tanis, P.J., van Weert, H.C.P.M., Wind, J., 2016. Symptomatic and asymptomatic colon cancer recurrence: A multicenter cohort study. *Ann Fam Med* 14, 215–220.
- Durhan, A., Koşmaz, K., Şenlikci, A., Yiğit, T., Süleyman, M., 2021. Evaluation of the Modified Systemic Inflammation Score and Inflammatory Markers According to Stage in Colorectal Cancer. *Turk J Colorectal Dis* 31, 56–61.
- Esmatabadi, M.J.D., Bakhshinejad, B., Motlagh, F.M., Babashah, S., Sadeghizadeh, M., 2016. Therapeutic resistance and cancer recurrence mechanisms: Unfolding the story of tumour coming back. *J Biosci* 41, 497–506.
- Fares, J., Fares, M.Y., Khachfe, H.H., Salhab, H.A., Fares, Y., 2020. Molecular principles of metastasis: a hallmark of cancer revisited. *Signal Transduct Target Ther*.
- Fu, J., Zhu, J., Du, F., Zhang, Lijie, Li, D., Huang, H., Tian, T., Liu, Yupeng, Zhang, Lei, Liu, Ying, Zhang, Y., Xu, J., Meng, S., Jia, C., Sun, S., Li, X., Zhao, L., Zhang, D., Kang, L., Gao, L., Zheng, T., Cai, S., Liu, Yanlong, Zhao, Y., 2020. Prognostic Inflammatory Index Based on Preoperative Peripheral Blood for Predicting the Prognosis of Colorectal Cancer Patients.
- Fujikawa, H., Okugawa, Y., Yamamoto, A., Imaoka, H., Shimura, T., Kitajima, T., Kawamura, M., Yasuda, H., Okita, Y., Yokoe, T., Ohi, M., Toiyama, Y., 2021. Cumulative C-reactive Protein in the Perioperative Period as a Novel Marker for Oncological Outcome in Patients with Colorectal Cancer Undergoing Curative Resection. *J Anus Rectum Colon* 5, 281–290.
- Galizia, G., Lieto, E., Zamboli, A., De Vita, F., Castellano, P., Romano, C., Auricchio, A., Cardella, F., De Stefano, L., Orditura, M., 2015. Neutrophil to lymphocyte ratio is a strong predictor of tumor recurrence in early colon cancers: A propensity score-matched analysis. *Surgery (United States)* 158, 112–120.

- Godhi, S., Godhi, A., Bhat, R., Saluja, S., 2017. Colorectal Cancer: Postoperative Follow-up and Surveillance. *Indian J Surgery* 79, 234–237.
- Hibino, S., Kawazoe, T., Kasahara, H., Itoh, S., Ishimoto, T., Sakata-Yanagimoto, M., Taniguchi, K., 2021. Inflammation-Induced Tumorigenesis and Metastasis. *Int J Mol Sci* 22, 5421.
- Hossain, Md.S., Karuniawati, H., Jairoun, A.A., Urbi, Z., Ooi, D.J., John, A., Lim, Y.C., Kibria, K.M.K., Mohiuddin, A.K.M., Ming, L.C., Goh, K.W., Hadi, M.A., 2022. Colorectal Cancer: A Review of Carcinogenesis, Global Epidemiology, Current Challenges, Risk Factors, Preventive and Treatment Strategies. *Cancers (Basel)* 14, 1732.
- Jakubowska, K., Koda, M., Kisielewski, W., Kańczuga-Koda, L., Famulski, W., 2019. Tumor-infiltrating lymphocytes in primary tumors of colorectal cancer and their metastases. *Exp Ther Med*.
- Jia, W., Yuan, L., Ni, H., 2021. Prognostic Value of Platelet-to-Lymphocyte Ratio , Neutrophil-to-Lymphocyte Ratio , and Lymphocyte-to-White Blood Cell Ratio in Colorectal Cancer Patients Who Received Neoadjuvant Chemotherapy 20, 1–10.
- Ke, T.M., Lin, L.C., Huang, C.C., Chien, Y.W., Ting, W.C., Yang, C.C., 2020. High neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio predict poor survival in rectal cancer patients receiving neoadjuvant concurrent chemoradiotherapy. *Medicine* 99, e19877.
- Kemenkes, 2018. Panduan Penatalaksanaan Kanker Kolorektal. Jakarta.
- Khan, U., Chowdhury, S., Billah, M.M., Islam, K.M.D., Thorlacius, H., Rahman, M., 2021. Neutrophil extracellular traps in colorectal cancer progression and metastasis. *Int J Mol Sci*.
- Kim, J.H., Lee, J.Y., Kim, H.K., Lee, J.W., Jung, S.G., Jung, K., Kim, S.E., Moon, W., Park, M.I., Park, S.J., 2017. Prognostic significance of the neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio in patients with stage III and IV colorectal cancer. *World J Gastroenterol* 23, 505–515.
- Labeda, I., Lusikooy, R.E., Mappincara, Dani, M.I., Sampetoding, S., Kusuma, M.I., Uwuratuw, J.A., Syarifuddin, E., Arsyad, A., Faruk, M., 2022. Colorectal cancer survival rates in Makassar, Eastern Indonesia: A retrospective Cohort Study. *Ann Med Surg* 74.
- Lalosevic, M.S., Pavlovic Markovic, A., Stankovic, S., Stojkovic, M., Dimitrijevic, I., Radoman Vujacic, I., Lalic, D., Milovanovic, T., Dunic, I., Krivokapic, Z., 2019. Combined Diagnostic Efficacy of Neutrophil-to-Lymphocyte Ratio (NLR), Platelet-to-Lymphocyte Ratio (PLR), and Mean Platelet Volume

(MPV) as Biomarkers of Systemic Inflammation in the Diagnosis of Colorectal Cancer. *Dis Markers* 2019, 6036979.

Lenkiewicz, O.M.K., Piekarska, V.D., Milewska, A.J., Zińczuk, J., Kamińska, J., 2021. The relationship between inflammation markers (Crp, il-6, scd40l) and colorectal cancer stage, grade, size and location. *Diagnostics* 11.

Li, H., Zhao, Y., Zheng, F., 2019. Prognostic significance of elevated preoperative neutrophil-to-lymphocyte ratio for patients with colorectal cancer undergoing curative surgery. *Medicine (United States)* 98.

Liu, Q., Zhang, H., Jiang, X., Qian, C., Liu, Z., Luo, D., 2017. Factors involved in cancer metastasis: A better understanding to “seed and soil” hypothesis. *Mol Cancer* 16.

Mallappa, S., Sinha, A., Gupta, S., Chadwick, S.J.D., 2013. Preoperative neutrophil to lymphocyte ratio >5 is a prognostic factor for recurrent colorectal cancer. *Colorectal Disease* 15, 323–328.

Mazaki, J., Katsumata, K., Kasahara, K., Tago, T., Wada, T., Kuwabara, H., Enomoto, M., Ishizaki, T., Nagakawa, Y., Tsuchida, A., 2020. Neutrophil-to-lymphocyte ratio is a prognostic factor for colon cancer: A propensity score analysis. *BMC Cancer* 20.

Mercan, U., Cakabay, B., Durhan, A., Ersen, O., Gojayev, A., Unal, A.E., 2021. Prognostic Value of Neutrophil to Lymphocyte Ratio in Patients with Colon Cancer Undergoing Laparoscopic Curative Resection. *Laparosc Endosc Surg Sci*.

Minhaj, R., Fachruddin Benyamin, A., Miskad, U.A., 2020. The Relationship Between Histopathological Grading and Metastasis in Colorectal Carcinoma Patients. *NMSJ* 5, 50–59.

Mizuno, R., Kawada, K., Itatani, Y., Ogawa, R., Kiyasu, Y., Sakai, Y., 2019. The role of tumor-associated neutrophils in colorectal cancer. *Int J Mol Sci*.

Mysliwiec, P., Choromanska, B., Dadan, J., 2020. Markers of metastatic colorectal cancer. *Prz Gastroenterol*.

Naszai, M., Kurjan, A., Maughan, T.S., 2021. The prognostic utility of pre-treatment neutrophil-to-lymphocyte-ratio (NLR) in colorectal cancer: A systematic review and meta-analysis. *Cancer Med* 10, 5983–5997.

Ozgehan, G., Kahramanca, Ş., Kaya, I.O., Bilgen, K., Bostanci, H., Guzel, H., Kucukpinar, T., Kargici, H., 2014. Neutrophil-lymphocyte ratio as a predictive factor for tumor staging in colorectal cancer. *Turk J Med Sci* 44, 365–368.

- Qaderi, S.M., Galjart, B., Cornelis Verhoef, &, Slooter, G.D., Koopman, M., Robert, &, Verhoeven, H.A., De Wilt, J.H.W., Van Erning, F.N., 2021. Disease recurrence after colorectal cancer surgery in the modern era: a population-based study.
- Ryu, H.S., Kim, J., Park, Y.R., Cho, E.H., Choo, J.M., Kim, J.-S., Baek, S.-J., Kwak, J.-M., 2023. Recurrence Patterns and Risk Factors after Curative Resection for Colorectal Cancer: Insights for Postoperative Surveillance Strategies. *Cancers (Basel)* 15, 5791.
- Ryuk, J.P., Choi, G.-S., Park, J.S., Kim, H.J., Park, S.Y., Yoon, G.S., Jun, S.H., Kwon, Y.C., 2014. Predictive factors and the prognosis of recurrence of colorectal cancer within 2 years after curative resection. *Ann Surg Treat Res* 86, 143.
- Safari, M., Mahjub, H., Esmaeili, H., Abbasi, M., Roshanaei, G., 2021. Specific causes of recurrence after surgery and mortality in patients with colorectal cancer: A competing risks survival analysis. *JRMS* 26.
- Sawayama, H., Miyamoto, Y., Hiyoshi, Y., Ogawa, K., Kato, R., Akiyama, T., Kiyozumi, Y., Yoshida, N., Baba, H., 2021. Overall survival after recurrence in stage I–III colorectal cancer patients in accordance with the recurrence organ site and pattern. *Ann Gastroenterol Surg* 5, 813–822.
- Shasha, T., Grujjs, M., van Egmond, M., 2022. Mechanisms of colorectal liver metastasis development. *CMLS*.
- Sung, H., Ferlay, J., Siegel, R.L., Laversanne, M., Soerjomataram, I., Jemal, A., Bray, F., 2021. Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA Cancer J Clin* 71, 209–249.
- Templeton, A.J., McNamara, M.G., Šeruga, B., Vera-Badillo, F.E., Aneja, P., Ocaña, A., Leibowitz-Amit, R., Sonpavde, G., Knox, J.J., Tran, B., Tannock, I.F., Amir, E., 2014. Prognostic role of neutrophil-to-lymphocyte ratio in solid tumors: A systematic review and meta-analysis. *J Natl Cancer Inst*.
- Toiyama, Y., Inoue, Y., Saigusa, S., Kawamura, M., Kawamoto, A., Okugawa, Y., Hiro, J., Tanaka, K., Mohri, Y., Kusunoki, M., 2013. C-reactive protein as predictor of recurrence in patients with rectal cancer undergoing chemoradiotherapy followed by surgery. *Anticancer Res* 33, 5065–74.
- Tong, G.J., Zhang, G.Y., Liu, J., Zheng, Z.Z., Chen, Y., Niu, P.P., Xu, X.T., 2018. Comparison of the eighth version of the American joint committee on cancer manual to the seventh version for colorectal cancer: A retrospective review of our data. *World J Clin Oncol* 9, 148–161.

- Turner, R.R., Li, C., Compton, C.C., 2007. Newer Pathologic Assessment Techniques for Colorectal Carcinoma. *Clin Cancer Res* 13, 6871s–6876s.
- Wesselink, E., Balvers, M.G.J., Kok, D.E., Winkels, R.M., van Zutphen, M., Schrauwen, R.W.M., Keulen, E.T.P., Kouwenhoven, E.A., Breukink, S.O., Witkamp, R.F., de Wilt, J.H.W., Bours, M.J.L., Weijenberg, M.P., Kampman, E., van Duijnhoven, F.J.B., 2021. Levels of inflammation markers are associated with the risk of recurrence and all-cause mortality in patients with colorectal cancer. *CEBP* 30, 1089–1099.
- Yamamoto, T., Kawada, K., Obama, K., 2021. Inflammation-Related Biomarkers for the Prediction of Prognosis in Colorectal Cancer Patients. *Int J Mol Sci* 22, 8002.
- Yasui, K., Shida, D., Nakamura, Y., Ahiko, Y., Tsukamoto, S., Kanemitsu, Y., 2021. Postoperative, but not preoperative, inflammation-based prognostic markers are prognostic factors in stage III colorectal cancer patients. *Br J Cancer* 124, 933–941.
- Ying, H.Q., Deng, Q.W., He, B.S., Pan, Y.Q., Wang, F., Sun, H.L., Chen, J., Liu, X., Wang, S.K., 2014a. The prognostic value of preoperative NLR, d-NLR, PLR and LMR for predicting clinical outcome in surgical colorectal cancer patients. *Medical Oncology* 31, 1–8.
- Yoshida, D., Minami, K., Sugiyama, M., Ota, M., Ikebe, M., Morita, M., Matsukuma, A., Toh, Y., 2020. Prognostic Impact of the Neutrophil-to-Lymphocyte Ratio in Stage I-II Rectal Cancer Patients. *J Surg Res* 245, 281–287.
- Zhao, W., Dai, S., Yue, L., Xu, F., Gu, J., Dai, X., Qian, X., 2022. Emerging mechanisms progress of colorectal cancer liver metastasis. *Front Endocrinol (Lausanne)*.