

DAFTAR PUSTAKA

- Abdulsalam, M., Daniel, A., 2015. Diagnosis, Pengobatan dan Pencegahan Anemia Defisiensi Besi. *Sari Pediatri* 4, 74–77.
- Adiga, U., Preethika, A., Swathi, K., 2015. Sigma Metrics in Clinical Chemistry Laboratory - A Guide to Quality Control. *Al. Ameen. J. Med. Sci.* 8, 281–287.
- Agustina, A.I., R, S., S, J., Arif, M., 2023. Analysis of Reticulocyte Hemoglobin Equivalent in Routine and Non-Routine Blood Donors in Makassar. *Indones. J. Clinical Pathol. Med. Laboratory*; 29, 159–163.
- Almashjary, M.N., Barefah, A.S., Bahashwan, S., Ashankyty, I., ElFayoumi, R., Alzahrani, M., Assaqaf, D.M., Aljabri, R.S., Aljohani, A.Y., Muslim, R., Baawad, S.A., Bawazir, W.M., Alharthy, S.A., 2022. Reticulocyte Hemoglobin-Equivalent Potentially Detects, Diagnoses and Discriminates between Stages of Iron Deficiency with High Sensitivity and Specificity. *J Clin Med* 11, 5675.
- Amir, N., Md Noor, S., Subbiah, I., Osman, M., Seman, Z., 2019. Percentage of hypochromic red cells as a potential screening test to evaluate iron status in blood donors. *Int J Lab Hematol* 41, 418–423.
- Amrein, K., Valentin, A., Lanzer, G., Drexler, C., 2012. Adverse events and safety issues in blood donation—A comprehensive review. *Blood Rev* 26, 33–42.
- Astasari, 2022. 3 manfaat Donor Darah Bagi Kesehatan Tubuh [WWW Document]. *Kementerian Kesehatan RI*. URL <https://promkes.kemkes.go.id/3-manfaat-donor-darah-bagi-kesehatan-tubuh> (accessed 7.6.23).
- Baart, A.M., Balvers, M.G.J., Hopman, M.T.E., Eijsvogels, T.M.H., Klein Gunnewiek, J.M.T., van Kampen, C.A., 2018. Reticulocyte hemoglobin content in a large sample of the general Dutch population and its relation to conventional iron status parameters. *Clinica Chimica Acta* 483, 20–24.
- Bani, M., Giussani, B., 2010. Gender Differences in Giving Blood: a Review of The Literature. *Blood Transfus* 8, 278–287.
- Boutry, M., Needleman, R., 1996. Use of diet history in the screening of iron deficiency. *Pediatrics* 6, 1138–1142.
- Cable, R.G., Glynn, S.A., Kiss, J.E., Mast, A.E., Steele, W.R., Murphy, E.L., Wright, D.J., Sacher, R.A., Gottschall, J.L., Vij, V., Simon, T.L., 2011. Iron deficiency in blood donors: analysis of enrollment data from the REDS-II Donor Iron Status Evaluation (RISE) study. *Transfusion (Paris)* 51, 511–522.

- Cacoub, P., Vandewalle, C., Peoc'h, K., 2019. Using transferrin saturation as a diagnostic criterion for iron deficiency: A systematic review. *Crit Rev Clin Lab Sci* 56, 526–532.
- Chandrashekar, K., T., Y.H., Reddy, V.M., 2020. Utility of reticulocyte hemoglobin in diagnosing latent iron deficiency and iron deficiency anemia. *Int J Contemp Pediatrics* 7, 1049.
- Chatterjee, N., Mishra, A., Soni, R., Kulkarni, H., Mamtani, M., Shrivastava, M., 2010. Bayesian Estimates of the Prevalence of β -Thalassemia Trait in Voluntary Blood Donors of Central India: A Survey. *Hemoglobin* 34, 548–560.
- Coskun, A., 2024. Bias in Laboratory Medicine: The Dark Side of the Moon. *Ann Lab Med* 44, 6–20.
- Dev, S., Babitt, J.L., 2017. Overview of iron metabolism in health and disease. *Hemodialysis Int* S6–S20.
- Drexler, C., Macher, S., Lindenau, I., Holter, M., Moritz, M., Stojakovic, T., Pieber, T.R., Schlenke, P., Amrein, K., 2020. High-dose intravenous versus oral iron in blood donors with iron deficiency: The IronWoMan randomized, controlled clinical trial. *Clin Nutr* 39, 737–745.
- Düzenli Kar, Y., Altinkaynak, K., 2021. Reticulocyte hemoglobin equivalent in differential diagnosis of iron deficiency, iron deficiency anemia and β thalassemia trait in children. *Turk. J. Biochem* 46, 45–51.
- Ellwanger, J.H., Ziliotto, M., Kulmann-Leal, B., Chies, J.A.B., 2022. Iron deficiency and soil-transmitted helminth infection: classic and neglected connections. *Parasitol Res* 121, 3381–3392.
- Fırat Oğuz, E., Falay, M., Ercan Karadağ, M., Uzdoğan, E.A., Akbulut, E.D., Özet, G., Turhan, T., 2022. Determination of reference ranges for automated erythrocyte and reticulocyte parameters in healthy adults. *Turk. J. Biochem* 47, 283–287.
- Ganz, T., 2013. Systemic Iron Homeostasis. *Physiol Rev* 93, 1721–1741.
- Ganz, T., Nemeth, E., 2006. Iron imports. IV. Heparin and regulation of body iron metabolism. *Am. J. Physiol. Gastrointest. Liver Physiol.* 290, G199–G203.
- Ghafari, S., Majlessi, F., Rahimi Foroushani, A., Maghsudlu, M., 2007. Frequency of local complications of blood transfusion and relevant risk factors among blood donor citizens. *Sci. J. Iran. Blood Transfus. Organ* 3, 317–324.

- Guiddi, P., Alfieri, S., Marta, E., Saturni, V., 2015. New donors, loyal donors, and regular donors: Which motivations sustain blood donation? *Transfus. Apher. Sci.* 52, 339–344.
- Gulati, G., Caro, J., 2014. *Blood Cells Morphology & Clinical Relevance, 2nd ed.* American Society for Clinical Pathology, Philadelphia.
- Hassan, S.A., Hamad, M.N.M., 2021. Pattern of ABO and Rhesus Blood Group Distribution among Students of Jamhuriya University of Science and Technology, Mogadishu, Benadir, Somalia. *Int. J. Med. Res. Health Sci.* 10, 15–18.
- Hoenemann, C., Ostendorf, N., Zarbock, A., Doll, D., Hagemann, O., Zimmermann, M., Luedi, M., 2021. Reticulocyte and Erythrocyte Hemoglobin Parameters for Iron Deficiency and Anemia Diagnostics in Patient Blood Management. A Narrative Review. *J Clin Med* 10, 4250.
- Hoffbrand, A.V., Moss, P.A.H., 2016. *Hoffbrand's essential Haematology, 7th ed.* Wiley Blackwell.
- Irawan, S.A.R., Indriani, V., Faniyah, F., 2021. Karakteristik Donor di RSUD Prof. Dr. Margono Soekarjo Tahun 2016 – 2020. *Sriwijaya J. Med.* 4, 186–193.
- Jaffe, E.S., Arber, D.A., Campo, E., Harris, N.L., Martinez, L.Q., 2017. *Hemopathology, 2nd ed.* Elsevier, Philadelphia.
- Kaneko, Y., Miyazaki, S., Hirasawa, Y., Gejyo, F., Suzuki, M., 2003. Transferrin saturation versus reticulocyte hemoglobin content for iron deficiency in Japanese hemodialysis patients. *Kidney Int* 63, 1086–1093.
- Kasraian, L., Ashkani-Esfahani, S., Foruozaandeh, H., 2021. Reasons of under-representation of Iranian women in blood donation. *Hematol Transfus Cell Ther* 43, 256–262.
- Kementerian Kesehatan Republik Indonesia, 2015. Peraturan Menteri Kesehatan Republik Indonesia Nomor 91 Tahun 2015 tentang Standar Pelayanan Transfusi Darah.
- Keohane, E.M., Otto, C.N., Walenga, J.M., 2020. *Rodak's Hematology Clinical Principles and Applications, sixth edition.* ed. Elsevier, St. Louis.
- Killip, S., Bennett, J.M., Chambers, M.D., 2007. Iron Deficiency Anemia. *Am Fam Physician* 75, 671–678.
- Kiss, J.E., Birch, R.J., Steele, W.R., Wright, D.J., Cable, R.G., 2017. Quantification of body iron and iron absorption in the REDS-IIDonor Iron Status Evaluation (RISE) study. *Transfusion (Paris)* 57, 1656–1664.

- Kiss, J.E., Brambilla, D., Glynn, S.A., Mast, A.E., Spencer, B.R., Stone, M., Kleinman, S.H., Cable, R.G., 2015. Oral Iron Supplementation After Blood Donation. *JAMA* 313, 575–583.
- Kumar, B.V., Mohan, T., 2018. Sigma metrics as a tool for evaluating the performance of internal quality control in a clinical chemistry laboratory. *J Lab Physicians* 10, 194–199.
- Lian, Y., Shi, J., Nie, N., Huang, Z., Shao, Y., Zhang, J., Huang, J., Li, X., Ge, M., Jin, P., Wang, M., Zheng, Y., 2019. Reticulocyte Hemoglobin Equivalent (Ret-He) Combined with Red Blood Cell Distribution Width Has a Differentially Diagnostic Value for Thalassemias. *Hemoglobin* 43, 229–235.
- Lobier, M., Niittymäki, P., Nikiforow, N., Palokangas, E., Larjo, A., Mattila, P., Castrén, J., Partanen, J., Arvas, M., 2020. FinDonor 10 000 study: a cohort to identify iron depletion and factors affecting it in Finnish blood donors. *Vox Sang* 115, 36–46.
- López-García, Y.K., Colunga-Pedraza, P.R., Tarín-Arzaga, L., López Garza, M.I., Jaime-Pérez, J.C., Gómez-Almaguer, D., 2018. Iron deficiency anemia referral to the hematologist. Real-world data from Mexico: the need for targeted teaching in primary care. *Hematology* 23, 658–663.
- McKenzie, S., Piwowar, K.L., Williams, L., 2020. *Clinical Laboratory Hematology, 4th ed.* Pearson.
- McPherson, R., Pincus, M.R., 2021. *Henry's Clinical Diagnosis and Management by Laboratory Methods, 24th ed.* Elsevier.
- McPherson, R.A., Pincus, M.R., 2022. *Henry's Clinical Diagnosis and Management by Laboratory Methods - ClinicalKey* [WWW Document]. Elsevier. URL <https://www-clinicalkey-com.ezproxy.ugm.ac.id/#!/browse/book/3-s2.0-C20180017521> (accessed 7.9.23).
- Misje, A.H., Bosnes, V., Heier, H.E., 2010. Gender differences in presentation rates, deferrals and return behaviour among Norwegian blood donors. *Vox Sang* 98, e241–e248.
- Miskeen, E., Yahia, A.I.O., Eljack, T.B., Karar, H.K., 2021. The Impact of COVID-19 Pandemic on Blood Transfusion Services: A Perspective from Health Professionals and Donors. *J Multidiscip Healthc* 14, 3063–3071.
- Müller-Steinhardt, M., Weidmann, C., Klüter, H., 2017. Changes in the Whole Blood Donor Population in South-West Germany: 2010 versus 2016. *Transfus Med Hemother* 44, 217–223.
- Murphy, M.F., Roberts, D.J., Yazer, M.H., Dunbar, N., 2017. *Practical Transfusion Medicine, Sixth Edition.* ed. Wiley.

- Nuinoon, M., Kruachan, K., Sengking, W., Horpet, D., Sungyuan, U., 2014. Thalassaemia and Hemoglobin E in Southern Thai Blood Donors. *Adv Hematol* 2014, 1–6.
- Ogawa, C., Tsuchiya, K., Maeda, K., 2020. Reticulocyte hemoglobin content. *Clinica Chimica Acta* 504, 138–145.
- Ozdemir, N., 2015a. Iron deficiency anemia from diagnosis to treatment in children. *Turk Pediatri Ars* 50, 11–19.
- Patel, E.U., White, J.L., Bloch, E.M., Grabowski, M.K., Gehrie, E.A., Lokhandwala, P.M., Bruncker, P.A.R., Goel, R., Shaz, B.H., Ness, P.M., Tobian, A.A.R., 2019. Association of blood donation with iron deficiency among adolescent and adult females in the United States: a nationally representative study. *Transfusion (Paris)* 59, 1723–1733.
- Reddy K, V., Shastry, S., Raturi, M., Baliga B, P., 2020. Impact of Regular Whole-Blood Donation on Body Iron Stores. *Transfus Med Hemother* 47, 75–79.
- Rifai, N., Chiu, R.W., Young, I., Burnham, C.-A.D., Wittwer, C.T., 2023. *Tietz Textbook of Laboratory Medicine, 7th ed.* Elsevier.
- Roche, 2023. Elecsys Ferritin Package Insert. Roche Diagnostics GmbH, Mannheim.
- Salam, S., Hassane, B., Jérôme, K., Koumpingnin, N., Abou, C., Guaniyi, S.A., Donatien, K., Paul, Y.A., Veronique, D., Eléonore, K., 2020. Added-Value of Reticulocyte Haemoglobin Equivalent in the Early Diagnosis of Iron Deficiency States among Blood Donors: A Pilot Study in Burkina Faso. *Health Sci. Dis* 21, 1–8.
- Singh Gaur, D., Negi, G., Chauhan, N., Kusum, A., Khan, S., Ved, , Pathak, P., 2009. Utilization of blood and components in a tertiary care hospital. *Indian J Hematol Blood Transfus* 25, 91–95.
- Soodejani, M.T., Haghdoost, A.A., Okhovati, M., Zolala, F., Baneshi, M.R., Sedaghat, A., Tabatabaei, S.M., 2020. Incidence of adverse reaction in blood donation: a systematic review. *Am J Blood Res* 10, 145.
- Sun, A., Chang, J.Y.-F., Jin, Y.-T., Chiang, C.-P., 2023. Differential diagnosis between iron deficiency anemia and thalassaemia trait-induced anemia. *J Dent Sci* 18, 1963–1964.
- Sweegers, M.G., Kraaij, M.G.J., Hurk, K., 2020. First do no harm: iron loss in whole blood donors. *ISBT Sci Ser* 15, 110–117.
- Tiwari, A.K., Bhardwaj, G., Arora, D., Aggarwal, G., Pabbi, S., Dara, R.C., Sachdev, R., Raizada, A., Sethi, M., 2018. Applying newer parameter Ret-He

- (reticulocyte haemoglobin equivalent) to assess latent iron deficiency (LID) in blood donors—study at a tertiary care hospital in India. *Vox Sang* 113, 639–646.
- Toki, Y., Ikuta, K., Kawahara, Y., Niizeki, N., Kon, M., Enomoto, M., Tada, Y., Hatayama, M., Yamamoto, M., Ito, S., Shindo, M., Kikuchi, Y., Inoue, M., Sato, K., Fujiya, M., Okumura, T., 2017. Reticulocyte hemoglobin equivalent as a potential marker for diagnosis of iron deficiency. *Int J Hematol* 106, 116–125.
- Triyono, T., Amijaya, K.A.T., 2023. Regular donor characteristics, inter-donation interval and the presence of subclinical anemia - A 3-year observational single-center study. *J. Adv. Pharm. Educ. Res* 13, 118–123.
- Verma, M., Dahiya, K., Ghalaut, V.S., Dhupper, V., 2018. Assessment of quality control system by sigma metrics and quality goal index ratio: A roadmap towards preparation for NABL. *World J Methodol* 8, 44–50.
- Vhanda, D., Chinowaita, F., Nkomo, S., Timire, C., Kouamou, V., 2021. Effects of repeated blood donation on iron status of blood donors in Zimbabwe: A cross-sectional study. *Health Sci Rep* 4.
- Vicinanza, P., Vicinanza, M., Cosimato, V., Terracciano, D., Cancellario, S., Massari, A., Danise, P., Selleri, C., Serio, B., 2021. Mean reticulocyte hemoglobin content index plays a key role to identify children who are carriers of β -thalassemia. *Transl. Med.* 17, 31–36.
- Wahed, A., Queseda, A., Dasgupta, A., 2020. *Hematology and Coagulation*. Elsevier.
- Wahidiyat, P.A., Sari, T.T., Rahmartani, L.D., Iskandar, S.D., Pratanata, A.M., Yapiy, I., Setianingsih, I., Atmakusuma, T.D., Lubis, A.M., 2022. Thalassemia in Indonesia. *Hemoglobin* 46, 39–44.
- Westgard QC, 2014. Optimal Biological Variation database specifications [WWW Document]. URL <https://www.westgard.com/clia-a-quality/quality-requirements/582-optimal-biodatabase1htm.html> (accessed 2.2.24).
- World Health Organization, 2023. Anaemia [WWW Document]. *WHO*. URL https://www.who.int/health-topics/anaemia#tab=tab_1 (accessed 7.9.23).
- Yiannikourides, A., Latunde-Dada, G., 2019. A Short Review of Iron Metabolism and Pathophysiology of Iron Disorders. *Medicines* 6, 85.
- Zady, M.F., 1999. Mean, Standard Deviation, And Coefficient Of Variation [WWW Document]. URL <https://www.westgard.com/lessons/z-stats-basic-statistics/73-lesson34.html> (accessed 12.12.23).