

DAFTAR PUSTAKA

- Abbasi, E., & Azizpour, M. (2016). Evaluation of physicochemical properties of foam mat dried sour cherry powder. *Lwt*, 68, 105–110. <https://doi.org/10.1016/j.lwt.2015.12.004>
- Abd El-Salam, E. A. E. S., Ali, A. M., & Hammad, K. S. (2021). Foaming process optimization, drying kinetics and quality of foam mat dried papaya pulp. *Journal of Food Science and Technology*, 58(4), 1449–1461. <https://doi.org/10.1007/s13197-020-04657-2>
- Ali, L., Shujaat, N., Musarrat Gilani, S., Ur Rehman, H., Khan, F., Noor, H., Ali Khan, N., Ayaz, U., Ghani, U., Sadia, H., Raza, S., Malik, K., Ali, U., Khan, M., Tul Munthah, S., Ullah, S., Noreen, F., & Jammu, A. (2019). Foam mat drying of banana (*Musa acuminata*) pulp. *Biological Forum-An International Journal*, 11(1), 280–283.
- Araújo, C. da S., Corrêa, J. L. G., Dev, S., Macedo, L. L., Vimercati, W. C., Rodrigues de Oliveira, C., & Pio, L. A. S. (2022). Influence of pretreatment with ethanol and drying temperature on physicochemical and antioxidant properties of white and red pulp pitayas dried in foam mat. *Drying Technology*, 40(3), 484–493. <https://doi.org/10.1080/07373937.2020.1809446>
- Ashaolu, T. J. (2020). Applications of soy protein hydrolysates in the emerging functional foods: a review. *International Journal of Food Science and Technology*, 55(2), 421–428. <https://doi.org/10.1111/ijfs.14380>
- Asokapandian, S., Venkatachalam, S., Swamy, G. J., & Kuppusamy, K. (2016). Optimization of Foaming Properties and Foam Mat Drying of Muskmelon Using Soy Protein. *Journal of Food Process Engineering*, 39(6), 692–701. <https://doi.org/10.1111/jfpe.12261>
- Bedani, R., Vieira, A. D. S., Rossi, E. A., & Saad, S. M. I. (2014). Tropical fruit pulps decreased probiotic survival to invitro gastrointestinal stress in synbiotic soy yoghurt with okara during storage. *Lwt*, 55(2), 436–443. <https://doi.org/10.1016/j.lwt.2013.10.015>
- Brar, A. S., Kaur, P., Kaur, G., Subramanian, J., Kumar, D., & Singh, A. (2020). Optimization of Process Parameters for Foam-Mat Drying of Peaches. *International Journal of Fruit Science*, 20(S3), S1495–S1518. <https://doi.org/10.1080/15538362.2020.1812017>
- Chandrasekar, V., Gabriela, J. S., Kannan, K., & Sangamithra, A. (2015). Effect of foaming agent concentration and drying temperature on physiochemical and antimicrobial properties of foam mat dried powder. *Asian Journal of Dairy and Food Research*, 34(1), 39. <https://doi.org/10.5958/0976-0563.2015.00008.1>
- Çopur, Ö. U., İncedayı, B., & Karabacak, A. Ö. (2019). Technology and Nutritional

Value of Powdered Drinks. In *Production and Management of Beverages*.
<https://doi.org/10.1016/b978-0-12-815260-7.00002-x>

Darniadi, S., Rachmat, R., Luna, P., Purwani, W., & Sandrasari, D. A. (2020). Penentuan Umur Simpan Menggunakan Metode Accelerated Shelf Life Test (ASLT) pada Bubuk Minuman Instan Stroberi Foam-Mat Drying. *Jurnal Aplikasi Teknologi Pangan*, 9(4), 151–157. <https://doi.org/10.17728/jatp.7539>

de Figueiredo, V. R. G., Justus, A., Pereira, D. G., Georgetti, S. R., Ida, E. I., & Kurozawa, L. E. (2019). Production of hydrolysate of okara protein concentrate with high antioxidant capacity and aglycone isoflavone content. *Brazilian Archives of Biology and Technology*, 62, 1–13. <https://doi.org/10.1590/1678-4324-2019180478>

Deepa, B., Abraham, E., Cherian, B. M., Bismarck, A., Blaker, J. J., Pothan, L. A., Leao, A. L., de Souza, S. F., & Kottaisamy, M. (2011). Structure, morphology and thermal characteristics of banana nano fibers obtained by steam explosion. *Bioresource Technology*, 102(2), 1988–1997. <https://doi.org/10.1016/j.biortech.2010.09.030>

Dev, N., Hossain, M. S., & Iqbal, A. (2019). Preparation and sensory evaluation of functional drink based on papaya (*Carica papaya* L.) pulp. *Journal of the Bangladesh Agricultural University*, 17(3), 388–395. <https://doi.org/10.3329/jbau.v17i3.43221>

Dhanalakshmi, K., Ghosal, S., & Bhattacharya, S. (2011). Agglomeration of food powder and applications. *Critical Reviews in Food Science and Nutrition*, 51(5), 432–441. <https://doi.org/10.1080/10408391003646270>

Dilrukshi, S. H. B., & Senarath, H. P. S. (2021). Development and Quality Evaluation of Freeze-Dried Instant Green Smoothie Powder. *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/6634764>

Edition, S. (2005). Flavor Ingredients. In *New York*.

Elmas, F., Varhan, E., & Koç, M. (2019). Drying characteristics of jujube (*Zizyphus jujuba*) slices in a hot air dryer and physicochemical properties of jujube powder. *Journal of Food Measurement and Characterization*, 13(1), 70–86. <https://doi.org/10.1007/s11694-018-9920-3>

Falade, K. O., & Okocha, J. O. (2012). Foam-Mat Drying of Plantain and Cooking Banana (*Musa* spp.). *Food and Bioprocess Technology*, 5(4), 1173–1180. <https://doi.org/10.1007/s11947-010-0354-0>

Farid, E., Mounir, S., Siliha, H., El-Nemr, S., & Talaat, E. (2023). Effect of soy protein isolate concentration and whipping time on physicochemical and functional properties of strawberry powder. *Journal of Food Measurement and Characterization*, 17(4), 3815–3826. <https://doi.org/10.1007/s11694-023-01889-6>

Farid, E., Mounir, S., Talaat, E., Elnemr, S., & Siliha, H. (2022). Effect of foaming

- parameters on the physical and phytochemical properties of tomato powder. *Food Science and Biotechnology*, 31(11), 1423–1431. <https://doi.org/10.1007/s10068-022-01125-9>
- Fellows, P. J. (2017). Properties of food and principles of processing. In *Food Processing Technology* (Issue 2015). <https://doi.org/10.1016/b978-0-08-100522-4.00001-8>
- Fernandes, R. V. de B., Queiroz, F., Botrel, D. A., Rocha, V. V., de Lima, C. F., & de Souza, V. R. (2013). Secagem de polpa de tomate pelo método de camada de espuma. *Bioscience Journal*, 29(4), 816–825.
- Ferrari, C. C., Germer, S. P. M., & de Aguirre, J. M. (2012). Effects of Spray-Drying Conditions on the Physicochemical Properties of Blackberry Powder. *Drying Technology*, 30(2), 154–163. <https://doi.org/10.1080/07373937.2011.628429>
- Ferreira, T. H. B., & Freitas, M. L. F. (2019). Production, physical, chemical and sensory evaluation of dried banana (*Musa Cavendish*). *Emirates Journal of Food and Agriculture*, 31(2), 102–108. <https://doi.org/10.9755/ejfa.2019.v31.i2.1912>
- Franco, T. S., Perussello, C. A., Ellendersen, L. N., & Masson, M. L. (2016). Effects of foam mat drying on physicochemical and microstructural properties of yacon juice powder. *Lwt*, 66, 503–513. <https://doi.org/10.1016/j.lwt.2015.11.009>
- Furayda, N., & Khairi, A. N. (2023). Karakteristik Fisikokimia Minuman serbuk Instan dengan Variasi Bonggol Nanas (*Ananas comosus* Merr) dan Maltodekstrin. *Pasundan Food Technology Journal (PFTJ)*, 10(1), 18–24.
- Hawladar, M. N. A., Perera, C. O., & Tian, M. (2006). Properties of modified atmosphere heat pump dried foods. *Journal of Food Engineering*, 74(3), 392–401. <https://doi.org/10.1016/j.jfoodeng.2005.03.028>
- Hidayati, S., Sartika, D., Sutoyo, S., & Fudholi, A. (2022). Predict the Shelf Life of Instant Chocolate in Vacuum Packing by Using Accelerated Shelf Life Test (ASLT). *Mathematical Modelling of Engineering Problems*, 9(2), 443–450. <https://doi.org/10.18280/mmep.090220>
- Ho, P. L., Tran, D. T., Hertog, M. L. A. T. M., & Nicolai, B. M. (2021). Effect of controlled atmosphere storage on the quality attributes and volatile organic compounds profile of dragon fruit (*Hylocereus undatus*). *Postharvest Biology and Technology*, 173(November 2020), 111406. <https://doi.org/10.1016/j.postharvbio.2020.111406>
- Hsu, C. L., Chen, W., Weng, Y. M., & Tseng, C. Y. (2003). Chemical composition, physical properties, and antioxidant activities of yam flours as affected by different drying methods. *Food Chemistry*, 83(1), 85–92. [https://doi.org/10.1016/S0308-8146\(03\)00053-0](https://doi.org/10.1016/S0308-8146(03)00053-0)

- Jafari, S., Jouki, M., & Soltani, M. (2021). Modification of physicochemical, structural, rheological, and organoleptic properties of sweetened condensed milk by maltodextrin, fructose, and lactose. *Journal of Food Measurement and Characterization*, 15(4), 3800–3810. <https://doi.org/10.1007/s11694-021-00976-w>
- Janeiro, R. De. (2009). *Resenha*. 8, 27–31.
- Jouki, M., Khazaei, N., Rashidi-Alavijeh, S., & Ahmadi, S. (2021). Encapsulation of Lactobacillus casei in quince seed gum-alginate beads to produce a functional synbiotic drink powder by agro-industrial by-products and freeze-drying. *Food Hydrocolloids*, 120(March), 106895. <https://doi.org/10.1016/j.foodhyd.2021.106895>
- Kačuráková, M., & Wilson, R. H. (2001). Developments in mid-infrared FT-IR spectroscopy of selected carbohydrates. *Carbohydrate Polymers*, 44(4), 291–303. [https://doi.org/10.1016/S0144-8617\(00\)00245-9](https://doi.org/10.1016/S0144-8617(00)00245-9)
- Kadam, D. M., & Balasubramanian, S. (2011). Foam mat drying of tomato juice. *Journal of Food Processing and Preservation*, 35(4), 488–495. <https://doi.org/10.1111/j.1745-4549.2010.00492.x>
- Khamjae, T., & Rojanakorn, T. (2018). Foam-mat drying of passion fruit aril. *International Food Research Journal*, 25(1), 204–212.
- Kumar, A., Aggarwal, P., Kumar, V., Babbar, N., & Kaur, S. (2022). Melon-based smoothies: process optimization and effect of processing and preservation on the quality attributes. *Journal of Food Measurement and Characterization*, 16(5), 4121–4136. <https://doi.org/10.1007/s11694-022-01466-3>
- Kumar, A., Kandasamy, P., & Chakraborty, I. (2022). Analysis of Foaming Properties of Mango Pulp for Foam-mat Drying: Impact of Egg Albumin Concentration and Whipping Time. *Journal of The Institution of Engineers (India): Series A*, 103(3), 717–724. <https://doi.org/10.1007/s40030-022-00661-1>
- Kumar, P. S., Keran, D. A., Pushpavalli, S., Shiva, K. N., & Uma, S. (2022). Effect of cellulose and gum derivatives on physicochemical, microstructural and prebiotic properties of foam-mat dried red banana powder. *International Journal of Biological Macromolecules*, 218(May), 44–56. <https://doi.org/10.1016/j.ijbiomac.2022.07.071>
- Lee, K. H., Wu, T. Y., & Siow, L. F. (2013). Spray drying of red (*Hylocereus polyrhizus*) and white (*Hylocereus undatus*) dragon fruit juices: Physicochemical and antioxidant properties of the powder. *International Journal of Food Science and Technology*, 48(11), 2391–2399. <https://doi.org/10.1111/ijfs.12230>
- Leksrisonpong, P. P., Miracle, R. E., & Drake, M. (2010). Characterization of flavor of whey protein hydrolysates. *Journal of Agricultural and Food*

Chemistry, 58(10), 6318–6327. <https://doi.org/10.1021/jf100009u>

- Li, X., Zhang, W., Zeng, X., Xi, Y., Li, Y., Hui, B., & Li, J. (2023). Characterization of the Major Odor-Active Off-Flavor Compounds in Normal and Lipoxygenase-Lacking Soy Protein Isolates by Sensory-Directed Flavor Analysis. *Journal of Agricultural and Food Chemistry*, 71(21), 8129–8139. <https://doi.org/10.1021/acs.jafc.3c00793>
- Loebis, E. H., & Junaidi, L. (2013). Pengukuran Umur Simpan Serbuk Ekstrak Nangka dengan Uji Akselerasi. *Jurnal Biopropal Industri*, 4(1), 23–31.
- Macedo, L. L., Corrêa, J. L. G., Araújo, C. da S., Vimercati, W. C., & Pio, L. A. S. (2021). Process optimization and ethanol use for obtaining white and red dragon fruit powder by foam mat drying. *Journal of Food Science*, 86(2), 426–433. <https://doi.org/10.1111/1750-3841.15585>
- Majiding, C. M., Nuzul, M., Ash, A., & Rozi, F. (2023). *Physical Characteristics and Shelf Life Estimation of Instant Powder Drink Made From The Combination of Yellow Sweet Potatoes and Red Beans*. 6(1), 55–65.
- Marques, G. R., Borges, S. V., de Mendonça, K. S., de Barros Fernandes, R. V., & Menezes, E. G. T. (2014). Application of maltodextrin in green corn extract powder production. *Powder Technology*, 263, 89–95. <https://doi.org/10.1016/j.powtec.2014.05.001>
- Martínez, K. D., Carrera Sánchez, C., Rodríguez Patino, J. M., & Pilosof, A. M. R. (2009). Interfacial and foaming properties of soy protein and their hydrolysates. *Food Hydrocolloids*, 23(8), 2149–2157. <https://doi.org/10.1016/j.foodhyd.2009.03.015>
- Mateos-Aparicio, I., Mateos-Peinado, C., Jiménez-Escrig, A., & Rupérez, P. (2010). Multifunctional antioxidant activity of polysaccharide fractions from the soybean byproduct okara. *Carbohydrate Polymers*, 82(2), 245–250. <https://doi.org/10.1016/j.carbpol.2010.04.020>
- Milani, M. D. Y., Samarawickrama, D. S., Dharmasiri, G. P. C. A., & Kottegoda, I. R. M. (2016). Study the Structure, Morphology, and Thermal Behavior of Banana Fiber and Its Charcoal Derivative from Selected Banana Varieties. *Journal of Natural Fibers*, 13(3), 332–342. <https://doi.org/10.1080/15440478.2015.1029195>
- Mokni Ghribi, A., Maklouf Gafsi, I., Sila, A., Blecker, C., Danthine, S., Attia, H., Bougatef, A., & Besbes, S. (2015). Effects of enzymatic hydrolysis on conformational and functional properties of chickpea protein isolate. *Food Chemistry*, 187, 322–330. <https://doi.org/10.1016/j.foodchem.2015.04.109>
- Molina Ortiz, S. E., & Wagner, J. R. (2002). Hydrolysates of native and modified soy protein isolates: Structural characteristics, solubility and foaming properties. *Food Research International*, 35(6), 511–518. [https://doi.org/10.1016/S0963-9969\(01\)00149-1](https://doi.org/10.1016/S0963-9969(01)00149-1)

- Narola, A., Joshi, A., Sethi, S., Arora, B., & Jaiswal, P. (2023). *Accelerated shelf-life test of foam-mat dried overripe banana powder : A comprehensive study in product stability and quality*. *12*(12), 2436–2438.
- Nasri, M. (2017). Protein Hydrolysates and Biopeptides: Production, Biological Activities, and Applications in Foods and Health Benefits. A Review. In *Advances in Food and Nutrition Research* (1st ed., Vol. 81). Elsevier Inc. <https://doi.org/10.1016/bs.afnr.2016.10.003>
- Nejatdarabi, S., parastouei, K., & Fathi, M. (2023). Investigation of physical, antioxidant, antimicrobial, and sensory properties of foam-mat dried ajwain (*Trachyspermum ammi*) seed essence powder. *Journal of Food Measurement and Characterization*, *17*(3), 2404–2415. <https://doi.org/10.1007/s11694-022-01799-z>
- Nemati, A., Motamedzadegan, A., & Milani, J. M. (2022). Evaluating the effect of different foam mat drying methods on the properties of orange beverage powder. *Journal of Food Processing and Preservation*, *46*(6), 1–13. <https://doi.org/10.1111/jfpp.16539>
- Ng, M. L., & Sulaiman, R. (2018). Development of beetroot (*Beta vulgaris*) powder using foam mat drying. *Lwt*, *88*, 80–86. <https://doi.org/10.1016/j.lwt.2017.08.032>
- Nindo, C. I., & Tang, J. (2007). Refractance window dehydration technology: A novel contact drying method. *Drying Technology*, *25*(1), 37–48. <https://doi.org/10.1080/07373930601152673>
- Ningrum, A., Wardani, D. W., Vanidia, N., Manikharda, Sarifudin, A., Kumalasari, R., Ekafitri, R., Kristanti, D., Setiaboma, W., & Munawaroh, H. S. H. (2023). Evaluation of Antioxidant Activities from a Sustainable Source of Okara Protein Hydrolysate Using Enzymatic Reaction. *Molecules*, *28*(13), 1–17. <https://doi.org/10.3390/molecules28134974>
- Noordia, A., Mustar, Y. S., & Kusnanik, N. W. (2020). Foam mat drying of banana juice: varieties of ripe banana analysis and egg albumen foam. *Food Science and Technology (Brazil)*, *40*(2), 465–468. <https://doi.org/10.1590/fst.24918>
- Paiva, Y. F., Figueirêdo, R. M. F. de, Queiroz, A. J. de M., Ferreira, J. P. de L., Santos, F. S. dos, Reis, C. G. dos, Amadeu, L. T. S., Lima, A. G. B. de, Gomes, J. P., Silva, W. P. da, Maracajá, P. B., & Costa, C. C. (2023). Tropical Red Fruit Blends: The Effect of Combination of Additives on Foaming, Drying and Thermodynamic Properties. *Processes*, *11*(3), 1–18. <https://doi.org/10.3390/pr11030888>
- Permata, D. A., & Sayuti, K. (2016). Pembuatan Minuman Serbuk Instan dari Berbagai Bagian Tanaman Meniran (*Phyllanthus niruri*). *Jurnal Teknologi Pertanian Andalas*, *20*(1), 44–49. tpa.fateta.unand.ac.id/index.php/JTPA/article/download/31/pdf_12

- Pino, J. A., & Febles, Y. (2013). Odour-active compounds in banana fruit cv. Giant Cavendish. *Food Chemistry*, *141*(2), 795–801. <https://doi.org/10.1016/j.foodchem.2013.03.064>
- Putri, R. M. S., Nurjanah, N., & Tarman, K. (2018). Pendugaan Umur Simpan Serbuk Minuman Fungsional Lintah Laut (*Discodoris Sp.*) dengan Metode Accelerated Shelf Life Test (ASLT):Model Arrhenius. *Marinade*, *1*(01), 45–55. <https://doi.org/10.31629/marinade.v1i01.831>
- Raharja, S. (2020). Peningkatan Sifat Fungsional Pati Sagu (*Metroxylon Sp.*) Melalui Penambahan Isolat Protein Kedelai Dan Transglutaminase. *Jurnal Teknologi Industri Pertanian*, *30*(2), 190–197. <https://doi.org/10.24961/j.tek.ind.pert.2020.30.2.190>
- Rahman, S. (2022). *Development and Quality Evaluation of Mixed Fruits Drinks Powder*. July.
- Ramadani Fitri, N., & Puspitarini Siswanto, A. (2023). Formulation of instant powder drink combination of red ginger and banana peel. *Materials Today: Proceedings*, *87*, 101–105. <https://doi.org/10.1016/j.matpr.2023.02.379>
- Ratnaningrum, D., Budiwati, T. A., Kosasih, W., & Pudjiraharti, S. (2015). Sensory and Physicochemical Evaluation of Instant Ginger Drinks Fortified with DFA III. *Procedia Chemistry*, *16*, 177–183. <https://doi.org/10.1016/j.proche.2015.12.033>
- Ratti, C., & Kudra, T. (2006). Drying of foamed biological materials: Opportunities and challenges. *Drying Technology*, *24*(9), 1101–1108. <https://doi.org/10.1080/07373930600778213>
- Reis, F. R., de Moraes, A. C. S., & Masson, M. L. (2021). Impact of Foam-Mat Drying on Plant-Based Foods Bioactive Compounds: a Review. *Plant Foods for Human Nutrition*, *76*(2), 153–160. <https://doi.org/10.1007/s11130-021-00899-3>
- Ren, Y., Lin, X., Lei, T., & Sun, D. W. (2022). Recent developments in vibrational spectral analyses for dynamically assessing and monitoring food dehydration processes. *Critical Reviews in Food Science and Nutrition*, *62*(16), 4267–4293. <https://doi.org/10.1080/10408398.2021.1947773>
- Rohilla, S., & Mahanta, C. L. (2022). Foam mat dried tamarillo powder: Effect of foaming agents on drying kinetics, physicochemical and phytochemical properties. *Journal of Food Processing and Preservation*, *46*(12), 1–17. <https://doi.org/10.1111/jfpp.17164>
- Ruengdech, A., & Siripatrawan, U. (2022). Improving encapsulating efficiency, stability, and antioxidant activity of catechin nanoemulsion using foam mat freeze-drying: The effect of wall material types and concentrations. *Lwt*, *162*(April), 113478. <https://doi.org/10.1016/j.lwt.2022.113478>
- Sankat, C. K., & Castaigne, F. (2004). Foaming and drying behaviour of ripe

bananas. *Lwt*, 37(5), 517–525. [https://doi.org/10.1016/S0023-6438\(03\)00132-4](https://doi.org/10.1016/S0023-6438(03)00132-4)

Santos, G. B. M., Dionísio, A. P., Magalhães, H. C. R., Abreu, F. A. P. de, Lira, S. M., Lima, A. C. V. de, Silva, G. S. da, Guedes, J. A. C., da Silva Araujo, I. M., Artur, A. G., Pontes, D. F., & Zocolo, G. J. (2020). Effects of processing on the chemical, physicochemical, enzymatic, and volatile metabolic composition of pitaya (*Hylocereus polyrhizus* (F.A.C. Weber) Britton & Rose). *Food Research International*, 127(October 2019), 108710. <https://doi.org/10.1016/j.foodres.2019.108710>

Sarifudin, A., Sholichah, E., Setiaboma, W., Ekafitri, R., Afifah, N., Ratnawati, L., Ari Pudiyanto, E., & Sutisna Achyadi, N. (2021). Adulterated Powdered White Pepper Products by Tapioca Flour Sold in Indonesian's Online Market Investigated by Simple FTIR Analytical Method. *Journal of Food and Nutrition Research*, 9(6), 297–303. <https://doi.org/10.12691/jfnr-9-6-5>

Sbroggio, M. F., Montilha, M. S., Figueiredo, V. R. G. de, Georgetti, S. R., & Kurozawa, L. E. (2016). Influence of the degree of hydrolysis and type of enzyme on antioxidant activity of okara protein hydrolysates. *Food Science and Technology (Brazil)*, 36(2), 375–381. <https://doi.org/10.1590/1678-457X.000216>

Sentana, A., Trisnawati, C. Y., & Jati, I. R. A. P. (2017). Identifikasi Sifat Fisikokimia Dan Organoleptik Susu Nabati Yang Diformulasikan Dengan Linear Programming. *Jurnal Teknologi Pangan Dan Gizi*, 16(2), 47–51.

Shaari, N. A., Sulaiman, R., Rahman, R. A., & Bakar, J. (2018). Production of pineapple fruit (*Ananas comosus*) powder using foam mat drying: Effect of whipping time and egg albumen concentration. *Journal of Food Processing and Preservation*, 42(2), 1–10. <https://doi.org/10.1111/jfpp.13467>

Someya, S., Yoshiki, Y., & Okubo, K. (2002). Antioxidant compounds from bananas (*Musa Cavendish*). *Food Chemistry*, 79(3), 351–354. [https://doi.org/10.1016/S0308-8146\(02\)00186-3](https://doi.org/10.1016/S0308-8146(02)00186-3)

Soto-Zamora, G., Yahia, E. M., Brecht, J. K., & Gardea, A. (2005). Effects of postharvest hot air treatment on the quality of “Rhapsody” tomato fruit. *Journal of Food Quality*, 28(5–6), 492–504. <https://doi.org/10.1111/j.1745-4557.2005.00051.x>

Stintzing, F. C., & Carle, R. (2007). Betalains - emerging prospects for food scientists. *Trends in Food Science and Technology*, 18(10), 514–525. <https://doi.org/10.1016/j.tifs.2007.04.012>

Suet Li, T., Sulaiman, R., Rukayadi, Y., & Ramli, S. (2021). Effect of gum Arabic concentrations on foam properties, drying kinetics and physicochemical properties of foam mat drying of cantaloupe. *Food Hydrocolloids*, 116(November 2020), 106492. <https://doi.org/10.1016/j.foodhyd.2020.106492>

- Suseno, N., Savitri, E., Sapei, L., & Padmawijaya, K. S. (2014). Improving Shelf-life of Cavendish Banana Using Chitosan Edible Coating. *Procedia Chemistry*, 9, 113–120. <https://doi.org/10.1016/j.proche.2014.05.014>
- Syafinar, R., Gomesh, N., Irwanto, M., Fareq, M., & Irwan, Y. M. (2015). FT-IR and UV-VIS spectroscopy photochemical analysis of dragon fruit. *ARPJ Journal of Engineering and Applied Sciences*, 10(15), 6354–6358.
- Thaiphanit, S., & Anprung, P. (2010). Physicochemical and flavor changes of fragrant banana (musa acuminata aaa group “gross michel”) during ripening. *Journal of Food Processing and Preservation*, 34(3), 366–382. <https://doi.org/10.1111/j.1745-4549.2008.00314.x>
- Thuwapanichayanan, R., Prachayawarakorn, S., & Soponronnarit, S. (2008). Drying characteristics and quality of banana foam mat. *Journal of Food Engineering*, 86(4), 573–583. <https://doi.org/10.1016/j.jfoodeng.2007.11.008>
- Tkaczewska, J. (2020). Peptides and protein hydrolysates as food preservatives and bioactive components of edible films and coatings - A review. *Trends in Food Science and Technology*, 106, 298–311. <https://doi.org/10.1016/j.tifs.2020.10.022>
- Tonon, R. V., Baroni, A. F., Brabet, C., Gibert, O., Pallet, D., & Hubinger, M. D. (2009). Water sorption and glass transition temperature of spray dried açai (Euterpe oleracea Mart.) juice. *Journal of Food Engineering*, 94(3–4), 215–221. <https://doi.org/10.1016/j.jfoodeng.2009.03.009>
- Tontul, I., & Topuz, A. (2017). Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. *Trends in Food Science and Technology*, 63, 91–102. <https://doi.org/10.1016/j.tifs.2017.03.009>
- Viuda-Martos, M., Ruiz-Navajas, Y., Martín-Sánchez, A., Sánchez-Zapata, E., Fernández-López, J., Sendra, E., Sayas-Barberá, E., Navarro, C., & Pérez-Álvarez, J. A. (2012). Chemical, physico-chemical and functional properties of pomegranate (Punica granatum L.) bagasses powder co-product. *Journal of Food Engineering*, 110(2), 220–224. <https://doi.org/10.1016/j.jfoodeng.2011.05.029>
- Vong, W. C., & Liu, S. Q. (2016). Biovalorisation of okara (soybean residue) for food and nutrition. *Trends in Food Science and Technology*, 52, 139–147. <https://doi.org/10.1016/j.tifs.2016.04.011>
- Voss, G. B., Monteiro, M. J. P., Jauregi, P., Valente, L. M. P., & Pintado, M. E. (2021). Functional characterisation and sensory evaluation of a novel synbiotic okara beverage. *Food Chemistry*, 340(August 2020), 127793. <https://doi.org/10.1016/j.foodchem.2020.127793>
- Wahyudin, A., Wicaksono, F. Y., Irwan, A. W., Ruminta, R., & Fitriani, R. (2017). Respons tanaman kedelai (Glycine max) varietas Wilis akibat pemberian

- berbagai dosis pupuk N, P, K, dan pupuk guano pada tanah Inceptisol Jatinangor. *Kultivasi*, 16(2), 333–339. <https://doi.org/10.24198/kultivasi.v16i2.13223>
- Wang, H., Tong, X., Yuan, Y., Peng, X., Zhang, Q., Zhang, S., Xie, C., Zhang, X., Yan, S., Xu, J., Jiang, L., Qi, B., & Li, Y. (2020). Effect of Spray-Drying and Freeze-Drying on the Properties of Soybean Hydrolysates. *Journal of Chemistry*, 2020. <https://doi.org/10.1155/2020/9201457>
- Wang, Z., Gao, T., He, Z., Zeng, M., Qin, F., & Chen, J. (2022). Reduction of off-flavor volatile compounds in okara by fermentation with four edible fungi. *Lwt*, 155(September 2021), 112941. <https://doi.org/10.1016/j.lwt.2021.112941>
- Watharkar, R. B., Pu, Y., Ismail, B. B., Srivastava, B., Srivastav, P. P., & Liu, D. (2020). Change in physicochemical characteristics and volatile compounds during different stage of banana (*Musa nana* Lour vs. Dwarf Cavendish) ripening. *Journal of Food Measurement and Characterization*, 14(4), 2040–2050. <https://doi.org/10.1007/s11694-020-00450-z>
- Wilson, R. A., Kadam, D. M., Chadha, S., Grewal, M. K., & Sharma, M. (2014). Evaluation of physical and chemical properties of foam-mat dried mango (*Mangifera Indica*) powder during storage. *Journal of Food Processing and Preservation*, 38(4), 1866–1874. <https://doi.org/10.1111/jfpp.12158>
- Winarti, S., Pembangunan, U., Veteran, N., Timur, J., Harmayani, E., & Mada, U. G. (2020). *PF-135. December*.
- Witono, Y., Aulanni'am, A., Subagio, A., & Widjanarko, S. B. (2007). Karakterisasi Hidrolisat Protein Kedelai Hasil Hidrolisis Menggunakan Protease dari Tanaman Biduri (*Calotropis gigantea*). *Berkala Penelitian Hayati*, 13(1), 7–13. <https://doi.org/10.23869/bphjbr.13.1.20072>
- Xu, J., Chen, Q., Zeng, M., Qin, F., Chen, J., Zhang, W., Wang, Z., & He, Z. (2024). Effect of heat treatment on the release of off-flavor compounds in soy protein isolate. *Food Chemistry*, 437(P2), 137924. <https://doi.org/10.1016/j.foodchem.2023.137924>
- Xu, W., Zhang, F., Luo, Y. B., Ma, L., Kou, X., & Huang, K. (2009). Antioxidant activity of a water-soluble polysaccharide purified from *Pteridium aquilinum*. *Carbohydrate Research*, 344(2), 217–222. <https://doi.org/10.1016/j.carres.2008.10.021>
- Yang, Z., Peng, H., Wang, W., & Liu, T. (2010). Crystallization behavior of poly(ϵ -caprolactone)/layered double hydroxide nanocomposites. *Journal of Applied Polymer Science*, 116(5), 2658–2667. <https://doi.org/10.1002/app>
- YÜKSEL, A. N. (2020). Modeling Foam-Mat Drying Characteristics of Banana Under Microwave Conditions. *Gida*, 45(6), 1134–1142. <https://doi.org/10.15237/gida.gd20088>

- Yusufe, M., Mohammed, A., & Satheesh, N. (2017). Effect of duration and drying temperature on characteristics of dried tomato (*Lycopersicon esculentum* L.) Cochoro variety. *Acta Universitatis Cibiniensis - Series E: Food Technology*, 21(1), 41–50. <https://doi.org/10.1515/aucft-2017-0005>
- Zhang, Q. T., Tu, Z. C., Wang, H., Huang, X. Q., Fan, L. L., Bao, Z. Y., & Xiao, H. (2015). Functional properties and structure changes of soybean protein isolate after subcritical water treatment. *Journal of Food Science and Technology*, 52(6), 3412–3421. <https://doi.org/10.1007/s13197-014-1392-9>
- Zheng, X. Q., Li, L. Te, Liu, X. L., Wang, X. J., Lin, J., & Li, D. (2006). Production of hydrolysate with antioxidative activity by enzymatic hydrolysis of extruded corn gluten. *Applied Microbiology and Biotechnology*, 73(4), 763–770. <https://doi.org/10.1007/s00253-006-0537-9>