

## DAFTAR PUSTAKA

- Adi Soelistijo, S. 2021. Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2021. PB. PERKENI.
- Alhabbab, R.Y. 2018. C-Reactive Protein (CRP) Latex Agglutination Test.in *Basic Serol. Test*. Springer International Publishing, 59–62.
- Baldini, F., Bolzoni, L., Giannetti, A., Porro, G., Senesi, F., Trono, C. 2009. A fluorescent immunoassay for the determination of procalcitonin and C-reactive protein.in Baldini, Francesco, Homola, J., and Lieberman, R.A. (eds), 735613.
- Banait, T., Wanjari, A., Danade, V., Banait, S., Jain, J. 2022. Role of High-Sensitivity C-reactive Protein (Hs-CRP) in Non-communicable Diseases: A Review. *Cureus* [Preprint].
- Bishop, M.L., Fody, E.P., Schoeff, L.E. 2010. *Clinical chemistry: techniques, principles, correlations*. eight. Philadelphia: Wolters Kluwer.
- Bovolini, A., Garcia, J., Andrade, M.A., Duarte, J.A. 2021. Metabolic Syndrome Pathophysiology and Predisposing Factors. *Int. J. Sports Med.*, 42(03):199–214.
- Chiang, J.-K. 2014. Short Duration of Sleep Is Associated with Elevated High-Sensitivity C-Reactive Protein Level in Taiwanese Adults: A Cross-Sectional Study. *J. Clin. Sleep Med.*, 10(07):743–749.
- David Eckersall, P. 2008. Proteins, Proteomics, and the Dysproteinemias.in *Clin. Biochem. Domest. Anim*. Elsevier, 117–155.
- En, K., Kosasih, E. 2013. Tafsiran Hasil Pemeriksaan Laboratorium Klinik. *Tangerang Karisma Publ. Gr.* [Preprint].
- Fahed, G., Aoun, L., Zerdan, Morgan Bou, Allam, S., Zerdan, Maroun Bou, Bouferraa, Y., Assi, H.I. 2022. Metabolic Syndrome: Updates on Pathophysiology and Management in 2021. *Int. J. Mol. Sci.* MDPI.
- Gupta, A., Gupta, V. 2010. Metabolic syndrome: what are the risks for humans? *Biosci. Trends*, 4(5):204–12.
- Hage, F.G. 2012. Hypertension and C-reactive protein. *Hypertens. Res.*, 35(10):969–971.
- Hardisari, R., Koiriyah, B. 2016. Gambaran Kadar Trigliserida (Metode Gpo-Pap) Pada Sampel Serum dan Plasma EDTA. *J. Teknol. Lab.*, 5(1):27–31.
- Herningtyas, E.H., Ng, T.S. 2019. Prevalence and distribution of metabolic syndrome and its components among provinces and ethnic groups in Indonesia. *BMC Public Health*, 19(1).
- Hirode, G., Wong, R.J. 2020. Trends in the Prevalence of Metabolic Syndrome in the United States, 2011-2016. *JAMA*, 323(24):2526–2528.
- Jeong, H., Baek, S.-Y., Kim, S.W., Park, E.-J., Lee, J., Kim, H., Jeon, C.H. 2019. C reactive protein level as a marker for dyslipidaemia, diabetes and metabolic syndrome: results from the Korea National Health and Nutrition Examination Survey. *BMJ Open*, 9(8):e029861.
- Jonsdottir, I.H., Sjörs Dahlman, A. 2019. MECHANISMS IN ENDOCRINOLOGYEndocrine and immunological aspects of burnout: a narrative review. *Eur. J. Endocrinol.*, 180(3):R147–R158.

- Kali, A., Gusmanov, A., Aripov, M., Chan, M.-Y. 2022. Proposing new body mass index and waist circumference cut-offs based on cardiometabolic risks for a Central Asia population: A feasibility study. *Front. Endocrinol. (Lausanne)*, 13.
- Korsiak, J., Tranmer, J., Day, A., Aronson, K.J. 2018. Sleep duration as a mediator between an alternating day and night shift work schedule and metabolic syndrome among female hospital employees. *Occup. Environ. Med.*, 75(2):132–138.
- Kuroda, R., Nogawa, K., Watanabe, Y., Morimoto, H., Sakata, K., Suwazono, Y. 2021. Association between High-Sensitive C-Reactive Protein and the Development of Liver Damage in Japanese Male Workers. *Int. J. Environ. Res. Public Health*, 18(6):2985.
- Landry, A., Docherty, P., Ouellette, S., Cartier, L.J. 2017. Causes and outcomes of markedly elevated C-reactive protein levels. *Can. Fam. Physician*, 63(6):e316–e323.
- van Leeuwen, W.M.A., Lehto, M., Karisola, P., Lindholm, H., Luukkonen, R., Sallinen, M., Härmä, M., Porkka-Heiskanen, T., Alenius, H. 2009. Sleep Restriction Increases the Risk of Developing Cardiovascular Diseases by Augmenting Proinflammatory Responses through IL-17 and CRP. *PLoS One*, 4(2):e4589.
- Li, F.-E., Zhang, F.-L., Zhang, P., Liu, D., Liu, H.-Y., Guo, Z.-N., Yang, Y. 2021. Sex-based differences in and risk factors for metabolic syndrome in adults aged 40 years and above in Northeast China: Results from the cross-sectional China national stroke screening survey. *BMJ Open*, 11(3):e038671.
- Li, R., Xue, Y., Wang, T., Gong, L., Peng, P., Xiong, P., Dai, M., Shao, T., Hu, Y., Ye, X. 2019. A comparison study between wide-range and high-sensitivity C-reactive protein assays (Roche Cobas c702) for low C-reactive protein concentration in patients with cardiovascular risk. *J. Clin. Lab. Anal.*, 33(8).
- Macías, N., Espinosa-Montero, J., Monterrubio-Flores, E., Hernández-Barrera, L., Medina-García, C., Gallegos-Carrillo, K., Campos-Nonato, I. 2021. Screen-Based Sedentary Behaviors and Their Association With Metabolic Syndrome Components Among Adults in Mexico. *Prev. Chronic Dis.*, 18:210041.
- McCracken, E., Monaghan, M., Sreenivasan, S. 2018. Pathophysiology of the metabolic syndrome. *Clin. Dermatol.*, 36(1):14–20.
- Merchant, R.A., Chan, Y.H., Lim, J.Y., Morley, J.E. 2020. Prevalence of Metabolic Syndrome and Association with Grip Strength in Older Adults: Findings from the HOPE Study. *Diabetes, Metab. Syndr. Obes. Targets Ther.*, Volume 13:2677–2686.
- Mohamed, S.M., Shalaby, M.A., El-Shiekh, R.A., El-Banna, H.A., Emam, S.R., Bakr, A.F. 2023. Metabolic syndrome: risk factors, diagnosis, pathogenesis, and management with natural approaches. *Food Chem. Adv.*, 3:100335.
- Nakamura, M., Iso, H., Kitamura, A., Imano, H., Noda, H., Kiyama, M., Sato, S., Yamagishi, K., Nishimura, K., Nakai, M., Vesper, H.W., Teramoto, T., Miyamoto, Y. 2016. Comparison between the triglycerides standardization of routine methods used in Japan and the chromotropic acid reference measurement procedure used by the CDC Lipid Standardization Programme.

- Ann. Clin. Biochem. Int. J. Lab. Med.*, 53(6):632–639.
- Narla, S.N., Jones, M., Hermayer, K.L., Zhu, Y. 2016. Critical Care Glucose Point-of-Care Testing.in, 97–121.
- National Cholesterol Education Program. 1995. *Recommendations on Lipoprotein Measurement From the Working Group on Lipoprotein Measurement NATIONAL INSTITUTES OF HEALTH National Heart, Lung, and Blood Institute*.
- Nehring, S.M., Goyal, A., Patel, B.C. 2017. C reactive protein. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK441843/>.
- Neves, C.V.B., Mambrini, J.V. de M., Torres, K.C.L., Teixeira-Carvalho, A., Martins-Filho, O.A., Lima-Costa, M.F., Peixoto, S.V. 2019. Association of metabolic syndrome with inflammatory markers in a sample of community-dwelling older adults. *Cad. Saude Publica*, 35(3).
- Noubiap, J.J., Nansseu, J.R., Lontchi-Yimagou, E., Nkeck, J.R., Nyaga, U.F., Ngouo, A.T., Tounouga, D.N., Tianyi, F.L., Foka, A.J., Ndoadoumgue, A.L., Bigna, J.J. 2022. Global, regional, and country estimates of metabolic syndrome burden in children and adolescents in 2020: a systematic review and modelling analysis. *Lancet Child Adolesc. Heal.*, 6(3):158–170.
- Nwankwo, M., Okamkpa, C.J., Danborn, B. 2022. Comparison of diagnostic criteria and prevalence of metabolic syndrome using WHO, NCEP-ATP III, IDF and harmonized criteria: A case study from urban southeast Nigeria. *Diabetes Metab. Syndr. Clin. Res. Rev.*, 16(12):102665.
- Pahwa, R., Goyal, A., Jialal, I. 2024. *Chronic Inflammation*.
- Park, Y.-H., Shin, J.A., Han, K., Yim, H.W., Lee, W.-C., Park, Y.-M. 2014. Gender Difference in the Association of Metabolic Syndrome and Its Components with Age-Related Cataract: The Korea National Health and Nutrition Examination Survey 2008-2010. *PLoS One*, 9(1):e85068.
- Pietrojusti, A., Neri, A., Somma, G., Coppeta, L., Iavicoli, I., Bergamaschi, A., Magrini, A. 2010. Incidence of metabolic syndrome among night-shift healthcare workers. *Occup. Environ. Med.*, 67(1):54–57.
- Pratama, R., Yufika, A. 2023. Physicians' Workload and Quality Healthcare in Indonesia. *Trends Infect. Glob. Heal.*, 3(1):43–55.
- Rao, S.K., Kimball, A.B., Lehrhoff, S.R., Hidrue, M.K., Colton, D.G., Ferris, T.G., Torchiana, D.F. 2017. The Impact of Administrative Burden on Academic Physicians: Results of a Hospital-Wide Physician Survey. *Acad. Med.*, 92(2):237–243.
- Reddy, S., Reddy, V., Sharma, S. 2023. *Physiology, Circadian Rhythm*.
- Rong, Z., Chen, F., Jilin, Y., Yifeng, T. 2019. A C-reactive protein immunosensor based on platinum nanowire / titania nanotube composite sensitized electrochemiluminescence. *Talanta*, 205:120135.
- Ross, R., Neeland, I.J., Yamashita, S., Shai, I., Seidell, J., Magni, P., Santos, R.D., Arsenaault, B., Cuevas, A., Hu, F.B., Griffin, B.A., Zambon, A., Barter, P., Fruchart, J.-C., Eckel, R.H., Matsuzawa, Y., Després, J.-P. 2020. Waist circumference as a vital sign in clinical practice: a Consensus Statement from the IAS and ICCR Working Group on Visceral Obesity. *Nat. Rev. Endocrinol.*, 16(3):177–189.

- Rus, M., Crisan, S., Andronie-Cioara, F.L., Indries, M., Marian, P., Pobirci, O.L., Ardelean, A.I. 2023. Prevalence and Risk Factors of Metabolic Syndrome: A Prospective Study on Cardiovascular Health. *Medicina (B. Aires)*, 59(10):1711.
- Saklayen, M.G. 2018. The Global Epidemic of the Metabolic Syndrome. *Curr. Hypertens. Rep.* Current Medicine Group LLC 1.
- Shaker, G., Swift, C. 2023. Peroxidase-Coupled Glucose Method.
- SKUP. 2018. Scandinavian evaluation of laboratory equipment for point of care testing. *Qual. goals SKUP Eval.* [Preprint].
- Song, Y., Yang, S.K., Kim, J., Lee, D.-C. 2019. Association between C-Reactive Protein and Metabolic Syndrome in Korean Adults. *Korean J. Fam. Med.*, 40(2):116–123.
- Sooriyaarachchi, P., Jayawardena, R., Pavey, T., King, N.A. 2022. Shift work and the risk for metabolic syndrome among healthcare workers: A systematic review and meta-analysis. *Obes. Rev.*, 23(10).
- Sukorini, U., Nugroho, D.K., Rizki, M., Hendrawan, P. 2010. Pemantapan Mutu Internal Laboratorium Klinik. *Kanalmedika dan Alfamedia, Yogyakarta* [Preprint].
- Swarup, S., Goyal, A., Grigorova, Y., Zeltser, R. 2023. *Metabolic Syndrome*.
- Taşkömür, A.T., Erten, Ö. 2022. Relationship of inflammatory and metabolic parameters in adolescents with PCOS: BMI matched case-control study. *Arch. Endocrinol. Metab.* [Preprint].
- Tridani Fitria, S., Yaswir, R. 2021. *Korelasi Glukosa Kapiler Metode Glucose Dehidrogenase-Nicotinamide Adenine Dinucleotide Dengan Glukosa Serum Metode Heksokinase. J. Kesehatan. Andalas.* Available at: <http://jurnal.fk.unand.ac.id>.
- Trivedi, D.R., Amer, A., Patel, D.R., Trivedi, P. 2019. Comparison Of A Rapid Semi-Quantitative Latex Agglutination Slide Method Against Quantitative Particle Enhanced Turbidimetric Immunoassay For Measurement Of C-Reactive Protein. *Int. J. Med. Biomed. Stud.*, 3(5).
- Ulaganathan, V., Kandiah, M., Shariff, Z.M. 2018. A case-control study of the association between metabolic syndrome and colorectal cancer: a comparison of International Diabetes Federation, National Cholesterol Education Program Adults Treatment Panel III, and World Health Organization definitions. *J. Gastrointest. Oncol.*, 9(4):650–663.
- Vashist, S.K., Venkatesh, A.G., Marion Schneider, E., Beaudoin, C., Luppa, P.B., Luong, J.H.T. 2016. Bioanalytical advances in assays for C-reactive protein. *Biotechnol. Adv.*, 34(3):272–290.
- Vera-Ponce, V.J., Cruz-Ausejo, L., Torres-Malca, J.R. 2021. Association between C-reactive protein and metabolic syndrome in the Peruvian population of the PERU MIGRANT study. *Rev. la Fac. Med. Humana*, 21(1):118–123.
- Warnick, G.R., Nauck, M., Rifai, N. 2001. Evolution of methods for measurement of HDL-cholesterol: from ultracentrifugation to homogeneous assays. *Clin. Chem.*, 47(9):1579–96.
- WHO. 2014. C-reactive protein concentrations as a marker of inflammation or infection for interpreting biomarkers of micronutrient status.



- Williams, E.S., Manwell, L.B., Konrad, T.R., Linzer, M. 2007. The relationship of organizational culture, stress, satisfaction, and burnout with physician-reported error and suboptimal patient care. *Health Care Manage. Rev.*, 32(3):203–212.
- Yang, J. 2022. *Distribution of physicians in the United States by average number of hours worked per week in 2021*. United States.
- Yeh, W.-C., Chuang, H.-H., Lu, M.-C., Tzeng, I.-S., Chen, J.-Y. 2018. Prevalence of metabolic syndrome among employees of a taiwanese hospital varies according to profession. *Medicine (Baltimore)*., 97(31):e11664.
- Yoon, K., Ryu, S., Lee, J., Park, J.-D. 2018. Higher and increased concentration of hs-CRP within normal range can predict the incidence of metabolic syndrome in healthy men. *Diabetes Metab. Syndr. Clin. Res. Rev.*, 12(6):977–983.