



DAFTAR PUSTAKA

- Adi Soelistijo, S. 2021. Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia 2021. PB. PERKENI.
- Algoblan, A., Alalfi, M., Khan, M. 2014. Mechanism linking diabetes mellitus and obesity. *Diabetes, Metab. Syndr. Obes. Targets Ther.*, 587.
- Alhabbab, R.Y. 2018. C-Reactive Protein (CRP) Latex Agglutination Test.in *Basic Serol. Test*. Springer International Publishing, 59–62.
- Arner, P., Rydén, M. 2015. Fatty Acids, Obesity and Insulin Resistance. *Obes. Facts*, 8(2):147–155.
- Aronson, D., Bartha, P., Zinder, O., Kerner, A., Markiewicz, W., Avizohar, O., Brook, G.J., Levy, Y. 2004. Obesity is the major determinant of elevated C-reactive protein in subjects with the metabolic syndrome. *Int. J. Obes.*, 28(5):674–679.
- Baldini, F., Bolzoni, L., Giannetti, A., Porro, G., Senesi, F., Trono, C. 2009. A fluorescent immunoassay for the determination of procalcitonin and C-reactive protein.in Baldini, Francesco, Homola, J., and Lieberman, R.A. (eds), 735613.
- Berg, A.H., Scherer, P.E. 2005. Adipose Tissue, Inflammation, and Cardiovascular Disease. *Circ. Res.*, 96(9):939–949.
- Blüher, M. 2019. Obesity: global epidemiology and pathogenesis. *Nat. Rev. Endocrinol.*, 15(5):288–298.
- Bowers, E., Singer, K. 2021. Obesity-induced inflammation: The impact of the hematopoietic stem cell niche. *JCI Insight*, 6(3).
- Chandrasekhar, J., Zaman, S. 2020. Associations Between C-Reactive Protein, Obesity, Sex, and PCI Outcomes. *JACC Cardiovasc. Interv.*, 13(24):2893–2895.
- Chiang, J.-K. 2014. Short Duration of Sleep Is Associated with Elevated High-Sensitivity C-Reactive Protein Level in Taiwanese Adults: A Cross-Sectional Study. *J. Clin. Sleep Med.*, 10(07):743–749.
- Choe, S.S., Huh, J.Y., Hwang, I.J., Kim, J.I., Kim, J.B. 2016. Adipose Tissue Remodeling: Its Role in Energy Metabolism and Metabolic Disorders. *Front. Endocrinol. (Lausanne)*, 7.
- David Eckersall, P. 2008. Proteins, Proteomics, and the Dysproteinemias.in *Clin. Biochem. Domest. Anim.* Elsevier, 117–155.
- Ehsan, S. 2012. A Study of Obesity among Health Staff at Kulaijaya District Health Department 2012. *Johor Heal. J.*, 10.
- Farasat, T. 2017. Relationship of Serum C - Reactive Protein with Indices of Metabolic Syndrome among Type 2 Diabetic Pakistani Subjects. *Diabetes Obes. Int. J.*, 2(1).
- Garritson, J.D., Boudina, S. 2021. The Effects of Exercise on White and Brown Adipose Tissue Cellularity, Metabolic Activity and Remodeling. *Front.*



Physiol., 12.

- Gjermen, E., Kirstein, A.S., Kolbig, F., Kirchhof, M., Bundalian, L., Katzmann, J.L., Laufs, U., Blüher, M., Garten, A., Le Duc, D. 2021. Obesity—An Update on the Basic Pathophysiology and Review of Recent Therapeutic Advances. *Biomolecules*, 11(10):1426.
- Gowda, S., Desai, P.B., Hull, V. V, Math, A.A.K., Vernekar, S.N., Kulkarni, S.S. 2009. A review on laboratory liver function tests. *Pan Afr. Med. J.*, 3:17.
- Hage, F.G. 2012. Hypertension and C-reactive protein. *Hypertens. Res.*, 35(10):969–971.
- Huffman, F.G., Whisner, S., Zarini, G., Nath, S. 2010. Waist Circumference and BMI in Relation to Serum High Sensitivity C-Reactive Protein (hs-CRP) in Cuban Americans With and Without Type 2 Diabetes. *Int. J. Environ. Res. Public Health*, 7(3):842–852.
- Jonsdottir, I.H., Sjörs Dahlman, A. 2019. MECHANISMS IN ENDOCRINOLOGYEndocrine and immunological aspects of burnout: a narrative review. *Eur. J. Endocrinol.*, 180(3):R147–R158.
- Khanna, D., Khanna, S., Khanna, P., Kahar, P., Patel, B.M. 2022. Obesity: A Chronic Low-Grade Inflammation and Its Markers. *Cureus* [Preprint].
- Khera, A., Vega, G.L., Das, S.R., Ayers, C., McGuire, D.K., Grundy, S.M., de Lemos, J.A. 2009. Sex Differences in the Relationship between C-Reactive Protein and Body Fat. *J. Clin. Endocrinol. Metab.*, 94(9):3251–3258.
- Li, R., Xue, Y., Wang, T., Gong, L., Peng, P., Xiong, P., Dai, M., Shao, T., Hu, Y., Ye, X. 2019. A comparison study between wide-range and high-sensitivity C-reactive protein assays (Roche Cobas c702) for low C-reactive protein concentration in patients with cardiovascular risk. *J. Clin. Lab. Anal.*, 33(8).
- Liu, R., Liu, X., Zee, P.C., Hou, L., Zheng, Z., Wei, Y., Du, J. 2014. Association between Sleep Quality and C-Reactive Protein: Results from National Health and Nutrition Examination Survey, 2005-2008. *PLoS One*, 9(3):e92607.
- Luckhaupt, S.E., Cohen, M.A., Li, J., Calvert, G.M. 2014. Prevalence of Obesity Among U.S. Workers and Associations with Occupational Factors. *Am. J. Prev. Med.*, 46(3):237–248.
- Mahwati, Y., Nurrika, D. 2020. Obesity Indicators and C-Reactive Protein in Indonesian Adults (More than Equal to 40 Years Old): The Indonesian Family Life Survey 5. *Kesmas Natl. Public Heal. J.*, 15(4).
- Marfianti, E. 2009. Perbedaan kadar resistin pada obes dengan resistensi insulin dan obes tanpa resistensi insulin. *JKKI J. Kedokt. dan Kesehat. Indones.*, 45–52.
- McCracken, E., Monaghan, M., Sreenivasan, S. 2018. Pathophysiology of the metabolic syndrome. *Clin. Dermatol.*, 36(1):14–20.
- Motamed, N., Sohrabi, M., Poustchi, H., Maadi, M., Malek, M., Keyvani, H., Amoli, M.S., Zamani, F. 2017. The six obesity indices, which one is more compatible with metabolic syndrome? A population based study. *Diabetes*



- Metab. Syndr. Clin. Res. Rev.*, 11(3):173–177.
- Mulyamin, W., Kurniawan, L.B., Adnan, E., Widaningsih, Y., Idris, I., Santoso, A., Yustisia, I. 2021. Body mass index as the most influential factor of high-sensitivity C-reactive protein in non-diabetic adults. *Universa Med.*, 40(1):22–28.
- Myers, G.L. 2006. Recommendations for Improving Serum Creatinine Measurement: A Report from the Laboratory Working Group of the National Kidney Disease Education Program. *Clin. Chem.*, 52(1):5–18.
- Myung, J., Jung, K.Y., Kim, T.H., Han, E. 2019. Assessment of the validity of multiple obesity indices compared with obesity-related co-morbidities. *Public Health Nutr.*, 1–9.
- Nair, A.K.K., Lawrence, T., Indu, P. 2022. Obesity burden and physical activity pattern among doctors in South India. *Indian J. Occup. Environ. Med.*, 26(4):261.
- Nakamura, M., Iso, H., Kitamura, A., Imano, H., Noda, H., Kiyama, M., Sato, S., Yamagishi, K., Nishimura, K., Nakai, M., Vesper, H.W., Teramoto, T., Miyamoto, Y. 2016. Comparison between the triglycerides standardization of routine methods used in Japan and the chromotropic acid reference measurement procedure used by the CDC Lipid Standardization Programme. *Ann. Clin. Biochem. Int. J. Lab. Med.*, 53(6):632–639.
- Pahwa, R., Goyal, A., Jialal, I. 2024. *Chronic Inflammation*.
- Panuganti, K.K., Nguyen, M., Kshirsagar, R.K. 2024. *Obesity*.
- Patel, P., Abate, N. 2013. Body Fat Distribution and Insulin Resistance. *Nutrients*, 5(6):2019–2027.
- Perkeni. 2021. *Pedoman Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Dewasa Di Indonesia*. PB. PERKENI.
- Power, M.L., Schulkin, J. 2008. Sex differences in fat storage, fat metabolism, and the health risks from obesity: possible evolutionary origins. *Br. J. Nutr.*, 99(5):931–940.
- Pratama, R., Yufika, A. 2023. Physicians' Workload and Quality Healthcare in Indonesia. *Trends Infect. Glob. Heal.*, 3(1):43–55.
- La Puma, J., Szapary, P., Maki, K.C. 2005. Predictors of physician overweight and obesity in the USA: an empiric analysis. *Nutr. Food Sci.*, 35(5):315–319.
- Rao, S.K., Kimball, A.B., Lehrhoff, S.R., Hidrue, M.K., Colton, D.G., Ferris, T.G., Torchiana, D.F. 2017. The Impact of Administrative Burden on Academic Physicians: Results of a Hospital-Wide Physician Survey. *Acad. Med.*, 92(2):237–243.
- Rojano-Rodríguez, M.E., Valenzuela-Salazar, C., Cárdenas-Lailson, L.E., Romero Loera, L.S., Torres-Olalde, M., Moreno-Portillo, M. 2014. Nivel de proteína C reactiva en pacientes con obesidad mórbida antes y después de cirugía bariátrica. *Rev. Gastroenterol. México*, 79(2):90–95.
- Rong, Z., Chen, F., Jilin, Y., Yifeng, T. 2019. A C-reactive protein immunosensor



- based on platinum nanowire / titania nanotube composite sensitized electrochemiluminescence. *Talanta*, 205:120135.
- Russell, G., Lightman, S. 2019. The human stress response. *Nat. Rev. Endocrinol.*, 15(9):525–534.
- Salazar, J., Martínez, M.S., Chávez-Castillo, M., Núñez, V., Añez, R., Torres, Y., Toledo, A., Chacín, M., Silva, C., Pacheco, E., Rojas, J., Bermúdez, V. 2014. C-Reactive Protein: An In-Depth Look into Structure, Function, and Regulation. *Int. Sch. Res. Not.*, 2014:1–11.
- Santa-Paavola, R., Lehtinen-Jacks, S., Jääskeläinen, T., Männistö, S., Lundqvist, A. 2022. The association of high-sensitivity C-reactive protein with future weight gain in adults. *Int. J. Obes.*, 46(6):1234–1240.
- Seloka, M.A., Matshipi, M., Mphekgwana, P.M., Monyeki, K.D. 2020. Obesity Indices to Use for Identifying Metabolic Syndrome among Rural Adults in South Africa. *Int. J. Environ. Res. Public Health*, 17(22):8321.
- Sooriyaarachchi, P., Jayawardena, R., Pavay, T., King, N.A. 2022. Shift work and the risk for metabolic syndrome among healthcare workers: A systematic review and meta-analysis. *Obes. Rev.*, 23(10).
- Timpson, N.J., Nordestgaard, B.G., Harbord, R.M., Zacho, J., Frayling, T.M., Tybjaerg-Hansen, A., Smith, G.D. 2011. C-reactive protein levels and body mass index: elucidating direction of causation through reciprocal Mendelian randomization. *Int. J. Obes. (Lond.)*, 35(2):300–8.
- Trivedi, D.R., Amer, A., Patel, D.R., Trivedi, P. 2019. Comparison Of A Rapid Semi-Quantitative Latex Agglutination Slide Method Against Quantitative Particle Enhanced Turbidimetric Immunoassay For Measurement Of C-Reactive Protein. *Int. J. Med. Biomed. Stud.*, 3(5).
- Vashist, S.K., Venkatesh, A.G., Marion Schneider, E., Beaudoin, C., Luppa, P.B., Luong, J.H.T. 2016. Bioanalytical advances in assays for C-reactive protein. *Biotechnol. Adv.*, 34(3):272–290.
- Visser, M. 1999. Elevated C-Reactive Protein Levels in Overweight and Obese Adults. *JAMA*, 282(22):2131.
- Wahyuningsih, A.T., Anshori, F., Herningtyas, E.H., Ratnaningsih, T. 2019. Evaluasi HbA1c, hs-CRP, dan indeks massa tubuh pada populasi sehat: Sebuah studi komunitas. *J. Community Empower. Heal.*, 2(2):151.
- West, C.P., Dyrbye, L.N., Shanafelt, T.D. 2018. Physician burnout: contributors, consequences and solutions. *J. Intern. Med.*, 283(6):516–529.
- WHO. 2014. C-reactive protein concentrations as a marker of inflammation or infection for interpreting biomarkers of micronutrient status.
- WHO. 2021. Obesity and Overweight.
- Williams, E.S., Manwell, L.B., Konrad, T.R., Linzer, M. 2007. The relationship of organizational culture, stress, satisfaction, and burnout with physician-reported error and suboptimal patient care. *Health Care Manage. Rev.*, 32(3):203–212.



- Xiao-Bing, C., Shi-You, C. 2017. White adipose tissue browning and obesity. *J. Biomed. Res.*, 31(1):1.
- Yang, J. 2022. *Distribution of physicians in the United States by average number of hours worked per week in 2021*. United States.
- Zangana, S.N., Al-Tawil, N.G., Khazaal, S.H. 2021. Correlation of High sensitivity C-reactive Protein Levels with Body Mass Index in a Group of Adults in Erbil City. *Indian J. Forensic Med. Toxicol.*, 15(4):2379–2388.
- Zorn, J. V., Schür, R.R., Boks, M.P., Kahn, R.S., Joëls, M., Vinkers, C.H. 2017. Cortisol stress reactivity across psychiatric disorders: A systematic review and meta-analysis. *Psychoneuroendocrinology*, 77:25–36.