

DAFTAR PUSTAKA

- [1] Subdirektorat Statistik Transportasi, *Statistik Transportasi Darat 2019*, 8302004th ed. Jakarta: Badan Pusat Statistik Indonesia, 2019.
- [2] M.S. Fitriani, “5 Transportasi Umum Andalan Warga Jakarta,” *Liputan 6*. [Online]. Available: <https://www.liputan6.com/bisnis/read/3958542/5-transportasi-umum-andalan-warga-jakarta>
- [3] Tri Hardono, “SINERGI RISET DAN INOVASI TEKNOLOGI SARANA PERKERETAAPIAN,” PT. Industri Kereta Api, Feb. 2019.
- [4] S. Nugroho, “Sistem Propulsion Dan Auxiliary Pada Kereta Rel Listrik (Krl),” Makalah Seminar Kerja Praktek, 2013.
- [5] B. K. Bose and B. K. Bose, “Evaluation of Modern Power Semiconductor Devices and Future Trends of Converters,” *IEEE Trans Ind Appl*, vol. 28, no. 2, pp. 403–413, 1992, doi: 10.1109/28.126749.
- [6] Y. Liu and Y. Yang, “Review of SiC MOSFET drive circuit,” *2019 IEEE International Conference on Electron Devices and Solid-State Circuits, EDSSC 2019*, pp. 2019–2021, 2019, doi: 10.1109/EDSSC.2019.8754378.
- [7] A. Nawawi *et al.*, “Design and Demonstration of High Power Density Inverter for Aircraft Applications,” *IEEE Trans Ind Appl*, vol. 53, no. 2, pp. 1168–1176, 2017, doi: 10.1109/TIA.2016.2623282.
- [8] S. Yang, A. Bryant, P. Mawby, D. Xiang, L. Ran, and P. Tavner, “An industry-based survey of reliability in power electronic converters,” *2009 IEEE Energy Conversion Congress and Exposition, ECCE 2009*, pp. 3151–3157, 2009, doi: 10.1109/ECCE.2009.5316356.
- [9] H. Wang and F. Blaabjerg, “Reliability of capacitors for DC-link applications in power electronic converters - An overview,” *IEEE Trans Ind Appl*, vol. 50, no. 5, pp. 3569–3578, 2014, doi: 10.1109/TIA.2014.2308357.
- [10] Z. Wang and G. Chen, “Study on planar busbar regarding stray inductance minimization and oscillation suppression for high power converter,” *1st International Conference on Sustainable Power Generation and Supply, SUPERGEN '09*, 2009, doi: 10.1109/SUPERGEN.2009.5347993.
- [11] R. Alizadeh *et al.*, “Busbar Design for Distributed DC-Link Capacitor Banks for Traction Applications,” in *2018 IEEE Energy Conversion Congress and Exposition (ECCE)*, IEEE, Sep. 2018, pp. 4810–4815. doi: 10.1109/ECCE.2018.8558380.
- [12] M. Chiadò Caponet, F. Profumo, R. W. De Doncker, and A. Tenconi, “Low stray inductance bus bar design and construction for good EMC performance in power electronic circuits,” *IEEE Trans Power Electron*, vol. 17, no. 2, pp. 225–231, 2002, doi: 10.1109/63.988833.
- [13] A. Stefanskyi, L. Starzak, and A. Napieralski, “Review of commercial SiC

- MOSFET models: Topologies and equations,” in *2017 MIXDES - 24th International Conference "Mixed Design of Integrated Circuits and Systems*, IEEE, Jun. 2017, pp. 484–487. doi: 10.23919/MIXDES.2017.8005259.
- [14] M. Rahimo *et al.*, “Characterization of a Silicon IGBT and Silicon Carbide MOSFET Cross-switch hybrid,” *IEEE Trans Power Electron*, vol. 30, no. 9, pp. 4638–4642, 2015, doi: 10.1109/TPEL.2015.2402595.
- [15] B. N. Torsaeter, S. Tiwari, R. Lund, and O. M. Midtgard, “Experimental evaluation of switching characteristics, switching losses and snubber design for a full SiC half-bridge power module,” 2016. doi: 10.1109/PEDG.2016.7527071.
- [16] K. Hasegawa, I. Omura, and S. I. Nishizawa, “Design and Analysis of a New Evaluation Circuit for Capacitors Used in a High-Power Three-Phase Inverter,” *IEEE Transactions on Industrial Electronics*, vol. 63, no. 5, pp. 2679–2687, 2016, doi: 10.1109/TIE.2015.2511097.
- [17] Y. Liu *et al.*, “LCL Filter Design of a 50-kW 60-kHz SiC Inverter with Size and Thermal Considerations for Aerospace Applications,” *IEEE Transactions on Industrial Electronics*, vol. 64, no. 10, pp. 8321–8333, 2017, doi: 10.1109/TIE.2017.2677338.
- [18] M. Chapparband, D. K. Sameeksha, and M. Miranda, “Analysis of LCL Filter Design for Grid Tied Power Converter and its Effect on THD,” pp. 850–855, 2020, doi: 10.1109/spin48934.2020.9070927.
- [19] G. R. Wehmuth, T. D. C. Busarello, and A. Peres, “Step-by-step design procedure for LCL-type single-phase grid connected inverter using digital proportional-resonant controller with capacitor-current feedback,” *IEEE Green Technologies Conference*, vol. 2021-April, pp. 448–454, 2021, doi: 10.1109/GreenTech48523.2021.00076.
- [20] M. Liserre, F. Blaabjerg, and S. Hansen, “Design and control of an LCL-filter-based three-phase active rectifier,” *IEEE Trans Ind Appl*, vol. 41, no. 5, pp. 1281–1291, 2005, doi: 10.1109/TIA.2005.853373.
- [21] J. Xu, Y. Wang, Y. Lu, J. Han, and H. Tang, “DC-Link Capacitors RMS Current Reduction PWM Method Based High Frequency SiC Three-Phase Inverter,” *2018 1st Workshop on Wide Bandgap Power Devices and Applications in Asia, WiPDA Asia 2018*, pp. 61–65, 2018, doi: 10.1109/WiPDAAsia.2018.8734552.
- [22] O. Puigdellivol, D. Méresse, Y. Le Menach, S. Harmand, and J. F. Wecxsteen, “Thermal Topology Optimization of a Three-Layer Laminated Busbar for Power Converters,” *IEEE Trans Power Electron*, vol. 32, no. 6, pp. 4691–4699, 2017, doi: 10.1109/TPEL.2016.2601010.
- [23] S. Tiwari, O. M. Midtgård, and T. M. Undeland, “Design of low inductive busbar for fast switching SiC modules verified by 3D FEM calculations and

- laboratory measurements,” in *2016 IEEE 17th Workshop on Control and Modeling for Power Electronics, COMPEL 2016*, Institute of Electrical and Electronics Engineers Inc., Aug. 2016. doi: 10.1109/COMPEL.2016.7556689.
- [24] Y. Y. Jia, X. D. Wang, L. L. Mao, S. C. Yang, and H. X. Zhang, “Application and simulation of SVPWM in three phase inverter,” *Proceedings of the 6th International Forum on Strategic Technology, IFOST 2011*, vol. 1, pp. 541–544, 2011, doi: 10.1109/IFOST.2011.6021082.
- [25] M. Stempfle, M. Fischer, M. Nitzsche, J. Wolfle, and J. Roth-Stielow, “Efficiency analysis of three-level NPC and T-Type voltage source inverter for various operation modes optimizing the overall drive train efficiency by an operating mode selection,” *2016 18th European Conference on Power Electronics and Applications, EPE 2016 ECCE Europe*, 2016, doi: 10.1109/EPE.2016.7695368.
- [26] H. Wu, X. Fu, Y. Wang, J. Guo, J. Shen, and S. Hu, “Breakdown voltage improvement of enhancement mode AlGaIn/GaN HEMT by a novel step-etched GaN buffer structure,” *Results Phys*, vol. 29, p. 104768, 2021, doi: 10.1016/j.rinp.2021.104768.
- [27] Taiwan semiconductors, “Understanding Power MOSFET Parameters,” *Taiwan semiconductors*, pp. 1–21, 2000, [Online]. Available: https://www.taiwansemi.com/upload/files/products/Application_Note/AN-1001_A1611.pdf
- [28] L. Balogh, “Fundamentals of MOSFET and IGBT Gate Driver Circuits Application Report,” *Texas Instruments*, no. October, pp. 1–48, 2017, [Online]. Available: www.ti.com
- [29] A. R. Reserved, “LTspiceHelp,” 2021.
- [30] C. Commons *et al.*, “VDMOS Parameter Extraction,” pp. 1–25, 2022.
- [31] A. E. W. H. Kahlane, L. Hassaine, and M. Kherchi, “LCL filter design for photovoltaic grid connected systems,” in *Revue des Energies Renouvelables SIENR’14 Ghardaia*, 2014, pp. 227–232.
- [32] Infineon Technologies AG, “Datasheet: FF11MR12W1M1_B11,” Germany, Jul. 2018.
- [33] A. Reznik, M. G. Simoes, A. Al-Durra, and S. M. Mueen, “LCL Filter design and performance analysis for grid-interconnected systems,” *IEEE Trans Ind Appl*, vol. 50, no. 2, pp. 1225–1232, 2014, doi: 10.1109/TIA.2013.2274612.
- [34] A. Namboodiri and H. Wani, “Unipolar and Bipolar PWM Inverter,” *IJIRSRT - International Journal for Innovative Research in Science & Technology*, vol. 1, no. 7, p. 7, 2014.