

## DAFTAR PUSTAKA

- Almoussa, S., Lamprianidou, E. and Kitsoulis, G. (2017) ‘The effectiveness of stabilising exercises in pelvic girdle pain during pregnancy and after delivery: A systematic review’, *Physiotherapy Research International*, 23(1), pp. 1–7. Available at: <https://doi.org/10.1002/pri.1699>.
- Andersen, L.K., Backhausen, M., Hegaard, H.K. and Juhl, M. (2015). Physical exercise and pelvic girdle pain in pregnancy: A nested case–control study within the Danish National Birth Cohort. *Sexual & Reproductive Healthcare*, 6(4), pp.198–203. doi:<https://doi.org/10.1016/j.srhc.2015.04.004>.
- Ariendha, D.S.R., Setyawati, I., Utami, K. and Hardaniyati. (2022). The Effect of Pregnancy Exercises on Low Back Pain in Pregnant Women. *Journal for Quality in Public Health*, 5(2), pp.607–612. doi:<https://doi.org/10.30994/jqph.v5i2.364>.
- Baran, J., Pop, T., Sienko, J., Leszczak, J., Ozimek, M., Waraksa, E., Mirek, W. and Herbert, J. (2022). Effect of physical activity on low back pain in pregnant women. *Journal of Kinesiology and Exercise Sciences*, 32(97), pp.35–44. doi:<https://doi.org/10.5604/01.3001.0015.8109>.
- Barbier, M., Blanc, J., Faust, C., Baumstarck, K., Ranque-garnier, S. and Bretelle, F. (2023). Standardized Stretching Postural postures to treat low-back pain in pregnancy: the GEMALODO randomized clinical trial. *American Journal Of Obstetrics & Gynecology MFM*, 5(10), pp.101087–101087. Doi:<https://doi.org/10.1016/j.ajogmf.2023.101087>.
- Belogolovsky, I., Katzman, W., Christopherson, N., Rivera, M. and Allen, D.D. (2015) ‘The Effectiveness of Exercise in Treatment of Pregnancy-Related Lumbar and Pelvic Girdle Pain’, *Journal of Women’s Health Physical Therapy*, 39(2), pp. 53–64. Available at: <https://doi.org/10.1097/jwh.0000000000000032>.
- Boissonnault, J.S., Klestinski, J.U. and Percy, K. (2012) ‘The Role of Exercise in the Management of Pelvic Girdle and Low Back Pain in Pregnancy’, *Journal of Women’s Health Physical Therapy*, 36(2), pp. 69–77. Available at: <https://doi.org/10.1097/jwh.0b013e318260da74>.

- Centers for Disease Control and Prevention. (2021). *Physical Activity Recommendations for Pregnant and Postpartum Women*. [online] Centers for Disease Control and Prevention. Available at: <https://www.cdc.gov/physicalactivity/basics/pregnant-and-postpartum-women.html>.
- Colla, C., Paiva, L.L. and Thomaz, R.P. (2017) 'Therapeutic exercise for pregnancy low back and pelvic pain: a systematic review', *Fisioterapia em Movimento*, 30(2), pp. 399–411. Available at: <https://doi.org/10.1590/1980-5918.030.002.ar03>.
- Davenport, M.H., Marchand, A.-A., Mottola, M.F., Poitras, V.J., Gray, C.E., Jaramillo Garcia, A., Barrowman, N., Sobierajski, F., James, M., Meah, V.L., Skow, R.J., Riske, L., Nuspl, M., Nagpal, T.S., Courbalay, A., Slater, L.G., Adamo, K.B., Davies, G.A., Barakat, R. and Ruchat, S.-M. (2019) 'Exercise for the prevention and treatment of low back, pelvic girdle and lumbopelvic pain during pregnancy: A systematic review and meta-analysis', *British Journal of Sports Medicine*, 53(2), pp. 90–98. Available at: <https://doi.org/10.1136/bjsports-2018-099400>.
- Ferreira, C.W.S. and Alburquerque-Sendín, F. (2013) 'Effectiveness of physical therapy for pregnancy-related low back and/or pelvic pain after delivery: A systematic review', *Physiotherapy Theory and Practice*, 29(6), pp. 419–431. Available at: <https://doi.org/10.3109/09593985.2012.748114>.
- Hemalatha, Sathyaprabha, B., Venkatesh, N. and Sivakumar, R. (2022). Physical Activity and Pelvic Girdle Pain in Pregnancy- A Cross-sectional Study. *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*. doi:10.7860/jcdr/2022/51877.16492.
- Kinsler, P.A., Pauli, J., Jallo, N., Shall, M., Karst, K., Hoekstra, M. and Starkweather, A. (2017) 'Physical Activity and Yoga-Based Approaches for Pregnancy-Related Low Back and Pelvic Pain', *JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 46(3), pp. 334–346. Available at: <https://doi.org/10.1016/j.jogn.2016.12.006>.
- Kokic, I.S., Ivanisevic, M., Uremovic, M., Kokic, T., Pisot, R., & Simunic, B. (2017). Effect of therapeutic exercises on pregnancy-related low back pain and pelvic

- girdle pain: Secondary analysis of a randomized controlled trial. *Journal of Rehabilitation Medicine*, 49(3), 251–257. <https://doi.org/10.2340/16501977-2196>.
- Leung, R.W., Li, J.F., Leung, M.K., Fung, B.K., Fung, L.C., Tai, S., Sing, C. and Leung, W. (2013). Efficacy of Birth Ball Exercises on Labour Pain Management. *Hong Kong Medical Journal*, 19(5). doi:<https://doi.org/10.12809/hkmj133921>.
- Liu, N., Wanga, J., Chena, D.-D., Suna, W.-J., Lib, P. and Zhang, W. (2020) ‘Effects of exercise on pregnancy and postpartum fatigue: A systematic review and meta-analysis’, *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 253, pp. 285–295. Available at: <https://doi.org/10.1016/j.ejogrb.2020.08.013>.
- Makvandi, S., Roudsari, R.L., Sadeghi, R. and Karimi, L. (2015) ‘Effect of birth ball on labor pain relief: A systematic review and meta-analysis’, *Journal of Obstetrics and Gynaecology Research*, 41(11), pp. 1679–1686. Available at: <https://doi.org/10.1111/jog.12802>.
- Marín-Jiménez, N., Acosta-Manzano, P., Borges-Cosic, M., Baena-García, L., Coll-Risco, I., Romero-Gallardo, L. and Aparicio, V.A. (2019). Association of self-reported physical fitness with pain during pregnancy: The GESTAFIT Project. *Scandinavian Journal of Medicine & Science in Sports*. doi:10.1111/sms.13426.
- National Health Service. (2019). *Exercising in pregnancy is good for you and your baby! Have a look at which types of exercise you can do*. [online] Available at: <https://www.nhs.uk/start4life/pregnancy/exercising-in-pregnancy/>.
- National Health Service. (2020). *Exercise in Pregnancy*. [online] National Health Service United Kingdom. Available at: <https://www.nhs.uk/pregnancy/keeping-well/exercise/>.
- National Heart, Lung, and Blood Institute. (2022). *Physical Activity and Your Heart - What Is Physical Activity? | National, heart, Lung, and Blood, National Institutes of Health*. [online] Available at: <https://www.nhlbi.nih.gov/health/heart/physical-activity>.

- Ozdemir, S., Bebis, H., Ortabag, T. and Acikel, C. (2015). Evaluation of the efficacy of an exercise program for pregnant women with low back and pelvic pain: a prospective randomized controlled trial. *Journal of Advanced Nursing*, 71(8), pp.1926–1939. doi:<https://doi.org/10.1111/jan.12659>.
- Pascual, Z.N. and Langaker, M.D. (2020). *Physiology, Pregnancy*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK559304/>.
- Richards, E., Kessel, G.V., Virgara, R. and Harris, P. (2012). Does antenatal physical therapy for pregnant women with low back pain or pelvic pain improve functional outcomes? A systematic review. *Acta Obstetrica et Gynecologica Scandinavica*, 91(9), pp.1038–1045. doi:<https://doi.org/10.1111/j.1600-0412.2012.01462.x>.
- Royal College of Obstetricians and Gynaecologist. (2015). *Pelvic girdle pain and pregnancy*. [online] Available at: <https://www.rcog.org.uk/for-the-public/browse-all-patient-information-leaflets/pelvic-girdle-pain-and-pregnancy/>.
- Sakamoto, A. and Gamada, K. (2019). Are Pelvic Stabilizing Exercises Effective for Postpartum Pelvic Girdle Pain? A Literature Review. *Journal of Clinical Gynecology and Obstetrics*, 8(2), pp.33–38. doi:<https://doi.org/10.14740/jcgo552>.
- Sánchez-Polán, M., Nagpal, T., Zhang, D., Silva-Jose, C., Montejo, R. and Barakat, R. (2023). The Influence of Physical Activity during Pregnancy on Maternal Pain and Discomfort: A Meta-Analysis. *Journal of Personalized Medicine*, [online] 14(1), pp.44–44. doi:<https://doi.org/10.3390/jpm14010044>.
- Shea BJ, Reeves BC, Wells G, Thuku M, Hamel C, Moran J, Moher D, Tugwell P, Welch V, Kristjansson E, Henry DA. AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. *BMJ*. 2017 Sep 21;358:j4008
- Shiri, R., Coggon, D. and Falah-Hassani, K. (2018) ‘Exercise for the prevention of low back and pelvic girdle pain in pregnancy: A meta-analysis of randomized controlled trials’, *European Journal of Pain (United Kingdom)*, 22(1), pp. 19–27. Available at: <https://doi.org/10.1002/ejp.1096>.

Stuge, B., Hilde, G. and Vøllestad, N. (2003) ‘Physical therapy for pregnancy-related low back and pelvic pain: A systematic review’, *Acta Obstetrica et Gynecologica Scandinavica*, 82(11), pp. 983–990. Available at: <https://doi.org/10.1034/j.1600-0412.2003.00125.x>.

The American College of Obstetricians and Gynecologist. (2020). *Physical Activity and Exercise During Pregnancy and the Postpartum Period*. [online] The American College of Obstetricians and Gynecologist Organizations. Available at: <https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2020/04/physical-activity-and-exercise-during-pregnancy-and-the-postpartum-period>.

Ward-Ritacco, C., Poudevigne, M.S. and O’Connor, P.J. (2016). Muscle strengthening exercises during pregnancy are associated with increased energy and reduced fatigue. *Journal of Psychosomatic Obstetrics & Gynecology*, [online] 37(2), pp.68–72. doi:<https://doi.org/10.3109/0167482x.2016.1155552>.

World Health Organization. (2022). *Physical activity*. [online] Physical activity. Available at: <https://www.who.int/news-room/fact-sheets/detail/physical-activity>.