

DAFTAR PUSTAKA

- Alba, T., de Pelegrin, C., & Sobottka, A. (2020). Pharmacognosy Ethnobotany, Ecology, Pharmacology, and Chemistry of *Anredera cordifolia* (Basellaceae): A Review. *Rodriguesia*, 71.
- Ariani, L. W., & Wulandari, W. (2021). Physical Stability of Olive Oil Nanogel (*Olea europaeae* L.). *Exact Scholar*, 5(2).
- Arisanty, Karim, D., Rachmawaty, D., Widyatna, E. (2021). Formulasi dan Stabilitas Fisik Sediaan *Lip balm* dari Buah Stroberi (*Fragaria vesca* L.). *Media Farmasi*, 17, 191-196.
- Ambari, Y., Nanda, F., Hapsari, D., Ningsih, A., Nurrosyidah, I., & Sinaga, B. (2020). Studi Formulasi Sediaan *Lip balm* Ekstrak Kayu Secang (*Caesalpinia sappan* L.) dengan Variasi Beeswax. *J Islam Pharm*, 36-45.
- Backer, C. A., Brink, R. C., Van Den. (1963). *Flora of Java*. Netherlands: NVP Noordhoff.
- Badan Standardisasi Nasional. (1998). *Syarat Mutu Sediaan Lipstick*. Jakarta: Badan Standardisasi Nasional.
- Barba, L., Arrighetti, G., & Calligaris, S. (2013). Crystallization and melting properties of extra virgin olive oil studied by synchrotron XRD and DSC. *European Journal of Lipid Science and Technology*, 115, 322-329.
- Basset, J., Denney, R., Jeffr, G., & Mendham, G. (1995). *Vogel Kimia Analisis Kuantitatif Anorganik*. 4 ed. London: Woolwich Polytechnic.
- Blois, M. (1958). Antioxidant Determinations by the Use of a Stable Free Radical. *Nature*, 1199-1200.
- Burnett, C., Flume, M., Bergfeld, W., Belsito, D., Hill, R., Klassen, C. D., Liebler, D., Marks, J. G., Jr, Shank, R. C., Slaga, T. J., Snyder, P. W., & Anderson, F. (2017). Safety Assessment of Plant-Derived Fatty Acid Oils. *International Journal of Toxicology*, 52-129.
- Chao, C., Genot, C., Rodriguez, C., Magniez, H., Lacourt, S., Fievez, A., Len, C., Pezron, I., Luat, D., & Hecke, E. (2018). Emollients For Cosmetic Formulations: Towards Relationships between Physico-Chemical Properties and Sensory Perceptions. *Colloids and Surfaces A*, 156-164.
- Chen, H., Lee, P., Chen, Y., Huang, S., Huang, B., Dai, F., Chau, C., Chen, C., & Lin, Y. (2022). Moisture Retention of Glycerin Solutions with Various Concentrations: a Comparative Study. *Sci. Rep*, 10232.
- Depkes RI, D. K. (1983). *Pemanfaatan Tanaman Obat*. Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan.
- Dewi, A. (2023). *Optimasi Tween 80 dan Gliseril Monostearat Pada Formulasi Sediaan Lotion Ekstrak Etanol Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) Sebagai Anti Jerawat*. Skripsi Sarjana, Universitas Gadjah Mada. <https://etd.repository.ugm.ac.id/>.
- Djamil, R. (2012). Antioxidant Activity of Flavonoid from *Anredera cordifolia* (Ten) Steenis leaves. *International Journal of Pharmacy*, 241-243.
- Ernawati, D. E., Martodihardjo, S., & Sulaiman, T. S. (2017). Optimasi Komposisi Emulgator Formula Emulsi Air dalam Minyak Jus Buah

- Stroberi (*Fragaria vesca* L.) dengan Metode *Simplex lattice design*. *Journal of Pharmaceutical Science and Clinical Research*, 78-89.
- Fessenden, R., & Fessenden, J. (1986). *Kimia Organik* (2 ed., Vol. 3). (A. Pudjaatmaka, Trad.) Jakarta: Penerbit Erlangga.
- Gandjar, I.G., & Rohman. (2007). *Kimia Analisis Farmasi*. Yogyakarta: Pustaka Pelajar.
- Gultom, Sulistyarini, G., Sakinah, M., & Hasanah, U., (2020) Eksplorasi Senyawa Metabolit Sekunder Daun Kirinyuh (*Chromolaena odorata*) dengan GCMS. *Jurnal Biosains*, 6, 1.
- Handa, S., Khanuja, S., Longo, G., & Rakesh, D. (2008). *Extraction Technologies for Medicinal and Aromatic Plants*. Trieste, Italy: United Nations Industrial Development Organization and the International Centre for Science and High Technology.
- Harborne, J. B. (1987). *Metode Fitokimia*. Bandung: Penerbit ITB.
- Hidayat, I., Zuhrotun, A., & Sopyan, I. (2021). Desain Experimental. *Majalah Farmasetika*, 99-120.
- Istyastono, E., & Yuliani, S. (2016). Scarless Wound Healing Gel with Binahong (*Anredera cordifolia* (Ten) Steenis) Leaves Extract and Celecoxib as The Active Ingredients. *AIP Conference Proceedings 160001*, (pp. 1-6).
- Kadu, M., Vishwasrao, S., & Singh, S. (2015). Review on Natural *Lip balm*. *International Journal of Research in Cosmetic Science*, 1-7.
- Kementerian Kesehatan RI, D. J. (2017). *Farmakope Herbal Indonesia*. Jakarta: Kementerian Kesehatan RI.
- Kemit, N., Widarta, I.W.R., & Nocianitri, K.A. (2016) Pengaruh Jenis Pelarut dan Waktu Maserasi Terhadap Kandungan Senyawa Flavonoid dan Aktivitas Antioksidan Ekstrak Daun Alpukat (*Persea americana* Mill), *Jurnal Ilmu dan Teknologi Pangan*, Fakultas Teknologi Pertanian, Universitas Udayana, Bali, 5: 12.
- Khuri, A. I. (2003). The advantage of using the simplex-lattice design over the simplex-centroid design in mixture-process variable experiments. *Journal of Quality Technology*, 35(3), 296-307.
- Koirewoa, Y.A., Wiyono, W.I., & Fatimawali. (2012). Isolasi dan Identifikasi Senyawa Flavonoid dalam Daun Beluntas (*Pluchea indica* L.), *Fakultas Farmasi, UNSRAT, Manado*, 1: 6.
- Kwunsiriwong, S. (2016). The Study on The Development and Processing Transfer of *Lip balm* products from Virgin Coconut Oil: A Case Study. *Official Conference Proceedings of The Asian Conference on Sustainability, Energy & The Environment*. Thailand: The International Academic Forum.
- Laksmitawati, D., & Simbolon, R. (2019). Aktivitas Ekstrak etanol daun binahong(*Anredera cordifolia* (Ten.) Steenis) sebagai Antihiperurisemia dan Antioksidan pada Tikus Hiperurisemia. *JFI Online*.
- Leboe, D. W. (2021). Formulasi dan Uji Aktivitas *Lip balm* Antioksidan Ekstrak Etanol Daun Binahong (*Anredera cordifolia* (Ten.) Steenis) dengan Metode DPPH (1,1-diphenyl-2-picrylhydrazil). *Jur. Far.*

- Lumentut N, Edy J.H, & Rumondor M.E. (2020). Formulasi dan Uji Stabilitas Fisik Sediaan Krim Ekstrak Etanol Kulit Buah Pisang Goroho (*Musa acuminata* L.) Sebagai Tabir Surya. *Jurnal MIPA*, 42-46.
- Maharani, E., Puspitawati, R., & Gunawan, H. (2018). Antibacterial Effect of Binahong (*Anredera cordifolia* (Ten.) Steenis) Leaf Infusion Against Black Pigmented Bacteria. *Journal of Physics: conference series 1073*, 1-6.
- Martemucci, G., Costagliola, C., Mariano, M., D'andrea, L., Napolitano, P., & D'Alessandro. (2022). Free Radical Properties, Source and Targets, Antioxidant Consumption and health. *Oxygen*, 48-78.
- McKinlay, A., & Diffey, B. (1987). A Reference Action Spectrum for Ultraviolet Induced Erythema in Human Skin: In Human Exposure to Ultraviolet Radiation, Risks and Regulations. *Elsevier*, 83.
- Mitsui, T. (1997). *New Cosmetic Science*. Tokyo: Elsevier Science.
- Molyneux, P. (2004). The Use of The Stabel Free Radical Diphenylpicryl-Hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin Journal of Science and Technology*, 211-219.
- Munteanu, I.G. & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: a review. *International Journal of Molecular Sciences*, 22, 3380.
- Mustikasari, V., Sutanto, & Wardatun, S. (2012). Potensi ekstrak etanol daun binahong (*Anredera cordifolia* (Ten.) steenis) sebagai antioksidan. *Kumpulan Jurnal Farmasi*, 8-14.
- Nielsen. (2020). *Kesadaran Konsumen terhadap Produk Ramah Lingkungan*. Diambil dari Nielsen: <https://www.nielsen.com/id/news-center/2020>. Diakses pada 20 November 2023.
- Nurany, A., Amal, A., & Estikomah, S. (2018). Lipstick Formula for Rosella Flower Extract (*Hibiscus Sabdariffa*) A Colorant and Olive Oil as Emollient. *Pharm J. Islam. Pharm.*, 34-41.
- Nuzantry, J. K., & Widayati, R. I. (2015). *The effectiveness of a mixture of aloe vera extract and olive oil in a moisturizing formula on dry skin*. Doctoral dissertation, Faculty of Medicine.
- Parwati, N., Napitupulu, M., & Diah, A. (2014). Antioxidant Activity of Binahong (*Anredera Cordifolia* (Tenore) Steenis) Leafs Extracts With 1,1-diphenyl-2-picrylhydrazyl (DPPH) Using UV-Vis Spectrophotometer. *J. Akad. Kim*, 206-213.
- Petruzzi, D. (2023). *Value of the global lip balm market from 2017 to 2023*. Diambil dari Statista: <https://www.statista.com/statistics/982904/lip-balm-market-size-worldwide/>. Diakses pada 20 November 2023.
- Pitaloka, D., & Sukandar, E. (2018). Synergistic Study on n-Hexane Extract of *Anredera Cordifolia* (Ten.) Steenis (Binahong) Leaves Combined with Antituberculosis Drugs Against Drug-Sensitive and Drug-Resistant of *Mycobacterium Tuberculosis*. *Journal of Applied Pharmaceutical Science*, 134-138.
- Rahmatia, A. R. (2018). Uji Aktivitas Antioksidan Ekstrak Etanol Daun Sisik Naga (*Drymoglossum Piloselloides*) dengan Metode Dpph (1,1-Diphenyl-2-Picrylhydrazyl). *L Press*, 1-69.

- Rashati, D & Eryani, M.C. (2016). Pengaruh Variasi Konsentrasi HPMC Terhadap Mutu Fisik dan Stabilitas Sediaan Shampo Ekstrak Etanol Daun Katuk (*Sauropus androgynus* (L). Merr). *Jurnal Ilmiah Kesehatan*, 1(2): 1-6.
- Ratih, H., Titta, H., Ratna, C.P. (2014). Formulasi *Lip balm* Minyak Bunga Kenanga (*Cananga Oil*) Sebagai Emolien. *Prosiding Simposium Penelitian*. Yogyakarta: LeutikaPrio.
- Rieger, M. (2000). *Harry's Cosmeticology* (8 ed.). New York: Chemical Publishing Co Inc.
- Rodriguez-Archilla, A., & Irfan-Bhatti, A. (2021). Risk Factors for Actinic Cheilitis: A Meta-Analysis. *Journal of dental research, dental clinics, dental prospects*, 15(4), 285-289.
- Rowe, R. C., Sheskey, P. J., & Weller, P. J. (2020). *Handbook of pharmaceutical Excipients* (Vol. 10). London: Pharmaceutical Press.
- Saewan, N., & Jimtaisong, A. (2013). Photoprotection of Natural Flavonoids. *Journal of applied pharmaceutical scienc*, 9.
- Sanarto, Prijadi, & Tanjaya. (2010). Uji efektivitas ekstrak daun binahong (*anredera cordifolia*) sebagai antibakteri terhadap *escherichia coli* secara in vitro. *Jurnal Penelitian*, 1-11.
- Saputri, L., Tamimmi, D., Nisa, R., Rossah, N., Rachman, A., & Rachmawati, Y. (2022). Binahong leaf extract (*anredera cordifolia*) mucoadhesive patch as an alternative. *Ordonto: Dental Journal*, 168-182.
- Scharffetter-Kochanek, K., Wlaschek, M., Brenneisen, P., Schauen, M., Blaudschun, R., & Wenk, J. (1997). UV-Induced Reactive Oxygen Species in Photocarcinogenesis and Photoaging. *Biol. Chem.*, 1247-1257.
- Sharma, P. (2008). *Cosmetics-Formulation, Manufacturing and Quality Control*. India: Vandana Publications Pvt. Ltd.
- Suryani, S., Nafisah, A., & Mana'an, S. (2017). Optimasi Formula Gel Antioksidan Ekstrak Etanol Buah Bligo (*Benincasa hispida*) dengan Metode *Simplex lattice design* (SLD). *Jurnal Farmasi Galenika*(2), 150-156.
- Susetya, E. (2015). *Khasiat dan Manfaat Daun Binahong*. Yogyakarta: Pustaka Baru Press.
- Tamura, E., Yasumori, H., & Yamamoto, T. (2020). The efficacy of a highly occlusive formulation for dry lips. *International Journal of Cosmetic Science*, 46-52.
- Tandi, J., Roem, M., & Yuliet. (2023). Hepatoprotective Activity of Binahong Leaf Extract in Diabetes Mellitus Rats. *Indonesian Journal of Pharmaceutical Sci. and Tech.*, 215-220.
- Tranggono, R., & Latifah, F. (2007). *Buku Ilmu Pengetahuan Kosmetik*. Jakarta: Penerbit Pustaka Utama.
- Umar, A., Krihariyani, D., & Mutiarawati, D. T. (2012). Pengaruh pemberian ekstrak daun binahong (*anredera cordifolia* (tenore) steenis) terhadap kesembuhan luka infeksi *staphylococcus aureus* pada mencit. *Jurnal Analisis Kesehatan Sains*, 1(2), 1-8.

- Wahyuni. (2021). *Karakterisasi Balsam dari Karagenan Euchumma cottonii dan NaAlginat Sargassum plagiophyllum*. Banda Aceh: Fakultas Sains dan Teknologi.
- Wang, H., Zhang, Q., Mao, G., Conroy, O., Pyatski, Y., Michael, J., Fevola, Gabriela, C., Maitra, P., Mendelsohn, R., & Flach, C. (2019). Novel confocal Raman microscopy method to investigate hydration mechanisms in human skin. *Skin Res. Technol*, 653-661.
- Webber, L., Webber, L., Whang, E., & Fabo, D. (1997). The Effects of UVA-I (340-400 nm), UVA-II (320-340 nm) and UVA-I+II on the Photoisomerization of Urocanic Acid In Vivo,. *Photochem Photobiol*, 484-492.
- Werdiningsih, W., Pratiwi, N., & Yuliati, N. (2022). Determination Of 70% Ethanol Extract Flavonoid Total Levels Binahong g (*Anredera Cordifolia* [Ten] Steenis) Leaves In Pelem Village, Tanjungnom, Kab. Nganjuk. *J. Sintesis*, 54-61.
- Zocchi, G., Barel, A., Paye, M., & Maibach, H. (2005). Handbook of Cosmetic: Skin-feel Agents. *Sci. Technol*, 357-370.