



DAFTAR PUSTAKA

- Adib-Conquy, M., & Cavaillon, J. M. (2007). Stress molecules in sepsis and systemic inflammatory response syndrome. In *FEBS Letters* (Vol. 581, Issue 19, pp. 3723–3733). <https://doi.org/10.1016/j.febslet.2007.03.074>
- Akira, S., Takeda, K., & Kaisho, T. (2001). Toll-like receptors: critical proteins linking innate and acquired immunity. *Nature Immunology*, 2(8), 675–680. <https://doi.org/10.1038/90609>
- Arozal, W., Louisa, M., Rahmat, D., Chendrana, P., & Sandhiutami, N. M. D. (2021). Development, characterization and pharmacokinetic profile of chitosan-sodium tripolyphosphate nanoparticles based drug delivery systems for curcumin. *Advanced Pharmaceutical Bulletin*, 11(1), 77–85. <https://doi.org/10.34172/apb.2021.008>
- Arshad, L., Areeful Haque, M., Bukhari, S. N. A., & Jantan, I. (2017). An overview of structure-Activity relationship studies of curcumin analogs as antioxidant and anti-inflammatory agents. In *Future Medicinal Chemistry* (Vol. 9, Issue 6, pp. 605–626). Future Medicine Ltd. <https://doi.org/10.4155/fmc-2016-0223>
- Aziz, M. F. N., Murwanti, R., Ritmaleni. (2023). *The Anti-inflammatory Potency of Curcumin Analogues (A115, A146, B115): Molecular Docking Targeting MAPK P38 and NO Production Inhibition in RAW 264.7 Cells*. Undergraduate Thesis Data. Gadjah Mada University: Yogyakarta.
- Bachstetter, A. D., & Van Eldik, L. J. (2010). The p38 MAP Kinase Family as Regulators of Proinflammatory Cytokine Production in Degenerative Diseases of the CNS. In *Aging and Disease* • (Vol. 1, Issue 3).
- Biswas, S., Chen, S., Liang, G., Feng, B., Cai, L., Khan, Z. A., & Chakrabarti, S. (2019). Curcumin Analogs Reduce Stress and Inflammation Indices in Experimental Models of Diabetes. *Frontiers in Endocrinology*, 10. <https://doi.org/10.3389/fendo.2019.00887>
- Bouquet, M., Passmore, M. R., See Hoe, L. E., Tung, J. P., Simonova, G., Boon, A. C., & Fraser, J. F. (2020). Development and validation of ELISAs for the quantitation of interleukin (IL)-1 β , IL-6, IL-8 and IL-10 in ovine plasma. *Journal of Immunological Methods*, 486. <https://doi.org/10.1016/j.jim.2020.112835>
- Brusselle, G., & Bracke, K. (2014). Targeting immune pathways for therapy in asthma and chronic obstructive pulmonary disease. *Annals of the American Thoracic Society*, 11, S322–S328. <https://doi.org/10.1513/AnnalsATS.201403-118AW>



Buadonpri, W., Wichitnithad, W., Rojsitthisak, P., & Towiwat, P. (2009). SYNTHETIC CURCUMIN INHIBITS CARRAGEENAN-INDUCED PAW EDEMA IN RATS. In *J Health Res* (Vol. 23, Issue 1).

Chen, L., Deng, H., Cui, H., Fang, J., Zuo, Z., Deng, J., Li, Y., Wang, X., & Zhao, L. (2018). Oncotarget 7204 www.impactjournals.com/oncotarget Inflammatory responses and inflammation-associated diseases in organs. In *Oncotarget* (Vol. 9, Issue 6). www.impactjournals.com/oncotarget/

Chen, Q., Lu, X., & Zhang, X. (2021). Noncanonical nf- κ b signaling pathway in liver diseases. In *Journal of Clinical and Translational Hepatology* (Vol. 9, Issue 1, pp. 81–89). Xia and He Publishing Inc. <https://doi.org/10.14218/JCTH.2020.00063>

Chertov, O., Yang, D., Zack, O. M., Joost, H., Oppenheim, J., Zack Howard, O. M., & Oppenheim, J. J. (2000). Immunological Reviews Leukocyte granule proteins mobilize innate host defenses and adaptive immune responses. *Immunological Reviews*, 177, 68–78.

Chiswick, E. L., Duffy, E., Japp, B., & Remick, D. (2012). Detection and quantification of cytokines and other biomarkers. *Methods in Molecular Biology*, 844, 15–30. https://doi.org/10.1007/978-1-61779-527-5_2

Czernies, M., Kwiatkowska, K., & Płytycz, B. (2014). Toll-like receptors and their contribution to innate immunity: Focus on TLR4 activation by lipopolysaccharide. *Advances in Cell Biology*, 4(1), 1–23. <https://doi.org/10.2478/acb-2014-0001>

Dewhirst, F. E. (1980). *PROSTAGLANDINS STRUCTURE-ACTIVITY RELATIONSHIPS FOR INHIBITION OF PROSTAGLANDIN CYCLOOXYGENASE BY PHENOLIC COMPOUNDS*.

Dhillon, A. S., Hagan, S., Rath, O., & Kolch, W. (2007). MAP kinase signalling pathways in cancer. In *Oncogene* (Vol. 26, Issue 22, pp. 3279–3290). <https://doi.org/10.1038/sj.onc.1210421>

Eryanti, Y., Nurulita, Y., Hendra, R., Yuhamen, Syahri, J., & Zamri, A. (2011). SYNTHESIZING DERIVATIVES FROM CYCLOPENTANONE ANALOGUE CURCUMIN AN. *Makara Journal of Science*, 15(02), 117–123.

Fadus, M. C., Lau, C., Bikhchandani, J., & Lynch, H. T. (2017). Curcumin: An age-old anti-inflammatory and anti-neoplastic agent. In *Journal of Traditional and Complementary Medicine* (Vol. 7, Issue 3, pp. 339–346). National Taiwan University. <https://doi.org/10.1016/j.jtcme.2016.08.002>

Ferrero-Miliani, L., Nielsen, O. H., Andersen, P. S., & Girardin, S. E. (2007). Chronic inflammation: Importance of NOD2 and NALP3 in interleukin-1 β



- generation. In *Clinical and Experimental Immunology* (Vol. 147, Issue 2, pp. 227–235). <https://doi.org/10.1111/j.1365-2249.2006.03261.x>
- Ghlichloo I, Gerriets V. Nonsteroidal Anti-Inflammatory Drugs (NSAIDs) [Updated 2023 May 1]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK547742/>
- Gudkov, A. V., & Komarova, E. A. (2016). p53 and the carcinogenicity of chronic inflammation. *Cold Spring Harbor Perspectives in Medicine*, 6(11). <https://doi.org/10.1101/cshperspect.a026161>
- Harrison, D. A. (2012). The JAK/STAT pathway. *Cold Spring Harbor Perspectives in Biology*, 4(3). <https://doi.org/10.1101/cshperspect.a011205>
- Hirano, T. (2021). IL-6 in inflammation, autoimmunity and cancer. In *International immunology* (Vol. 33, Issue 3, pp. 127–148). NLM (Medline). <https://doi.org/10.1093/intimm/dxaa078>
- Hodgens A, Sharman T. Corticosteroids. [Updated 2023 May 1]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK554612>
- Idriss, H. T., & Naismith, J. H. (2000). TNF α and the TNF receptor superfamily: Structure-function relationship(s). *Microscopy Research and Technique*, 50(3), 184–195. [https://doi.org/10.1002/1097-0029\(20000801\)50:3<184::AID-JEMT2>3.0.CO;2-H](https://doi.org/10.1002/1097-0029(20000801)50:3<184::AID-JEMT2>3.0.CO;2-H)
- Jabbour, H. N., Sales, K. J., Catalano, R. D., & Norman, J. E. (2009). Inflammatory pathways in female reproductive health and disease. In *Reproduction* (Vol. 138, Issue 6, pp. 903–919). <https://doi.org/10.1530/REP-09-0247>
- Joe“, J., Raingeaud, J., Whitmarsh, A. J., Barrett, T., Dé Rijard, B., & Davis, R. J. (1996). MKK3-and MKK6-Regulated Gene Expression Is Mediated by the p38 Mitogen-Activated Protein Kinase Signal Transduction Pathway Downloaded from. In *MOLECULAR AND CELLULAR BIOLOGY* (Vol. 16, Issue 3). <http://mcb.asm.org/>
- Kaminska, B. (2005). MAPK signalling pathways as molecular targets for anti-inflammatory therapy - From molecular mechanisms to therapeutic benefits. *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1754(1–2), 253–262. <https://doi.org/10.1016/j.bbapap.2005.08.017>
- Kishimoto, T., Akira, S., & Taga, T. (1992). Interleukin-6 and its receptor: a paradigm for cytokines. *Science*, 258(5082), 593–597. <https://doi.org/10.1126/science.1411569>
- Kosyreva, A. M., Dzhalilova, D. S., Makarova, O. V., Tsvetkov, I. S., Zolotova, N. A., Diatropova, M. A., Ponomarenko, E. A., Mkhitarov, V. A., Khochanskiy, D. N., & Mikhailova, L. P. (2020). Sex differences of inflammatory and immune response in pups of Wistar rats with SIRS. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-72537-y>



- Lawrence, T. (2009). The nuclear factor NF-kappaB pathway in inflammation. In *Cold Spring Harbor perspectives in biology* (Vol. 1, Issue 6). <https://doi.org/10.1101/cshperspect.a001651>
- Libby, P. (2007). *Inflammatory Mechanisms: The Molecular Basis of Inflammation and Disease*. 140–146. <https://doi.org/10.1301/nr.2007.dec.S140>
- Liu, W., Zhai, Y., Heng, X., Che, F. Y., Chen, W., Sun, D., & Zhai, G. (2016). Oral bioavailability of curcumin: problems and advancements. In *Journal of Drug Targeting* (Vol. 24, Issue 8, pp. 694–702). Taylor and Francis Ltd. <https://doi.org/10.3109/1061186X.2016.1157883>
- Marwa, A., Iskandarsyah, & Jufri, M. (2023). Nanoemulsion curcumin injection showed significant anti-inflammatory activities on carrageenan-induced paw edema in Sprague-Dawley rats. *Heliyon*, 9(4). <https://doi.org/10.1016/j.heliyon.2023.e15457>
- Nishimoto, N., Yoshizaki, K., Tagoh, H., Momm, M., Kishimoto, S., Hirano, T., And, \$, & Kishimotos, T. (1989). Elevation of Serum Interleukin 6 prior to Acute Phase Proteins on the inflammation by Surgical Operation. In *CLINICAL IMMUNOLOGY AND IMMUNOPATHOLOGY* (Vol. 50).
- Parameswaran, N., & Patial, S. (2010). Tumor Necrosis Factor- α Signaling in Macrophages. *Critical Reviews in Eukaryotic Gene Expression*, 20(2), 87–103. <https://doi.org/10.1615/critreveukargeneexpr.v20.i2.10>
- Paramita, S., Kosala, K., Dzulkifli, D., Saputri, D. I., & Wijayanti, E. (2017). Anti-inflammatory activities of ethnomedicinal plants from dayak abai in North Kalimantan, Indonesia. *Biodiversitas*, 18(4), 1556–1561. <https://doi.org/10.13057/biodiv/d180434>
- Patil, K. R., Mahajan, U. B., Unger, B. S., Goyal, S. N., Belemkar, S., Surana, S. J., Ojha, S., & Patil, C. R. (2019). Animal models of inflammation for screening of anti-inflammatory drugs: Implications for the discovery and development of phytopharmaceuticals. In *International Journal of Molecular Sciences* (Vol. 20, Issue 18). MDPI AG. <https://doi.org/10.3390/ijms20184367>
- Pearson, G., Robinson, F., Gibson, T. B., Xu, B.-E., Karandikar, M., Berman, K., & Cobb, M. H. (2001). *Mitogen-Activated Protein (MAP) Kinase Pathways: Regulation and Physiological Functions**.
- Peng, Y., Ao, M., Dong, B., Jiang, Y., Yu, L., Chen, Z., Hu, C., & Xu, R. (2021). Anti-inflammatory effects of curcumin in the inflammatory diseases: Status, limitations and countermeasures. In *Drug Design, Development and Therapy* (Vol. 15, pp. 4503–4525). Dove Medical Press Ltd. <https://doi.org/10.2147/DDDT.S327378>
- Perianayagam J. B., Sharma S. K., & Pillai K. K. (2006). Anti-inflammatory activity of Trichodesma indicum root extract in experimental animals. *J Ethnopharmacol* 104(3): 410-4.



- Rubartelli, A., & Lotze, M. T. (2007). Inside, outside, upside down: damage-associated molecular-pattern molecules (DAMPs) and redox. *Trends in Immunology*, 28(10), 429–436. <https://doi.org/10.1016/j.it.2007.08.004>
- Sabio, G., & Davis, R. J. (2014). TNF and MAP kinase signalling pathways. In *Seminars in Immunology* (Vol. 26, Issue 3, pp. 237–245). Academic Press. <https://doi.org/10.1016/j.smim.2014.02.009>
- Schaeffer, H. J., & Weber, M. J. (1999). Mitogen-Activated Protein Kinases: Specific Messages from Ubiquitous Messengers. In *MOLECULAR AND CELLULAR BIOLOGY* (Vol. 19, Issue 4). <http://mcb.asm.org/>
- Sun, K., Song, X., Jia, R. Y., Yin, Z., Zou, Y., Li, L., Yin, L., He, C., Liang, X., Yue, G., Cui, Q., & Yang, Y. (2018). Evaluation of Analgesic and Anti-Inflammatory Activities of Water Extract of Galla Chinensis In Vivo Models. *Evidence-Based Complementary and Alternative Medicine*, 2018. <https://doi.org/10.1155/2018/6784032>
- Takeuchi, O., & Akira, S. (2010). Pattern Recognition Receptors and Inflammation. In *Cell* (Vol. 140, Issue 6, pp. 805–820). Elsevier B.V. <https://doi.org/10.1016/j.cell.2010.01.022>
- Tanaka, T., Narazaki, M., & Kishimoto, T. (2014). IL-6 in inflammation, Immunity, And disease. *Cold Spring Harbor Perspectives in Biology*, 6(10). <https://doi.org/10.1101/cshperspect.a016295>
- Thennakoon, T. M., Ching, Y. C., Chuah, C. H., Rahman, N. A., & Nai-Shang, L. (2020). pH-responsive poly(lactic acid)/sodium carboxymethyl cellulose film for enhanced delivery of curcumin in vitro. *Journal of Drug Delivery Science and Technology*, 58. <https://doi.org/10.1016/j.jddst.2020.101787>
- Tomeh, M. A., Hadianamrei, R., & Zhao, X. (2019). A review of curcumin and its derivatives as anticancer agents. In *International Journal of Molecular Sciences* (Vol. 20, Issue 5). MDPI AG. <https://doi.org/10.3390/ijms20051033>
- Vallianou, N., Evangelopoulos, A., Schizas, N., & Kazazis, C. (2015). Potential anticancer properties and mechanisms of action of curcumin. *Anticancer Research*, 35(2), 645–651.
- Vinegar R., Scheirber W., & Hugo R. (1969). Biphasic development of carageenin edema in rat. *J Pharmacol Exp Ther* 166(1): 96-103.
- Wesemann, D. R., & Benveniste, E. N. (2003). STAT-1 and IFN-as Modulators of TNF-Signaling in Macrophages: Regulation and Functional Implications of the TNF Receptor 1:STAT-1 Complex 1. In *The Journal of Immunology* (Vol. 171). <http://journals.aai.org/jimmunol/article-pdf/171/10/5313/1498355/5313.pdf>
- Winyard, P. G., & Willoughby, D. A. (2003). *Inflammation protocols*. Humana Press.



UNIVERSITAS
GADJAH MADA

Aktivitas Antiinflamasi Senyawa Analog Kurkumin B115 dan Ekspresi Interleukin-6 dan TNF-alfa pada

Tikus Wistar yang Diinduksi Karagenan

FAUZAN NAJMI MOHAMMAD, drh. Retno Murwanti, M.P., Ph.D.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yang, H., Du, Z., Wang, W., Song, M., Sanidad, K. Z., Sukamtoh, E., Zheng, J., Tian, L., Xiao, H., Liu, Z., & Zhang, G. (2017). Structure and Activity Relationship of Curcumin: Role of Methoxy Group in Anti-inflammatory and Anti-colitis Effects of Curcumin. In *J. Agric. Food Chem., Just Accepted Manuscript • Publication Date*. <http://pubs.acs.org>

Yu, S., Wang, X., He, X., Wang, Y., Gao, S., Ren, L., & Shi, Y. (2016). Curcumin exerts anti-inflammatory and antioxidative properties in 1-methyl-4-phenylpyridinium ion (MPP⁺)-stimulated mesencephalic astrocytes by interference with TLR4 and downstream signaling pathway. *Cell Stress and Chaperones*, 21(4), 697–705. <https://doi.org/10.1007/s12192-016-0695-3>

Zhang, Y., Liang, D., Dong, L., Ge, X., Xu, F., Chen, W., Dai, Y., Li, H., Zou, P., Yang, S., & Liang, G. (2015). Anti-inflammatory effects of novel curcumin analogs in experimental acute lung injury. *Respiratory Research*, 16(1). <https://doi.org/10.1186/s12931-015-0199-1>

Zhou, H., Beevers, C. S., & Huang, S. (2011). The Targets of Curcumin. In *Current Drug Targets* (Vol. 12).