

REFERENCES

- Acharya, P., Chouhan, K., Weiskirchen, S. and Weiskirchen, R. (2021). Cellular Mechanisms of Liver Fibrosis. *Frontiers in Pharmacology*, [online] 12. doi:<https://doi.org/10.3389/fphar.2021.671640>.
- Baiocchi, A., Montaldo, C., Conigliaro, A., Grimaldi, A., Correani, V., Mura, F., Ciccocanti, F., Rotiroli, N., Brenna, A., Montalbano, M., D'Offizi, G., Capobianchi, M.R., Alessandro, R., Piacentini, M., Schininà, M.E., Maras, B., Del Nonno, F., Tripodi, M. and Mancone, C. (2016). Extracellular Matrix Molecular Remodeling in Human Liver Fibrosis Evolution. *PLOS ONE*, [online] 11(3), p.e0151736. doi:<https://doi.org/10.1371/journal.pone.0151736>.
- Berger, D., Desai, V. and Janardhan, S. (2019). Con: Liver Biopsy Remains the Gold Standard to Evaluate Fibrosis in Patients With Nonalcoholic Fatty Liver Disease. *Clinical Liver Disease*, [online] 13(4), pp.114–116. doi:<https://doi.org/10.1002/cld.740>.
- Berumen, J., Baglieri, J., Kisseleva, T. and Mekeel, K. (2020). Liver fibrosis: Pathophysiology and clinical implications. *WIREs Mechanisms of Disease*, [online] 13(1). doi:<https://doi.org/10.1002/wsbm.1499>.
- Blanco-Grau, A., Gabriel-Medina, P., Rodriguez-Algarra, F., Villena, Y., Lopez-Martínez, R., Agustín, S., Pons, M., Cruz, L.-M., Rando-Segura, A., Enfedaque, B., Riveiro, M., Casis, E., Ferrer-Costa, R., Buti, M. and Rodriguez-Frias, F. (2021). Assessing Liver Fibrosis Using the FIB4 Index in the Community Setting. *Diagnostics*, [online] 11(12), p.2236. doi:<https://doi.org/10.3390/diagnostics11122236>.
- CDC (2019). *Hepatitis B questions and answers for the public*. [online] Centers for Disease Control and Prevention. Available at: <https://www.cdc.gov/hepatitis/hbv/bfaq.htm> [Accessed 10 Jun. 2023].
- CDC (2021). *Global Viral Hepatitis: Millions of People are Affected* | CDC. [online] [www.cdc.gov](https://www.cdc.gov/hepatitis/global/index.htm#:~:text=The%20World%20Health%20Organization%20(WHO)%20estimates%20that%20during%202019). Available at: [https://www.cdc.gov/hepatitis/global/index.htm#:~:text=The%20World%20Health%20Organization%20\(WHO\)%20estimates%20that%20during%202019](https://www.cdc.gov/hepatitis/global/index.htm#:~:text=The%20World%20Health%20Organization%20(WHO)%20estimates%20that%20during%202019) [Accessed 2 Jun. 2023].

Cho, Y., Daijiro Kabata, Eiji Ehara, Yamamoto, A., Tatsuki Mizuochi, Sotaro Mushiake, Kusano, H., Kuwae, Y., Suzuki, T., Akihiro Tamori, Morikawa, H., Yuga Amano-Teranishi, Kiyohide Kioka, Atsushi Jogo, Yoshiharu Isoura, Takashi Hamazaki, Murakami, Y. and Daisuke Tokuhara (2021). Assessing liver stiffness with conventional cut-off values overestimates liver fibrosis staging in patients who received the Fontan procedure. *Assessing liver stiffness with conventional cut-off values overestimates liver fibrosis staging in patients who received the Fontan procedure*, [online] 51(5), pp.593–602. doi:<https://doi.org/10.1111/hepr.13627>.

Chuang, Y.-C., Tsai, K.-N. and Ou, J.-H.J. (2022). Pathogenicity and virulence of Hepatitis B virus. *Virulence*, [online] 13(1), pp.258–296. doi:<https://doi.org/10.1080/21505594.2022.2028483>.

HCO (2021). *Core Concepts - Evaluation and Staging of Liver Fibrosis - Evaluation, Staging, and Monitoring of Chronic Hepatitis C - Hepatitis C Online*. [online] www.hepatitisc.uw.edu. Available at: <https://www.hepatitisc.uw.edu/go/evaluation-staging-monitoring/evaluation-staging/core-concept/all> [Accessed 12 Jun. 2023].

Heyens, L.J.M., Busschots, D., Koek, G.H., Robaeys, G. and Francque, S. (2021). Liver Fibrosis in Non-alcoholic Fatty Liver Disease: From Liver Biopsy to Non-invasive Biomarkers in Diagnosis and Treatment. *Frontiers in Medicine*, [online] 8. doi:<https://doi.org/10.3389/fmed.2021.615978>.

Iannacone, M. and Guidotti, L.G. (2021). Immunobiology and pathogenesis of hepatitis B virus infection. *Nature Reviews Immunology*. doi:<https://doi.org/10.1038/s41577-021-00549-4>.

Kim, M., Lee, Y., Yoon, J.S., Lee, M., Kye, S.S., Kim, S.W. and Cho, Y. (2021). The FIB-4 Index Is a Useful Predictor for the Development of Hepatocellular Carcinoma in Patients with Coexisting Nonalcoholic Fatty Liver Disease and Chronic Hepatitis B. *Cancers*, [online] 13(10), p.2301. doi:<https://doi.org/10.3390/cancers13102301>.

Li, L., Duan, M., Chen, W., Jiang, A., Li, X., Yang, J. and Li, Z. (2017). The spleen in liver cirrhosis: revisiting an old enemy with novel targets. *Journal of Translational Medicine*, [online] 15(1). doi:<https://doi.org/10.1186/s12967-017-1214-8>.

Liu, L., Nie, Y., Zhang, Y., Liu, Q. and Zhu, X. (2021). Liver Stiffness Is a Predictor of Rebleeding in Patients With Hepatitis B-Related Cirrhosis: A Real-World Cohort Study. *Frontiers in Medicine*, [online] 8. doi:<https://doi.org/10.3389/fmed.2021.690825>.

Mount Sinai (2023). *Liver biopsy Information* | *Mount Sinai - New York*. [online] Mount Sinai Health System. Available at: <https://www.mountsinai.org/health-library/tests/liver-biopsy> [Accessed 22 Jun. 2023].

McPherson, S., Hardy, T., Dufour, J.-F., Petta, S., Romero-Gomez, M., Allison, M., Oliveira, C.P., Tiniakos, D., Burt, A., Bugianesi, E., Ratziu, V., Day, C.P. and Anstee, Q.M. (2016). Age as a Confounding Factor for the Accurate Non-Invasive Diagnosis of Advanced NAFLD Fibrosis. *Age as a Confounding Factor for the Accurate Non-Invasive Diagnosis of Advanced NAFLD Fibrosis*, [online] 112(5). doi:<https://doi.org/10.1038/ajg.2016.453>.

National Institute on Alcohol Abuse and Alcoholism (2017). *Drinking Levels Defined*. [online] Nih.gov. Available at: <https://www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/moderate-binge-drinking>.

NIH (2011). <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/abdominal-ultrasound>. [online] www.cancer.gov. Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/abdominal-ultrasound> [Accessed 12 Jun. 2023].

Pandey, N., Hoilat, G.J. and John, S. (2020). *Liver Biopsy*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470567/> [Accessed 20 Jun. 2023].

Practitioners, T.R.A.C. of general (2013). *FibroScan and transient elastography*. [online] Australian Family Physician. Available at: <https://www.racgp.org.au/afp/2013/july/fibroscan> [Accessed 22 Jun. 2023].

Rugaatwa Ndibarema, E., Olum, R., Ayebare, D. and Kabakyenga, J. (2022). Prevalence and Factors Associated with Hepatitis B Infection Among Outpatient Adults in South-Western Uganda. *Hepatic Medicine: Evidence and Research*, [online] Volume 14, pp.163–172. doi:<https://doi.org/10.2147/hmer.s381809>.

Sauerbruch, T., Schierwagen, R. and Trebicka, J. (2018). Managing portal hypertension in patients with liver cirrhosis. *F1000Research*, [online] 7, p.533. doi:<https://doi.org/10.12688/f1000research.13943.1>.

Sharma, A. and Nagalli, S. (2020). *Chronic Liver Disease*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK554597/> [Accessed 20 Jun. 2023].

Shibata, S., Joshita, S., Umemura, T., Yamazaki, T., Fujimori, N., Ichikawa, Y., Komatsu, M., Matsumoto, A. and Tanaka, E. (2016). Liver stiffness-spleen size-to-platelet ratio risk score detects esophageal varices in chronic liver disease. *SpringerPlus*, [online] 5(1). doi:<https://doi.org/10.1186/s40064-016-2708-1>.

Smith, A.D., Porter, K.K., Elkassem, A.A., Sanyal, R. and Lockhart, M.E. (2019). Current Imaging Techniques for Noninvasive Staging of Hepatic Fibrosis. *American Journal of Roentgenology*, [online] 213(1), pp.77–89. doi:<https://doi.org/10.2214/ajr.19.21144>.

So-Armah, K.A., Lim, J.K., Re, V.L., Tate, J.P., Chang, C.-C.H., Butt, A.A., Gibert, C.L., Rimland, D., Marconi, V.C., Goetz, M.B., Ramachandran, V., Brittain, E., Long, M., Nguyen, K.-L., Rodriguez-Barradas, M.C., Budoff, M.J., Tindle, H.A., Samet, J.H., Justice, A.C. and Freiberg, M.S. (2020). FIB-4 stage of liver fibrosis is associated with incident heart failure with preserved, but not reduced, ejection fraction among people with and without HIV or hepatitis C. *Progress in cardiovascular diseases*, [online] 63(2), pp.184–191. doi:<https://doi.org/10.1016/j.pcad.2020.02.010>.

The Ohio State University Wexner Medical Center (n.d.). *Fibroscan | Ohio State Medical Center*. [online] [wexnermedical.osu.edu](https://wexnermedical.osu.edu/liver-diseases/fibroscan). Available at: <https://wexnermedical.osu.edu/liver-diseases/fibroscan> [Accessed 22 Jun. 2023].

Viganò, M., Pugliese, N., Cerini, F., Turati, F., Cimino, V., Ridolfo, S., Rocchetto, S., Foglio, F., Terrin, M., La Vecchia, C., Rumi, M.G. and Aghemo, A. (2022). Accuracy of FIB-4 to Detect Elevated Liver Stiffness Measurements in Patients with Non-Alcoholic Fatty Liver Disease: A Cross-Sectional Study in Referral Centers. *International Journal of Molecular Sciences*, [online] 23(20), p.12489. doi:<https://doi.org/10.3390/ijms232012489>.

Wang, X.-P., Wang, Y., Ma, H., Wang, H., Yang, D.-W., Zhao, X.-Y., Jin, E.-H. and Yang, Z.-H. (2020). Assessment of liver fibrosis with liver and spleen magnetic resonance elastography,



UNIVERSITAS
GADJAH MADA

The Correlation Between FIB - 4 Score Test with Liver Stiffness and Spleen Size in Chronic Hepatitis B

LINTANG ANINDYA SYAPUTRI, Dr. dr. Neneng Ratnasari, Sp.PD, K-GEH; dr. Noor Asyiqah Sofia, M.Sc., Sp.PD-K

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

serum markers in chronic liver disease. *Quantitative Imaging in Medicine and Surgery*, [online] 10(6), pp.1208–1222. doi:<https://doi.org/10.21037/qims-19-849>.

WHO (2019). *Training Modules on Hepatitis B and C Screening, Diagnosis and Treatment*. [online] www.who.int. Available at: <https://www.who.int/southeastasia/publications-detail/9789290227472> [Accessed 2 Jun. 2023].

Yano, K., Onishi, H., Tsuboyama, T., Nakamoto, A., Ota, T., Fukui, H., Tatsumi, M., Tanigaki, T., Gotoh, K., Kobayashi, S., Honma, K., Eguchi, H. and Tomiyama, N. (2022). Noninvasive Liver Fibrosis Staging: Comparison of MR Elastography with Extracellular Volume Fraction Analysis Using Contrast-Enhanced CT. *Journal of Clinical Medicine*, [online] 11(19), p.5653. doi:<https://doi.org/10.3390/jcm11195653>.