UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK
MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahmed, H., Gomte, S. S., Prathyusha, E., A, P., Agrawal, M. and Alexander, A. (2022). Biomedical Applications of Mesoporous Silica Nanoparticles as A Drug Delivery Carrier. *Journal of Drug Delivery Science and Technology*, 76, 103729.

Alotaibi, K. M., Almethen, A. A., Beagan, A. M., Al-Swaidan, H. M., Ahmad, A., Bhawani, S. A., & Alswieleh, A. M. (2021). Quaternization of poly (2-diethyl aminoethyl methacrylate) brush-grafted magnetic mesoporous nanoparticles using 2-iodoethanol for removing anionic dyes. *Applied Sciences (Switzerland),* 11(21), 10451.

Anam, C., Firdausi, K. S., & Sirojudin, S. (2007). Analisis gugus fungsi pada sampel uji, bensin dan spiritus menggunakan metode spektroskopi FTIR. *Berkala Fisika,* 10(1), 79-85.

Andra, W., Hafeli, U., Hergt, R., dan Misri, R. (2007). Application of Magnetic Particles in Medicine and Biology. Kronmuller, H. & Parkin, S.(Ed.). *Handbook of Magnetism and Advanced Magnetic Materials*. John Wiley & Sons.

Baykal, A., Güner, S. and Demir, A. (2015) 'Synthesis And Magneto-Optical Properties of Triethylene Glycol Stabilized $Mn_{1-x}Zn_xFe_2O_4$ Nanoparticles', *Journal of Alloys and Compounds*, 619, 5–11.

Bahadur, A., Saeed, A., Shoaib, M., Iqbal, S., Imran, M., Waqas, M. and Nasir, M. (2017) 'Eco-friendly Synthesis of Magnetite (Fe_3O_4) Nanoparticles with Tunable Size: Dielectric, magnetic, thermal and optical studies', *Materials Chemistry and Physics*, 198, pp. 229–235.

Bharti, C., Gulati, N., Nagaich, U. and Pal, A. (2015) 'Mesoporous Silica Nanoparticles In Target Drug Delivery System: A review', *International Journal of Pharmaceutical Investigation,* 5(3), 124.

Callister, J. W. D., & Rethwisch, D. G. (2013). *Materials Science and Engineering*. Wiley.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Cai, D., Liu, L., Han, C., Ma, X., Qian, J., Zhou, J., & Zhu, W. (2019). Cancer cell membrane-coated mesoporous silica loaded with superparamagnetic ferroferric oxide and Paclitaxel for the combination of Chemo/Magnetocaloric therapy on MDA-MB-231 cells. *Scientific Reports*, 9(1).

Chiang, Y. D., Lian, H. Y., Leo, S. Y., Wang, S. G., Yamauchi, Y., & Wu, K. C. W. (2011). Controlling particle size and structural properties of mesoporous silica nanoparticles using the taguchi method. *Journal of Physical Chemistry C*, *115*(27), 13158–13165.

Chenthamara, D., Subramaniam, S., Ramakrishnan, S. G., Krishnaswamy, S., Essa, M. M., Lin, F. H., & Qoronfleh, M. W. (2019). Therapeutic efficacy of nanoparticles and routes of administration. *Biomaterials research*, 23(1), 1-29.

Coey, J. M. (2009). *Magnetism and Magnetic Materials*. Cambridge: Cambridge University Press.

Chokkareddy, R. and Redhi, G. G. (2018) 'Green Synthesis of Metal Nanoparticles and Its Reaction Mechanisms', pp. 113–139.

Cuana, R., Panre, A. M., Istiqomah, N. I., Tumbelaka, R. M., Sunaryono, Wicaksono, S. T. and Suharyadi, E. (2022) 'Green Synthesis of Fe3O4/Chitosan Nanoparticles Utilizing *Moringa oleifera* Extracts and Their Surface Plasmon Resonance Properties', *ECS Journal of Solid State Science and Technology*, 11(8), p. 083015.

Coïsson, M., Barrera, G., Celegato, F., Martino, L., Vinai, F., Martino, P., Ferraro, G., & Tiberto, P. (2016). Specific absorption rate determination of magnetic nanoparticles through hyperthermia measurements in non-adiabatic conditions. *Journal of Magnetism and Magnetic Materials*, *415*, 2–7.

Colombo, M., Carregal-Romero, S., Casula, M. F., Gutiérrez, L., Morales, M. P., Böhm, I. B., ... & Parak, W. J. (2012). Biological applications of magnetic nanoparticles. *Chemical Society Reviews*, 41(11), 4306-4334.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Cendrowski, K., Sikora, P., Zielinska, B., Horszczaruk, E. and Mijowska, E. (2017) 'Chemical and Thermal Stability of Core-Shelled Magnetite Nanoparticles and Solid Silica', *Applied Surface Science*, 407, pp. 391–397.

Deatsch, A. E. and Evans, B. A. (2014). Heating Efficiency In Magnetic Nanoparticle Hyperthermia. *Journal of Magnetism and Magnetic Materials*. 354, 163–172.

Darmawan, M.Y., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023). Green synthesis of Fe_3O_4/Ag composite nanoparticles using Moringa oleifera: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications. *Results in Chemistry*, 6.

Dachriyanus. (2004). Analisis Struktur Senyawa Organik Secara Spektroskopi. *Padang: Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas.*

Dayana, I., Sembiring, T., Tetuko, A. P., Sembiring, K., Maulida, N., Cahyarani, Z., Setiadi, E. A., Asri, N. S., Ginting, M., & Sebayang, P. (2019). The effect of tetraethyl orthosilicate (TEOS) additions as silica precursors on the magnetite nano-particles (Fe_3O_4) properties for the application of ferro-lubricant. *Journal of Molecular Liquids,* 294, 111557.

Ebrahimisadr, S., Aslibeiki, B., & Asadi, R. (2018). Magnetic hyperthermia properties of iron oxide nanoparticles: The effect of concentration. *Physica C: Superconductivity and Its Applications,* 549, 119–121.

Elyamany, A. (2016). Superparamagnetic Nanoparticles for Cancer Theranostics the challenges and the hope. *Journal of Bionanotechnology.*

Escudero, M., Strmcnik, D., Zoloff, M. E., Leiva, E. P., Markovic, N. M. and Cuesta, A. (2010) 'Electrocatalysis and Surface Nanostructuring : Atomic Ensemble Effects and Non-Covalent Interactions', *Materials Science*, (July), pp. 13332–13332.

Etemadi, H. dan Plieger, P., (2020). 'Magnetic Fluid Hyperthermia Based on Magnetic Nanoparticles: Physical Characteristics, Historical Perspective,

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK
MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Clinical Trials, Technological Challenges, and Recent Advances', *Advanced Therapeutics*, 3 (11).

Favela-Camacho, S.E. *et al.* (2019). 'How to decrease the agglomeration of magnetite nanoparticles and increase their stability using surface properties'. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 574(April), pp. 29–35.

Fernández-Ramos, M., Isasi, J., Alcolea, M., Muñoz-Ortiz, T. and Ortiz-Rivero, E. (2022) 'New magnetic-fluorescent bifunctional ($Y_{0.9}Ln_{0.1}VO_4$/ Fe_3O_4)@SiO_2 and [($Y_{0.9}Ln_{0.1}VO_4$@SiO_2)/Fe_3O_4@SiO_2] Materials', *Ceramics International*, 48(15), pp. 22047–22058.

Fouad, D., Bachra, Y., Ayoub, G., Ouaket, A., Bennamara, A., Knouzi, N., & Berrada, M. (2020). A Novel Drug Delivery System Based on Nanoparticles of Magnetite Fe_3O_4 Embedded in an Auto Cross-Linked Chitosan. *In Chitin and Chitosan-Physicochemical Properties and Industrial Applications*. IntechOpen.

Gupta, J., Quadros, M., & Momin, M. (2023). Mesoporous silica nanoparticles: Synthesis and multifaceted functionalization for controlled drug delivery. *Journal of Drug Delivery Science and Technology*, 81, 104305.

Guo, F., Li, G., Zhou, H., Ma, S., Guo, L. and Liu, X. (2020) 'Temperature and H_2O_2-operated Nano-valves on Mesoporous Silica Nanoparticles for Controlled Drug Release and Kinetics', *Colloids and Surfaces B: Biointerfaces*, 187(November 2019), p. 110643.

Halliday, D., Resnick, R., Walker, J. (2011). *Fundamental of Physics, 9th ed.* John Wiley & Sons, Inc.

Heydari, R., Koudehi, M. F., & Pourmortazavi, S. M. (2019). Antibacterial Activity of Fe_3O_4/Cu Nanocomposite: Green Synthesis Using Carum carvi L. Seeds Aqueous Extract. *Chemistry Select*, 4(2), 531–535.

Huang, S., Li, C., Cheng, Z., Fan, Y., Yang, P., Zhang, C., Yang, K., & Lin, J. (2012). Magnetic Fe_3O_4 mesoporous silica composites for drug delivery and bioadsorption. *Journal of Colloid and Interface Science*, 376(1), 312–321.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Jones, N. J. (2011) 'A Study of the Oxidation of Fe1-xCox Alloys and Their Resulting Magnetic Properties', M.S., *Materials Science and Engineering*, *Carnegie Mellon University.*

Jiananda, A., Sari, E. K., Larasati, D. A., Tumbelaka, R. M., Ardiyanti, H., Darmawan, M. Y., Istiqomah, N. I., Sunaryono, Wicaksono, S. T., & Suharyadi, E. (2023). Optical, microstructural, and magnetic hyperthermia properties of green-synthesized Fe_3O_4/carbon dots nanocomposites utilizing Moringa oleifera extract and watermelon rinds. *Carbon Trends*, *13*, 100305.

Jesus, A. C. B., Jesus, J. R., Lima, R. J. S., Moura, K. O., Almeida, J. M. A., Duque, J. G. S. and Meneses, C. T. (2020) 'Synthesis and Magnetic Interaction on Concentrated Fe3O4 Nanoparticles Obtained by The Co-Precipitation and Hydrothermal Chemical Methods', *Ceramics International*, 46(8), pp. 11149–11153.

Jain, S., & Mehata, M. S. (2017). Medicinal Plant Leaf Extract and Pure Flavonoid Mediated Green Synthesis of Silver Nanoparticles and their Enhanced Antibacterial Property. Scientific Reports, 7(1), 1–14.

Juwita, E., Sulistiani, F. A., Darmawan, M. Y., Istiqomah, N. I., & Suharyadi, E. (2022). Microstructural, optical, and magnetic properties and specific absorption rate of bismuth ferrite/SiO2 nanoparticles. *Materials Research Express,* 9(7), 076101.

Khanna, L., Verma, N. K., & Tripathi, S. K. (2018). Burgeoning tool of biomedical applications - Superparamagnetic nanoparticles. *In Journal of Alloys and Compounds* (Vol. 752, pp. 332–353). Elsevier Ltd.

Kondrashova, N. B., Valtsifer, V. A. and Strelnikov, V. N. (2015) *Magnetic Properties of Silica with Mesopores Structured as MCM-48*.

Kalubowilage, M., Janik, K. and Bossmann, S. H. (2019) 'Magnetic Nanomaterials for Magnetically aided Drug Delivery and Hyperthermia', *Applied Sciences (Switzerland)*, 9(14).

Kotnala, R. K., & Shah, J. (2015). Ferrite Materials: Nano toSpintronics Regime. *In Handbook of Magnetic Materials* (Vol. 23, pp. 291–379). Elsevier B.V.

UNIVERSITAS GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Lara-Velazquez, M., Shireman, J. M., Lehrer, E. J., Bowman, K. M., Ruiz-Garcia, H., Paukner, M. J., Chappell, R. J., & Dey, M. (2021). A Comparison Between Chemo-Radiotherapy Combined With Immunotherapy and Chemo-Radiotherapy Alone for the Treatment of Newly Diagnosed Glioblastoma: A Systematic Review and Meta-Analysis. *Frontiers in Oncology*, 11, 662302.

Larasati, A. D., Lismawenning Puspitarum, D., Yoga Darmawan, M., Imani Istiqomah, N., Partini, J., Aliah, H., & Suharyadi, E. (2023). Green synthesis of $CoFe_2O_4$/ZnS composite nanoparticles utilizing Moringa Oleifera for magnetic hyperthermia applications. *Results in Materials*, *19,* 100431.

Lak, A., Disch, S. and Bender, P. (2021) 'Embracing Defects and Disorder in Magnetic Nanoparticles', *Advanced Science*, 8(7), pp. 1–14.

Li, N., Zhao, P., & Astruc, D. (2014). Anisotropic gold nanoparticles: synthesis, properties, applications, and toxicity. *Angewandte Chemie International Edition*, 53(7), 1756-1789.

Liu, L., Li, Y., AL-Huqail, A. A., Ali, E., Alkhalifah, T., Alturise, F., & Ali, H. E. (2023). Green synthesis of Fe_3O_4 nanoparticles using Alliaceae waste (Allium sativum) for a sustainable landscape enhancement using support vector regression. *Chemosphere*, 334, 138638.

Liu, X., Zhang, Yifan, Wang, Y., Zhu, W., Li, G., Ma, X., Zhang, Yihan, Chen, S., Tiwari, S., Shi, K., Zhang, S., Fan, H. M., Zhao, Y. X. and Liang, X. J. (2020). 'Comprehensive Understanding of Magnetic Hyperthermia For Improving Antitumor Therapeutic Efficacy'. *Theranostics,* 10(8), pp. 3793–3815.

Liu, S., Yu, B., Wang, S., Shen, Y., & Cong, H. (2020). Preparation, surface functionalization and application of Fe_3O_4 magnetic nanoparticles. *In Advances in Colloid and Interface Science* (Vol. 281). Elsevier B.V.

Leng, Y. (2008). *Materials Characterization: Introduction to Microscopic and Spectroscopic Methods*. Singapore: John Wiley & Sons.

Mateus, G. A. P., Paludo, M. P., Dos Santos, T. R. T., Silva, M. F., Nishi, L., Fagundes-Klen, M. R., Gomes, R. G., & Bergamasco, R. (2018). Obtaining

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK
MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

drinking water using a magnetic coagulant composed of magnetite nanoparticles functionalized with Moringa oleifera seed extract. *Journal of Environmental Chemical Engineering,* 6(4), 4084–4092.

Monazam, E. R., Breault, R. W. and Siriwardane, R. (2014) 'Kinetics of magnetite (Fe_3O_4) Oxidation to Hematite (Fe_2O_3) in Air for Chemical Looping Combustion', *Industrial and Engineering Chemistry Research*, 53(34), pp. 13320–13328.

Mondal, D. K., Phukan, G., Paul, N., & Borah, J. P. (2021). Improved self heating and optical properties of bifunctional Fe_3O_4/ZnS nanocomposites for magnetic hyperthermia application. *Journal of Magnetism and Magnetic Materials*, 528.

Martinkova, P., Brtnicky, M., Kynicky, J. and Pohanka, M. (2018) 'Iron Oxide Nanoparticles: Innovative Tool in Cancer Diagnosis and Therapy', *Advanced Healthcare Materials*, 7(5).

Malega, F., Indrayana, I. P. T. and Suharyadi, E. (2018). 'Synthesis and Characterization of the Microstructure and Functional Group Bond of Fe_3O_4 Nanoparticles from Natural Iron Sand in Tobelo North Halmahera', *Jurnal Ilmiah Pendidikan Fisika Al-Biruni*, 7(2), pp. 129–138.

Mamaeva, V., Sahlgren, C. and Lindén, M. (2013) 'Mesoporous Silica Nanoparticles In Medicine-Recent Advances', *Advanced Drug Delivery Reviews*, 65(5), pp. 689–702.

Mukherjee, S., Liang, L., & Veiseh, O. (2020). Recent advancements of magnetic nanomaterials in cancer therapy. *Pharmaceutics,* 12(2), 147.

Moodley, J. S., Krishna, S. B. N., Pillay, K., Sershen and Govender, P. (2018) 'Green Synthesis of Silver Nanoparticles From Moringa Oleifera Leaf Extracts And Its Antimicrobial Potential', *Advances in Natural Sciences: Nanoscience and Nanotechnology,* 9(1).

Marslin, G., Siram, K., Maqbool, Q., Selvakesavan, R. K., Kruszka, D., Kachlicki, P. and Franklin, G. (2018) 'Secondary metabolites in The Green Synthesis of Metallic Nanoparticles', *Materials*, 11(6), pp. 1–25.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Mabarroh, N., Alfansuri, T., Aji Wibowo, N., Imani Istiqomah, N., Marsel Tumbelaka, R. and Suharyadi, E. (2022) 'Detection of Green-synthesized Magnetite Nanoparticles using Spin-valve GMR-based Sensor and Their Potential as Magnetic Labels', *Journal of Magnetism and Magnetic Materials*, 560(June), p. 169645.

Munasir, Setyaningsih, N., Yanasin, S., Supardi, Z. A. I., Taufiq, A. and Sunaryono (2019) 'Phase and Magnetic Properties of Fe_3O_4/SiO_2 Natural Materials-Based Using Polyethylene Glycol Media', *IOP Conference Series: Materials Science and Engineering*, 515(1).

Maleki, S. T., & Sadati, S. J. (2022). Synthesis and investigation of hyperthermia properties of Fe_3O_4/HNTs magnetic nanocomposite. *Inorganic Chemistry Communications,* 145(July),p. 110000.

Nee Koo, K., Fauzi Ismail, A., Hafiz Dzarfan Othman, M., Rahman, M. A., & Zhong Sheng, T. (2019). Preparation and characterization of superparamagnetic magnetite (Fe_3O_4) nanoparticles: A short review. *In Malaysian Journal of Fundamental and Applied Sciences* (Vol. 15, Issue 1).

Narayanaswamy, V., Al-Omari, I. A., Kamzin, A. S., Issa, B., Tekin, H. O., Khourshid,

H., Kumar, H., Mallya, A., Sambasivam, S., & Obaidat, I. M. (2021). Specific

Absorption Rate Dependency on The CO^{2+} Distribution and Magnetic Properties In $Co_xMn_{1-x}Fe_2O_4$ Nanoparticles. *Nanomaterials*, 11.

Nurhasanah, I. (2017). *Dasar-Dasar Nanomaterial; Sintesis dan Aplikasi.* Innosain.

Obaidat, I. M., Narayanaswamy, V., Alaabed, S., Sambasivam, S., & Muralee Gopi, C. V. V. (2019). Principles of Magnetic Hyperthermia: A Focus on Using Multifunctional Hybrid Magnetic Nanoparticles. *Magnetochemistry*, 5.

Purohit, M., & Kumar, M. (2022). Boron neutron capture therapy: History and recent advances. *Materials Today: Proceedings*.

Pal, N., Lee, J. H. and Cho, E. B. (2020) 'Recent Trends In Morphology-Controlled Synthesis And Application of Mesoporous Silica Nanoparticles', *Nanomaterials,* 10(11), pp. 1–38.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Reddy, L.H. *et al.* (2012) 'Magnetic Nanoparticles: Design and Characterization, Toxicity and Biocompatibility, Pharmaceutical and Biomedical Applications', *Chemical Reviews*, 112, pp. 5818–5878.

Rojas, J. M., Gavilán, H., del Dedo, V., Lorente-Sorolla, E., Sanz-Ortega, L., da Silva, G. B., Costo, R., Perez-Yagüe, S., Talelli, M., Marciello, M., Morales, M. P., Barber, D. F. and Gutiérrez, L. (2017) 'Time-Course Assessment of The Aggregation And Metabolization of Magnetic Nanoparticles', *Acta Biomaterialia,* 58, pp. 181–195

Rahban, D., Doostan, M., dan Salimi, A., (2020). Cancer Therapy; Prospects for Application of Nanoparticles for Magnetic-Based Hyperthermia. *Cancer Investigation.* 38 (8-9), 507-521.

Rajan, A., Kaczmarek-Szczepańskac, B., & Sahu, N. K. (2021). Magneto-thermal response of Fe_3O_4@CTAB nanoparticles for cancer hyperthermia applications. *Materials Today Communications*, 28, 102583.

Rascol, E., Daurat, M., da Silva, A., Maynadier, M., Dorandeu, C., Charnay, C., Garcia, M., Lai-Kee-Him, J., Bron, P., Auffan, M., Bi, al, Da Silva, A., Lai-Kee-Him, J., Auffan, M., Liu, W., Angeletti, B., Devoisselle, J.-M., Guari, Y., Gary-Bobo, M., & Chopineau, J. (2017). Biological Fate of Fe_3O_4 Core-Shell Mesoporous Silica Nanoparticles Depending on Particle Surface Chemistry Biological Fate of Fe_3O_4 Core-Shell Mesoporous Silica Nanoparticles Depending on Particle Surface Chemistry. *Nanomaterials, MDPI*. 7 (7), 10.3390/nano7070162 . hal-01765587.

Roy, S. D., Das, K. C., & Dhar, S. S. (2021). Conventional to green synthesis of magnetic iron oxide nanoparticles; its application as catalyst, photocatalyst and toxicity: A short review. *Inorganic Chemistry Communications,* 134(November), 109050.

Saleh, T. A., & Fadillah, G. (2023). Green synthesis protocols, toxicity, and recent progress in nanomaterial-based for environmental chemical sensors applications. *In Trends in Environmental Analytical Chemistry* (Vol. 39). Elsevier B.V.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Sodipo, B. K., Noqta, O. A., Aziz, A. A., Katsikini, M., Pinakidou, F., & Paloura, E. C. (2023). Influence of capping agents on fraction of Fe atoms occupying octahedral site and magnetic property of magnetite (Fe3O4) nanoparticles by one-pot co-precipitation method. *Journal of Alloys and Compounds*, *938*.

Selvarajan, V., Obuobi, S. and Ee, P. L. R. (2020) 'Silica Nanoparticles—A Versatile Tool for the Treatment of Bacterial Infections', *Frontiers in Chemistry*, 8(July), pp. 1–16.

Sani, R., A. (2019). *Karakterisasi Material*. Bumi Aksara.

Santoso, H., Chalidyanto, D., & Laksono, A. D. (2021). The Prevalence of Cancer in Indonesia: An Ecological Analysis. Indian Journal of Forensic Medicine & Toxicology.

Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe_3O_4/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, 6(4), 274–286.

Sharma, S. K. (2017). Complex Magnetic Nanostructures. Complex Magnetic Nanostructures. Springer Nature.

Sezer, N., Arı, İ., Biçer, Y., & Koç, M. (2021). Superparamagnetic nanoarchitectures: Multimodal functionalities and applications. *In Journal of Magnetism and Magnetic Materials* (Vol. 538). Elsevier B.V.

Sajjad, S., Leghari, S. A. K., Ryma, N. U. A., & Farooqi, S. A. (2018). Green synthesis of metal-based nanoparticles and their applications. *In The Macabresque: Human Violation and Hate in Genocide, Mass Atrocity and Enemy-Making* (Issue November).

Shaterabadi, Z., Nabiyouni, G., & Soleymani, M. (2018). Physics responsible for heating efficiency and self-controlled temperature rise of magnetic nanoparticles in magnetic hyperthermia therapy. *In Progress in Biophysics and Molecular Biology* (Vol. 133, pp. 9–19). Elsevier Ltd.

Shaw, S. K., Sharma, A., Kailashiya, J., Gupta, S. K., Meena, S. S., Dash, D., Maiti, P., & Prasad, N. K. (2023). Mesoporous Fe_3O_4 nanoparticle: A prospective

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK
MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

nano heat generator for thermo-therapeutic cancer treatment modality. *Journal of Magnetism and Magnetic Materials,* 578.

Singh, J., Dutta, T., Kim, K. H., Rawat, M., Samddar, P., & Kumar, P. (2018). "Green synthesis of metals and their oxide nanoparticles: Applications for environmental remediation". *In Journal of Nanobiotechnology* (Vol. 16, Issue 1). BioMed Central Ltd.

Spaldin, N. A. (2010). *Magnetic Materials Fundamentals and Applications.* Cambridge: Cambridge University Press.

Serantes, D. and Baldomir, D. (2021) 'Nanoparticle Size Threshold For Magnetic Agglomeration and Associated Hyperthermia Performance'. *Nanomaterials*. 11(11), pp. 1–13.

Salunkhe, A. B., Khot, V. M. and Pawar, S. H. (2014) 'Magnetic Hyperthermia with Magnetic Nanoparticles: A Status Review', *Current Topics in Medicinal Chemistry*, 14(5), pp. 572–594.

Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA: A Cancer Journal for Clinicians,* 71(3), 209–249.

Tao, C., & Zhu, Y. (2014). Magnetic mesoporous silica nanoparticles for potential delivery of chemotherapeutic drugs and hyperthermia. *Dalton Transactions,* 43(41), 15482–15490.

Teo, M. Y., Rathkopf, D. E., & Kantoff, P. (2018). *Treatment of Advanced Prostate Cancer*. Annu. Rev. Med. 2019, 70, 479–499.

Tumbelaka, R. M., Istiqomah, N. I., Kato, T., Oshima, D., & Suharyadi, E. (2022). High reusability of green-synthesized Fe_3O_4/TiO2 photocatalyst nanoparticles for efficient degradation of methylene blue dye. *Materials Today Communications,* 33(September), p. 104450.

Veisi, H., Zohrabi, A., Kamangar, S. A., Karmakar, B., Saremi, S. G., Varmira, K., & Hamelian, M. (2021). Green synthesis of Pd/Fe_3O_4 nanoparticles using Chamomile extract as highly active and recyclable catalyst for Suzuki coupling reaction. *Journal of Organometallic Chemistry*, 951.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Virk, P., Awad, M. A., Saleh Abdu-llah Alsaif, S., Hendi, A. A., Elobeid, M., Ortashi, K., Qindeel, R., El-Khadragy, M. F., Yehia, H. M., Ferkry Serag EL-DIN, M., & Ali Salama, H. (2023). Green synthesis of Moringa oleifera leaf nanoparticles and an assessment of their therapeutic potential. *Journal of King Saud University - Science*, 35(3).

Wallyn, J., Anton, N., & Vandamme, T. F. (2019). Synthesis, principles, and properties of magnetite nanoparticles for in vivo imaging applications—A review. *In Pharmaceutics* (Vol. 11, Issue 11). MDPI AG.

Wang, L., Karmakar, B., Al-Saeed, F. A., Shati, A. A., Bani-Fwaz, M. Z., & El-kott, A. F. (2022). Green synthesis of Ag/Fe_3O_4 nanoparticles using Mentha longifolia flower extract: evaluation of its antioxidant and anti-lung cancer effects. *Heliyon*, 8(12).

Widakdo, J. (2017) Nanopartikel Zink Nickel Ferrite ($Zn_{0,5}Ni_{0,5}Fe_2O_4$) Yang Dienkapsulasi dengan Polyethylene Glycol (PEG-4000) dan Silica (SiO_2). Universitas Gadjah Mada. Yogyakarta.

Yasemian, A. R., Almasi Kashi, M., & Ramazani, A. (2019). Surfactant-Free Synthesis and Magnetic Hyperthermia Investigation of Iron oxide (Fe_3O_4) Nanoparticles at Different Reaction Temperatures. *Materials Chemistry and Physics*, 230, 9–16.

Yi, Z., Dumée, L. F., Garvey, C. J., Feng, C., She, F., Rookes, J. E., Mudie, S., Cahill, D. M. and Kong, L. (2015) 'A New Insight into Growth Mechanism and Kinetics of Mesoporous Silica Nanoparticles by in Situ Small Angle X-ray Scattering', *Langmuir*, 31(30), pp. 8478–8487.

Yew, Y.P. *et al*. (2016). 'Green Synthesis of Magnetite (Fe_3O_4) Nanoparticles Using Seaweed (Kappaphycus alvarezii) Extract', *Nanoscale Research Letters*, 11(1). Yang, M., Tao, L., Kang, X.-R., Wang, Z.-L., Su, L.-Y., Li, L.-F., Gu, F., Zhao, C.-C., Sheng, J., & Tian, Y. (2023). Moringa oleifera Lam. leaves as new raw food material: A review of its nutritional composition, functional properties, and comprehensive application. *Trends in Food Science & Technology*, 138, 399–416.

UNIVERSITAS
GADJAH MADA
PENGARUH KONSENTRASI GREEN SYNTHESIZED Fe3O4/MESOPOROUS SILICA NANOPARTICLES MENGGUNAKAN EKSTRAK MORINGA OLEIFERA TERHADAP APLIKASI HIPERTERMIA MAGNETIK
LAELI ALVI NIKHMAH, Prof. Dr.Eng. Edi Suharyadi, S.Si., M.Eng.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Yusefi, M., Shameli, K., Yee, O. S., Teow, S. Y., Hedayatnasab, Z., Jahangirian, H., Webster, T. J., & Kuča, K. (2021). Green synthesis of Fe_3O_4 nanoparticles stabilized by a garcinia mangostana fruit peel extract for hyperthermia and anticancer activities. *International Journal of Nanomedicine*, 16, 2515–2532.

Yuliana, F., Sunaryono, S. and Zulaikah, S. (2023) 'The Effect of PVP on Structural of Fe_3O_4@TiO_2 Nanocomposite', *AIP Conference Proceedings*, 060013(May 2016).

Zhu, Y., & Tao, C. (2015). DNA-capped Fe_3O_4/SiO_2 magnetic mesoporous silica nanoparticles for potential controlled drug release and hyperthermia. *RSC Advances,* 5(29), 22365–22372.

Zulaicha, A. S., Saputra, I. S., Sari, I. P. and Annas, D. (2020) 'Sintesis dan Kararkterisasi Modifikasi Mikropartikel Magnetit (Fe_3O_4) Dalam Pemanfaatan Karat dengan Ekstrak Daun Ilalang (Imperata cylindrica L)', *Jurnal Jejaring Matematika dan Sains,* 2(2), pp. 51–55.