

## DAFTAR PUSTAKA

- Abdlaty, R. and Fang, Q., 2021, Skin erythema assessment techniques, *Clin. Dermatol.*, 39, 591–604.
- Adiani, V., Gupta, S., Chatterjee, S., Variyar, P.S., and Sharma, A., 2015, Activity guided characterization of antioxidant components from essential oil of Nutmeg (*Myristica fragrans*), *J. Food Sci. Technol.*, 52, 221–230.
- Agner, 2016, Skin Barrier Function, 49th ed. Itin, P. and Jemec, G. (eds) S.Karger AG, New York.
- Ahmad, Z., 2021, Anti-Inflammatory and Epidermal Barrier Protecting Activities of Virgin Coconut Oil,.
- Al-Kotb, H. and Abdel-Aziz, H.R., 2017, Effect of Standardized Skin Care Guidelines on Skin Dryness among Elderly People at Ismailia City, *IOSR J. Nurs. Heal. Sci.*, 6, 12–18.
- Ali, S.M. and Yosipovitch, G., 2013, Skin pH: From basic science to basic skin care, *Acta Derm. Venereol.*, 93, 261–267.
- Blaak, J., Theiss, C., Schleißinger, M., Simon, I., Schürer, N.Y., and Staib, P., 2020, A Commercially Available Skin Care Lotion with a pH of 4.5 and 10% Urea Improves Skin Surface pH, Stratum Corneum Hydration and Epidermal Barrier Function in Subjects with Dry Skin and Atopic Diathesis, *J. Cosmet. Dermatological Sci. Appl.*, 10, 116–133.
- Calder, P.C., 2006, n-3 Polyunsaturated fatty acids, inflammation, and inflammatory diseases, *Am. J. Clin. Nutr.*, 83, 1505S–1519S.
- Canêo, L.F. and Neirotti, R., 2017, The importance of the proper definition of adulthood: What is and what is not included in a scientific publication, *Brazilian J. Cardiovasc. Surg.*, 32, 60–61.
- Chew, Y.-L., 2019, The Beneficial Properties of Virgin Coconut Oil in Management of Atopic Dermatitis, *Pharmacogn. Rev.*, 1, 24–27.
- Deliana, F., Illian, D.N., Nadirah, S., Sari, F., and Khairan, K., 2023, Therapeutic Effects of Patchouli (*Pogostemon cablin*) Essential Oil in Relieving Eczema Symptoms in Infants and Toddlers: A Literature Review, *J. Patchouli Essent. Oil Prod.*, 2, 1–8.
- Ehlers, C., Ivens, U.I., Møller, M.L., Senderovitz, T., and Serup, J., 2001, Females have lower skin surface pH than men: A study on the influence of gender, forearm site variation, right/left difference and time of the day on the skin surface pH, *Ski. Res. Technol.*, 7, 90–94.

- Evangelista, M.T.P., Abad-Casintahan, F., and Lopez-Villafuerte, L., 2014, The effect of topical virgin coconut oil on SCORAD index, transepidermal water loss, and skin capacitance in mild to moderate pediatric atopic dermatitis: A randomized, double-blind, clinical trial, *Int. J. Dermatol.*, 53, 100–108.
- Faradiba, Attamimi, F., and Maulida, R., 2013, Formulasi Krim Wajah dari Sari Buah Jeruk Lemon ( *Citrus lemon* L . ) dan Anggur Merah ( *Vitis vinifera* L . ) dengan Variasi Konsentrasi Emulgator, *Maj. Farm. dan Farmakol.*, Vol. 17, N, 17–20.
- Farage, M.A., 2010, Does sensitive skin differ between men and women, *Cutan. Ocul. Toxicol.*, 29, 153–163.
- Fawzy, S.Y., 2023, Formulasi Sediaan Serum Kombinasi Minyak Biji Pala (*Myristica fragrans* Houtt.) dan Minyak Nilam (*Pogostemon cablin* Benth.): Uji Stabilitas Fisikokimia dan Iritasi Pada Kelinci Albino (*Oryctolagus cuniculus*), *Fak. Farm. Univ. Gadjah Mada*,.
- Fluhr, J.W., Darlenski, R., Angelova-Fischer, I., Tsankov, N., and Basketter, D., 2008, Skin irritation and sensitization: Mechanisms and new approaches for risk assessment. 1. Skin irritation, *Skin Pharmacol. Physiol.*, 21, 124–135.
- Food and Drug Administration, 2020, (FDA) Enhancing the Diversity of Clinical Trial Populations — Eligibility Criteria, Enrollment Practices, and Trial Designs Guidance for Industry, *U.S Dep. Heal. Hum. Serv.*, November.
- González-Muñoz, P., Conde-Salazar, L., and Vañó-Galván, S., 2014, Allergic contact dermatitis caused by cosmetic products, *Actas Dermosifiliogr.*, 105, 822–832.
- Gushiken, L.F.S., Beserra, F.P., Hussni, M.F., Gonzaga, M.T., Ribeiro, V.P., De Souza, P.F., Campos, J.C.L., Massaro, T.N.C., Hussni, C.A., Takahira, R.K., Marcato, P.D., Bastos, J.K., and Pellizzon, C.H., 2022, Beta-caryophyllene as an antioxidant, anti-inflammatory and re-epithelialization activities in a rat skin wound excision model, *Oxid. Med. Cell. Longev.*, 2022, .
- Gutiérrez-Del-río, I., López-Ibáñez, S., Magadán-Corpas, P., Fernández-Calleja, L., Pérez-Valero, Á., Tuñón-Granda, M., Miguélez, E.M., Villar, C.J., and Lombó, F., 2021, Terpenoids and polyphenols as natural antioxidant agents in food preservation, *Antioxidants*, 10, .
- Ho, C.Y. and Dreesen, O., 2021, Faces of cellular senescence in skin aging, *Mech. Ageing Dev.*, 198, 111525.
- Honari, G. and Maibach, H., 2014, Skin Structure and Function, Elsevier Inc.
- Hong, S.J., Cho, J., Boo, C.G., Youn, M.Y., Pan, J.H., Kim, J.K., and Shin, E.C., 2020, Inhalation of patchouli (*Pogostemon cablin* benth.) essential oil improved metabolic parameters in obesity-induced sprague dawley rats, *Nutrients*, 12, 1–

15.

- Humbert, P., Ferial, F., Agache, P., and Maibach, H.I., 2004, Agache ' s Measuring the Skin,.
- Ikhsanudin, A., Lolita, L., and Rais, D.D., 2021, Anti-inflammatory activity of Indonesian nutmeg seeds (*Myristica fragrans* Houtt): A topical gel formulation, *Int. J. Public Heal. Sci.*, 10, 688–695.
- Iskandar, B., Tartilla, R., Lukman, A., Leny, L., and Surboyo, M.D.C., 2022, Uji Aktivitas Anti-aging Mikroemulsi Minyak Nilam (*Pogostemon cablin* Benth.), *Maj. Farmasetika*, 7, 52.
- Kang, B.C., Kim, Y.E., Kim, Y.J., Chang, M.J., Choi, H.D., Li, K., and Shin, W.G., 2014, Optimizing EEMCO guidance for the assessment of dry skin (xerosis) for pharmacies, *Ski. Res. Technol.*, 20, 87–91.
- Kanitakis, J., 2002, Anatomy, histology and immunohistochemistry of normal human skin, *Eur. J. Dermatology*, 12, 390–401.
- Klimek, L., Bergmann, K.C., Biedermann, T., Bousquet, J., Hellings, P., Jung, K., Merk, H., Olze, H., Schlenter, W., Stock, P., Ring, J., Wagenmann, M., Wehrmann, W., Mösges, R., and Pfaar, O., 2017, Visual analogue scales (VAS) - Measuring instruments for the documentation of symptoms and therapy monitoring in case of allergic rhinitis in everyday health care, *Allergo J.*, 26, 36–47.
- Kohara, H.T., Ikeda, M., Yokotani, K., Okawa, M., and Nishimoto, S., 2021, Skin Characteristics of Sites Predisposed to Pressure Ulcers among Bedridden Elderly Patients in Japan, *Open J. Nurs.*, 11, 497–512.
- Konya, I., Iwata, H., Hayashi, M., Akita, T., Homma, Y., Yoshida, H., and Yano, R., 2022, Reliability and validity of the Japanese version of the overall dry skin score in older patients, *Ski. Res. Technol.*, 28, 28–34.
- Korkina, L.G., 2007, Phenylpropanoids as naturally occurring antioxidants: from plant defense to human health., *Cell. Mol. Biol. (Noisy-le-grand)*, 53, 15–25.
- Labarrade, F., Perrin, A., Ferreira, Y., Oberto, G., Gondran, C., Morel, C., and Cucumel, K., 2020, Soothing Effect of *Pogostemon cablin* Extract (Patchouli), via Cannabinoid Receptor 2 Modulation in Human Skin., *J. Cosmet. Sci.*, 71, 425–437.
- Lejman, E., Stoudemayer, T., Grove, G., and Kligman, A.M., 1984, Age differences in poison ivy dermatitis, *Contact Dermatitis*, 11, 163–167.
- Lukić, M., Pantelić, I., and Savić, S.D., 2021, Towards optimal ph of the skin and topical formulations: From the current state of the art to tailored products,

*Cosmetics*, 8, .

- Malik, T., Sharma, R., Panesar, P.S., Gehlot, R., Tokusoglu, O., Dhull, S.B., Vural, H., and Singh, A., 2022, Nutmeg nutraceutical constituents: In vitro and in vivo pharmacological potential, *J. Food Process. Preserv.*, 46, 1–11.
- Mardhiani, Y.D., Yulianti, H., Azhary, D., and Rusdiana, T., 2018, Formulasi dan Stabilitas Sediaan Serum dari Ekstrak Kopi Hijau (*Coffe Canephora*), *Indones Nat Res Pharm J*, 2, 19–33.
- Matias, A.R., Ferreira, M., Costa, P., and Neto, P., 2015, Skin colour, skin redness and melanin biometric measurements: Comparison study between Antera 3D, Mexameter and Colorimeter, *Ski. Res. Technol.*, 21, 346–362.
- McClements, D.J., 2012, Nanoemulsions versus microemulsions: Terminology, differences, and similarities, *Soft Matter*, 8, 1719–1729.
- Meunier, M., Chapuis, E., Jarrin, C., Brooks, J., Carolan, H., Tiguemounine, J., Lambert, C., Sennelier-Portet, B., Zanchetta, C., Scandolera, A., and Reynaud, R., 2023, Psychobiotics-like Activity as a Novel Treatment against Dry Scalp Related-White Flakes Production with *Pogostemon cablin* Leaf Extract, *Cosmetics*, 10, .
- Mollerup, A. and Johansen, J.D., 2015, Response shift in severity assessment of hand eczema with visual analogue scales, *Contact Dermatitis*, 72, 178–183.
- Nikolic, V., Nikolic, L., Dinic, A., Gajic, I., Urosevic, M., Stanojevic, L., Stanojevic, J., and Danilovic, B., 2021, Chemical Composition, Antioxidant and Antimicrobial Activity of Nutmeg (*Myristica fragrans* Houtt.) Seed Essential Oil, *J. Essent. Oil-Bearing Plants*, 24, 218–227.
- Petersen, D., 2014, The Essential Oils of Indonesia, American College of Healthcare Sciences.
- Piccioni, A., García-Rodrigo, C.G., Pellegrini, C., Mazzocchetti, G., and Fagnoli, M.C., 2017, Improving Skin Aging, Skin Hydration and Sensitive Skin with Four Specific Skin Care Products: Results from a Single-Centre, Observational, Prospective Study, *J. Cosmet. Dermatological Sci. Appl.*, 07, 48–56.
- Piérard-Franchimont, C. and Piérard, G.E., 2002, Beyond a glimpse at seasonal dry skin: A review, *Exog. Dermatology*, 1, 3–6.
- Platzer, M., Kiese, S., Herfellner, T., Schweiggert-Weisz, U., Miesbauer, O., and Eisner, P., 2021, Common trends and differences in antioxidant activity analysis of phenolic substances using single electron transfer based assays, *Molecules*, 26, .
- du Plessis, J., Stefaniak, A., Eloff, F., John, S., Agner, T., Chou, T.C., Nixon, R.,

- Steiner, M., Franken, A., Kudla, I., and Holness, L., 2013, International guidelines for the in vivo assessment of skin properties in non-clinical settings: Part 2. transepidermal water loss and skin hydration, *Ski. Res. Technol.*, 19, 265–278.
- Rahmah, F.A. and Modj, R., 2022, Factors Related to Contact Dermatitis in Metal Industrial Workers 2022, *Indones. J. Occup. Saf. Heal.*, 11, 58–67.
- Rahmi, D., Yunilawati, R., Jati, B., Setiawati, I., Riyanto, A., Batubara, I., and Astuti, R., 2021, Antiaging and Skin Irritation Potential of Four Main Indonesian Essential Oils, *Cosmetics*, 1–52.
- Rathee, P., Chaudhary, H., Rathee, S., Rathee, D., Kumar, V., and Kohli, K., 2009, Mechanism of action of flavonoids as anti-inflammatory agents: A review, *Inflamm. Allergy - Drug Targets*, 8, 229–235.
- Ribeiro, D., Freitas, M., Tomé, S.M., Silva, A.M.S., Laufer, S., Lima, J.L.F.C., and Fernandes, E., 2015, Flavonoids Inhibit COX-1 and COX-2 Enzymes and Cytokine/Chemokine Production in Human Whole Blood, *Inflammation*, 38, 858–870.
- Robinson, M.K., 2002, Population differences in acute skin irritation responses. Race, sex, age, sensitive skin and repeat subject comparisons, *Contact Dermatitis*, 46, 86–93.
- Roh, E., Kim, J.E., Kwon, J.Y., Park, J.S., Bode, A.M., Dong, Z., and Lee, K.W., 2017, Molecular mechanisms of green tea polyphenols with protective effects against skin photoaging, *Crit. Rev. Food Sci. Nutr.*, 57, 1631–1637.
- Rothe, H., Fautz, R., Gerber, E., Neumann, L., Rettinger, K., Schuh, W., and Gronewold, C., 2011, Special aspects of cosmetic spray safety evaluations: Principles on inhalation risk assessment, *Toxicol. Lett.*, 205, 97–104.
- Rowe, R.C., Sheskey, P.J., and Quinn, M.E., 2009, Handbook of Pharmaceutical Excipients 6th Edition,.
- Serup, J., 1995, EEMCO guidance for the assessment of dry skin (xerosis) and ichthyosis: clinical scoring systems, *Ski. Res. Technol.*, 1, 109–114.
- Shabrina, A., Safitri, E.I., and Pratiwi, I., 2021, Stabilitas Fisik Dan Antioksidan Mikroemulsi Minyak Biji Pala Dengan Variasi Tween 80 – Peg 400, *Media Farm.*, 17, 25.
- Silva, S.A.M., Michniak-Kohn, B., and Leonardi, G.R., 2017, An overview about oxidation in clinical practice of skin aging, *An. Bras. Dermatol.*, 92, 367–374.
- Soh, S.H., Agarwal, S., Jayaraman, S., and Tham, M.T., 2018, A study of essential oil extraction and antioxidant activity of patchouli ( *Pogostemon cablin* ) using

supercritical carbon dioxide, *on*12, 1–5, 8–15.

- Sufriadi, E., Meilina, H., Munawar, A.A., Muhammad, S., and Idroes, R., 2021, Identification of  $\beta$ -Caryophyllene (BCP) in Aceh patchouli essential oil (PEO) using gas chromatography-mass spectrophotometry (GC-MS), *IOP Conf. Ser. Earth Environ. Sci.*, 667, .
- Suprijono, A., Gunawan, Y., and Wulan, A.H., 2015, MINYAK NILAM ( Patchouli alcohol ) SEBAGAI ANTIOKSIDAN, *J. Ilmu Farm. dan Farm. Klin.*, 12, 33–37.
- Varma, S.R., Sivaprakasam, T.O., Arumugam, I., Dilip, N., Raghuraman, M., Pavan, K.B., Ra, M., and Paramesh, R., 2019, Journal of Traditional and Complementary Medicine In vitro anti-in fl ammatory and skin protective properties of Virgin coconut oil,9, 5–14.
- Welss, T., Basketter, D.A., and Schröder, K.R., 2004, In vitro skin irritation: Facts and future. State of the art review of mechanisms and models, *Toxicol. Vitr.*, 18, 231–243.