

DAFTAR PUSTAKA

- Barbosa, C. D., Uetanabaro, A. P. T., Santos, W. C. R., Caetano, R. G., Albano, H., Kato, R., ... & Lacerda, I. C. A. (2021). Microbial–physicochemical integrated analysis of kombucha fermentation. *LWT*, *148*, 111788.
- Betlej, I., Boruszewski, P., Dubis, D., Wilkowski, J., Krajewski, K. J., & Zawadzki, J. (2021). Influence of SCOBY microorganisms’ cultivation conditions on the synthesis efficiency and selected qualities of bacterial cellulose. *BioResources*, *16*(3), 6147.
- Battikh, H., Bakhrouf, A., & Ammar, E. (2012). Antimicrobial effect of Kombucha analogues. *LWT-Food Science and Technology*, *47*(1), 71-77.
- Chakravorty, S., Bhattacharya, S., Chatzinotas, A., Chakraborty, W., Bhattacharya, D., & Gachhui, R. (2016). Kombucha tea fermentation: Microbial and biochemical dynamics. *International Journal of Food Microbiology*, *220*, 63–72.
- Budiandari, R. U., Prihatiningrum, A. E., Azara, R., & Aini, F. N. (2023). Influence of Sucrose and Scoby Concentration on Physical Characteristics of Pineapple Skin Kombucha. *Academia Open*, *8*(2), 10-21070.
- Çoban, E. P., and Biyik, H. (2011). “Effect of various carbon and nitrogen sources on cellulose synthesis by *Acetobacter lovaniensis* HBB5,” *African Journal of Biotechnology*, *10*(27), 5346-5354.
- Coton, M., Pawtowski, A., Taminiau, B., Burgaud, G., Deniel, F., Coulloume-Labarthe, L., & Coton, E. (2017). Unraveling microbial ecology of industrial-scale Kombucha fermentations by metabarcoding and culture-based methods. *Fems Microbiology Ecology*, *93*(5), 1–16.
- Derun, E. M., Kipcak, A. S., Ozdemir, O. D., Demir, F., Karakoc, M., & Piskin, S. (2013). Caffeine Content Investigation in the Turkish Black Teas. *International Journal of Chemical and Molecular Engineering*, *7*(9), 708-711.
- Diether, N. E., & Willing, B. P. (2019). Microbial fermentation of dietary protein: an important factor in diet–microbe–host interaction. *Microorganisms*, *7*(1), 19.
- Elfirta, R. R., Ferdian, P. R., Setyawan, R. H., Saskiawan, I., Nurjanah, N., Pribadi, A., Anggita, S. & Manullang, E. S. D. (2023, December). Changes in titrable acidity, pH, and reducing sugars of ganoderma kombucha with honey after the

- fermentation process. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1271, No. 1, p. 012078). IOP Publishing.
- Faras, A.F., Wadkar, S.S., & Ghosh, J.S., 2014, Effect of Leaf Extract of *Pandanus amaryllifolius* Roxb on Growth of *Escherichia coli* and *Micrococcus* (*Staphylococcus*) *aureus*, *International Food Research Journal* 21(1):421-423
- Gramza-Michałowska, A., Kulczyński, B., Xindi, Y., & Gumienna, M. (2016). Research on the effect of culture time on the kombucha tea beverage's antiradical capacity and sensory value. *Acta Scientiarum Polonorum Technologia Alimentaria*, 15(4), 447–457.
- Guo, W., Zhang, Y., Lu, J., Jiang, L., Teng, L., Wang, Y., & Liang, Y. (2010). Effect of alternating and direct currents on *Pseudomonas aeruginosa* growth in vitro. *African Journal of Biotechnology*, 9, 6373-6379.
- Jayabalan, R., Malbaša, R. V., Loncar, E. S., Vitas, J. S., & Sathishkumar, M. (2014). A review on Kombucha tea-microbiology, composition, fermentation, beneficial effects, toxicity, and tea fungus. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 538–550.
- Jayabalan, R., Malbaša, R. V., Lončar, E. S., Vitas, J. S., & Sathishkumar, M. (2014). A Review on Kombucha Tea-Microbiology, Composition, Fermentation, Beneficial Effects, Toxicity, and Tea Fungus: A review on kombucha.... *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 538–550.
- Jayabalan, R., Marimuthu, S., & Swaminathan, K. (2008). Changes in content of organic acids and tea polyphenols during Kombucha tea fermentation. *Food Chemistry*, 102(1), 392–398
- Junardi, J., & Darmansyah, H. (2023). ANALISIS KADAR AIR TEH HERBAL DAUN PANDAN WANGI (*Pandanus amaryllifolius* Roxb.) MENGGUNAKAN VARIASI SUHU. *Journal of Food Security and Agroindustry*, 1(3), 111-117.
- Keshk, S., and Sameshima, K. (2006). “The utilization of sugar cane molasses with/without the presence of lignosulfonate for the production of bacterial cellulose,” *Applied Microbiology and Biotechnology* 72(2), 291-296.

- Kováč, J., Slobodníková, L., Trajčiková, E., Rendeková, K., Mučaji, P., Sychrová, A., & Bittner Fialová, S. (2022). Therapeutic potential of flavonoids and tannins in management of oral infectious diseases—a review. *Molecules*, 28(1), 158.
- Kusdiana, R., Ferdi, V., Kusumawardhana, I., & Levyta, F. (2020). Hedonic Test of Kombucha Coffee. *IOP Conference Series: Materials Science and Engineering*, 924(1), 012005.
- Laavanya, D., Shirkole, S. & Balasubramanian, P., 2021. Current challenges, applications and future perspectives of SCOBY cellulose of Kombucha fermentation. *Journal of Cleaner Production*, 295, p.126454.
- Lambert, R.J., Stratford, M., 1999. Weak acid preservative: modelling microbial inhibition and response. *J. Appl. Microbiol.* 86, 157–164.
- Lomthong, T., Chorum, M., Samaimai, S. & Thongpoem, P., 2022. Antioxidant and antibacterial activities of *Pandanus amaryllifolius* Roxb.(Pandanaceae) prop roots and its application for a novel bacterial cellulose (Nata) fermentation by enzymatic hydrolysis. *Journal of Applied Biology and Biotechnology*, 10(4), pp.147-152.
- Ma'ruf, A., Safitri, E., Ningtias, R. Y., Pertiwi, F. D., & Rezaldi, F. (2022). Antibakteri Gram Positif Dan Negatif Dari Sediaan Sabun Cuci Piring Fermentasi Kombucha Bunga Telang (*Clitoria ternatea* L) Sebagai Produk Bioteknologi Farmasi. *Jurnal Kesehatan dan Kedokteran*, 1(2), 16-25.
- Marsh, A. J., O'Sullivan, O., Hill, C., Ross, R. P., & Cotter, P. D. (2014). Sequence-based analysis of the bacterial and fungal compositions of multiple Kombucha (tea fungus) samples. *Food Microbiology*, 38, 171–178.
- Mazumdar, P., Pratama, H., Lau, S. E., Teo, C. H., & Harikrishna, J. A. (2019). Biology, phytochemical profile and prospects for snake fruit: An antioxidant-rich fruit of South East Asia. *Trends in food science & technology*, 91, 147-158.
- Ningrum, A., & Schreiner, M. (2014). Pandan leaves' Vanilla of The East'as potential natural colorants and flavorants. *Agro Food Industry Hi Tech*, 25(3):10-14
- Pratiwi, R., Lestari, F.B. & Widiyanto, D., 2015. Pemanfaatan limbah buah salak pondoh sebagai substrat Nata de *Salacca* melalui aplikasi bioteknologi di

- Dusun Tegal Domban, Sleman, Yogyakarta. *Indonesian Journal of Community Engagement*, 1(1), pp.39-52.
- Roe, A. J., O'Byrne, C., McLaggan, D., & Booth, I. R. (2002). Inhibition of *Escherichia coli* growth by acetic acid: a problem with methionine biosynthesis and homocysteine toxicity. *Microbiology*, 148(7), 2215-2222.
- Saleh, M.S., Siddiqui, M.J., Mediani, A., Ismail, N.H., Ahmed, Q.U., So'ad, S.Z.M. & Saidi-Besbes, S., 2018. *Salacca zalacca*: A short review of the palm botany, pharmacological uses and phytochemistry. *Asian Pacific Journal of Tropical Medicine*, 11(12), p.645.
- Sasidharan, S., Sumathi, V., Jegathambigai, N.R. & Latha, L.Y., 2011. Antihyperglycaemic effects of ethanol extracts of *Carica papaya* and *Pandanus amaryllifolius* leaf in streptozotocin-induced diabetic mice. *Natural Product Research*, 25(20), pp.1982-1987.
- Surjowardojo, P., Susilawati, T. E., & Sirait, G. R. (2016). Daya hambat dekok kulit apel manalagi (*Malus sylvestris* Mill.) terhadap pertumbuhan *Staphylococcus aureus* dan *Pseudomonas* sp. penyebab mastitis pada sapi perah. *TERNAK TROPIKA Journal of Tropical Animal Production*, 16(2), 40-48.
- Tomar, O. (2023). Determination of some quality properties and antimicrobial activities of kombucha tea prepared with different berries. *Turkish Journal of Agriculture and Forestry*, 47(2), 252-262.
- Tonouchi, N. (2016). Cellulose and other capsular polysaccharides of acetic acid bacteria. *Acetic acid bacteria: Ecology and physiology*, 299-320.
- Villarreal-Soto, S.A., Beaufort, S., Bouajila, J., Souchard, J.P. & Taillandier, P., 2018. Understanding kombucha tea fermentation: a review. *Journal of food science*, 83(3), pp.580-588.
- Vitas, J. S., Cvetanović, A. D., Mašković, P. Z., Švarc-Gajić, J. V., & Malbaša, R. V. (2018). Chemical composition and biological activity of novel types of kombucha beverages with yarrow. *Journal of Functional Foods*, 44, 95–102.
- Wang, B., Rutherford-Markwick, K., Naren, N., Zhang, X. X., & Mutukumira, A. N. (2023). Microbiological and Physico-Chemical Characteristics of Black Tea Kombucha Fermented with a New Zealand Starter Culture. *Foods*, 12(12), 2314.

- Watawana MI, Jayawardena N, Gunawardhana CB, Waisundara VY (2016). Enhancement of the antioxidant and starch hydrolase inhibitory activities of king coconut water (*Cocos nucifera* var. *aurantiaca*) by fermentation with kombucha ‘tea fungus’. *International Journal of Food Science & Technology*, 51 (2): 490-498.
- Zaini NAM, Osman A, Hamid AA, Ebrahimpour A, Saari N. Purification & characterization of membrane-bound polyphenoloxidase (mPPO) from snake fruit [*Salacca zalacca* (Gaertn.) Voss]. *Food Chem* 2013; 136(2): 407-414.
- Zubaidah, E., Dewantari, F. J., Novitasari, F. R., Srianta, I., & Blanc, P. J. (2018). Potential of snake fruit (*Salacca zalacca* (Gaerth.) Voss) for the development of a beverage through fermentation with the Kombucha consortium. *Biocatalysis and Agricultural Biotechnology*, 13, 198-203.