

DAFTAR PUSTAKA

- Badan Standardisasi Nasional. (2013). *Sirup*. Jakarta.
- Adjeng, A. N. T., Murrukmiyadi, M., Hertiani, T., & Nugroho, A. K. (2023). Optimization Of Sorbitol, Glycerine, And Xanthan Gum Combination In Mucolitic Syrup Of Hibiscus Rosa-Sinensis Leaves Extract Using Mixture Design (D-Optimal). *Rasayan Journal of Chemistry*, 16(1), 509–518. <https://doi.org/10.31788/RJC.2023.1618130>
- Alhogbi, B. G., Arbogast, M., Labrecque, M. F., Pulcini, E., Santos, M., Gurgel, H., Laques, A., Silveira, B. D., De Siqueira, R. V., Simenel, R., Michon, G., Auclair, L., Thomas, Y. Y., Romagny, B., Guyon, M., Sante, E. T., Merle, I., Duault-Atlani, L., Anthropologie, U. N. E., ... Du, Q. (2018). Antioksidan Dari Ekstrak Pegagan (*Centella Asiatica*) Sebagai Hepatoprotektor Terhadap Ikan Mas (*Cyprinus Carpio*) Yang Mengalami Stres Oksidatif Akibat Pemaparan Herbisida Isopropilamina Glifosat. In *Gender and Development* (Vol. 120, Issue 1). http://www.uib.no/sites/w3.uib.no/files/attachments/1._ahmed-affective_economies_0.pdf%0Ahttp://www.laviedesidees.fr/Vers-une-anthropologie-critique.html%0Ahttp://www.cairn.info.lama.univ-amu.fr/resume.php?ID_ARTICLE=CEA_202_0563%5Cnhttp://www.cairn.info.lama
- Alvarez-Suarez, J. M., Gasparrini, M., Forbes-Hernández, T. Y., Mazzoni, L., & Giampieri, F. (2014). The composition and biological activity of honey: A focus on manuka honey. *Foods*, 3(3), 420–432. <https://doi.org/10.3390/foods3030420>
- Anonim. (1995). *Farmakope Indonesia Edisi IV*. Departemen Kesehatan Republik Indonesia.
- Anonim. (2019). *Madu Premium HerbaSehat*. HerbaSehat. <http://www.herbasehat.id>
- Aswar, A., Malik, A., Hamidu, L., & Najib, A. (2021). Determination of Total Phenolic Content of The Stem Bark Extract of Nyirih (*Xylocarpus granatum* J. Koeing) Using UV - Vis Spectrophotometry Method. *Jurnal Fitofarmaka Indonesia*, 8(3), 12–17. <https://doi.org/10.33096/jffi.v8i3.728>
- Atanasov, A. G., Zotchev, S. B., Dirsch, V. M., Orhan, I. E., Banach, M., Rollinger, J. M., Barreca, D., Weckwerth, W., Bauer, R., Bayer, E. A., Majeed, M., Bishayee, A., Bochkov, V., Bonn, G. K., Braid, N., Bucar, F., Cifuentes, A., D'Onofrio, G., Bodkin, M., ... Supuran, C. T. (2021). Natural products in drug discovery: advances and opportunities. *Nature Reviews Drug Discovery*, 20(3), 200–216. <https://doi.org/10.1038/s41573-020-00114-z>
- Baloš, M. M. Ž., Popov, N. S., Radulović, J. Z. P., Stojanov, I. M., & Jakšić, S. M. (2020). Sugar profile of different floral origin honeys from Serbia. *Journal of Apicultural Research*, 59(4), 398–405. <https://doi.org/10.1080/00218839.2020.1714193>
- Becerril-sánchez, A. L., Quintero-salazar, B., Dublán-garcía, O., & Escalona-buendía, H. B. (2021). Phenolic compounds in honey and their relationship with antioxidant activity, botanical origin, and color. *Antioxidants*, 10(11), 1–23.

- <https://doi.org/10.3390/antiox10111700>
- BPOM. (2023). *Peraturan BPOM Nomor 24 Tahun 2023 Tentang Persyaratan Keamanan Dan Mutu Suplemen Kesehatan*.
- Chan, P. (2015). *Chemical Properties and Application of Food Additives: Flavor, Sweeteners, Food Colors, and Texturizes, Handbook of Food Chemistry*. Springer Netherlands.
- Chua, L. S., Adnan, N. A., Abdul-Rahaman, N. L., & Sarmidi, M. R. (2014). Effect of thermal treatment on the biochemical composition of tropical honey samples. *International Food Research Journal*, 21(2), 773–778.
- Dipta, E., Hidayat, F., & Naimah, O. S. (2020). Uji AKTIVITAS ANTIOKSIDAN GABUNGAN EKSTRAK ETANOL KULIT PETAI DAN BIJI PETAI (*Parkia speciosa* Hassk.) DENGAN METODE DPPH. *Jurnal Inkofar*, 1(2), 39–43. <https://doi.org/10.46846/jurnalinkofar.v1i2.104>
- Dipta, E., Hidayat, F., & Naimah, O. S. (2020b). Uji AKTIVITAS ANTIOKSIDAN GABUNGAN EKSTRAK ETANOL KULIT PETAI DAN BIJI PETAI (*Parkia speciosa* Hassk.) DENGAN METODE DPPH. *Jurnal Inkofar*, 1(2). <https://doi.org/10.46846/jurnalinkofar.v1i2.104>
- Effectsof, A., Stem, C., Bowel, I., & Model, D. (2022). *Evaluation of Anti-Inflammatory and Antioxidant Effectsof*.
- Gunes, R. P. K. T. (2022). Soft confectionery products: Quality parameters; interaction with processing and ingredients. *Food Chemistry*, 385.
- Hajrin, W., Subaidah, W. A., Julianтони, Y., & Wirasisya, D. G. (2021). Application of Simplex Lattice Design Method on The Optimisation of Deodorant Roll-on Formula of Ashitaba (*Angelica keiskei*). *Jurnal Biologi Tropis*, 21(2), 501–509. <https://doi.org/10.29303/jbt.v21i2.2717>
- Hebbbar, S., Dubey, A., Ravi, G. S., Kumar, H., & Saha, S. (2019). RP-hplc method development and validation of asiatic acid isolated from the plant centella asiatica. *International Journal of Applied Pharmaceutics*, 11(3), 72–78. <https://doi.org/10.22159/ijap.2019v11i3.31525>
- Hidayati, N., Nuryanto, I., & Zukhri, S. (2019). Optimasi Formula Sirup Ekstrak Etanol Daun Sukun (*Artocarpus altilis*) Dengan Pemanis Sorbitol dan Co-Solvent Propilen Glikol. *CERATA Jurnal Ilmu Farmasi*, 10(2), 67–77.
- Himawan, H. C., Isa, A. F., & Wiharja, D. S. (2021). Antioxidant Activity of 70% Ethanol Extract Combination of Kemangi Leaf (*Ocimum Americanum* Linn) and Binahong Leaf (*Anredera cordifolia* (Ten.) Steenis) Using DPPH. *Journal of Physics: Conference Series*, 1764(1). <https://doi.org/10.1088/1742-6596/1764/1/012009>
- Hong, S. I., Kwon, S. H., Kim, M. J., Ma, S. X., Kwon, J. W., Choi, S. M., Choi, S. I., Kim, S. Y., Lee, S. Y., & Jang, C. G. (2012). Anxiolytic-like effects of *Chrysanthemum indicum* aqueous extract in mice: Possible involvement of GABA A receptors and 5-HT 1A receptors. *Biomolecules and Therapeutics*, 20(4), 413–417. <https://doi.org/10.4062/biomolther.2012.20.4.413>
- Hossen, M. S., Ali, M. Y., Jahurul, M. H. A., Abdel-Daim, M. M., Gan, S. H., & Khalil,

- M. I. (2017). Beneficial roles of honey polyphenols against some human degenerative diseases: A review. In *Pharmacological Reports* (Vol. 69, Issue 6, pp. 1194–1205). Elsevier B.V. <https://doi.org/10.1016/j.pharep.2017.07.002>
- Irwan, M., Purna Bintang, S., Sukmiwati, M., & Karnila, R. (2023). *Identification of Saponins from the Active Fraction Sea Cucumbers (Stichopus vastus sluiters)* *Identifikasi Saponin dari Fraksi Aktif Teripang Kasur (Stichopus vastus sluiters)*. 28(1), 112–115.
- Ishak, A., Siregar, K., Asfiryati, & Safira, M. (2020). The Effect of Sugar Concentration, Citric Acid Concentration and Storage Time on Orange Syrup's pH Using Completely Randomized Factorial Design. *IOP Conference Series: Materials Science and Engineering*, 1003(1). <https://doi.org/10.1088/1757-899X/1003/1/012106>
- ITIS. (2023a). *Centella asiatica* (L.) Urban. GBIF Backbone Taxonomy. <https://doi.org/10.15468/39omei>
- ITIS. (2023b). *Chrysanthemum indicum* L. GBIF Backbone Taxonomy. <https://doi.org/10.5066/f7kh0kbb>
- James, J., & Dubery, I. (2011). Identification and quantification of triterpenoid centelloids in *Centella asiatica* (L.) Urban by densitometric TLC. *Journal of Planar Chromatography - Modern TLC*, 24(1), 82–87. <https://doi.org/10.1556/JPC.24.2011.1.16>
- Jubri, Z., Abdul Rahim, N. B., & Aan, G. J. (2013). Manuka honey protects middle-aged rats from oxidative damage. *Clinics*, 68(11), 1446–1454. [https://doi.org/10.6061/clinics/2013\(11\)11](https://doi.org/10.6061/clinics/2013(11)11)
- Kemenkes. (2014). *Farmakope Indonesia* (V). Departemen Kesehatan Republik Indonesia.
- Kesehatan, K. (2017). *Farmakope Herbal Indonesia Edisi II*. Kementrian Kesehatan RI.
- Khalil, M. I., Sulaiman, S. A., & Boukraa, L. (2010). Antioxidant Properties of Honey and Its Role in Preventing Health Disorder. *The Open Nutraceuticals Journal*, 3(1), 6–16. <https://doi.org/10.2174/1876396001003010006>
- Kowalska, T. (2022). Botanicals – Its Versatile Potential and Selected Applications. *Molecules*, 27(19), 6607.
- Lachman, J., Orsák, M., Hejtmánková, A., & Kovářová, E. (2010). Evaluation of antioxidant activity and total phenolics of selected Czech honeys. *Lwt*, 43(1), 52–58. <https://doi.org/10.1016/j.lwt.2009.06.008>
- Larsen, P., & Ahmed, M. (2022). Evaluation of antioxidant potential of honey drops and honey lozenges. *Food Chemistry Advances*, 1(October 2021), 100013. <https://doi.org/10.1016/j.focha.2022.100013>
- Lim, T. Y., Poole, R. L., & Pageler, N. M. (2014). Propylene Glycol Toxicity in Children. *The Journal of Pediatric Pharmacology and Therapeutics*, 19(4), 277–282. <https://doi.org/10.5863/1551-6776-19.4.277>
- Lisprayatna, L., Murti, Y. B., & Sulaiman, T. (2012). Formulasi Sirup Ekstrak Daun Legundi (*Vitex trifolia* L.). *Majalah Obat Tradisional*, 17(2), 34–38.

- Mariswamy, Y., Gnaraj, W. E., & Johnson, M. (2011). Chromatographic finger print analysis of steroids in *Aerva lanata* L by HPTLC technique. *Asian Pacific Journal of Tropical Biomedicine*, 1(6), 428–433. [https://doi.org/10.1016/S2221-1691\(11\)60094-4](https://doi.org/10.1016/S2221-1691(11)60094-4)
- Martin, A. N., Sinko, P. J., & Y, S. (2011). *Martin's Physical Pharmacy and Pharmaceutical Science*. Lippincott Williams & Willkins.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *J Sci Technology*, 211–219.
- Ndububa, E., & Osadebe, N. N. (2018). *Quartic Modelling and Optimization for the Compressive Strength of Fibre Cement using Scheffe's Simplex Lattice*. July.
- Nikhat, S., & Fazil, M. (2022). History, phytochemistry, experimental pharmacology and clinical uses of honey: A comprehensive review with special reference to Unani medicine. *Journal of Ethnopharmacology*, 282(April 2021), 114614. <https://doi.org/10.1016/j.jep.2021.114614>
- Nurmila, Sinay, H., & Watuguly, T. (2019). Identifikasi dan Analisis Kadar Flavonoid Ekstrak Getah Angsana (*Pterocarpus indicus* Willd). *Jurnal Biopendix*, 5(2), 65–71.
- Olas, B. (2020). Honey and its phenolic compounds as an effective natural medicine for cardiovascular diseases in humans? *Nutrients*, 12(2), 1–14. <https://doi.org/10.3390/nu12020283>
- Padmiswari, A. A. I. M., Wulansari, N. T., & Indrayoni, P. (2023). Antioxidant activity test of combination of *Centella asiatica* leaf extract and mint leaf extract as an alternative herbal drink. *Jurnal Pijar Mipa*, 18(1), 126–129. <https://doi.org/10.29303/jpm.v18i1.4520>
- Palma-Morales, M., Huertas, J. R., & Rodríguez-Pérez, C. (2023). A Comprehensive Review of the Effect of Honey on Human Health. *Nutrients*, 15(13), 1–26. <https://doi.org/10.3390/nu15133056>
- Petrucchi, R. (2008). *Kimia Dasar Prinsip dan Terapan Modern Edisi Keempat Jilid 3* (Erlangga (ed.)).
- Pittella, F., Dutra, R. C., Junior, D. D., Lopes, M. T. P., & Barbosa, N. R. (2009). Antioxidant and cytotoxic activities of *Centella asiatica* (L) Urb. *International Journal of Molecular Sciences*, 10(9), 3713–3721. <https://doi.org/10.3390/ijms10093713>
- Puspitasari, A. D., & Pramono, S. (2015). COMPARISON OF METHODS OF PRODUCING BEE PROPOLIS PURIFIED EXTRACT BASED ON TOTAL FLAVONOID CONTENT USING RUTIN AS STANDARD PERBANDINGAN METODE PEMBUATAN EKSTRAK TERPURIFIKASI BEE PROPOLIS DARI LEBAH MADU (*Apis mellifera*) BERDASARKAN KADAR FLAVONOID TOTAL D. *Traditional Medicine Journal*, 20(2), 2015.
- Qomara, Windi, Musfiroh, & Ida. (2023). Review : Evaluasi Stabilitas dan Inkompatibilitas Sediaan Oral Liquid. *Majalah Farmasetika*, 209–223. <https://doi.org/10.24198/mfarmasetika.v8i2.44346>
- Raju, K., Rose, A. S., Rohini, B., Sahaja, P., Shylaja, G., & Simran, S. (2020).

- Formulation and evaluation of anti diabetic herbal syrup. *Research Journal of Pharmacognosy and Phytochemistry*, 12(3), 141. <https://doi.org/10.5958/0975-4385.2020.00023.0>
- Rowe, R. C., Sheskey, P. J., & Owen, S. O. (2006). *Handbook of Pharmaceutical Excipient* (5th ed.). Royal Pharmaceutical Society of Great Britain London.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients Edisi 6*. The Pharmaceutical Press.
- Rusman, A., Nugroho, A. E., & Pramono, S. (2020). The effect of combination of active fraction *Andrographis paniculata* (Burm.f) Ness and *Centella asiatica* (i) Urban on the alpha glucocidase inhibitor and antioxidant activities. *Indonesian Journal of Pharmacy*, 31(1), 56–60. <https://doi.org/10.14499/indonesianjpharm31iss1pp56>
- Sae-kang, V., & Suphantharika, M. (2006). Influence of pH and xanthan gum addition on freeze-thaw stability of tapioca starch pastes. *Carbohydrate Polymers*, 65(3), 371–380. <https://doi.org/10.1016/j.carbpol.2006.01.029>
- Samarghandian, S., Azimi-Nezhad, M., Shahri, A. M. P., & Farkhondeh, T. (2019). Antidotal or protective effects of honey and chrysin, its major polyphenols, against natural and chemical toxicities. *Acta Biomedica*, 90(4), 541–558. <https://doi.org/10.23750/abm.v90i4.7534>
- Sambasivarao, A., Baru, C., & Reddy, M. (2016). Accelerated Stability Testing Of Dosage Forms As Per International Conference Of Harmonization (ICH) Guidelines. *World Journal Of Pharmaceutical And Medical Research*, 102.
- Schellart, W. P. (2011). Rheology and density of glucose syrup and honey: Determining their suitability for usage in analogue and fluid dynamic models of geological processes. *Journal of Structural Geology*, 33(6), 1079–1088. <https://doi.org/10.1016/j.jsg.2011.03.013>
- Seraglio, S. K. T., Silva, B., Bergamo, G., Brugnerotto, P., Gonzaga, L. V., Fett, R., & Costa, A. C. O. (2019). An overview of physicochemical characteristics and health-promoting properties of honeydew honey. *Food Research International*, 119(December 2018), 44–66. <https://doi.org/10.1016/j.foodres.2019.01.028>
- Setiawan, Iwan, Evianna, & Derry. (2020). The Formulation of Rambutan Leaf (*Nephelium lappaceum* L.) Extract on Syrup Preparation. *Journal of Nutraceuticals and Herbal Medicine*, III, 1–9. <http://journals.ums.ac.id/index.php/jnhm>
- Sharma, N. (2014). Free radicals, antioxidants and disease. *Biology and Medicine*, 6(3), 1–6. <https://doi.org/10.4172/0974-8369.1000214>
- Sharma, V., Singh, S., Dixit, A., & Saxena, A. (2020). Formulation and Evaluation of Herbal Cough Syrup From Seeds Extract of Hedge Mustard. *International Journal of Research in Pharmacy and Chemistry*, 10(1), 1–10. [https://doi.org/10.33289/ijrpc.10.1.2020.10\(3\)](https://doi.org/10.33289/ijrpc.10.1.2020.10(3))
- Sinaga, E. M. (2018). *Optimasi Xanthan Gum Dan Sukrosa Pada Formulasi Sirup Fraksi Buah Mengkudu (Morinda citrifolia L.)* [Universitas Gadjah Mada]. <http://etd.repository.ugm.ac.id/penelitian/detail/160393>

- Singh, S., Singh, D. R., Banu, V. S., & Avinash, N. (2014). Functional constituents (micronutrients and phytochemicals) and antioxidant activity of *Centella asiatica* (L.) Urban leaves. *Industrial Crops and Products*, 61, 115–119. <https://doi.org/10.1016/j.indcrop.2014.06.045>
- Sopyan, I., Gozali, D., Sriwidodo, & Guntina, R. K. (2022). Design-Expert Software (Doe): an Application Tool for Optimization in Pharmaceutical Preparations Formulation. *International Journal of Applied Pharmaceutics*, 14(4), 55–63. <https://doi.org/10.22159/ijap.2022v14i4.45144>
- Stagos, D., Soultisiotis, N., Tsadila, C., Papaconomou, S., Arvanitis, C., Ntontos, A., Karkanta, F., Adamou-Androulaki, S., Petrotos, K., Spandidos, D. A., Kouretas, D., & Mossialos, D. (2018). Antibacterial and antioxidant activity of different types of honey derived from Mount Olympus in Greece. *International Journal of Molecular Medicine*, 42(2), 726–734. <https://doi.org/10.3892/ijmm.2018.3656>
- Sumarlin, L. O., Muawanah, A., & Wardhani, P. (2014). Aktivitas Antikanker dan Antioksidan Madu di Pasaran Lokal Indonesia (Anticancer and Antioxidant Activity of Honey in the Market Local Indonesia). *Jurnal Ilmu Pertanian Indonesia (JIPI)*, Desember, 19(3), 136–144.
- Susanti, S., Kumoro, A. C., Suzery, M., & Oku, H. (2023a). The effect of various sweeteners on the physical, chemical, and organoleptic characteristics of ginger leaf extract syrup. *Food Research*, 7(2), 164–169. [https://doi.org/10.26656/fr.2017.7\(2\).787](https://doi.org/10.26656/fr.2017.7(2).787)
- Susanti, S., Kumoro, A. C., Suzery, M., & Oku, H. (2023b). The effect of various sweeteners on the physical, chemical, and organoleptic characteristics of ginger leaf extract syrup. *Food Research*, 7(2), 164–169. [https://doi.org/10.26656/fr.2017.7\(2\).787](https://doi.org/10.26656/fr.2017.7(2).787)
- Wu, J. Q., Kosten, T. R., & Zhang, X. Y. (2013). Free radicals, antioxidant defense systems, and schizophrenia. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 46, 200–206. <https://doi.org/10.1016/j.pnpbp.2013.02.015>
- Wutsqa, Y. U., Suratman, & Sari, S. L. A. (2021). Detection of terpenoids and steroids in *Lindsaea obtusa* with thin layer chromatography. *Asian Journal of Natural Product Biochemistry*, 19(2), 66–69. <https://doi.org/10.13057/biofar/f190204>
- Yap, V. L., Tan, L. F., Rajagopal, M., Wiart, C., Selvaraja, M., Leong, M. Y., & Tan, P. L. (2023). Evaluation of phytochemicals and antioxidant potential of a new polyherbal formulation TC-16: additive, synergistic or antagonistic? *BMC Complementary Medicine and Therapies*, 23(1), 1–10. <https://doi.org/10.1186/s12906-023-03921-0>
- Youssef, F. S., Eid, S. Y., Alshammari, E., Ashour, M. L., Wink, M., & El-Readi, M. Z. (2020). *Chrysanthemum indicum* and *chrysanthemum morifolium*: Chemical composition of their essential oils and their potential use as natural preservatives with antimicrobial and antioxidant activities. *Foods*, 9(10). <https://doi.org/10.3390/foods9101460>
- Yuan, H., Ma, Q., Ye, L., & Piao, G. (2016). The traditional medicine and modern medicine from natural products. *Molecules*, 21(5).

<https://doi.org/10.3390/molecules21050559>