

DAFTAR PUSTAKA

- Abegg, M., Bösch, R., Kükenbrink, D., & Morsdorf, F. (2023). Tree volume estimation with terrestrial laser scanning — Testing for bias in a 3D virtual environment. *Agricultural and Forest Meteorology*, 331, 109348. <https://doi.org/10.1016/J.AGRFORMET.2023.109348>
- An, Z., & Froese, R. E. (2023). Tree stem volume estimation from terrestrial lidar point cloud by unwrapping. *Canadian Journal of Forest Research*, 53(2), 60–70. <https://doi.org/10.1139/cjfr-2022-0153>
- Aprilianti, H. S., Ari, R. A., Ranti, A., & Aslam, M. F. (2021). Identification and classification of cloud computing-based vegetation index values on several lands used in Bogor Regency, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 918(1), 012011. <https://doi.org/10.1088/1755-1315/918/1/012011>
- Arifriana, R., Indriako, S., & Syahbudin, A. (2017). Jurnal Ilmu Kehutanan. *Jurnal Ilmu Kehutanan*, 11(1), 97–108.
- Audina, N., Solihat, R. F., & Purwanto, A. (2021). Pengaruh Kelas Umur Terhadap Produktivitas Getah Pohon Pinus Merkusii Di Kph Bandung Utara. *Wanamukti: Jurnal Penelitian Kehutanan*, 23(1), 10. <https://doi.org/10.35138/wanamukti.v23i1.176>
- Besl, P. J., & McKay, N. D. (1992). Method for registration of 3-D shapes. In *Sensor fusion IV: control paradigms and data structures* (Vol. 1611, pp. 586-606). Spie.
- Bienert, A., Hess, C., Maas, H.-G., & von Oheimb, G. (2014). A voxel-based technique to estimate the volume of trees from terrestrial laser scanner data. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XL-5, 101–106. <https://doi.org/10.5194/isprsarchives-XL-5-101-2014>
- Brede, B., Calders, K., Lau, A., Raunonen, P., Bartholomeus, H. M., Herold, M., & Kooistra, L. (2019). Non-destructive tree volume estimation through quantitative structure modelling: Comparing UAV laser scanning with terrestrial LIDAR. *Remote Sensing of Environment*, 233, 111355. <https://doi.org/10.1016/J.RSE.2019.111355>
- Breiman, L. (2001). Random Forests. *Machine Learning* 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Cabo, C., Del Pozo, S., Rodríguez-Gonzálvez, P., Ordóñez, C., & González-Aguilera, D. (2018). Comparing Terrestrial Laser Scanning (TLS) and Wearable Laser Scanning (WLS) for Individual Tree Modeling at Plot Level. *Remote Sensing*, 10(4), 540. <https://doi.org/10.3390/rs10040540>
- Calders, K., Adams, J., Armston, J., Bartholomeus, H., Bauwens, S., Bentley, L. P., Chave, J., Danson, F. M., Demol, M., Disney, M., Gaulton, R., Krishna Moorthy, S.

- M., Levick, S. R., Saarinen, N., Schaaf, C., Stovall, A., Terryn, L., Wilkes, P., & Verbeeck, H. (2020). Terrestrial laser scanning in forest ecology: Expanding the horizon. *Remote Sensing of Environment*, 251, 112102. <https://doi.org/10.1016/J.RSE.2020.112102>
- Chernov, N., & Lesort, C. (2005). Least Squares Fitting of Circles. *J Math Imaging Vis* 23, 239–252. <https://doi.org/10.1007/s10851-005-0482-8>
- Chicco, D., Warrens, M. J., & Jurman, G. (2021). The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation. *PeerJ Computer Science*, 7, 1–24. <https://doi.org/10.7717/PEERJ-CS.623>
- Colas, F. (2011). Iterative Closest Point Algorithm. *Information Processing for Robotics, ETH Zürich*.
- Cutler, A., Cutler, D.R., Stevens, J.R. (2012). Random Forests. In: Zhang, C., Ma, Y. (eds) Ensemble Machine Learning. Springer, New York, NY. https://doi.org/10.1007/978-1-4419-9326-7_5
- Dewi, N. K., Mulyadi, S. Y., & Syafitri, U. D. (2012). Penerapan Metode Random Forest Dalam Driver Analysis. *Forum Statistika Dan Komputasi*, 16(1), 35–43. <http://journal.ipb.ac.id/index.php/statistika/article/view/5443>
- Direktorat Jenderal Pengelolaan Hutan Produksi Lestari. (2019). Peraturan Direktur Jenderal Pengelolaan Hutan Produksi Lestari Nomor P.8/PHPL/SET/HPL.4/6/2019 tentang Metode Pengukuran Pohon pada Tegakan Hutan Alam dalam Inventarisasi Tegakan Sebelum Penebangan (ITSP).
- Endom, W., & Soenarno, S. (2018). Uji Coba Rekayasa Alat Ukur Diameter Pohon Di Hutan Alam. *Jurnal Penelitian Hasil Hutan*, 36(2), 101–112. <https://doi.org/10.20886/jphh.2018.36.2.101-112>
- ESRI. (2006). GIS Dictionary. <https://support.esri.com/en-us/gis-dictionary/rms-error#:~:text=A%20measure%20of%20the%20difference,square%20root%20of%20that%20result>
- Fang, X., Hu, Y., Zeng, W., & Akyilmaz, O. (2022). Weighted least-squares fitting of circles with variance component estimation. *Measurement*, 205, 112132. <https://doi.org/10.1016/J.MEASUREMENT.2022.112132>
- Forbes, A. B. Robust circle and sphere fitting by least squares. 1989. *DITC*, 153, 89.
- Hess, C., Bienert, A., Härdtle, W., & von Oheimb, G. (2015). Does Tree Architectural Complexity Influence the Accuracy of Wood Volume Estimates of Single Young Trees by Terrestrial Laser Scanning? *Forests*, 6(12), 3847–3867. <https://doi.org/10.3390/f6113847>
- Husch, B. (1987). Perencanaan Inventarisasi Hutan. Penerbit Universitas Indonesia, Jakarta.

Indonesia. Undang-Undang Nomor 41 Tahun 1999 tentang Kehutanan. Lembaran Negara RI Tahun 1999 Nomor 167, Tambahan Lembaran RI Nomor 3888. Sekretariat Negara. Jakarta.

Kementerian Lingkungan Hidup dan Kehutanan. (2023). Menteri LHK: Tata Batas Kawasan Hutan Selesai Tahun Ini! <http://ppid.menlhk.go.id/berita/siaran-pers/7017/menteri-lhk-tata-batas-kawasan-hutan-selesai-tahun-ini#:~:text=Maka%20sesuai%20UUCK%20pada%20November,KM%20batas%20fungsi%20kawasan%20hutan.>

Khosravipour, A., Skidmore, A. K., Isenburg, M., Wang, T., & Hussin, Y. A. (2014). Generating Pit-free Canopy Height Models from Airborne Lidar. *Photogrammetric Engineering and Remote Sensing*, 80(9), 863–872. <https://doi.org/10.14358/PERS.80.9.863>

Kirana, C. N. (2020). Kecermatan Sampling pada Inventarisasi Hutan Rakyat Koperasi Wana Lestari Menoreh di Kabupaten Kulon Progo, Daerah Istimewa Yogyakarta. Skripsi, Departemen Manajemen Hutan, Fakultas Kehutanan, Universitas Gadjah Mada.

Koreň, M., Mokroš, M., & Bucha, T. (2017). Accuracy of tree diameter estimation from terrestrial laser scanning by circle-fitting methods. *International Journal of Applied Earth Observation and Geoinformation*, 63, 122–128. <https://doi.org/10.1016/J.JAG.2017.07.015>

Korzeniowska, K. (2012). Modelling of water surface topography on the Digital Elevation Models using LiDAR data. In *AGILE'2012 International Conference on Geographic Information Science*, Avignon (pp. 333-335).

Kumari, K., & Yadav, S. (2018). Linear regression analysis study. *Journal of the practice of Cardiovascular Sciences*, 4(1), 33-36.

Liang, X., Kankare, V., Hyypä, J., Wang, Y., Kukko, A., Haggrén, H., Yu, X., Kaartinen, H., Jaakkola, A., Guan, F., Holopainen, M., & Vastaranta, M. (2016). Terrestrial laser scanning in forest inventories. *ISPRS Journal of Photogrammetry and Remote Sensing*, 115, 63–77. <https://doi.org/10.1016/J.ISPRSJPRS.2016.01.006>

Mansur Huang, N. S., Ibrahim, Z., & Mat Diah, N. (2021). Machine learning techniques for early heart failure prediction. *Malaysian Journal of Computing (MJoC)*, 6(2), 872-884.

Mudzakir, M. Z., Abidin, H. Z., & Gumilar, I. Pemodelan 3D ‘Gedung Indonesia Menggugat’ Menggunakan Teknologi Terrestrial Laser Scanner. *ITB Indonesian Journal of Geospatial*, 6(2).

Nour A, E., & Harintaka, H. (2014). Pemantauan Kawasan Sabuk Hijau Waduk Wadaslintang Menggunakan Citra Satelit Landsat 8. (Doctoral dissertation, Universitas Gadjah Mada).

- Nusantoro, B. P. (2021). Cadangan karbon pada Vegetasi Pohon di BKPH Majalengka KPH Majalengka. *Jurnal Wanamukti*, 24(1), 23–29.
- Panagiotidis, D., Abdollahnejad, A., & Slavík, M. (2022). 3D point cloud fusion from UAV and TLS to assess temperate managed forest structures. *International Journal of Applied Earth Observation and Geoinformation*, 112, 102917. <https://doi.org/10.1016/J.JAG.2022.102917>
- Pearse, G. D., Dash, J. P., Persson, H. J., & Watt, M. S. (2018). Comparison of high-density LiDAR and satellite photogrammetry for forest inventory. *ISPRS Journal of Photogrammetry and Remote Sensing*, 142, 257–267. <https://doi.org/10.1016/J.ISPRSJPRS.2018.06.006>
- Petrie, G., & Toth, C. K. (2018). Terrestrial laser scanners. In *Topographic Laser Ranging and Scanning* (pp. 29-88). CRC Press.
- Rahili, N. R., & Cahyono, B. K. (2019). 3D Modeling and Volume Estimation of Riverbed Layers Based on Sub Bottom Profiler Measurement Data. *JGISE: Journal of Geospatial Information Science and Engineering*, 2(1), 113–120. <https://doi.org/10.22146/jgise.39974>
- Ratner, B. (2009). The correlation coefficient: Its values range between 1/1, or do they. *Journal of Targeting, Measurement and Analysis for Marketing*, 17(2), 139–142. <https://doi.org/10.1057/jt.2009.5>
- Remondino, F., & El-Hakim, S. (2006). Image-based 3D modelling: a review. *The photogrammetric record*, 21(115), 269-291. <https://doi.org/10.1111/j.1477-9730.2006.00383.x>
- Reshetyuk, Y. (2009). Self-calibration and direct georeferencing in terrestrial laser scanning. In *Department of Transport and Economics Division of Geodesy: Vol. PhD*. (Issue January). <http://kth.diva-portal.org/smash/get/diva2:139761/FULLTEXT01.pdf>
- Roshadi, A. Y. (2018). Random Forest – Universitas Gadjah Mada Menara Ilmu Machine Learning. *Universitas Gadjah Mada*.
- Samosir, A., Batubara, R., & Dalimunte, A. (2015). Produktivitas Getah Pinus (Pinus Merkusii Jungh Et De Vriese) Berdasarkan Ketinggian Tempat dan Konsentrasi Stimulansia Asam Cuka (C2H4O2). *Peronema Forestry Science Journal*, 4(2), 1–7.
- Sampurno, R., & Thoriq, A. (2016). Klasifikasi Tutupan Lahan Menggunakan Citra Landsat 8 Operational Land Imager (Oli) Di Kabupaten Sumedang. *Jurnal Teknotan*, 10(2), 61–70. <https://doi.org/10.24198/jt.vol10n2.9>
- Schneider, A., Hommel, G., & Blettner, M. (2010). Lineare regressionsanalyse - Teil 14 der serie zur bewertung wissenschaftlicher publikationen. *Deutsches Arzteblatt*, 107(44), 776–782. <https://doi.org/10.3238/arztebl.2010.0776>

- Sebastian, A. (2022). Struktur Populasi dan Nilai Sintasan Alami Semai Cembirit (Tabernaemontana macrocarpa) Kohort Daun Lebih dari 12 di Hutan Lindung Mangunan. *Quagga: Jurnal Pendidikan Dan Biologi*, 14(1), 24–30. <https://doi.org/10.25134/quagga.v14i1.4832>
- Simon, H. (2007). Metode Inventarisasi Hutan. Pustaka Pelajar : Yogyakarta.
- Sugiyono. (2007). Statistika untuk Penelitian, cetakan kedua belas. CV. Alfabeta : Bandung.
- Uyanik, G. K., & Güler, N. (2013). A Study on Multiple Linear Regression Analysis. *Procedia - Social and Behavioral Sciences*, 106, 234–240. <https://doi.org/10.1016/J.SBSPRO.2013.12.027>
- Widjajanti, N., Sutanta, H., Lestari D., & Yulaikhah. (2017). Statistika dan Teori Kesalahan. Diktat Kuliah. Departemen Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada.
- Xu, D., Wang, H., Xu, W., Luan, Z., & Xu, X. (2021). LiDAR Applications to Estimate Forest Biomass at Individual Tree Scale: Opportunities, Challenges and Future Perspectives. *Forests*, 12(5), 550. <https://doi.org/10.3390/f12050550>
- Xu, N., Qin, R., & Song, S. (2023). Point cloud registration for LiDAR and photogrammetric data: A critical synthesis and performance analysis on classic and deep learning algorithms. *ISPRS Open Journal of Photogrammetry and Remote Sensing*, 8, 100032. <https://doi.org/10.1016/J.OPHOTO.2023.100032>
- You, L., Chang, X., Sun, Y., Pang, Y., Feng, Y., & Song, X. (2023). Volume Estimation of Stem Segments Based on a Tetrahedron Model Using Terrestrial Laser Scanning Data. *Remote Sensing*, 15(20), 5060. <https://doi.org/10.3390/rs15205060>
- Yusup, A., Halik, Ü., Keyimu, M., Aishan, T., Abliz, A., Dilixiati, B., & Wei, J. (2023). Trunk volume estimation of irregular shaped Populus euphratica riparian forest using TLS point cloud data and multivariate prediction models. *Forest Ecosystems*, 10, 100082. <https://doi.org/10.1016/J.FECS.2022.100082>
- Zainal, A., Maarof, M. A., Shamsuddin, S. M., & Abraham, A. (2008). Ensemble of one-class classifiers for network intrusion detection system. In *2008 The Fourth International Conference on Information Assurance and Security* (pp. 180-185). IEEE. <https://doi.org/10.1109/IAS.2008.35>
- Zakaria, A. (2016). Studi Pemodelan 3D Menggunakan Terrestrial Laser Scanner Berdasarkan Proses Registrasi Cloud to Cloud dan Target to Target (Studi Kasus: Candi Brahu, Mojokerto). Tugas Akhir. Fakultas Teknik Sipil Dan Perencanaan, Institut Teknologi Sepuluh Nopember.
- Zhang, C., & Chen, T. (2001, October). Efficient feature extraction for 2D/3D objects in mesh representation. In *Proceedings 2001 International Conference on Image Processing (Cat. No. 01CH37205)* (Vol. 3, pp. 935-938). IEEE.

Zhofir, M., & Budisusanto, Y. (2021). Pemodelan 3D dari Data Point Cloud untuk Inventarisasi HMASRS. *Jurnal Teknik ITS*, 10(2).
<https://doi.org/10.12962/j23373539.v10i2.67438>

Zulvianita, D., Purnamahati, R. R., & Dwiartama, A. (2021). Evaluation and Strategy of Tapping Pine Trees As an Attempt for Community Empowerment in Sumedang, West Java. *Jurnal Penelitian Sosial Dan Ekonomi Kehutanan*, 18(1), 1–14.
<https://doi.org/10.20886/jpsek.2021.18.1.1-14>