

DAFTAR PUSTAKA

- Adiani V., Gupta S., Chatterjee S., Variyar P. S., Sharma A., 2013, Activity guided characterization of antioxidant components from essential oil of nutmeg (*Myristica fragrans*), *Journal of Food Science and Technology*, 52: 221- 230.
- Akadeniz *et al*, 2018, *Transepidermal water loss* in healthy adults : a systematic review and meta-analysis update, *British Journal of Dermatology*, 179(5): 1049-1055.
- Awuy, G., Longdong, I. A., Lengkey, Lengkey, L. C. E., 2021, Analisis Mutu Biji Pala (*Myristica Fragrans* H.) Pada Berbagai Tingkat Kematangan Berbeda Setelah Penjemuran, *Jurusan Teknologi Pertanian*, 12(2).
- Barco D, Giménez-Arnau A., 2008, Xerosis: una disfunción de la barrera epidérmica [Xerosis: a dysfunction of the epidermal barrier], *Actas Dermosifiliogr*, 99(9):671-82
- Baroni *et al*, 2012, Structure and function of the epidermis related to barrier properties, *Clin Dermatol*, 30: 257-62.
- Boireau-Adamezyk, E., Baillet-Guffroy, A., &Stamatas, G.N., 2014, Age dependent changes in stratum corneum barrier function, *Skin Research and Technology*, 20(4): 409-415.
- Dahlan, M.S., 2010, *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan 3rd edn*, Salemba Medika, Jakarta.
- Denzinger *et al*, 2019, A quantitative study of transepidermal water loss (TEWL) on conventional and microclimate management capable mattresses and hospital beds, *Journal of Tissue Viability*, 0-1.
- De Paepe, *et al*, 2000, Claim substantiation and efficiency of hydrating body lotions and protective creams, *Contact Dermatitis*, 42: 227 34.
- Downing, D.T., *et al*, 1999, Lipids of the epidermis and the sebaceous glands, Dalam Freedberg IM., Eisen AZ, Wolf K, *et al.*, *Dermatology in General Medicine*, 5th edition, vol. 1, McGrwa Hill, 210-219.
- Draelos, Z.D., 1995, Moisturizer, *Cosmetics in Dermatology*, 2nd edition, Churchill Livingstone, 83-89.
- Du Plessis *et al*, 2013, International guidelines for the in vivo assessment of skin properties in non-clinical settings: Part 2. Transepidermal water loss and skin hydration, *Skin Research and Technology*, 19(1): 265-278.
- Elias, P.M., 2005, Stratum Corneum Defensive Functions: An Integrated View, *Journal of General Internal Medicine*, 20: 183-200.
- Fawzy, S.Y., 2023, *Formulasi Sediaan Serum Kombinasi Minyak Biji Pala (*Myristica fragrans* Houtt.) dan Minyak Nilam (*Pogostemon cablin* Benth.): Uji Stabilitas Fisikokimia dan Iritasi Pada Kelinci Albino (*Oryctolagus cuniculus*)*, (Skripsi, Universitas Gadjah Mada).

- Fraternale D., Flamini G., Ascrizzi R., 2019, in vitro anticollagenase and antielastase activities of essential oil of *Helichrysum italicum* subsp. *italicum* (Roth) G. Don, *Journal of Medicinal Food*, 22(10): 1041-1046.
- Gopalakrishnan, M., 1992, Chemical composition of nutmeg and mace, *Journal of Spices and Aromatic Crops*, 1:49-54.
- Granmayeh Rad, A., Abbasi, H., Afzali, M.H., 2011, Gold Nanoparticles: Synthesising, Characterizing and Reviewing Novel Application in Recent Years, *Physics Procedia*, 22: 203–208.
- Harding, C. R., 2004, The stratum corneum: structure and function in health and disease, *Dermatology Therapy*, 31: 1015-21.
- Hasibuan, S.S., 2011, *Penggunaan Minyak Kelapa Murni (VCO) Sebagai Pelembab dalam Sediaan Krim*, (Skripsi, Fakultas Farmasi, Universitas Sumatera Utara, Medan).
- Heinrich, *et al*, 2003, Multicentre comparison of skin hydration in terms of physical-, physiological,- and product-dependent parameters by the capacitive method (Corneometer CM 825), *Int J Cosmet Sci*, 25(1 2):45-53.
- Hurlow J, Bliss DZ., 2011), Dry skin in older adults, *Geriatric Nursing*, 32(4): 257-62.
- Indah, S. L. D., Indropo, A., Diah, M., 2018, Perbandingan Nilai *Transepidermal Water Loss* Pada Lesi Makula Anestetika dan Nonanestetika Pada Pasien Kusta, *Berkala Ilmu Kesehatan Kulit dan Kelamin – Periodical of Dermatology and Venereology*, 30(3): 224-230.
- Indriaty, S., Hidayati, N.R., Bachtiar, A. 2018. Bahaya Kosmetika Pemutih yang Mengandung Merkuri dan Hidroquinon serta Pelatihan Pengecekan Registrasi Kosmetika di Rumah Sakit Gunung Jati Cirebon. *Jurnal Surya Masyarakat*. 1(1):8-11. <https://doi.org/10.26714/jsm.1.1.2018.8-11>.
- Iskandar, B., Tartilla, R., Lukman, A., Leny, Surboyono, M.D.C., 2022, Uji Aktivitas Anti-aging Mikroemulsi Minyak Nilam (*Pogostemon cablin* Benth.), *Majalah Farmasetika*, 7(1): 52-64.
- Kurniawati, Azizah Yunita., 2018, Karakteristik Sediaan Serum Wajah Dengan Variasi Konsentrasi Sari Rimpang Temu Giring (*Curcuma heyneana*) Terfermentasi *Lactobacillus bulgaricus*, *Karya Tulis Ilmiah. Akademi Farmasi Putra Indonesia Malang*, Malang.
- Lambers *et al*, 2017, Natural skin surface pH Is on average below 5, which is beneficial for its resident flora, *Int J Cosmet Sci*, 28(5): 359-70.
- Li, X., Galzote, C., Yan, X., Li, L., & Wang, X., 2013, Characterization of Chinese body skin through in vivo instrument assessment, visual evaluations and questionnaire: influences of body area, inter generation, season, sex, and, skin care habits. *Skin Res Technol*, 20(1): 14-22.

- Liunokas, A. B., & Karwur, F. F., 2020, Pala (*Myristica fragrans* Houtt) Sebagai Bioreaktor Hayati Senyawa Fenil propanoid Suatu Kajian Pustaka, *Jurnal Biologi Udayana*, 24(2): 96-106.
- Loden, M., 1992, The increase in skin hydration after application of emollients with different amounts of lipids, *Acta Derm Venereol (Stockh)*, 72:327-30.
- Madison, K. C., 2003, Barrier function of the skin “La raison d’entre” of epidermis, *J Invest Dermatologi*, 121: 231-241.
- Manuskiatti, W., Schwindt, D.A., Maibach, H.I., 1998, Influence of age, anatomic site, and race on skin roughness and scaliness, *Dermatol*, 196:401-7.
- Maorong S, Tomihisa O, Fumihide T, and Shouwen J. 2013. Bioactive phenylpropanoid glycosides from *Tabebuia avellaneda*. *Molecules* 18(7):7366-7345.
- Qassem, M., and Kyriacou, P., 2019, Review of Modern Techniques for the Assessment of Skin Hydration, *Cosmetics*, 6(1): 19.
- Paramita & Yasa, 2015, Sikap dalam mediasi hubungan kesadaran lingkungan dengan minat beli produk kosmetik ramah lingkungan, *JMK*, 17(2): 177- 185.
- Pratiwi *et al*, 2021, Formulasi Serum Ekstrak Buah Malaka (*Phyllanthus emblica*) Sebagai Anti Aging, *Jurnal Metamorfosa*, 8(2): 284-290.
- Rahmi., Yunilawati., Jati., Setiawati., Riyanto., Batubara., Astuti., 2021, Antiaging and Skin Irritation Potential of Four Main Indonesian Essential Oils, *Cosmetics*, 8(94).
- Rahrovan, S., Fanian, F., Mehryan, P., Humbert, P., & Firooz, A., 2018, Male versus female skin: what dermatologists and cosmeticians should know, *Int J Womens Dermatol*, 4(3): 122-130.
- Raulf, M., Brüning, T., Jensen-Jarolim, E., & Van Kampen, V., 2017, Gender-related aspects in occupational allergies – secondary publication and update. *World Allergy Organ J*, 10(1), pp. 1 – 10.
- Rawlings, A., and Harding, C., 2004, Moisturization and skin barrier function, *Dermatologic Therapy*, 17(1):43-48.
- Rogiers, V., *et al*, 2001, EEMCO Guidance for the Assessment of Transepidermal Water Loss in Cosmetic Sciences, *Skin Pharmacol Appl Skin Physiol*, 14: 117-28.
- Rusli, N., Sasriani., Badia, E., 2016, Formulasi Sediaan Padat Minyak Nilam, *Warta Farmasi*, 5(1): 30-36.
- Siti., S., Imam., B. P., Cholina, T. S., 2020, The Effect of Virgin Coconut Oil (VCO) with Lotion on Skin Moisture among Uremic Patients Undergoing Hemodialysis in Hospital Binjai City, Indonesia, *International Journal of Nursing and Health Services (IJNHS)*, 3(5), pp 560-568.
- Seneme, E. F., dos Santos, D. C., Silva, E.M.R., Franco, Y. E. M., Longato, G. B., 2021, Pharmacological and Therapeutic Potential of Myristicin: A Literature Review, *Molecules*, 26.

- Serup J., 1995, EEMCO guidance for the assessment of dry skin (xerosis) and ichthyosis: clinical scoring systems, *Skin Res Technol*, 1(3):109-14, doi: 10.1111/j.1600-0846.1995.tb00029.x. PMID: 27328437.
- Wlaschek, M., Maity, P., Makrantonaki, E., & Scharffetter-Kochanek, K., 2021, Connective Tissue and Fibroblast Senescence in Skin Aging, *Journal of Investigative Dermatology*, 141(4, Supplement): 985-992.