

DAFTAR PUSTAKA

- Adi Pratama dan Karim Zulkarnain, W. A. (2015). Uji SPF In Vitro dan Sifat Fisik Beberapa Produk Tabir Surya yang Beredar di Pasaran. *Majalah Farmaseutik*, 11(1), 275.
- Ahmady, A., Amini, M. H., Zhakfar, A. M., Babak, G., & Sediqi, M. N. (2020). Sun Protective Potential and Physical Stability of Herbal Sunscreen Developed from Afghan Medicinal Plants. *Turkish journal of pharmaceutical sciences*, 17(3), 285–292. <https://doi.org/10.4274/tjps.galenos.2019.15428>
- Anonim. (2020). *Farmakope Indonesia* (6 ed.). Departemen Kesehatan Republik Indonesia.
- Araviiskaia, E., Pincelli, C., Sparavigna, A., & Luger, T. (2022). The Role of a Novel Generation of Emollients, ‘Emollients Plus’, in Atopic Dermatitis. *Clinical, Cosmetic and Investigational Dermatology*, Volume 15, 2705–2719. <https://doi.org/10.2147/CCID.S389697>
- Barel, A. O., Paye, M., & Maibach, H. I. (2014). *Handbook of Cosmetic Science and Technology* (4 ed.). CRC Press.
- Barnes, T. M., Mijaljica, D., Townley, J. P., Spada, F., & Harrison, I. P. (2021). Vehicles for Drug Delivery and Cosmetic Moisturizers: Review and Comparison. *Pharmaceutics*, 13(12). <https://doi.org/10.3390/pharmaceutics13122012>
- Bosch, R., Philips, N., Suárez-Pérez, J. A., Juarranz, A., Devmurari, A., Chalensouk-Khaosaa, J., & González, S. (2015). Mechanisms of Photoaging and Cutaneous Photocarcinogenesis, and Photoprotective Strategies with Phytochemicals. *Antioxidants*, 4(2), 248. <https://doi.org/10.3390/ANTIOX4020248>
- Cahyati, A. N., Ekowati, D., & Harjanti, R. (2015). Optimasi Kombinasi Asam Stearat dan Trietanolamin dalam Formula Krim Ekstrak Daun Legetan (*Spilanthes acmella* L.) sebagai Antioksidan secara Simplex Lattice Design. *Maret*, 12(1), 60–69. <http://farmasiindonesia.setiabudi.ac.id/>
- Cefali, L. C., Ataide, J. A., Fernandes, A. R., Sanchez-Lopez, E., Sousa, I. M. de O., Figueiredo, M. C., Ruiz, A. L. T. G., Foglio, M. A., Mazzola, P. G., & Souto, E. B. (2019). Evaluation of In Vitro Solar Protection Factor (SPF), Antioxidant Activity, and Cell Viability of Mixed Vegetable Extracts from *Dioscorea alata* Benth, *Ginkgo biloba* L., *Ruta graveolens* L., and *Vitis vinifera* L. *Plants (Basel, Switzerland)*, 8(11). <https://doi.org/10.3390/plants8110453>
- Chang, R. K., Raw, A., Lionberger, R., & Yu, L. (2013). Generic development of topical dermatologic products: Formulation development, process development, and testing of topical dermatologic products. Dalam *AAPS Journal* (Vol. 15, Nomor 1, hlm. 41–52). Springer New York LLC. <https://doi.org/10.1208/s12248-012-9411-0>
- Darmawan, M. A., Ramadhani, N. H., Hubeis, N. A., Ramadhan, M. Y. A., Sahlan, M., Abd-Aziz, S., & Gozan, M. (2022). Natural sunscreen formulation with a high sun

protection factor (SPF) from tengkawang butter and lignin. *Industrial Crops and Products*, 177, 114466. <https://doi.org/10.1016/J.INDCROP.2021.114466>

Elcistia, R., Zulkarnain, A. K., & Yogyakarta, M. (2018). Optimasi Formula Sediaan Krim o/w Kombinasi Oksibenzon dan Titanium Dioksida Serta Uji Aktivitas Tabir Suryanya Secara In Vivo Formula Optimization of o/w Cream Combination Oxybenzone and Titanium Dioxide and Its In Vivo Activity Testing. *MF*, 14(2), 63–78.

Gabros, S., Nessel, T. A., & Zito, P. M. (2023). *Sunscreens and Photoprotection*.

Galanakis, C. M., Tsatalas, P., & Galanakis, I. M. (2018). Phenols from olive mill wastewater and other natural antioxidants as UV filters in sunscreens. *Environmental Technology & Innovation*, 9, 160–168. <https://doi.org/10.1016/J.ETI.2017.12.002>

Geoffrey, K., Mwangi, A. N., & Maru, S. M. (2019). Sunscreen products: Rationale for use, formulation development and regulatory considerations. *Saudi pharmaceutical journal : SPJ : the official publication of the Saudi Pharmaceutical Society*, 27(7), 1009–1018. <https://doi.org/10.1016/j.jsps.2019.08.003>

Ginaris, R. P., Herowati, R., & Sulaiman, T. S. (2022). Optimasi Formula Lotion Ekstrak Etanol Bunga Krisan (*Crhysanthemum cinerariaefolium* (Trevir.) Vis.) menggunakan Kombinasi Asam Stearat dan Setil Alkohol sebagai Repelan dengan Metode Simplex Lattice Design. *Jurnal Farmasi Indonesia*, 19(1).

Gromkowska-Kępa, K. J., Puścion-Jakubik, A., Markiewicz-Żukowska, R., & Socha, K. (2021). The impact of ultraviolet radiation on skin photoaging — review of in vitro studies. Dalam *Journal of Cosmetic Dermatology* (Vol. 20, Nomor 11, hlm. 3427–3431). John Wiley and Sons Inc. <https://doi.org/10.1111/jocd.14033>

Hajrin, W., Subaidah, W. A., Juliantoni, Y., & Wirasisya, D. G. (2021). Application of Simplex Lattice Design Method on The Optimisation of Deodorant Roll-on Formula of Ashitaba (*Angelica keiskei*). *Jurnal Biologi Tropis*, 21(2), 501–509. <https://doi.org/10.29303/jbt.v21i2.2717>

Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A Review of Its' Effects on Human Health. *Foods*, 6(10). <https://doi.org/10.3390/FOODS6100092>

Husni, P., Hisprastin, Y., & Januarti, M. (2019). Formulasi dan Uji Stabilitas Fisik Sediaan Emulsi Minyak Ikan Lemuru (*Sardinella lemuru*). *Jurnal Farmasi Desember*, 11(02), 137–146.

Indrati, O., Martien, R., Rohman, A., & Nugroho, A. K. (2020). Application of simplex lattice design on the optimization of andrographolide self nanoemulsifying drug delivery system (SNEDDS). *Indonesian Journal of Pharmacy*, 31(2), 124–130. <https://doi.org/10.14499/indonesianjpharm31iss2pp124>

Kang, S. Y., Um, J. Y., Chung, B. Y., Lee, S. Y., Park, J. S., Kim, J. C., Park, C. W., & Kim, H. O. (2022). Moisturizer in Patients with Inflammatory Skin Diseases. *Medicina*, 58(7). <https://doi.org/10.3390/MEDICINA58070888>

- Latha, M. S., Martis, J., Shobha, V., Sham Shinde, R., Bangera, S., Krishnankutty, B., Bellary, S., Varughese, S., Rao, P., & Naveen Kumar, B. R. (2013). Sunscreening agents: a review. *The Journal of clinical and aesthetic dermatology*, 6(1), 16–26.
- Mancuso, J. B., Maruthi, R., Wang, S. Q., & Lim, H. W. (2017). Sunscreens: An Update. *American journal of clinical dermatology*, 18(5), 643–650. <https://doi.org/10.1007/S40257-017-0290-0>
- Marzuki, A., & Pakki, E. (2017). Stabilitas Fisik Sediaan Krim Ekstrak Etanol Kulit Batang Banyuru (*Pterospermum celebicum* Miq.) dengan Variasi Phytocream. *Proceeding of The 5th Mulawarman Pharmaceuticals Conferences*.
- Milani, M., & Sparavigna, A. (2017). The 24-hour skin hydration and barrier function effects of a hyaluronic 1%, glycerin 5%, and Centella asiatica stem cells extract moisturizing fluid: an intra-subject, randomized, assessor-blinded study. *Clinical, Cosmetic and Investigational Dermatology*, 10, 311. <https://doi.org/10.2147/CCID.S144180>
- Mohammed, D., Hirata, K., Hadgraft, J., & Lane, M. E. (2014). Influence of skin penetration enhancers on skin barrier function and skin protease activity. *European Journal of Pharmaceutical Sciences*, 51, 118–122. <https://doi.org/10.1016/j.ejps.2013.09.009>
- Murdiana, H. E., Kristariyanto, Y. A., Kurniawaty, A. Y., Putri, M. K., & Rosita, M. E. (2022). Optimasi Formula Sediaan Krim Beras (*Oryza Sativa* L.) Tipe M/A dengan Variasi Asam Stearat, Setil Alkohol, dan Trietanolamin. *Pharmamedica Journal*, 7(2), 55–63.
- Noor, S. U., & Faridah, M. (2016). Formulation of Liquorice Root Extract (*Glycyrrhiza glabra* L.) as Skin Whitening Cream. *Indonesia Journal of Plant Medicine*, 9(2), 93–99.
- Panahi, Y., Alishiri, G. H., Parvin, S., & Sahebkar, A. (2016). Mitigation of Systemic Oxidative Stress by Curcuminoids in Osteoarthritis: Results of a Randomized Controlled Trial. *Journal of Dietary Supplements*, 13(2), 209–220. <https://doi.org/10.3109/19390211.2015.1008611>
- Pérez-Sánchez, A., Barrajón-Catalán, E., Caturla, N., Castillo, J., Benavente-García, O., Alcaraz, M., & Micol, V. (2014). Protective effects of citrus and rosemary extracts on UV-induced damage in skin cell model and human volunteers. *Journal of Photochemistry and Photobiology B: Biology*, 136, 12–18. <https://doi.org/10.1016/J.JPHOTOBIO.2014.04.007>
- Permata, Y. M., Bachri, M., Reveny, J., & Sibuea, F. M. (2019). Formulation and Quantitative Analysis of Betamethasone Valerate and Neomycin Sulfate Cream by High Performance Liquid Chromatography and Spectrophotometry. *Open Access Macedonian Journal of Medical Sciences*, 7(22), 3841. <https://doi.org/10.3889/OAMJMS.2019.516>
- Pratama, W. A., & Zulkarnain, A. K. (2015). Uji SPF In Vitro dan Sifat Fisik Beberapa Produk Tabir Surya yang Beredar di Pasaran. *Majalah Farmaseutik*, 11(1), 275–283.

- Rahmayanti, M. (2017). *Pengaruh Konsentrasi THHGV-5 dalam Krim Anti-Aging Terhadap Sifat Fisik, Stabilitas Fisik, Difusi Pasif, Efektivitas Antioksidan Pada Kolagen dan Efek Iritasi*.
- Ramadhani, R. A., Riyadi, D. H. S., Triwibowo, B., & Kusumaningtyas, R. D. (2017). *Review Pemanfaatan Design Expert untuk Optimasi Komposisi Campuran Minyak Nabati sebagai Bahan Baku Sintesis Biodiesel*. 1(1), 11–16. www.jtkl.polinema.ac.id
- Ritmaleni, R., Praditya, I., Wibowo, H., & Sardjiman, S. (2015). Synthesis of Tetrahydrohexagamavunon-5 and Tetrahydrohexagamavunon-7. *Indonesian Journal of Pharmacy*, 26(2), 103. <https://doi.org/10.14499/indonesianjpharm26iss2pp103>
- Roosevelt, A., Ambo Lau, S. H., Syawal, H., Farmasi Sandi Karsa Makassar, A., & Studi D-III Farmasi Sandi Karsa Makassar, P. (2019). Formulasi dan Uji Stabilitas Krim Ekstrak Methanol Daun Beluntas (*Pluchea indica* L.) dari Kota Benteng Kabupaten Kepulauan Selayar Provinsi Sulawesi Selatan. *Jurnal Farmasi Sandi Karsa Volume, JFS*, 5(1), 19–25.
- Salehi, N., Mortazavi, S. M., & Moghimi, H. (2022). Investigating the Changes in Cream Properties Following Topical Application and Their Influence on the Product Efficiency. *Iranian journal of pharmaceutical research : IJPR*, 21(1), e123946. <https://doi.org/10.5812/ijpr.123946>
- Sander, M., Sander, M., Burbidge, T., & Beecker, J. (2020). The efficacy and safety of sunscreen use for the prevention of skin cancer. *CMAJ*, 192(50), E1802–E1808. <https://doi.org/10.1503/CMAJ.201085/TAB-RELATED-CONTENT>
- Santi, N. M. M., Fitriani, N., & Kuncoro, H. (2022). Optimasi Formula Sediaan Krim Ekstrak Kulit Putih Buah Semangka (*Citrullus lanatus* (Thunb.) Matsum & Nakai) sebagai Antijerawat. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 15, 129–135. <https://doi.org/10.25026/mpc.v15i1.631>
- Sheskey, P. J., Cook, W. G., & Cable, C. G. (2017). *Handbook of Pharmaceutical Excipients* (8 ed.). Pharmaceutical Press.
- Silva, S., Ferreira, M., Oliveira, A. S., Magalhães, C., Sousa, M. E., Pinto, M., Sousa Lobo, J. M., & Almeida, I. F. (2019). Evolution of the use of antioxidants in anti-ageing cosmetics. *International journal of cosmetic science*, 41(4), 378–386. <https://doi.org/10.1111/ICS.12551>
- Sundar, M., Suresh, S., & Lingakumar, K. (2022). Preparation and optimization of medicated cold cream using *Caralluma adscendens* var. *attenuata* for the treatment of Candida skin infection. *BioTechnologia*, 103(3), 249. <https://doi.org/10.5114/BTA.2022.118668>
- Supriadi, Y., & Khoirin, N. (2022). Formulation and Evaluation of Grape Seed Oil (*Vitis Vinifera*, L) Facial Cream with Variations in The Concentration of Stearic Acid as an Emulsifier. *Journal of Health Sciences and Medical Development*, 1(01), 20–30. <https://doi.org/10.56741/hesmed.v1i01.32>

- Sutjahjokartiko, S. (2017). Pengaruh Konsentrasi Pengawet DMDM Hydantoin Terhadap Karakteristik, Stabilitas Fisika, & pH pada Water Based Pomade yang Mengandung Ekstrak Aloe Vera. Dalam *Jurnal Ilmiah Mahasiswa Universitas Surabaya* (Vol. 6, Nomor 2).
- Tang, S.-C., & Yang, J.-H. (2018). Dual Effects of Alpha-Hydroxy Acids on the Skin. *Molecules (Basel, Switzerland)*, 23(4). <https://doi.org/10.3390/molecules23040863>
- Taufik, I. I., Soewandhi, S. N., & Nugraha, Y. P. (2023). Optimasi Formula Emulgel Vitamin C dengan Pendekatan Simplex Lattice Design. *Jurnal Sains Farmasi & Klinis*, 10(1), 145. <https://doi.org/10.25077/jsfk.10.1.145-154.2023>
- Torres, A., Rego, L., Martins, M. S., Ferreira, M. S., Cruz, M. T., Sousa, E., & Almeida, I. F. (2023). How to Promote Skin Repair? In-Depth Look at Pharmaceutical and Cosmetic Strategies. *Pharmaceuticals*, 16(4), 573. <https://doi.org/10.3390/ph16040573>
- Tungadi, R., Sy. Pakaya, M., & D.as'ali, P. W. (2023). Formulasi dan Evaluasi Stabilitas Fisik Sediaan Krim Senyawa Astaxanthin. *Indonesian Journal of Pharmaceutical Education*, 3(1). <https://doi.org/10.37311/ijpe.v3i1.14612>
- Wibowo, H. (2013). *Sintesis Tetrahidroheksagamavunon-5 dari Starting Material Heksagamavunon-5 dengan Katalis Paladium Karbon Melalui Reaksi Hidrogenasi*.
- Wulandari, F., Syaputri, F. N., & Jannah, N. R. (2022). The Effect of Various Concentrations of the Addition of Emulsifier Tween 80 and Span 80 on the Stability of Cream Formulation Ethanolic Extract of Basil Leaves (*Ocimum Americanum* L.). *Jurnal Ilmu Kefarmasian*, 3(2).
- Yakub, J., & Setyani, W. (2023). Optimization of Stearic Acid and Triethanolamine in The Antibacterial Cream *Staphylococcus aureus* Ethanol Extract of Papaya Seeds (*Carica papaya* L.): Factorial Design Method. *Journal of Pharmaceutical Sciences and Community*, 20(1), 1–9. <https://doi.org/10.24071/jpsc.002396>
- Zulkarnain, A. K., Ichsani, C. N., & Judiantoro, C. L. (2023). Physical properties and stability of grapeseed oil (*Vitis vinifera* L.) skincare formula with gelling agent combination of Na-CMC-carbopol and HPMC-carbopol. *Indonesian Journal of Pharmacology and Therapy*, 4(2). <https://doi.org/10.22146/ijpther.8279>