

DAFTAR PUSTAKA

- Al-Dairi, M., Pathare, P. B., & Al-Yahyai, R. (2021). Effect of Postharvest Transport and Storage on Color and Firmness Quality of Tomato. *Horticulturae*, 7(7), 163. <https://doi.org/10.3390/horticulturae7070163>
- Alenazi, M. M., Shafiq, M., Alsadon, A. A., Alhelal, I. M., Alhamdan, A. M., Solieman, T. H. I., Ibrahim, A. A., Shady, M. R., & Al-Selwey, W. A. (2020). Improved functional and nutritional properties of tomato fruit during cold storage. *Saudi Journal of Biological Sciences*, 27(6), 1467–1474. <https://doi.org/10.1016/j.sjbs.2020.03.026>
- Arah, I. K., Ahorbo, G. K., Anku, E. K., Kumah, E. K., & Amaglo, H. (2016). Postharvest Handling Practices and Treatment Methods for Tomato Handlers in Developing Countries: A Mini Review. *Advances in Agriculture*, 2016, 1–8. <https://doi.org/10.1155/2016/6436945>
- Ariwaodo, C. A. (2022). Handling Strategies and Facilities for Horticultural Crops. *OALib*, 09(05), 1–29. <https://doi.org/10.4236/oalib.1108577>
- Ayuso-Yuste, M. C., González-Cebrino, F., Lozano-Ruiz, M., Fernández-León, A. M., & Bernalte-García, M. J. (2022). Influence of Ripening Stage on Quality Parameters of Five Traditional Tomato Varieties Grown under Organic Conditions. *Horticulturae*, 8(4), 313. <https://doi.org/10.3390/horticulturae8040313>
- Bademlioglu, A. H., Canbolat, A. S., & Kaynakli, O. (2020). Multi-objective optimization of parameters affecting Organic Rankine Cycle performance characteristics with Taguchi-Grey Relational Analysis. *Renewable and Sustainable Energy Reviews*, 117(January 2019), 109483. <https://doi.org/10.1016/j.rser.2019.109483>
- Bappenas. (2021). Food Loss and Waste di Indonesia. In *Laporan Kajian Food Loss and Waste Di Indonesia*. <https://lcdi-indonesia.id/wp-content/uploads/2021/06/Report-Kajian-FLW-FINAL-4.pdf>

- BPS. (2022). *Statistik Hortikultura 2022* (pp. 1–110). BPS RI. <https://www.bps.go.id/publication/2023/06/09/03847c5743d8b6cd3f08ab76/statistik-hortikultura-2022.html>
- BSN. (1992). Tomat Segar. In *Sni 01-3162-1992 Tomat Segar* (pp. 1–7). <https://fdokumen.com/document/sni-01-3162-1992-tomat-segar.html?page=1>
- Cherono, K., Sibomana, M., & Workneh, T. S. (2018). Effect of infield handling conditions and time to pre-cooling on the shelf-life and quality of tomatoes. *Brazilian Journal of Food Technology*, 21, 1–12. <https://doi.org/10.1590/1981-6723.01617>
- Choi, H.-G., & Park, K.-S. (2023). Ripening Process of Tomato Fruits Postharvest: Impact of Environmental Conditions on Quality and Chlorophyll a Fluorescence Characteristics. *Horticulturae*, 9(7), 812. <https://doi.org/10.3390/horticulturae9070812>
- Ciptaningtyas, D., Benyakart, N., Umehara, H., Johkan, M., Nakamura, N., Nagata, M., Orikasa, T., Thammawong, M., & Shiina, T. (2022). Modeling the metachronous ripening pattern of mature green tomato as affected by cultivar and storage temperature. *Scientific Reports*, 12(1), 1–9. <https://doi.org/10.1038/s41598-022-12219-z>
- Ding, P., & Mat, R. N. R. (2021). Hydro-cooling as Means to Retain Fresh Sweet Corn Ears Quality. *Sains Malaysiana*, 50(12), 3593–3602. <https://doi.org/10.17576/jsm-2021-5012-11>
- Direktorat Perbenihan Hortikultura. (2012). Deskripsi Tomat Varietas Servo. In *Database Varietas Terdaftar Hortikultura* (p. 45). [https://varitas.net/dbvarietas/varimage/Tomat Servo.pdf](https://varitas.net/dbvarietas/varimage/Tomat%20Servo.pdf)
- Domínguez, I., Lafuente, M. T., Hernández-Muñoz, P., & Gavara, R. (2016). Influence of modified atmosphere and ethylene levels on quality attributes of fresh tomatoes (*Lycopersicon esculentum* Mill.). *Food Chemistry*, 209, 211–219. <https://doi.org/10.1016/j.foodchem.2016.04.049>

- Du, Z., Zhao, X., Jin, X., Wang, S., Gao, S., Wang, H., & Pang, J. (2023). Application of grey relational analysis and Taguchi method in cutter working parameters for tea-leaf mechanical harvester. *Scientia Horticulturae*, 318(April), 112099. <https://doi.org/10.1016/j.scienta.2023.112099>
- Esguerra, E. B., Rolle, R., & Rapusas, R. (2018). Postharvest Management of Tomato for Quality and Safety Assurance. In *Food and Agriculture Organization of the United Nations* (pp. 1–16). FAO. <https://www.fao.org/3/i8236en/I8236EN.pdf>
- Fan, X. (2021). Gaseous ozone to preserve quality and enhance microbial safety of fresh produce: Recent developments and research needs. *Comprehensive Reviews in Food Science and Food Safety*, 20(5), 4993–5014. <https://doi.org/10.1111/1541-4337.12796>
- Ginting, E., & Tambunan, M. M. (2018). Selection of Optimal Factor Level From Process Parameters in Palm Oil Industry. *IOP Conference Series: Materials Science and Engineering*, 288, 012056. <https://doi.org/10.1088/1757-899X/288/1/012056>
- James, J. B., & Ngarmsak, T. (2010). *Processing of fresh-cut tropical fruits and vegetables: A TECHNICAL GUIDE* (R. S. Rolle (ed.)). FAO.
- Kabir, M. S. N., Rasool, K., Lee, W.-H., Cho, S.-I., & Chung, S.-O. (2020). Influence of delayed cooling on the quality of tomatoes (*Solanum lycopersicum* L.) stored in a controlled chamber. *AIMS Agriculture and Food*, 5(2), 272–285. <https://doi.org/10.3934/agrfood.2020.2.272>
- Krishniah, K., & Shahabudeen, P. (2012). Applied design of experiments and Taguchi methods. In *e-Book EEE* (Issue June). PHI Learning Private Limited. <https://books.google.com/books?id=hju9JYVhfV8C&pgis=1>
- Makule, E., Dimoso, N., & Tassou, S. A. (2022). Precooling and Cold Storage Methods for Fruits and Vegetables in Sub-Saharan Africa—A Review. *Horticulturae*, 8(9), 776. <https://doi.org/10.3390/horticulturae8090776>

- Miftah, N. A., Sukma, D., Atmaja, E., & Oktafiani, A. (2023). *Optimasi Nilai Surface Roughness dan Material Removal Rate Pemesinan Milling Haww Gan ZX 7550Z Menggunakan Metode Taguchi dan Grey Relational Analysis*. 10(3), 2299–2306.
- Ngadiono, Muliansyah, & Saleh, M. (2019). Aplikasi Pra Pendinginan Terhadap Daya Simpan Buah Tomat (*Solanum lycopersicum* L.). *AgriPeat*, 20(01), 27–35. <https://doi.org/10.36873/agp.v20i01.22>
- Nofriati, D. (2018). Penanganan Pascapanen Tomat. *Balai Pengkajian Teknologi Pertanian Jambi*, 1–50. <https://repository.pertanian.go.id/server/api/core/bitstreams/555bcdbc-efd8-4eac-bec3-fa155b4b570c/content>
- OECD. (2018). *OECD FRUIT AND VEGETABLES SCHEME* (pp. 1–36). OECD. <https://www.oecd.org/agriculture/fruit-vegetables/publications/guidelines-on-objective-tests.pdf>
- Reddy, S. V. R., Sudhakar Rao, D. ., Sharma, R. R., Preethi, P., & Pandiselvam, R. (2022). Role of Ozone in Post-Harvest Disinfection and Processing of Horticultural Crops: A Review. *Ozone: Science & Engineering*, 44(1), 127–146. <https://doi.org/10.1080/01919512.2021.1994367>
- Rodrigues, A. A. Z., Queiroz, M. E. L. R. de, Neves, A. A., Oliveira, A. F. de, Prates, L. H. F., Freitas, J. F. de, Heleno, F. F., & Faroni, L. R. D. A. (2019). Use of ozone and detergent for removal of pesticides and improving storage quality of tomato. *Food Research International*, 125(December 2018), 108626. <https://doi.org/10.1016/j.foodres.2019.108626>
- Sari, I. M., Prawanto, A., Sari, K. N., Hartawan, W., & Ansiska, P. (2021). Aplikasi Ozonisasi dalam Upaya Pengawetan Produk Hortikultura Tomat (*Lycopersicum esculentum* Mill.). *Jurnal Ilmiah Mahasiswa Pertanian*, 3(1), 1–7. <https://doi.org/10.54895/lansium.v3i1.1238>
- Sari, M., Yasar, M., & Yusmanizar, Y. (2022). Analisis Sensori Buah Tomat

(*Lycopersicum esculentum* Mill) yang Disimpan dalam Kemasan Plastik Perforasi. *Jurnal Ilmiah Mahasiswa Pertanian*, 7(4), 831–837.
<https://doi.org/10.17969/jimfp.v7i4.22223>

Sarron, E., Gadonna-Widehem, P., & Aussenac, T. (2021). Ozone Treatments for Preserving Fresh Vegetables Quality: A Critical Review. *Foods*, 10(3), 605.
<https://doi.org/10.3390/foods10030605>

Silip, J. J., Supramaniam, J., Mijan, S., Gobilik, J., & Elsabagh, A. S. (2022). The Effect of Hydro Cooling Time, Storage Temperature and Storage Duration on Saba Banana. *Journal of Physics: Conference Series*, 2314(1), 012015.
<https://doi.org/10.1088/1742-6596/2314/1/012015>

Taher, B. M. A., Pelay, U., Russeil, S., & Bougeard, D. (2023). A novel design to optimize the optical performances of parabolic trough collector using Taguchi, ANOVA and grey relational analysis methods. *Renewable Energy*, 216(June), 119105. <https://doi.org/10.1016/j.renene.2023.119105>

Tilahun, S., Park, D. S., Solomon, T., Choi, H. R., & Jeong, C. S. (2019). Maturity stages affect nutritional quality and storability of tomato cultivars. *CYTA - Journal of Food*, 17(1), 87–95.
<https://doi.org/10.1080/19476337.2018.1554705>

Tolasa, M., Gedamu, F., & Woldetsadik, K. (2021). Impacts of harvesting stages and pre-storage treatments on shelf life and quality of tomato (*Solanum lycopersicum* L.). *Cogent Food & Agriculture*, 7(1), 1–27.
<https://doi.org/10.1080/23311932.2020.1863620>

Tolesa, G. N., & Workneh, T. S. (2017). Influence of storage environment, maturity stage and pre-storage disinfection treatments on tomato fruit quality during winter in KwaZulu-Natal, South Africa. *Journal of Food Science and Technology*, 54(10), 3230–3242. <https://doi.org/10.1007/s13197-017-2766-6>

United States Standards for Grades of Fresh Tomatoes, 1991 United States Department of Agriculture 1 (1991).

https://www.ams.usda.gov/sites/default/files/media/Tomato_Standard%5B1%5D.pdf

Walubengo, D., Orina, I., Kubo, Y., & Owino, W. (2022). Physico-chemical and postharvest quality characteristics of intra and interspecific grafted tomato fruits. *Journal of Agriculture and Food Research*, 7, 100261. <https://doi.org/10.1016/j.jafr.2021.100261>

Wang, L., Fan, X., Sokorai, K., & Sites, J. (2019). Quality deterioration of grape tomato fruit during storage after treatments with gaseous ozone at conditions that significantly reduced populations of Salmonella on stem scar and smooth surface. *Food Control*, 103(February), 9–20. <https://doi.org/10.1016/j.foodcont.2019.03.026>

Xue, W., Macleod, J., & Blaxland, J. (2023). The Use of Ozone Technology to Control Microorganism Growth, Enhance Food Safety and Extend Shelf Life: A Promising Food Decontamination Technology. *Foods*, 12(4), 814. <https://doi.org/10.3390/foods12040814>

Yadav, A., Kumar, N., Upadhyay, A., Sethi, S., & Singh, A. (2022). Edible coating as postharvest management strategy for shelf-life extension of fresh tomato (*Solanum lycopersicum* L.): An overview. *Journal of Food Science*, 87(6), 2256–2290. <https://doi.org/10.1111/1750-3841.16145>

Zainal, B., Ding, P., Safinar, I., & Saari, N. (2019). Postharvest Biology and Technology Physico-chemical and microstructural characteristics during postharvest storage of hydrocooled rockmelon (*Cucumis melo* L. *reticulatus* cv. *Glamour*). *Postharvest Biology and Technology*, 152(September 2018), 89–99. <https://doi.org/10.1016/j.postharvbio.2019.03.001>

Zainuri, Jayaputra, Sauqi, A., Sjah, T., & Desiana, R. Y. (2018). Combination of ozone and packaging treatments maintained the quality and improved the shelf life of tomato fruit. *IOP Conference Series: Earth and Environmental Science*, 102, 012027. <https://doi.org/10.1088/1755-1315/102/1/012027>

<https://www.slideshare.net/AndrewGates/pematangan-buah-8> Diakses pada 13 September 2023.

Panduan Penggunaan Generator Ozon Vosoco Ozone Generator Water Air Purifier

Sterilizer 1000 mg - AZ-1000MG-G.

<https://www.panduandaring.com/p/zgl9b7> . Diakses pada 19 Oktober 2023.