



DAFTAR PUSTAKA

- AACC. (1999). *AACC method 74-09 measurement of bread firmness by universal testing machine*.
- AACC. (2000). *Approved methods of the AACC (10th ed.)*. St Paul, MN: AACC.
- Abdullah, B. (2017). Increasing Anthocyanin of Red and Black Rice through Biofortification. *Jurnal Litbang Pertanian*, 36(2), hal 91 – 98
- Agustina, N. (2023). *Sourdough Air Fermentasi Salak dan Pengaruhnya pada Karakteristik Tekstur Roti Tepung Beras*. Universitas Gadjah Mada, Yogyakarta.
- Ali, B., Khan, K. Y., Majeed, H., Jin, Y., Xu, D., Rao, Z., Xu, X. (2022). Impact of Soy–Cow’s mixed milk enzyme modified cheese on bread aroma. *LWT*, 154, Article 112793. <https://doi.org/10.1016/j.lwt.2021.112793>
- Almeida, R., Pereira, T., Almeida, R., Santiago, A., Marsiglia, W., Nabeshima, Conrado, L., Gusmao, R. (2021). Rheological and technological characterization of red rice modified starch and jaboticaba peel powder mixtures. *Scientific Reports*, 11
- Anggraini, S., Yuniningsih, S., Sota, M. (2017). Pengaruh PH terhadap kualitas produk etanol dari molasses melalui proses fermentasi. *Jurnal Reka Buana*, 2(2), 99 – 105
- Arendt, E. dan Galle, S. (2013). Exopolysaccharides from sourdough lactic acid bacteria. *Crit. Rev. Food Sci. Nutr.* 54, 891 – 901
- Arifin, H., Lembong, E., Irawan, A. (2023). Physical Characyeristics of White Bread from Wheat Substitution with Breadfruit and Banana Flour as The Utilization of Local Commodities. *Jurnal Penelitian Pangan*, 3(1), 20 – 26
- Awol, S., Kuyu, C., Berekam T., Abamecha, N. (2024). Physicochemical stability, microbial growth and sensory quality of refined wheat flour as affected by packaging materials during storage. *Journal of Stored Products Research*, 105
- Azadiyah, F. (2011). *Uji Viabilitas Bakteri Asam Laktat (*Bifidobacterium bifidum*) pada Medium Fermentasi Komponen Pembentuk Gel (KPG) Cincau Hitam (*Mesona palustris* BL) : Kajian Konsentrasi KPG dan Jenis KPG Hasil Ekstrak*. Sarjana thesis, Universitas Brawijaya.
- Azkiyah, M., Laga, A., Mahendradatta, M., Shimomura, R. (2021). The effect of rice types on chao properties during fermentation. *Canrea Journal: Food Technology, Nutritiions, and Culinary*, 4(2), 83 – 90



Badan Pusat Statistik Surakarta. (2021). Statistik Daerah Kota Surakarta 2021. Surakarta: Badan Pusat Statistik Surakarta

Biesiekierski, J. R. (2017). What is gluten? *J. Gastroenterol. Hepatol.* 32, hal 78 – 81

Brouns, F., van Rooy, G., Shewry, P., Rustgi, S., Jonkers, D. (2019). Adverse reactions to wheat or wheat components. *Compr. Rev. Food Sci. Food Saf.*, 18 (5), 1437–1452. <https://doi.org/10.1111/1541-4337.12475>.

Cárdenas-Torres, F.I., Cabrera-Chávez, F., Figueroa-Salcido, O.G., Ontiveros, N. (2021). Non-celiac gluten sensitivity: an update. *Medicina* 57 (6), 526. <https://doi.org/10.3390/medicina57060526>.

Cabanillas, B. (2020). Gluten-related disorders: Celiac disease, wheat allergy, and nonceliac gluten sensitivity. *Critical Reviews in Food Science and Nutrition*, 60 (15), halaman 2606 – 2621 <https://doi.org/10.1080/10408398.2019.1651689>

Capriles, V. D., Santos, F. G., & Aguiar, E. V. (2021). Innovative gluten-free breadmaking. In C. M. Galanakis (Ed.). Trends in wheat and bread making. *Academic Press*, 371 – 404 <https://doi.org/10.1016/B978-0-12-821048-2.00013-1>.

Capurso, A. & Capurso, C. (2019). The Mediterranean way: why elderly people should eat wholewheat sourdough bread – a little known component of the Mediterranean diet and healthy food for elderly adults. *Aging Clinical and Experimental Research*, 32, 1 – 5

Catzeddu, P. (2019). Sourdough Breads. In Flour and Breads and their Fortification in Health and Disease Prevention. *Elsevier Inc*, 177 – 188 <https://doi.org/10.1016/B978-0-12-380886-8.10004-2>

Chavan, R. S., & Chavan, S. R. (2011). Sourdough technology-A traditional way for wholesome foods: A review. *Comprehensive Reviews in Food Science and Food Safety*, 10(3), 169–182. <https://doi.org/10.1111/j.1541-4337.2011.00148.x>

Chen, G., Zhou, J., Liu, Y., Lu, X., Han, C., Zhang, W., Xu, Y., Yan, Y. (2016). Biosynthesis and Regulation of Wheat Amylose and Amylopectin from Proteomic and Phosphoproteomic Characterization of Granule-binding Proteins. *Scientific Reports*, 6, [10.1038/srep33111](https://doi.org/10.1038/srep33111)

Chinma, C. E., Anuonye, J. C., Ocheme, O. B., Abdullahi, S., Oni, S., Yakubu, C. M., & Azeez, S. O. (2016). Effect of acha and bambara nut sourdough flour addition on the quality of bread. *LWT - Food Science and Technology*, 70, 223–228. <https://doi.org/10.1016/j.lwt.2016.02.050>



Chockchaisawasdee, S., Mendoza, M., Beecroft, C., Kerr, A., Stathopoulos, C., Fiore, A. (2023). Development of a gluten free bread enriched with faba bean husk as a fibre supplement. *LWT*, 173

Coda, R., Cagno, R., Gobbetti, M., Rizzello, C. (2014). Sourdough lactic acid bacteria: Exploration of non-wheat cereal-based fermentation. *Food Microbiology*, 37, halaman 51 – 58

Daftar Komposisi Bahan Makanan (DBKM). (2019)

Dan, A. & Bhattacharya, S. (2019). Characterization of the batter and gluten-free cake from extruded red rice flour. *LWT*, 102, hal 197 – 204

Dan, H., Gu, Z., Li, C., Fang, Z., Hu, B., Wamg, C., Chen, S., Tang, X., Ren, Y., Wu, W., Zeng, Z., Liu, Y. (2022). Effect of fermentation time and addition amount of rice sourdoughs with different microbial compositions on the physicochemical properties of three gluten-free rice breads. *Food Research International*, 161

Danila, I. R. (2023). Pengaruh Starter Air Fermentasi Buah Nanas Terhadap Bakteri Asam Laktat Dan Yeast Dalam Sourdough Serta Tekstur Roti Tawar Tepung Beras. Sarjana Thesis. Universitas Gadjah Mada. Yogyakarta.

De Vuyst, L., Van Kerrebroeck, S., Leroy, F. (2017). Microbial ecology and process technology of sourdough fermentation. *Adv. Appl. Microbiol.*, 100, 49 –160.

Dong, Y., & Karboune, S. (2021). A review of bread qualities and current strategies for bread bioprotection: Flavor, sensory, rheological, and textural attributes [10.1111/ 1541-4337.12717]. *Comprehensive Reviews in Food Science and Food Safety*, 20(2), 1937 – 1981. <https://doi.org/10.1111/1541-4337.12717>

Du, Y., Dai, Z., Hong., T., Bi, Q., Fan., Xu, X., Xu, X. (2023). Effect of sourdough on the quality of whole wheat fresh noodles fermented with exopolysaccharide lactic acid bacteria. *Food Research International*, 172 <https://doi.org/10.1016/j.foodres.2023.113108>

Eraslan, H., Wehbeh, J., Ermis, E. (2023). Effect of sourdough prepared with the combination of chickpea and carob on bread properties. *International Journal of Gastronomy and Food Science*, 32

Fang, L., Wang, W., Dou, Z., Chen, J., Meng, Y., Cai, L., & Li, Y. (2023). Effects of mixed fermentation of different lactic acid bacteria and yeast on phytic acid degradation and flavor compounds in sourdough. *LWT*, 174 <https://doi.org/10.1016/j.lwt.2023.114438>



Fang, L., Wang, W., Dou, Z., Chen, J., Meng, Y., Cai, L., & Li, Y. (2023). Effects of mixed fermentation of different lactic acid bacteria and yeast on phytic acid degradation and flavor compounds in sourdough. *LWT*, 174, Article 114438. <https://doi.org/10.1016/j.lwt.2023.114438>

Fekri, A., Abedinzadeh, S., Torbati, M., Azadmard-Damirchi, S., Savage, G. (2024). Considering sourdough from a biochemical, organoleptic, and nutritional perspective. *Journal of Food Composition and Analysis*, 125

Feng, Y., Ma, X., Kong, B., Chen, Q., Liu, Q. (2021). Ethanol induced changes in structural, morphological, and functional properties of whey proteins isolates: Influence of ethanol concentration. *Food Hydrocoll*, 111:106379

Franco, W., Evert, K., & Nieuwenhove, C. Van. (2021). Quinoa Flour , the Germinated Grain Flour , and Sourdough as Alternative Sources for GlutenFree Bread Formulation : Impact on Chemical , Textural and Sensorial Characteristics. *Fermentation* 7 (115). <https://doi.org/10.3390/fermentation7030115>

Fu, W., Wang, S., Xue, W. (2024). Mechanism of carbohydrate and protein conversion during sourdough fermentation: An analysis based on representative Chinese sourdough microbiota. *International Journal of Food Microbiology*, 410

Galle, S. (2013). Sourdough: A Tool to Improve Bread Structure. In *Handbook on Sourdough Biotechnologh*, 217 – 228

Galle, S., Schwab, C., Bello, F., Coffey, A., Ganzle, M., Arendt, E. (2012). Influence of in-situ synthesized exopolysaccharides on the quality of gluten-free sorghum sourdough bread. *International Journal of Food Microbiology*, 155

García-Ruiz, A., Bartolomé, B., Cueva, C., Martín-Álvarez, P. J., Moreno-Arribas, M. V. (2009). Inactivation of oenological lactic acid bacteria (*Lactobacillus hilgardii* and *Pediococcus pentosaceus*) by wine phenolic compounds. *J Appl Microbiol*, 107(3), 1042 – 53

Gobbetti, M., Corsetti, A., and Rossi, J. (1994). The sourdough microflora. Interactions between lactic acid bacteria and yeasts: metabolism of carbohydrates. *Appl. Microbiol. Biotechnol*, 41, 456 – 460

Herawati, H. (2018). The Hydrocolloids Potential As Additive Materials To The Qualified Food and Non-Food Products. *Jurnal Litbang Pertanian*, 37(1), 17 – 25 DOI: 10.21082/jp3.v37n1.2018.p17-25

Hernandez-Figueroa, R., Mani-Lopez, E., Lopez-Malo, A. (2023). Antifungal activity of wheat-flour sourdough (Type II) from two different *Lactobacillus*



in vitro and bread. *Applied Food Research*, 3,
<https://doi.org/10.1016/j.afres.2023.100319>

Hryhorenko, N., Krupa-Kozak, U., Barcek, N., Rudnicka, B., Wroblewska, B. (2023). Gluten-free bread enriched with whole-grain red sorghum flour gains favourable technological and functional properties and consumers acceptance. *Journal of Cereal Science*, 110

Hu, H., Guo, J., Huang, Z., Huang, Q., Lu, X. (2023). Effect of different hydrocolloids on the physicochemical, printing, and digestion properties of 3D printed purple sweet potato. *Food Hydrocolloids*, 144

Husniati, Nurdjanah, S., Prakasa, R. (2015). (The Application of Encapsulated Gluten on Tapioca Wet Noodle Making Processing. *Biopropal Industri*, 6(1), 29 – 36

Iqbal, H., Ali, T., Arief, S., Akbar, Q., Saeed, M. (2022). Effects of red rice flour addition on the rheological, textural, sensory and bioactive properties of wheat flour-based pan breads. *International Journal of Food Science and Technology*, 58(1) <https://doi.org/10.1111/ijfs.16047>

Kahaly, G. J., Bartalena, L., Hegedus, L., et al. (2018). *European Thyroid Association. Guidline for the management of Graves' Hyperthyroism*. In: European.

Katsi, P., Kosma, I., Mucgailidou, S., Argiriou, A., Badeka, A., Kontominas, M. (2021). Characterization of Artisanal Spontaneous Sourdough Wheat Bread from Central Greece: Evaluation of Physico-Chemical, Microbiological, and Sensory Properties in Relation to Conventional Yeast Leavened Wheat Bread. *Foods*, 10(3), 635

Kementerian Pertanian. (2018). *Statistik Konsumsi Pangan Tahun*. Jakarta : Pusat Data dan Sistem Informasi Pertanian, Kementerian Pertanian

Kemhay, N. (2024). Karakteristik Dried Sourdough Tomi-Tomi (F;pcourtia inermis Robx) dan Pengaruhnya terhadap Karakteristik Fisik Roti. Sarjana Thesis. Universitas Gadjah Mada. Yogyakarta

Kim, H. W., Lee, I. J., Park, S. M., Lee, J. H., Nguyen, M. H., & Park, H. J. (2019). Effect of hydrocolloid addition on dimensional stability in post-processing of 3D printable cookie dough. *LWT-Food Science & Technology*, 101, 69–75. <https://doi.org/10.1016/j.lwt.2018.11.019>

Kristamtini, Purwaningsih H. (2009). Potensi Pengembangan Beras Merah sebagai Plasma Nutfah Yogyakarta. *Jurnal Litbang Pertanian*, 28(3), 88 – 95



Lancetti, R., Salvucci, E., Moiraghi, M., Perez, G., Sciarini, L. (2022). Gluten-free flour fermented with autochthonous starters for sourdough production: Effect of the fermentation process. *Food Bioscience*, 47

Lau, S., Chong, A., Chin, N., Talib, R., Basha, R. (2021). Sourdough Microbiome Comparison and Benefits. *Microorganism*, 9(7), 1355

Leonard, M.M., Sapone, A., Catassi, C., Fasano, A. (2017). Celiac disease and nonceliac gluten sensitivity: a review. *JAMA*, 318 (7), 647–656. <https://doi.org/10.1001/jama.2017.9730>

Li, H., Fitzgerald, M. A., Prakash, S., Nicholson, T. M., & Gilbert, R. G. (2017). The molecular structural features controlling stickiness in cooked rice, a major palatability determinant. *Scientific Reports*, 7, 43713.

Ma X, Wang J, Gao M, Wang N, Li C, Wang Q. (2021). Effect of pH regulation mode on byproduct ethanol generated from the lactic acid fermentation of Sophora flavescens residues. *J Clean Prod*. 279:123536.

Magalhaes, A., Neves, M., Gasparetto, B., Junior, F., Fonseca, L., Steel, C., Cunha, R. (2023). Organic acids in bread-making affecting gluten structure and digestibility. *Food Research International*, 174 <https://doi.org/10.1016/j.foodres.2023.113520>

Maidana, S., Finch, S., Garro, M., Savoy, G., Ganzle, M., Vignolo, G. (2020). Development of gluten-free breads started with chia and flaxseed sourdoughs fermented by selected lactic acid bacteria. *LWT*, 125

Mani-Lopez, E., Arrioja-Breton, D., & Lopez-Malo, A. (2022). The impacts of antimicrobial and antifungal activity of cell-free supernatants from lactic acid bacteria in vitro and foods. *Comprehensive Reviews in Food Science and Food Safety*, 21 (1), 604–641. <https://doi.org/10.1111/1541-4337.12872>

Mariotti, M., Cappa, C., Picozzi, C., Tedesco, B., Fongaro, L., & Lucisano, M. (2017). Compressed Yeast and Type I Gluten-Free Sourdough in Gluten-Free Breadmaking. *Food and Bioprocess Technology*, 10(5), 962 – 972 <https://doi.org/10.1007/s11947-017-1861-z>

Minervini, F., Di Cagno, R., Lattanzi, A., De Angelis, M., Antonielli, L., Cardinali, G., Cappelle, S., Gobbetti, M. (2012). Lactic acid bacterium and yeast microbiotas of 19 sourdoughs used for traditional/typical Italian breads: Interactions between ingredients and microbial species diversity. *Appl. Environ. Microbiol*, 78, 1251–1264

Montemurro, M., Beccaccioli, M., Perri, G., Rizzello, C., Reverberi, M., Pontonio, E. (2023). A chestnut-hemp type-II sourdough to improve technological,



nutritional, and sensory properties of gluten-free bread. *International Journal of Food Microbiology*, 404
<https://doi.org/10.1016/j.ijfoodmicro.2023.110322>

Moore, M. M., Schober, T. J., Dockery, P., dan Arendt, E. K. (2004). Textural comparisons of gluten-free breads and wheat-based doughs, batters and breads. *Cereal Chemistry*, 81, 567 – 575

Mugiawati, R. E., Suwarno, N. H. (2013). Kadar air dan pH silase rumput gajah pada hari ke-21 dengan penambahan jenis additive dan bakteri asam laktat. *Jurnal Ilmiah Peternakan*, 1(1), 201 – 207

Mygdalia, A., Nouska, C., Hatzikamari, M., Biliaderis, C., Lazaridou, A. (2022). A sourdough process based on fermented chickpea extract as leavening and anti-staling agent for improving the quality of gluten-free breads. *Food Research International*, 159 <https://doi.org/10.1016/j.foodres.2022.111593>

Oktaviany, M., Sutiadiningsih, A., Purwidiani, N., Miranti, M. (2020). Pengaruh Subtitusi Tepung Beras Merah (*Oriza niavara L.*) dengan Penambahan Kopi terhadap Mutu Sensori Rich Biscuit. *Jurnal Tata Boga*, 9(2)

Olojede, A., Sanni, A., Banwo, K. (2020). Rheological, textural and nutritional properties of gluten-free sourdough made with functionally important lactic acid bacteria and yeast from Nigerian sorghum. *LWT - Food Science and Technology*, 120

Oshiro, M., Zendo, T., Nakayama, J. (2021). Diversity and dynamics of sourdough lactic acid bacteriota created by a slow food fermentation system. *Journal of Bioscience and Bioengineering*, 131(4), hal 333 – 340

Park, J. H., Kim, D. C., Lee, S. E., Kim, O. W., Kim, H., Lim, S. T., & Kim, S. S. (2014). Effects of rice flour size fractions on gluten free rice bread. *Food Science and Biotechnology*, 23(6), 1875–1883. <https://doi.org/10.1007/s10068-014-0256-4>

Pellegrini, N., & Agostoni, C. (2015). Nutritional aspects of gluten-free products. *Journal of the Science of Food and Agriculture*, 95(12), 2380–2385. <https://doi.org/10.1002/jsfa.7101>

Priadi, G., Setiyoningrum, F., Afiati, F., Irzaldi, R., Lisdiyanti, P. (2020). Studi In Vitri Bakteri Asam Laktat Kandidat Probiotik dari Makanan Fermentasi Indonesia. *J. Teknol dan Industri Pangan*, 31(1)

Puerta, P., Garzón, R., Rosell, C. M., Fiszman, S., Laguna, L., & Tárrega, A. (2021). Modifying gluten-free bread's structure using different baking conditions:



Impact on oral processing and texture perception. *LWT*, 140, 1–8.
<https://doi.org/10.1016/j.lwt.2020.110718>

Putri, D. N., Windiana, L., Mardhiyah, N. (2019). Analisis Keberhasilan Program Pendampingan Pengembangan Produk UMM Bakery Metode Frozen dan Sourdough sebagai Upaya Meningkatkan Umur Simpan dan Efisiensi Produksi Roti di UMM Bakery. *Jurnal Viabel Pertanian*, 13(2), 1 – 10

Rahayu, A., Haryanto, I., Ulfah, A. (2019). Pengaruh Rasio Tepung Beras Merah (*Oryza Nivara L*) dan Kacang Hijau (*Phaseolus Radiatus L*) pada Produk Snack Bar terhadap Kandungan Protein dan Daya Terima oleh Anak Usia Sekolah. *Journal of Holistic and Health Science*, 3(2), halaman 108

Rahmi, S., Aisyah, Y., Arpi, N. (2018). Pengaruh Jenis dan Konsentrasi Hidrokoloid Terhadap Kadar Air dan Daya Serap Air Mi Kering Ubi Jalar (*Ipomoea batatas L.*), *Jurnal Ilmiah Mahasiswa Pertanian Unsyiah*, 3(1)

Redd, A., Pike, O., Ahlborn, G. (2024). Effects of microbial transglutaminase on gluten-free sourdough bread structure and loaf characteristics. *Journal of Cereal Science*, 115

Restuningtyas, A. D. (2023). *Sourdough Air Fermentasi Papaya (*Carica papaya L.*) dan Pengaruhnya pada Karakteristik Tekstur Roti Tepung Beras*. Universitas Gadjah Mada, Yogyakarta.

Ripari, V., Cecchi, T., & Berardi, E. (2016). Microbiological characterisation and volatiles profile of model, ex-novo, and traditional Italian white wheat sourdoughs. *Food Chemistry*, 205, 297–307.
<https://doi.org/10.1016/j.foodchem.2016.02.150>

Roman, L., Belorio, M., & Gomez, M. (2019). Gluten-free breads: The gap between research and commercial reality. *Comprehensive Reviews in Food Science and Food Safety*, 18(3), 690–702. <https://doi.org/10.1111/1541-4337.12437>

Rosell, C. M. dan Marco, C. (2008). Rice. *Elsevier*, 81 – 96

Sachriani dan Yulianti, Y. (2021). Analisis Kualitas Sensori dan Kandungan Gizi Roti Tawar Tepung Oatmeal Sebagai Pengembangan Produk Pangan Fungsional, *Jurnal Sains Terapan*, 7(2), 26 – 35 DOI: <https://doi.org/10.32487/jst.v7i2.1235>

Sahin, A. W., Tom, R., Emanuele, Z., Claudia, A., Aidan, C., Lynch, K. M., Arendt, E. (2018). Leuconostoc citreum TR116: In - situ production of mannitol in sourdough and its application to reduce sugar in burger buns. *International Journal of Food Microbiology*, 302(8), 80 – 89



- Salovaara, H., Salminen, S., von Wright, A., Ouwehand, A. (2004). *Lactic Acid Bacteria in Cereal-Based Products*. In *Lactic Acid Bacteria. Microbiological and Functional Aspects* Eds. Marcel Dekker: New York, NY, USA, 431 – 451
- Sarjono, P., Mulyani, N., Nopraстиka, I., Ismiyarti, Ngadiwiyan, Prasetya, N. (2021). Pengaruh waktu fermentasi terhadap aktivitas *S. cerevisiae* dalam menghidrolisis eceng gondok (*Eichhornia crassipes*). *Jurnal Penelitian Saintek*, 26(2), 95 – 108
- Savitha, Y. & Singh, V. (2011). Status of dietary fiber contents in pigmented and non-pigmented rice varieties before and after parboiling. *LWT*, 44, 2180 – 2184
- Scazzina, F., Del Rio, D., Pellegrini, N., Brighenti, F. (2009). Sourdough bread: starch digestibility and postprandial glycemic response. *J Cereal Sc*, 49
- Sigüenza-Andrés, T., Gallego, C., & Gómez, M. (2021). Can cassava improve the quality of gluten free breads? *LWT*, 149, 1–6
<https://doi.org/10.1016/j.lwt.2021.111923>
- Singh, P., Arora, A., Strand, T.A., Leffler, D.A., Catassi, C., Green, P.H., Kelly, C.P., Ahuja, V., Makharia, G.K. (2018). Global prevalence of celiac disease: systematic review and meta-analysis. *J. Gastroenterol. Hepatol.* 16 (6), 823–836. <https://doi.org/10.1016/j.cgh.2017.06.037>
- Suardi, D. (2005). Padi beras merah: Pangan Gizi yang Terabaikan? *Warta Penelitian dan Pengembangan Pertanian*, 27(4)
- Sutriyono, A., Kunandar, F., Muhandri, T. (2016). Karakteristik Adonan dan Roti Tawar dengan Penambahan Enzim dan Asam Askorbat pada Tepung Terigu. *Jurnal Mutu Pangan*, 3(2), hal 103 – 110
- Thomas, R., Falegan, C., Olojede, A., et al. (2023). Nutritional and sensory quality of Ofada rice sourdough bread made with selected lactic acid bacteria strains. *Heliyon*, 9 <https://doi.org/10.1016/j.heliyon.2023.e20828>
- Tomic, J., Hadnadev, T., Skrobot, D., Maravic, N., Popovic, N., Stevanovic, D., Hadnadev, M. (2023). Spontaneously fermented ancient wheat sourdoughs in breadmaking: Impact of flour quality on sourdough and bread physico-chemical properties. *LWT*, 175
- Tovar, L. & Ganzle, M. (2021). Degradation of Wheat Germ Agglutinin during Sourdough Fermentation. *Foods*, 10(2), 340



Um, C., Peters, B., Choi, H., Beggs, D., Usyk, M., Hayes, R., Gapstur, S., McCullough, M., Ahn, J. (2023). Grain, Gluten, and Dietary Fiber Intake Influence Gut Microbial Diversity: Data from the Food and Microbiome Longitudinal Investigation. *Cancer Research Communications*, 3(1), halaman 43 – 53

Utami, T., Nurhayati, R., Rahayu, E. (2015). The Effect of Addition of *Lactobacillus plantarum* S4512 on The Microbiological and Chemical Charateristics during Sorghum (*Sorghum bicolor* L. Moench) Fermentation. *Agritech*, 35 (4)

Velez, M., Garzon, R., Felix, D., Saldivar, S., Rosell, C. (2021). Selenized chickpea sourdoughs for the enrichment of breads. *LWT*, 150

Verawati, B. & Yanto, N. (2019). Substitution of Wheat Flour with Durian Seed Flour in Biscuits as a Food Supplement of Under Five Children with Underweight. *MGI*, 14(1), 106 – 114
<https://doi.org/10.204736/mgi.v14i1.106-114>

Verdonck, C., Bondt, Y., Pradal, I., Bautil, A., Langenaeken, N., Brijs, K., Goos, P., Vuyst, L., Courtin, C. (2023). Impact of process parameters on the specific volume of wholemeal wheat bread made using sourdough- and baker's yeast-based leavening strategies. *International Journal of Food Microbiology*, 396
<https://doi.org/10.1016/j.ijfoodmicro.2023.110193>

Wachid, M. & Mutia, P. (2019). Optimasi Media Kulit Singkong pada Pertumbuhan *Sacharomyces Cerreviceae*. *Reka Buana : Jurnal Ilmiah Teknik Sipil dan Teknik Kimia*, 4 (2), 92 – 101

Wandhasari, N., Harisudin, M., Setyowati. (2022). Pengaruh Kualitas Produk, Harga, dan Kualitas Pelayanan terhadap Kepuasan Konsumen Latansa Bakery Surakarta. *Agrista*, 10(2), hal. 1 – 12 ISSN : 2302-1713

Wang, X., Huangfu, X., Zhao, M., Zhao, R. (2023). Chinese traditional sourdough steamed bread made by retarded sponge-dough method: Microbial dynamics, metabolites changes and bread quality during continuous propagation. *Food Research International*, 163

Warburton, A., Silcock, P., Eyres, G. (2022). Impact of sourdough culture on the volatile compounds in wholemeal sourdough bread. *Food Research International*, 161 <https://doi.org/10.1016/j.foodres.2022.111885>

Winarti, W., Bayu, E., Damanik, R. (2018). Keragaan Morfologi dan Kandungan Antosianin Padi Beras Merah (*Oryza sativa L.*) di Kecamatan Munte dan Kecamatan Payung, Kabupaten Karo. *Jurnal Pertanian Tropik*, 5(3), 391 – 403 e-ISSN NO :2356- 4725



Xu, D., Zhang, Y., Tang, K.X., Hu, Y., Xu, X.M., Ganzle, M.G. (2019). Effect of mixed cultures of Yeast and Lactobacilli on the quality of wheat sourdough bread. *Front. Microbiol*, 10, 13

Yang, Q., Markwick, K., Mutukumira, A. (2021). Identification of dominant lactic acid bacteria and yeast in rice sourdough produced in New Zealand. *Current Research in Food Science*, 4, 729 – 736

Yu, Y., Wang, L., Qian, H., Zhang, H., & Qi, X. (2018). Contribution of spontaneously-fermented sourdoughs with pear and navel orange for the bread-making. *LWT*, 89, 336–343. <https://doi.org/10.1016/j.lwt.2017.11.001>

Zainuddin, A. (2016). Analysis Of Gelatine Cornmeal To Making Pasta Fettuccine. *Jurnal Agropolitan*, 3(3), 1 – 8

Zhang, G., Chatzifragkou, A., Charalampopoulos, D., Rodriguez-Garcia, J. (2023). Effect of defatted melon seed residue on dough development and bread quality. *LWT*, 183 <https://doi.org/10.1016/j.lwt.2023.114892>

Zhou, H., Jin, Y., Hong, T., Yang, N., Cui, B., Xu, X., & Jin, Z. (2022). Effect of static magnetic field on the quality of frozen bread dough. *LWT*, 154, 112670. <https://doi.org/10.1016/j.lwt.2021.112670>