



## DAFTAR PUSTAKA

- AACC. (1999). *AACC method 74-09 measurement of bread firmness by universal testing machine*. St Paul: AACC.
- AACC. (2000). *Approved methods of the AACC (10th ed.)*. St Paul: MN: AACC.
- Aissa, M. F.-Y.-B. (2015). Effect of temperature on the solubility of CO<sub>2</sub> in bread dough. *International Journal of Food Properties*, 18(5), 1097-1109.
- Aplevicz, K. S. (2013). *Identificacao de bacterias laticas e leveduras em fermento natural obtido a partis de uva e sua aplicacao em paes*. Universidade Federal de Santa Catarina.
- Arendt, E. K. (2013). Sourdough and Gluten-Free Products. In *In Handbook on Sourdough Biotechnology* (pp. 245-264). US: Springer.
- Arifin, H. L. (2023). Physical Characyeristics of White Bread from Wheat Substitution with Breadfruit and Banana Flour as The Utilization of Local Commodities. *Jurnal Penelitian Pangan*, 3(1), 20-26.
- Arora, K. H. (2021). Thirty years of knowledge on sourdough fermentation: A systemic review. *Trends in Food Science & Technology*, 108, 71-83.
- Balli, D. B. (2019). Study on a fermented whole wheat: Phenolic content, activity on PTP1B Enzyme and In Vitro Prebiotic Properties. *Molecules*, 24(1120).
- Bartkience, E. S.-F. (2013). Influence of the addition of lupin sourdough with different lactobacilli on dough properties and bread quality. *Int. J. Food Sci. Technol.*, 48, 2613-2620.
- Bender, D. F. (2018). Effects of selected lactobacilli on the functional properties and stability of gluten-free sourdough bread. *European Food Research and Technology*, 244, 1037-1046.
- Bennion, M. &. (1975). *Introductory Foods*. New York: Macmillan Publishing Co., Inc.
- Bot, B. S. (2014). Mother dough in bread making. *Journal of Food and Nutrition Sciences*, 2(2), 24-29.
- Bourne, M. (2002). *Food Texture and Viscosity: Concept and Measurement*. Elsevier Science & Technology Books.
- Brooker, B. E. (1996). The role of fat in the stabilisation of gas cells in bread dough. *Journal of Cereal Science*, 24(3), 187-198. doi:10.1006/jcrs.1996.0052



- Cakir, E. M. (2021). Effect of starter culture sourdough prepared with *Lactobacilli* and *Saccharomyces cerevisiae* on the quality of hull-less barley-wheat bread. *LWT - Food Science and Technology*. Retrieved from <https://doi.org/10.1016/j.lwt.2021.112230>
- Calvert, m. D. (2021). A review of sourdough starters: ecology, practices, and sensory quality with applications for baking and recommendations for future research. *PeerJ*, 1-37. doi: 10.7717/peerj.11389
- Campo, E. d.-M. (2016). Impact of sourdough on sensory properties and consumer' preference of gluten-free breads enriched with teff flour. *Journal of Cereal Science*, 67, 75-82.
- Capelli, A. O. (2020). A systematic review of gluten-free dough and bread: Dough rheology, bread characteristic, and improvement strategies. *Applied Sciences*, 10(18), 6559.
- Capriles, V. D. (2016). Gluten-free breadmaking: Improving nutritional and bioactive compounds. *Journal of Cereal Science*, 67, 83-91.
- Chan, K. W. (2012). Simulated Gastrointestinal pH Condition Improves Antioxidant Properties of Wheat and Rice Flours. *Int. J. Mol. Sci.*, 13, 7496-7507.
- Chavan, R. S. (2011). Sourdough Technology - A Traditional Way for Wholesome Foods: A Review. *Comprehensive and Food Safety*, 10(3), 169-182. Retrieved from <https://doi.org/10.1111/j.1541-4337.2011.00148.x>
- Chen L., H. J. (2012). The role of antioxidants in photoprotection: a critical review. *Journal of the American Academy of Dermatology*, 67, 1013-1024.
- Chen, G. Z. (2016). Biosynthesis and Regulation of Wheat Amylose and Amylopectin from Proteomic and Phosphoproteomic Characterization of Granule-binding Proteomic. *Scientific Reports*, 6. doi:10.1038/srep33111
- Chinma, C. E. (2016). Effect of acha and bambara nut sourdough flour addition on the quality of bread. *LWT*, 70, 223-228.
- Clarke, C. I. (2002). Effect of single strain and traditional mixed strain starter cultures on rheological properties of wheat dough and on bread quality. *Cereal Chemistry*, 79, 640-647.
- Coda, R. K. (2014). Influence of particle size on bioprocess induced changes on technological functionally of wheat bran. *Food Microbiology*, 37, 69-77.
- Coda, R. K. (2017). Sourdough-type propagation of faba bean flour: Dynamics of microbial consortia and biochemical implications. *International Journal of Food Microbiology*, 248, 10-21.



- Corsetti, A. (2013). *Technology of sourdough fermentation and sourdough applications*, in: *Handbook on Sourdough Biotechnology*. Boston: Springer.
- Corsetti, A. a. (2007). Lactobacilli in sourdough fermentation. *Food Research International*, 40(5), 539-558.
- Corsetti, A. D. (2003). Characterization of sourdough lactic acid bacteria based on genotypic and cell-wall protein analyses. *Journal of Applied Microbiology*, 94, 641-654.
- Curiel, J. A. (2015). Exploitation of the nutritional and functional characteristic of traditional Italian legumes: The potential of sourdough fermentation. *International Journal of Food Microbiology*, 196, 51-61.
- Danila, I. R. (2023). *Pengaruh Starter Air Fermentasi Buah Nanas Terhadap Bakteri Asam Laktat dan Yeast Dalam Sourdough Serta Tekstur Roti Tawar Tepung Beras*. Yogyakarta: Universitas Gadjah Mada.
- De Vuyst, L. H. (2016). Yeast diversity of sourdoughs and associated metabolic properties and functionalities. *International Journal of Food Microbiology*, 239, 26-34.
- De Vuyst, L. V. (2014). Microbial ecology of sourdough fermentation: Diverse or uniform? *Food Microbiology*, 37, 11-29.
- De Vuyst, L. V. (2017). Microbial and Process Technology of Sourdough Fermentation. *Advances in Applied Microbiology*, 100, 49-160.
- Decock, P. &. (2005). Bread technology and sourdough technology. *Trends in Food Science & Technology*, 16, 113-120.
- Di Monaco, R. T. (2015). Effect of Sourdough with Exopolysaccharide (EPS) - Producing Lactic Acid Bacteria (LAB) on Sensory Quality of Bread during Shelf Life. *Food and Bioprocess Technology*, 8(3), 691-701.
- Elugio, J. L.-M. (2021). Comparison of  $\beta$ -Glucan Content in Milled Rice, Rice Husk and Rice Bran from Rice Cultivars Grown in Different Locations of Thailand and the Relationship between  $\beta$ -Glucan and Amylose Contents. *Molecules*, 26(21). doi:10.3390/molecules26216368
- Eraslan, H. J. (2023). Effect of sourdough prepared with the combination of chickpea and carob on bread properties. *International Journal of Gastronomy and Food Science*, 32.
- Franco, W., Evert, K., & Van Nieuwenhove, C. (2021). Quinoa Flour, the Germinated Grain Flour, and Sourdough as Alternative Sources for Gluten-Free Bread Formulation: Impact on Chemical, Textural and Sensorial



- Characteristics. *Fermentation*, 7(3), 115. Retrieved from <https://doi.org/10.3390/fermentation7030115>
- Fratelli, C. S. (2021). Psyllium Improves the Quality and Shelf Life of Gluten-Free Bread. *Foods*, 954, 1-14.
- Gebski, J. J.-Z.-G. (2019). Impact of nutritional claims on consumer preferences for bread with varied fiber and salt content. *Food Quality and Preference*, 76, 91-99.
- Giuseppe, C. &. (2009). Use of sourdough fermented wheat germ for enhancing the nutritional, texture and sensory characteristic of the white bread. *European Food Research and Technology*, 230, 645-654.
- Gobbetti M., D. A. (2018). Novel insights on the functional/nutritional features of the sourdough fermentation. *International Journal of Food Microbiology*, 302(8), 103-113.
- Gobbetti, M. C. (1994). The sourdough microflora. Interactions between lactic acid bacteria and yeasts: metabolism of amino acids. *World Journal of Microbiology and Biotechnology*, 10, 275-279.
- Gobbetti, M. R. (2014). How the sourdough may affect the functional features of leavened baked goods. *Food Microbiol*, 37, 30-40.
- Gobetti, M. (1998). The sourdough microflora: Interactions of lactic acid bacteria and yeasts. *Trends in Food Science & Technology*, 9, 267-274.
- Gounaridou, C. G. (2023). Impact of dry sourdough based on a fermented chickpea starter on quality characteristic and shelf life of gluten-free bread. *Food Bioscience*, 53, 1-11.
- Hammes, W. P. (1998). Sourdough breads and related products. In B. J. B. Woods. *Microbiology of Fermented Foods*, 1, 199-216.
- Hoseney, R. C. (1994). *Principles of Cereal Science and Technology*. St. Paul: American Assoc of Cereal Chemist.
- Houben A., G. H. (2010). Modification of the rheological behaviour of amaranth (*Amaranthus hypochondriacus*) dough. *Journal of Cereal Science*, 51, 350-356.
- Ilowefah M., C. C. (2014). Fermented brown rice flour as functional ingredient. *Foods*, 3, 149-159.
- Islam, M. T.-U.-D. (2012). Physicochemical and Functional Properties of Brown Rice (*Oryza sativa*) and Wheat (*Triticum aestivum*) Flour and Quality of Composite Biscuit Made Thereof. *The Agriculturists*, 10, 20-28.



- Jagelaviciute, J. D. (2021). The influence of non-traditional sourdough made with quinoa, hemp and chia flour on the characteristic of gluten-free maize/rice bread. *LWT-Food Science and Technology*, 137. Retrieved from <https://doi.org/10.1016/j.lwt.2020.110457>
- Juliano, B. &. (2019). 1-Gross structure and composition of the rice grain. *in Rice (Fourth Edition)* (ed. Bao, J.), 31-53.
- Kahaly, G. J. (2018). Celiac diseases and endocrine autoimmunity - the genetic link. *Autoimmunity Reviews*, 17(12), 1169-1175.
- Katina, K. S.-M. (2006). Effects of sourdough and enzymes on staling of high-fibre wheat bread. *LWT-Food Science and Technology*, 39(5), 479-491.
- Koswara, S. (2009). *Teknologi Pengolahan Beras (Teori dan Praktek)*.
- Lammers, V. R. (2018). The rheology of batch and continuously prepared gluten-free bread dough in oscillatory and capillary shear flow. *Journal of Food Science and Technology*, 55(8), 3077-3084.
- Lau, S. W. (2021). Sourdough microbiome comparison and benefits. *Microorganisms*, 9(7).
- Li, H. F. (2017). The molecular structural features controlling stickiness in cooked rice, a major palatability determinant. *Scientific Reports*, 7.
- Lin, S. G. (2018). Phenolic profiles,  $\beta$ -glucan contents, and antioxidant capacities of colored Qingke (Tibetan hulles barley) cultivars. *J Cereal Sci*, 81, 69-75.
- Liukkonen, K. K. (2003). Process-induced changes on bioactive compounds in whole grain rye. *Proceedings of the Nutrition Society*, 62, 117-122.
- Luh, S. (1991). *Rice Production and Utilization*. New York: The AVI Publishing Company.
- Maidana, D. S. (2020). Development of gluten-free breads started with chia and flaxseed sourdoughs fermented by selected lactic acid bacteria. *LWT Food Sci. Technol.*
- Mariotti, M. C. (2017). Compressed Yeast and Type I Gluten-Free Sourdough in Gluten-Free Breadmaking. *Food and Bioprocess Technology*, 10(5), 962-972. Retrieved from <https://doi.org/10.1007/s11947-017-1861-z>
- Matz, S. A. (1992). *Bakery, Technology and Engineering*, 3rd ed. Texas: Van Nostrand Reinhold.
- Meroth, C. B. (2004). Characterisation of the microbiota of rice sourdoughs and description of *Lactobacillus spicheri* sp. *Syst. Appl. Microbiol.*, 27(2), 151-159.



- Meziani, S. O.-L.-Y. (2015). Antibacterial activity of carob (*Ceratonia siliqua L.*) extracts against phytopathogenic bacteria *Pectobacterium atrosepticum*. *Microbial Pathogenesis*, 78, 95-102.
- Mitreva, E. G. (2018). Optimization of the business processes in a company for manufacture of bread and bakery products in Macedonia. *TEM Journal*, 7(5), 439-445.
- Mohebbi, Z. A. (2018). Effects of beta-glucan and resistant starch on wheat dough and prebiotic bread properties. *J Food Sci Technol*, 55(1), 101-110.
- Monk, J. L. (2013). Effects of milling on proximate composition, folic acid, fatty acids and technological properties of rice. *J. Food Comps. Anal.*, 30, 73-79.
- Moroni, A. V. (2009). Sourdough in gluten-free bread making: An ancient technology to solve a novel issue? *Food Microbiology*, 26(7), 676-684.
- Moroni, A. V. (2012). Exploitation of buckwheat sourdough for the production of wheat bread. *European Food Research and Technology*, 235, 659-668.
- Mouslih, A. K. (2023). Gluten-Free Diet Compliance in Children With Celiac Disease and Its Effect on Clinical Symptoms: A Retrospective Cohort Study. *Cureus*, 15(12).
- Mudjajanto, S. E. (2004). *Membuat Aneka Roti*. Jakarta: Penerbit Swadaya.
- Nawrocka, A. M. (2017). Dehydration of gluten matrix as a result of dietary fibre addition - A study on model flour with application of FT-IR spectoscopy. *Journal of Cereal Science*, 74, 86-94.
- Nionelli, L. M. (2018). Pro-technological and functional characterization of lactic acid bacteria to be used as starters for hemp (*Cannabis sativa L.*) sourdough fermentation and wheat bread fortification. *International Journal of Food Microbiology*, 279, 14-25.
- Nur'aini, A. (2011). *Aplikasi Millet (*Pennisetum Spp*) Merah dan Millet Kuning sebagai Substitusi Terigu dalam Pembuatan Roti Tawar: Evaluasi Sifat Sensoris dan Fisikokimia*. Surakarta: Universitas Sebelas Maret.
- Nutritionix. (2024, February 26). *Nutritionix Database*. Retrieved from Nutritionix: <https://www.nutritionix.com/food/brown-rice-flour>
- Olojede, A. S. (2020). Rheological, textural and nutritional properties of gluten-free sourdough made with functionally important lactic acid bacteria and yeast from Nigerian sorghum. *LWT-Food Science and Technology*(120).
- Osborne, T. B. (1924). The vegetable proteins. *Journal of the Society of Chemical Industry*, 43(17). Retrieved from <https://doi.org/10.1002/jctb.5000431704>



- Oshiro, M. Z. (2021). Diversity and dynamics of sourdough lactic acid bacteriota created by a slow food fermentation system. *Journal of Bioscience and Bioengineering*, 131(4), 333-340.
- Ottogalli, G. G. (1996). Italian bakery products obtained with sourdough: characterization of the typical microflora. *Advances in Food Science*, 18, 131-144.
- Pei, F. S. (2020). Behavioral changes in glutenin macropolymer fermented by *Lactobacillus plantarum* LB-1 to promote the rheological and gas production properties of dough. *Journal of Agricultural and Food Chemistry*, 68(11), 3585-3593.
- Pertanian, K. (2018). *Statistik Konsumsi Pangan Tahun 2018*. Jakarta: Pusat Data dan Sistem Informasi Pertanian, Kementerian Pertanian.
- Pertanian, P. D. (2022). *Statistik Konsumsi Pangan Tahun 2022*. Jakarta: Pusat Data dan Sistem Informasi Pertanian.
- Pontonio, E. D. (2020). Brans from hull-less barley, emmer and pigmented wheat varieties: From by-products to bread nutritional improvers using selected lactic acid bacteria and xylanase. *International Journal of Food Microbiology*, 313.
- Principato, L. G. (2019). Effect of commercial dried sourdoughs on structural characteristic of wheat bread. *Chemical Engineering Transactions*, 75, 349-354.
- Puerta, P. G. (2021). Modifying gluten-free bread's structure using different baking conditions: Impact on oral processing and texture perception. *LWT*, 140, 1-8. Retrieved from <https://doi.org/10.1016/j.lwt.2020.110718>
- Putri, D. &. (2017). Potensi Edamame Sebagai Pengganti Kuning Telur Dalam Pembuatan Donat Mengandung Kentang. *Journal of Food Technology & Industry*, 28(2).
- Redd, A. P. (2024). Effects of microbial transglutaminase on gluten-free sourdough bread structure and loaf characteristics. *Journal of Cereal Science*, 115.
- Reese, A. T. (2020). Influences of Ingredients and Bakers on the Bacteria and Fungi in Sourdough Starters and Bread. *mSphere*, 5(1).
- Renzetti S., A. E. (2009). Effect of protease treatment on the baking quality of brown rice bread: From textural and rheological properties to biochemistry and microstructure. *Journal of Cereal Science*, 50, 22-28.
- Ribet, L. R.-D. (2023). Nutritional benefits of sourdoughs: A systemic review. *Advances in Nutrition*, 14, 22-29.



- Ripari, V. C. (2016). Microbiological characterisation and volatiles profile of model, ex-novo, and traditional italian white wheat sourdoughs. *Food Chemistry*, 205, 297-307.
- Risna, Y. S. (2022). Growth Curve of Lactic Acid Bacteria Isolated from the Digestive Tract of a Native Aceh Ducks. *JPI*, 24(1), 1-7. doi:10.25077/jpi.24.1.1-7.2022
- Rizello, C. G. (2014). Use of sourdough fermentation and mixture of wheat, chickpea, lentil, and bean flours for enhancing the nutritional, texture and sensory characteristic of white bread. *International Journal of Food Microbiology*, 180, 78-87.
- Rizzello, C. G. (2010). Effect of sourdoughs fermentation on stabilisation, and chemical and nutritional characteristics of wheat germ. *Food Chemistry*, 119, 1079-1089.
- Rocha, J. M. (2016). Microbial Ecology Dynamics in Portuguese Broa Sourdough. *Journal of Food Quality*, 39(6), 634-648.
- Sahin, A. W. (2018). Leuconostoc citreum TR116: In-situ production of mannitol in sourdough and its application to reduce sugar in burger buns. *International Journal of Food Microbiology*, 302(8), 80-89.
- Sarjono, P. M. (2021). Pengaruh waktu fermentasi terhadap aktivitas *S. cerevisiae* dalam menghidrolisis eceng gondok (*Eichhornia crassipes*). *Jurnal Penelitian Saintek*, 26(2), 95-108.
- Siguenza-Andres, T. G. (2021). Can cassava improve the quality of gluten free breads. *LWT*, 149.
- Silva, J. D. (2021). Production of sourdough and gluten-free bread with brown rice and carioca and cowpea beans flours: biochemical, nutritional and structural characteristics. *Research, Society and Development*, 10(16), 1-38.
- Sopandi, T. &. (2014). *Mikrobiologi Pangan*.
- Spicher, G. &. (1993). *Handbuch Sauerteig, Biologie-Biochemie-Technologie*.
- Stolz, P. &. (1996). Technology, properties and applications of sourdough products. *Advances in Food Science*, 18, 234-236.
- Stolz, P. (1999). Mikrobiologie des Sauerteiges. In & H. G. Spicher, *Handbuch Sauerteig: Biologie, Biochemie, Technologie 5th ed.* (pp. 35-60). Hamburg: Behr's Verlag.
- Sulistiyowati, E. R. (2020). The Identification of Characteristic Macro-and Micronutrients and the Bioactive Components of Indonesian Local Brown



Rice as of Indonesian Local Brown Rice as a Functional Feed in Obesity Nutrition Therapy. *Curr. Nutr. Food Sci.*, 16, 494-500.

Sun, L. L. (2020). A novel lactic acid bacterium for improving the quality and shelf life of whole wheat bread. *Food Control*, 100(9).

Sun, Q. e. (2010). White rice, brown rice, and risk of type 2 diabetes in US men and women. *Arch. Intern. Med.*, 170, 961-969.

Supasil, R. S. (2022). Improvement of sourdough and bread qualities by fermented water of asian pears and assam tea leaves with co-cultures of *Lactiplantibacillus plantarum* and *saccharomyces cerevisiae*. 1-16.

Thomas, R. F. (2023). Nutritional and sensory quality of Ofada rice sourdough bread made with selected lactic acid bacteria strains. *Heliyon*, 9. Retrieved from <https://doi.org/10.1016/j.heliyon.2023.e20828>

Tomic, J. D.-H. (2023). Spontaneously fermented ancient wheat sourdoughs in breadmaking: Impact of flour quality on sourdough and bread physico-chemical properties. *LWT*, 175.

USDA. (2024, January 4). *AskUSDA*. Retrieved from U.S. Department of Agriculture: <https://ask.usda.gov/s/article/How-much-fiber-is-in-whole-grains-versus-refined-grains-non-whole-grains>

Velez, M. G. (2021). Selenized chickpea sourdoughs for the enrichment of breads. *LWT*, 150. Retrieved from <https://doi.org/10.1016/j.lwt.2021.112082>

Vogel, R. F. (1999). Non-dairy lactic fermentations: the cereal world. *Antonie van Leeuwenhoek*, 76, 403-411.

Vogelmann, S. A. (2009). Adaptability of lactic acid bacteria and yeasts to sourdough prepared from cereals, pseudocereals and cassava and use of competitive strains as starters. *Int. J. Food Microbiol.*, 130, 205-212.

Vrancken, G. R. (2011). Influence of temperature and backslopping time on the microbiota of a type I propagated laboratory wheat sourdough fermentation. *Applied and Environmental Microbiology*, 77, 2716-2726.

Vuyst, L. D. (2005). The sourdough microflora: biodiversity and metabolic interactions. *Trends in Food Science & Technology*, 16, 43-56.

Waters, D. M. (2012). Fibre, protein and mineral fortification of wheat bread through milled and fermented brewer's spent grain enrichment. *European Food Research and Technology*, 235, 767-778.

Wolter, A. H.-S. (2014). Impact of sourdough fermented with *Lactobacillus plantarum* FST 1.7 on baking and sensory properties of gluten-free breads. *European Food Research and Technology*, 239, 1-12.



- Xu, D. Z. (2020). Improving bread aroma using low-temperature sourdough fermentation. *Food Bioscience*, 37(10).
- Yang Q, R.-M. K. (2021). Identification of dominant lactic acid bacteria and yeast in rice sourdough produced in New Zealand. *Curr Res Food Sci*, 4, 729-736.
- Yu, Y. W. (2018). Contribution of spontaneously-fermented sourdoughs with pear and navel orange for the bread-making. *LWT*, 89, 336-343.
- Zhou, H. J. (2022). Effect of static magnetic field on the quality of frozen bread dough. *LWT*, 154.