



DAFTAR PUSTAKA

- Abiala, O., Abiala, M., & Omojola, B. (2022). Quality attributes of chicken Nuggets extended with different legume flours. *Food Production, Processing and Nutrition*, 4(1). <https://doi.org/10.1186/s43014-022-00099-9>
- Abolgasem, F., & Salama, N. A. (2023). Effect of fat replacers on quality characteristics of low fat meat products: a review. *Egyptian Journal of Nutrition*, 38(4), 19–28. <https://doi.org/10.21608/enj.2023.242143.1016>
- Acosta-Pérez, V. J., Zamudio-Flores, P. B., Ornelas-Paz, J. D. J., Palma-Rodríguez, H. M., Juárez-Muñoz, J., & Vargas-Torres, A. (2019). Effects of native and modified starches on the physicochemical and textural properties of rainbow trout (*Oncorhynchus mykiss*) fish burgers. *CYTA - Journal of Food*, 17(1), 207–213. <https://doi.org/10.1080/19476337.2019.1574903>
- Akesowan, A. (2016). Production and storage stability of formulated chicken Nuggets using konjac flour and shiitake mushrooms. *Journal of Food Science and Technology*, 53(10), 3661–3674. <https://doi.org/10.1007/s13197-016-2332-7>
- Alemu, T. (2023). Texture Profile and Design of Food Product. *Journal of Agriculture and Horticulture Research*, 6(2). <https://doi.org/10.33140/jahr.06.02.03>
- Allen, A. M., & Hof, A. R. (2019). Paying the price for the meat we eat. *Environmental Science and Policy*, 97, 90–94. <https://doi.org/10.1016/j.envsci.2019.04.010>
- AOAC. (2005). *Official Method of Analysis of The Association of Official Analytical Chemist*. Association of Official Analytical Chemist.
- Arief, S. (1993). *Metodologi Penelitian Ekonomi*. UI Press.
- Asadollahzadeh, M., Mohammadi, M., & Lennartsson, P. R. (2023). Fungal biotechnology. In *Current Development in Biotechnology and Bioengineering* (pp. 54–57). Elsevier.
- Bakhsh, A., Lee, S. J., Lee, E. Y., Hwang, Y. H., & Joo, S. T. (2021). Evaluation of rheological and sensory characteristics of plant-based meat analog with comparison to beef and pork. *Food Science of Animal Resources*, 41(6), 983–996. <https://doi.org/10.5851/kosfa.2021.e50>
- Bakhsh, A., Lee, S. J., Lee, E. Y., Sabikun, N., Hwang, Y. H., & Joo, S. T. (2021). A novel approach for tuning the physicochemical, textural, and sensory characteristics of plant-based meat analogs with different levels of methylcellulose concentration. *Foods*, 10(3). <https://doi.org/10.3390/foods10030560>
- Barbut, S. (2012). Convenience breaded poultry meat products - New developments. *Trends in Food Science and Technology*, 26(1), 14–20. <https://doi.org/10.1016/j.tifs.2011.12.007>
- Barkman, A. (2023). *Development of Nugget analogue from filamentous fungi cultivated using left over boiling water of tempeh factory*. University of Boras.
- Beecher, G. R. (1999). Phytonutrients' role in metabolism: Effects on resistance to degenerative processes. *Nutrition Reviews*, 57(9 II), 3–6. <https://doi.org/10.1111/j.1753-4887.1999.tb01800.x>
- BeMiller, J., & Whistler, R. (2009). *Starch: Chemistry and Technology*. Academic



Press.

- Bottin, J. H., Swann, J. R., Cropp, E., Chambers, E. S., Ford, H. E., Ghatei, M. A., & Frost, G. S. (2016). Mycoprotein reduces energy intake and postprandial insulin release without altering glucagon-like peptide-1 and peptide tyrosine-tyrosine concentrations in healthy overweight and obese adults: A randomised-controlled trial. *British Journal of Nutrition*, 116(2), 360–374. <https://doi.org/10.1017/S0007114516001872>
- Choi, J. S., & Chin, K. B. (2020). Evaluation of physicochemical and textural properties of chicken breast sausages containing various combinations of salt and sodium tripolyphosphate. *Journal of Animal Science and Technology*, 62(4), 577–586. <https://doi.org/10.5187/JAST.2020.62.4.577>
- Chuah, E. C., & Normah, O. (1998). *Development of low-fat chicken Nuggets*. 26(1), 93–98.
- Cvrk, R., Junuzović, H., Smajić-Bećić, A., Kusur, A., & Brčina, T. (2022). Determination of Crude Fiber Content and Total Sugars in Correlation with the Production Process and Storage Time. *International Journal for Research in Applied Sciences and Biotechnology*, 9(3), 1–6. <https://doi.org/10.31033/ijrasb.9.3.1>
- de Alencar, M. G., de Quadros, C. P., Luna, A. L. L. P., Neto, A. F., da Costa, M. M., Queiroz, M. A. Á., de Carvalho, F. A. L., da Silva Araújo, D. H., Gois, G. C., dos Anjos Santos, V. L., da Silva Filho, J. R. V., & de Souza Rodrigues, R. T. (2022). Grape skin flour obtained from wine processing as an antioxidant in beef burgers. *Meat Science*, 194. <https://doi.org/10.1016/j.meatsci.2022.108963>
- De Backer, C. J. S., & Hudders, L. (2014). From Meatless Mondays to Meatless Sundays: Motivations for Meat Reduction among Vegetarians and Semi-vegetarians Who Mildly or Significantly Reduce Their Meat Intake. *Ecology of Food and Nutrition*, 53(6), 639–657. <https://doi.org/10.1080/03670244.2014.896797>
- Devezaux de Lavergne, M., Van de Velde, F., & Stieger, M. (2017). Bolus matters: the influence of food oral breakdown on dynamic texture perception. *Food and Function*, 8(2), 464–480. <https://doi.org/10.1039/c6fo01005a>
- Di Monaco, R., Cavella, S., & Masi, P. (2008). Predicting sensory cohesiveness, hardness and springiness of solid foods from instrumental measurements. *Journal of Texture Studies*, 39(2), 129–149. <https://doi.org/10.1111/j.1745-4603.2008.00134.x>
- Elvira, N., Wisaniyasa, N. W., & Hapsari, N. M. I. (2019). Studi Sifat Kimia, Fungsional, dan Daya Cerna Protein Tepung Kecambah Kacang Tunggak (*Vigna unguiculata* (L.) Walp). *Media Ilmiah Teknologi Pangan (Scientific Journal of Food Technology)*, 6(1), 43–53.
- Fadlilah, A., Rosyidi, D., & Susilo, A. (2022). KARAKTERISTIK WARNA L* a* b* DAN TEKSTUR DENDENG DAGING KELINCI YANG DIFERMENTASI DENGAN *Lactobacillus plantarum*. *Wahana Peternakan*, 6(1), 30–37. <https://doi.org/10.37090/jwputb.v6i1.533>
- Fan, M., Huang, Q., Zhong, S., Li, X., Xiong, S., Xie, J., Yin, T., Zhang, B., & Zhao, S. (2019). Gel properties of myofibrillar protein as affected by



- gelatinization and retrogradation behaviors of modified starches with different crosslinking and acetylation degrees. *Food Hydrocolloids*, 96, 604–616. <https://doi.org/10.1016/j.foodhyd.2019.05.045>
- Glorieux, S., Goemaere, O., Steen, L., & Fraeye, I. (2017). Phosphate reduction in emulsified meat products: Impact of phosphate type and dosage on quality characteristics. *Food Technology and Biotechnology*, 55(3), 390–397. <https://doi.org/10.17113/ft.b.55.03.17.5089>
- Godfray, H. C. J., Aveyard, P., Garnett, T., Hall, J. W., Key, T. J., Lorimer, J., Pierrehumbert, R. T., Scarborough, P., Springmann, M., & Jebb, S. A. (2018). Meat consumption, health, and the environment. *Science (New York, N.Y.)*, 361(6399). <https://doi.org/10.1126/science.aam5324>
- Godschalk-Broers, L., Sala, G., & Scholten, E. (2022). Meat Analogues: Relating Structure to Texture and Sensory Perception. *Foods*, 11(15). <https://doi.org/10.3390/foods11152227>
- Gunorubon, J., & Kekpugile, K. (2012). Modification of Cassava Starch for Industrial Uses. *International Journal of Engineering and Technology*, 2(6), 913–919.
- Harris, H. C., Edwards, C. A., & Morrison, D. J. (2019). Short chain fatty acid production from mycoprotein and mycoprotein Fibre in an in vitro fermentation model. *Nutrients*, 11(4). <https://doi.org/10.3390/nu11040800>
- Haryati, S., Sudjatinah, Putri, S. K., & Apriliani, P. (2021). The impact of various concentration of maizena flour on the physicochemistry and organoleptic properties of petis. *Journal of Applied Food Technology*, 8(1), 23–28.
- Hashempour-Baltork, F., Jannat, B., Dadgarnejad, M., Mirza Alizadeh, A., Khosravi-Darani, K., & Hosseini, H. (2023). Mycoprotein as chicken meat substitute in Nuget formulation: Physicochemical and sensorial characterization. *Food Science and Nutrition*. <https://doi.org/10.1002/fsn3.3354>
- Hashempour-Baltork, F., Khosravi-Darani, K., Hosseini, H., Farshi, P., & Reihani, S. F. S. (2020). Mycoproteins as safe meat substitutes. *Journal of Cleaner Production*, 253, 119958. <https://doi.org/10.1016/J.JCLEPRO.2020.119958>
- Herz, E., Kinne, T., Terjung, N., Gibis, M., & Weiss, J. (2023). Influence of extrudate to SPI-gel-binder ratios and transglutaminase crosslinking on texture of a plant-based salami analogue. *Future Foods*, 7. <https://doi.org/10.1016/j.fufo.2023.100235>
- Herz, E., Moll, P., Schmitt, C., & Weiss, J. (2023). Binders in foods: Definition, functionality, and characterization. *Food Hydrocolloids*, 145. <https://doi.org/10.1016/j.foodhyd.2023.109077>
- Ilic, J., Djekic, I., Tomasevic, I., van den Berg, M., & Oosterlinck, F. (2023). The origins of chewiness in plant-based burgers. *Science Talks*, 6, 100189. <https://doi.org/10.1016/j.sctalk.2023.100189>
- Ismail, N. A., Bakar, J., Sazili, A. Q., & Ismail-Fitry, M. R. (2021). Effect of different levels of fat, sodium chloride, and sodium tripolyphosphate on the physicochemical and microstructure properties of Jamnapari goat meat emulsion modelling system. *International Food Research Journal*, 28(5), 916–925.



- Jiang, S., Zhao, D., Nian, Y., Wu, J., Zhang, M., Li, Q., & Li, C. (2021). Ultrasonic treatment increased functional properties and in vitro digestion of actomyosin complex during meat storage. *Food Chemistry*, 352. <https://doi.org/10.1016/j.foodchem.2021.129398>
- Kamani, M. H., Meera, M. S., Bhaskar, N., & Modi, V. K. (2019). Partial and total replacement of meat by plant-based proteins in chicken sausage: evaluation of mechanical, physico-chemical and sensory characteristics. *Journal of Food Science and Technology*, 56(5), 2660–2669. <https://doi.org/10.1007/s13197-019-03754-1>
- Karma, I. G. M. (2020). Determination and Measurement of Color Dissimilarity. *International Journal of Engineering and Emerging Technology*, 5(1), 67. <https://doi.org/10.24843/ijeet.2020.v05.i01.p13>
- Kowalski, Z., Kijkowska, R., Pawlowska-kozińska, D., & Wzorek, Z. (2002). Sodium Tripolyphosphate and other Condensed Sodium Phosphates Production Methods. *Polish Journal Oj Chemical Technology*, 4(3), 27–33.
- Kumar, P., Mehta, N., Malav, O. P., Verma, A. K., Umraw, P., & Kanth, M. K. (2018). The structure of meat analogs. In *Encyclopedia of Food Chemistry* (pp. 105–109). <https://doi.org/10.1016/B978-0-08-100596-5.21705-8>
- Kurniawan, O. F. (2018). *PENGARUH TEPUNG SAGU SEBAGAI BAHAN ALTERNATIF PENGGANTI BORAKS TERHADAP SIFAT FISIK DAN ORGANOLEPTIK BAKSO SAPI*. Universitas Katolik Soegijapranata.
- Kyriakopoulou, K., Keppler, J. K., & van der Goot, A. J. (2021). Functionality of ingredients and additives in plant-based meat analogues. *Foods*, 10(3). <https://doi.org/10.3390/foods10030600>
- Laaman, T. R. (2011). Hydrocolloids in Food Processing. In *Hydrocolloids in Food Processing*. <https://doi.org/10.1002/9780813814490>
- Laksono, U. T., Nurhayati, T., & Romli, M. (2019). Peningkatan Kualitas Tekstur Surimi Ikan Malong Dengan Sodium Tripolifosfat Dan Aktivator Transglutaminase. *JPHPI*, 22(2), 198–208.
- Lapu, F. U., Achmanu, & Fitiasari, E. (2014). *Pengaruh Pemberian Pakan Limbah Rumah Makan Masakan Padang pada Formulasi Ransum Ayam Broiler terhadap Kecernaan Protein Kasar dan Lemak Kasar*. Universitas Tribhuwana Tunggadewi.
- Lin, Q., Sang, M., Jin, H., Huang, D., Zhang, Y., Han, J., & Ye, A. (2023). Protein digestibility of textured wheat protein (TWP)-based meat analogs: (II) Effects of sodium tripolyphosphate. *Food Research International*, 173. <https://doi.org/10.1016/j.foodres.2023.113280>
- Liu, H., Nie, Y., & Chen, H. (2014). Effect of different starches on colors and textural properties of surimi-starch gels. *International Journal of Food Properties*, 17(7), 1439–1448. <https://doi.org/10.1080/10942912.2012.680224>
- Mabrouki, S., Brugia Paglia, A., Glorio Patrucco, S., Tassone, S., & Barbera, S. (2023). Texture profile analysis of homogenized meat and plant-based patties. *International Journal of Food Properties*, 26(2), 2757–2771. <https://doi.org/10.1080/10942912.2023.2255758>
- Mancini, R. A., & Hunt, M. C. (2005). Current research in meat color. *Meat*



- Science*, 71(1), 100–121. <https://doi.org/10.1016/j.meatsci.2005.03.003>
- Mazumder, M. A. R., Panipat, W., Chaijan, M., Shetty, K., & Rawdkuen, S. (2023). Role of plant protein on the quality and structure of meat analogs: A new perspective for vegetarian foods. *Future Foods*, 8. <https://doi.org/10.1016/j.fufo.2023.100280>
- Meatless Monday Indonesia. (2021). *Gerakan Meatless Monday Indonesia*. <https://meatlessmondayindonesia.com/>
- Mirazimi, F., Saldo, J., Sepulcre, F., & Pujolà, M. (2023). Study the correlation between the instrumental and sensory evaluation of 3D-printed protein-fortified potato puree. *European Food Research and Technology*, 249(6), 1669–1675. <https://doi.org/10.1007/s00217-023-04246-5>
- Nareswara, A. S., Sarah, S., & Dewi, D. P. (2018). Physical characteristics, organoleptic property and dietary fiber content on gourd fruit flour additions to Nile Tilapia Nugget. *The First International Conference of Food and Agriculture*, 282–287.
- Nasatto, P. L., Pignon, F., Silveira, J. L. M., Duarte, M. E. R., Noseda, M. D., & Rinaudo, M. (2015). Methylcellulose, a cellulose derivative with original physical properties and extended applications. *Polymers*, 7(5), 777–803. <https://doi.org/10.3390/polym7050777>
- Nielsen, S. S. (2010). Food analysis. In *Public Health* (4th ed., Vol. 39, Issue C). Springer.
- Niwa, E., Tsujimoto, K., & Kanoh, S. (1992). Kamaboko Gel-strengthening Effect of Polyuronides and Other Polysaccharides. *Nippon Suisan Gakkaishi (Japanese Edition)*, 58(1), 85–88. <https://doi.org/10.2331/suisan.58.85>
- Nor Salasiah, M., & Jirarat, T. (2018). Effect of food additives on the quality of white shrimp (*Litopenaeus vannamei*). *Food Research*, 2(6), 546–554. [https://doi.org/10.26656/fr.2017.2\(6\).114](https://doi.org/10.26656/fr.2017.2(6).114)
- Nursanty, D. Saputra, B. Santoso, & Y. Sugiarti. (2020). Pengaruh penambahan STPP (Sodium tripolyphosphate) terhadap penurunan kadar asam oksalat pada pati talas. *Prosiding Seminar Nasional Lahan Suboptimal*, 978–979.
- Pascua, Y., Koç, H., & Foegeding, E. A. (2013). Food structure: Roles of mechanical properties and oral processing in determining sensory texture of soft materials. *Current Opinion in Colloid and Interface Science*, 18(4), 324–333. <https://doi.org/10.1016/j.cocis.2013.03.009>
- Pematileke, N., Kaur, M., Adhikari, B., & Torley, P. J. (2022). Relationship between instrumental and sensory texture profile of beef semitendinosus muscles with different textures. *Journal of Texture Studies*, 53(2), 232–241. <https://doi.org/10.1111/jtxs.12623>
- Pereira, J., Hu, H., Xing, L., Zhang, W., & Zhou, G. (2020). Influence of rice flour, glutinous rice flour, and tapioca starch on the functional properties and quality of an emulsion-type cooked sausage. *Foods*, 9(1). <https://doi.org/10.3390/foods9010009>
- Pérez-Mateos, M., & Montero, P. (2000). Contribution of hydrocolloids to gelling properties of blue whiting muscle. *European Food Research and Technology*, 210(6), 383–390. <https://doi.org/10.1007/s002170050568>
- Petrović, S. M., Savić, S. R., & Petronijević, Ž. B. (2016). Macro- and micro-



- element analysis in milk samples by inductively coupled plasma - Optical emission spectrometry. *Acta Periodica Technologica*, 47, 51–62. <https://doi.org/10.2298/APT1647051P>
- Priyanto, A. D., & Djajati, S. (2020). Pengaruh jenis bahan pengikat dan konsentrasi pada formulasi sosis dari kerang hijau dan tepung tepung. *Jurnal Ilmu Pangan Dan Hasil Pertanian*, 4(1), 28–42.
- Rahman, M. S., & Al-Farsi, S. A. (2005). Instrumental texture profile analysis (TPA) of date flesh as a function of moisture content. *Journal of Food Engineering*, 66(4), 505–511. <https://doi.org/10.1016/j.jfoodeng.2004.04.022>
- Rahman, M. S., Al-Waili, H., Guizani, N., & Kasapis, S. (2007). Instrumental-sensory evaluation of texture for fish sausage and its storage stability. *Fisheries Science*, 73(5), 1166–1176. <https://doi.org/10.1111/j.1444-2906.2007.01449.x>
- Rios, R. V., Pessanha, M. D. F., de Almeida, P. F., Viana, C. L., & Lannes, S. C. da S. (2014). Application of fats in some food products. *Food Science and Technology*, 34(1), 3–15. <https://doi.org/10.1590/S0101-20612014000100001>
- Rodriguez-Huezo, M. E., Valeriano-Garcia, N., Totosaus-Sanchez, A., Vernon-Carter, E. J., & Alvarez-Ramirez, J. (2022). The effect of the addition of soluble fibers (polydextrose, corn, pea) on the color, texture, structural features and protein digestibility of semolina pasta. *Applied Food Research*, 2(2). <https://doi.org/10.1016/j.afres.2022.100187>
- Rosenthal, A. J., & Thompson, P. (2021). What is cohesiveness?—A linguistic exploration of the food texture testing literature. *Journal of Texture Studies*, 52(3), 294–302. <https://doi.org/10.1111/jtxs.12586>
- RUTENBERG, M. W., & SOLAREK, D. (1984). Starch Derivatives: Production and Uses. In *Starch: Chemistry and Technology* (pp. 311–388). <https://doi.org/10.1016/b978-0-12-746270-7.50016-1>
- Ruusunen, M., Vainionpää, J., Puolanne, E., Lyly, M., Lähteenmäki, L., Niemistö, M., & Ahvenainen, R. (2003). Physical and sensory properties of low-salt phosphate-free frankfurters composed with various ingredients. *Meat Science*, 63(1), 9–16. [https://doi.org/10.1016/S0309-1740\(02\)00044-X](https://doi.org/10.1016/S0309-1740(02)00044-X)
- Sakai, K., Sato, Y., Okada, M., & Yamaguchi, S. (2021). Improved functional properties of meat analogs by laccase catalyzed protein and pectin crosslinks. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-96058-4>
- Salim, A. P. A. de A., Suman, S. P., Canto, A. C. V. da C. S., da Costa-Lima, B. R. C., Viana, F. M., Monteiro, M. L. G., da Silva, T. J. P., & Conte-Junior, C. A. (2019). Influence of muscle source on proximate composition, texture profile and protein oxidation of beef from grain-finished bos indicus cattle. *Ciencia Rural*, 49(4). <https://doi.org/10.1590/0103-8478cr20180996>
- Sarkar, N. (1979). Thermal gelation properties of methyl and hydroxypropyl methylcellulose. *Journal of Applied Polymer Science*, 24(4), 1073–1087. <https://doi.org/10.1002/app.1979.070240420>
- Schreuders, F. K. G., Schlangen, M., Kyriakopoulou, K., Boom, R. M., & van der Goot, A. J. (2021). Texture methods for evaluating meat and meat analogue structures: A review. *Food Control*, 127. <https://doi.org/10.1016/j.foodcont.2021.108103>



- Semba, R. D., Neu, P., Berg, P., Harding, J., McKenzie, S., & Ramsing, R. (2024). The origins and growth of the Meatless Monday movement. *Front. Nutr.*, 11. <https://doi.org/https://doi.org/10.3389/fnut.2024.1283239>
- Setiaboma, W., & Kristanti, D. (2021). Quality of physicochemical and sensory of mushroom (*Pleurotus ostreatus*) chicken Nuggets with carrageenan and konjac as hydrocolloids. *IOP Conference Series: Materials Science and Engineering*, 1011(1). <https://doi.org/10.1088/1757-899X/1011/1/012014>
- Setyaningsih, D., Siregar, M. S., Pasaribu, P. Y., & Muna, N. (2023). Formulation of Palm Oil Based Fat Replacer and Its Application on Meat Analogue. *IOP Conference Series: Earth and Environmental Science*, 1187(1). <https://doi.org/10.1088/1755-1315/1187/1/012001>
- Shahbazpour, N., Khosravi-Darani, K., Sharifan, A., & Hosseini, H. (2021). Replacement of meat by mycoproteins in cooked sausages: Effects on oxidative stability, texture, and color. *Italian Journal of Food Science*, 33(SP1), 163–169. <https://doi.org/10.15586/IJFS.V33ISP1.2093>
- Sharima-Abdullah, N., Hassan, C. Z., Arifin, N., & Huda-Faujan, N. (2018). Physicochemical properties and consumer preference of imitation chicken Nuggets produced from chickpea flour and textured vegetable protein. *International Food Research Journal*, 25(3), 1016–1025.
- Sinhamahapatra, M. (2022). Environmental issues in meat industry and their solutions- A review. *Indian Journal of Animal Health*. <https://doi.org/10.36062/ijah.2022.spl.02922>
- Sinko, P. J., & Sing, Y. (2011). Martins Physical pharmacy and pharmaceutical sciences. In *Lippincott williams & Wilkins,wolter kluwer* (6th ed.). Lippincott Williams & Wilkins.
- Sofyan, I. (2018). PENGARUH KONSENTRASI BAHAN PENGISI DAN SODIUM TRIPOLYPHOSPHATE (Na₅P₃O₁₀) TERHADAP KARAKTERISTIK SOSIS JAMUR TIRAM PUTIH (*Pleurotus ostreatus*). *Pasundan Food Technology Journal*, 5(1), 25. <https://doi.org/10.23969/pftj.v5i1.807>
- Song, K. Y., & Kim, Y. (2021). Effects of Fat Replacement by Hydroxypropyl Methylcellulose (HPMC) on the Physicochemical, Textural, and Sensory Properties of Reduced-Fat Soy Sausages. *Progress in Nutrition*, 23(4). <https://doi.org/10.23751/pn.v23i4.9509>
- Spence, C. (2015). On the psychological impact of food colour. *Flavour*, 4(1). <https://doi.org/10.1186/s13411-015-0031-3>
- Sudarmadji, S. (2003). *Mikrobiologi Pangan*. PAU Pangan dan Gizi.
- Surjoseputro, S., Naryanto, P. S., & Fatoni, M. (2004). Effect of Sodium Tripolyphosphate (STPP) to Physicochemical and Sensory Characteristics of Turkey Nuggets Derived from White and Dark Turkey Meats. *Indonesian Food and Nutrition Progress*, 11(2).
- Szczesniak, A. S. (2002). Texture is a sensory property. *Food Quality and Preference*, 13(4), 215–225. [https://doi.org/10.1016/S0950-3293\(01\)00039-8](https://doi.org/10.1016/S0950-3293(01)00039-8)
- Tuankriangkrai, S., & Benjakul, S. (2010). Effect of Modified Tapioca Starch on the Stability of Fish Mince Gels Subjected To Multiple Freeze-Thawing. *Journal of Muscle Foods*, 21(3), 399–416. <https://doi.org/10.1111/j.1745-6535.2010.00399.x>



4573.2009.00190.x

- Tunnarut, D., Nopwinyuwong, A., & Tanakamolpradit, T. (2022). Quality improvement of plant-based patty using methylcellulose, κ -carrageenan and xanthan gum. *Journal of Current Science and Technology*, 12(2), 327–335. <https://doi.org/10.14456/jcst.2022.25>
- Uraives, P., & Choomjaihan, P. (2019). Some physicochemical properties of tapioca starch during infrared heat treatment. *IOP Conference Series: Earth and Environmental Science*, 301(1). <https://doi.org/10.1088/1755-1315/301/1/012044>
- Weerasinghe, R. K. L., Wickramasinghe, I., & Somendrika, M. A. D. (2021). Determining The Effect Of Replacing Composite Flour Mixture With Cassava Starch On Nutritional And Physical Properties Of Chicken Sausages. *Potravinarstvo Slovak Journal of Food Sciences*, 15, 792–798. <https://doi.org/10.5219/1611>
- Wei, S., Liang, X., Kong, B., Cao, C., Zhang, H., Liu, Q., & Wang, H. (2023). Investigation of the effects and mechanism of incorporation of cross-linked/acetylated tapioca starches on the gel properties and in vitro digestibility of kung-wan. *Meat Science*, 204. <https://doi.org/10.1016/j.meatsci.2023.109265>
- Widati, A. S., Widayastuti, E. S., Rulita, & Zenny, M. S. (2018). The effect of addition tapioca starch on quality of chicken meatball chips with vacuum frying method. *Angewandte Chemie International Edition*, 6(11), 951–952., 21(2), 10–27.
- Wijono, W. K., & Estiasih, T. (2021). The effect of lesser yam tuber flour (*Dioscorea esculenta*) and cooking methods on meat analogue chemical and textural properties. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 4(2), 162–170. <https://doi.org/10.21776/ub.afssaae.2021.004.02.10>
- Wikandari, R., Tanugraha, D. R., Yastanto, A. J., Manikharda, Gmoser, R., & Teixeira, J. A. (2023). Development of Meat Substitutes from Filamentous Fungi Cultivated on Residual Water of Tempeh Factories. *Molecules*, 28(3). <https://doi.org/10.3390/molecules28030997>
- Wojciech, M., & Maciej, T. (2011). Color difference Delta E - A survey. *Machine Graphics and Vision*, 20(4), 383–411. http://www.researchgate.net/publication/236023905_Color_difference_Delta_E_-_A_survey
- Wu, G., Ross, C. F., Morris, C. F., & Murphy, K. M. (2017). Lexicon Development, Consumer Acceptance, and Drivers of Liking of Quinoa Varieties. *Journal of Food Science*, 82(4), 993–1005. <https://doi.org/10.1111/1750-3841.13677>
- Wu, M., Wang, J., Ge, Q., Yu, H., & Xiong, Y. L. (2018). Rheology and microstructure of myofibrillar protein-starch composite gels: Comparison of native and modified starches. *International Journal of Biological Macromolecules*, 118, 988–996. https://crai.referencistas.com:2077/S0141813018319925/1-s2.0-S0141813018319925-main.pdf?_tid=d2c45926-ec88-428a-99a6-d9e50ef74ea0&acdnat=1540482586_cc49b23dc5e3ce4a1f5ea1869bb984af



- Wu, S., Bhat, Z. F., Gounder, R. S., Ahmed, I. A. M., Al-Juhaimi, F. Y., Ding, Y., & Bekhit, A. E. D. A. (2022). Effect of Dietary Protein and Processing on Gut Microbiota—A Systematic Review. *Nutrients*, 14(3). <https://doi.org/10.3390/nu14030453>
- Young, L. L., Lyon, C. E., Searcy, G. K., & Wilson, R. L. (1987). Influence of Sodium Tripolyphosphate and Sodium Chloride on Moisture-Retention and Textural Characteristics of Chicken Breast Meat Patties. *Journal of Food Science*, 52(3), 571–574. <https://doi.org/10.1111/j.1365-2621.1987.tb06677.x>
- Youssef, M. K., & Barbut, S. (2011). Effects of two types of soy protein isolates, native and preheated whey protein isolates on emulsified meat batters prepared at different protein levels. *Meat Science*, 87(1), 54–60. <https://doi.org/10.1016/j.meatsci.2010.09.002>
- Yuanita, L. (2008). PENENTUAN KADAR STPP FOOD GRADE UNTUK MENINGKATKAN MASA SIMPAN IKAN NILA TILAPIA (*Oreochromis niloticus* L.). *Berkala Penelitian Hayati*, 13(2), 179–186. <https://doi.org/10.23869/bphjbr.13.2.200814>
- Yulianti, A., & Cahyani, S. F. (2021). Perancangan Pabrik Sodium Tripolyphosphate dari Asam Fosfat dan Natrium Karbonat dengan Proses Polikondensasi Kapasitas 50.000 Ton/Tahun. *Jurnal Tugas Akhir Teknik Kimia*, 4(2), 103–107.
- Yuniarti, C. W., Mbapa, F., & Sarjono, W. (2023). Physicochemical, Organoleptic and Business Feasibility Analysis of Chicken Nuggets With Varying Dosages of Moringa Leaves and Tapioca Flour. *Russian Journal of Agricultural and Socio-Economic Sciences*, 138(6), 101–114. <https://doi.org/10.18551/rjoas.2023-06.14>
- Zahari, I., Ferawati, F., Helstad, A., Ahlström, C., Östbring, K., Rayner, M., & Purhagen, J. K. (2020). Development of high-moisture meat analogues with hemp and soy protein using extrusion cooking. *Foods*, 9(6). <https://doi.org/10.3390/foods9060772>
- Zhang, C., Chen, X., Li, Y., Ding, W., & Fu, G. (2018). Water-energy-food nexus: Concepts, questions and methodologies. *Journal of Cleaner Production*, 195, 625–639. <https://doi.org/10.1016/j.jclepro.2018.05.194>
- Zhang, L., & Barbut, S. (2005). Effects of regular and modified starches on cooked pale, soft, and exudative; normal; and dry, firm, and dark breast meat batters. *Poultry Science*, 84(5), 789–796. <https://doi.org/10.1093/ps/84.5.789>
- Zhang, L., Lin, Y. H., Leng, X. J., Huang, M., & Zhou, G. H. (2013). Effect of sage (*Salvia officinalis*) on the oxidative stability of Chinese-style sausage during refrigerated storage. *Meat Science*, 95(2), 145–150. <https://doi.org/10.1016/j.meatsci.2013.05.005>
- Zhao, X., Zeng, L., Huang, Q., Zhang, B., Zhang, J., & Wen, X. (2022). Structure and physicochemical properties of cross-linked and acetylated tapioca starches affected by oil modification. *Food Chemistry*, 386. <https://doi.org/10.1016/j.foodchem.2022.132848>