



BAB VI DAFTAR PUSTAKA

- Abid, Y., Joulak, I., Ben Amara, C., Casillo, A., Attia, H., Gharsallaoui, A., Azabou, S. (2018). Study of Interactions between Anionic Exopolysaccharides Produced by Newly Isolated Probiotic Bacteria and Sodium Caseinate. *Colloids Surf. B Biointerfaces*, 167, 516–523.
- AM Moghannem, S., M.S.Farag, M., Shehab, A. M., & Salah Azab, M. (2017). Media Optimization for Exopolysaccharide Producing *Klebsiella oxytoca* KY498625 under Varying Cultural Conditions. *International Journal of Advanced Research in Biological Sciences (IJARBS)*, 4(3), 16–30. <https://doi.org/10.22192/ijarbs.2017.04.03.002>
- Angelin, J., & Kavitha, M. (2020). Exopolysaccharides from probiotic bacteria and their health potential. In *International Journal of Biological Macromolecules* (Vol. 162, pp. 853–865). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2020.06.190>
- Anonim. (2024). *Flacourtie inermis Roxb.* [Online] Available from: <https://www.nparks.gov.sg/florafaunaweb/flora/2/9/2920> [Accessed 3rd March 2024].
- AOAC. (1999). *AOAC Official Method 962.12. Acidity (Titratable) of Wine*. Official Method of Analysis, 16th ed. Virginia: Arlington.
- Axelsson, L. (2004). *Lactic acid bacteria: classification and physiology*. In Salminen, S., Wright, A.V., Ouwehand, A., editors. *Lactic Acid Bacteria: Microbiological and Functional Aspects*. 3rd edition, revised and expanded. New York: Marcel Dekker, Inc.
- Azizah dan Azhar, M. (2022). Identifikasi Gen 16S rRNA Bakteri Asam Laktat UBCDTK-01 dari Dadih. *Periodic*, 11(2), 31–35.
- Azni, I. N., Prabawati, A. T. A., Basriman, I., & Amelia, J. R. (2023). Quality Characteristics of Sourdough Bread with The Addition of Water Yest and Wheat-Mocaf Flours Combination. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 12(2), 350. <https://doi.org/10.23960/jtep-l.v12i2.350-362>
- Bartkiene, E., Bartkevics, V., Krungleviciute, V., Pugajeva, I., Zadeike, D., & Juodeikiene, G. (2017). Lactic Acid Bacteria Combinations for Wheat Sourdough Preparation and Their Influence on Wheat Bread Quality and Acrylamide Formation. *Journal of Food Science*, 82(10), 2371–2378. <https://doi.org/10.1111/1750-3841.13858>
- Bergmaier, D., Champagne, C.P., Lacroix, C. (2005). Growth and Exopolysaccharide Production during Free and Immobilized Cell Chemostat Culture of *Lactobacillus rhamnosus* RW-9595M. *J. Appl. Microbiol.* 98, 272–284.



- Bockwoldt, J. A., Stahl, L., Ehrmann, M. A., Vogel, R. F., & Jakob, F. (2020). Persistence and β -glucan formation of beer-spoiling lactic acid bacteria in wheat and rye sourdoughs. *Food Microbiology*, 91. <https://doi.org/10.1016/j.fm.2020.103539>
- \mathcal{C} akir, E., Arici, M., & Durak, M. Z. (2020). Biodiversity and techno-functional properties of lactic acid bacteria in fermented hull-less barley sourdough. *Journal of Bioscience and Bioengineering*, 130(5), 450–456. <https://doi.org/10.1016/j.jbiosc.2020.05.002>
- Calvert, M. D., Madden, A. A., Nichols, L. M., Haddad, N. M., Lahne, J., Dunn, R. R., & McKenney, E. A. (2021). A review of sourdough starters: ecology, practices, and sensory quality with applications for baking and recommendations for future research. In *PeerJ* (Vol. 9). PeerJ Inc. <https://doi.org/10.7717/peerj.11389>
- Catzeddu, P. (2019). *Sourdough Breads. In Flour and Breads and Their Fortification in Health and Disease Prevention*, 2nd ed. Academic Press, Cambridge, MA, USA.
- Comasio, A., Van Kerrebroeck, S., & De Vuyst, L. (2021). Lemon juice and apple juice used as source of citrate and malate, respectively, enhance the formation of buttery aroma compounds and/or organic acids during Type 2 and Type 3 sourdough productions performed with *Companilactobacillus crustorum* LMG 23699. *International Journal of Food Microbiology*, 339. <https://doi.org/10.1016/j.ijfoodmicro.2020.109020>
- Cuevas-González, P.F., Liceaga, A.M., Aguilar-Toalá, J.E. (2020). Postbiotics and Paraprobiotics: From Concepts to Applications. *Food Res. Int.* 136, 109502. <https://doi.org/10.1016/j.foodres.2020.109502>
- Damiani, P., Gobbetti, M., Cossignani, L., Corsetti, A., Simonetti, M., & Rossi, J. (1996). The Sourdough Microflora. Characterization of Hetero- and Homofermentative Lactic Acid Bacteria, Yeasts and Their Interactions on the Basis of the Volatile Compounds Produced. *Lwt - Food Science and Technology*, 29, 63-70. <https://doi.org/10.1006/FSTL.1996.0009>.
- Dertli, E., Mercan, E., Arici, M., Yilmaz, M. T., & Sağdıç, O. (2016). Characterisation of lactic acid bacteria from Turkish sourdough and determination of their exopolysaccharide (EPS) production characteristics. *LWT - Food Science and Technology*, 71, 116–124. <https://doi.org/10.1016/j.lwt.2016.03.030>
- Dwidjoseputro. (2005). *Dasar-Dasar Mikrobiologi*. Jakarta: Djambatan.
- Elzeini, H. M., Ali, A. rhman A. atti, Nasr, N. F., Elenany, Y. E., & Hassan, A. A. M. (2021). Isolation and identification of lactic acid bacteria from the intestinal tracts of honey bees, *Apis mellifera* L., in Egypt. *Journal of Apicultural Research*, 60(2), 349–357. <https://doi.org/10.1080/00218839.2020.1746019>
- Erico, Syarieff, R., Widowati, S. (2018). Uji Fisik Beras Dan Uji Indeks Glikemik Nasi (Mayang Pandan) Pada Berbagai Tingkat Derajat Sosoh. *Jurnal Penelitian Pascapanen Pertanian*, 15(3), 131-137.



Fardiaz, S. (1989). *Mikrobiologi Pangan* (Departemen Pendidikan dan kebudayaan Direktorat Jendral Pendidikan Tinggi Pusat Antar Universitas Pangan dan Gizi, Ed.). Institut Pertanian Bogor.

Finanda, A., Hadari Nawawi, J. H., & Barat, K. (2021). Isolasi Dan Karakterisasi Genus Bakteri Asam Laktat Dari Fermentasi Daging Buah Pisang Kepok (Musa paradisiaca L.). *Jurnal Protobiont*, 10(2).

Forget, A., & Fredette, V. (1962). Sodium Azide Selective Medium For The Primary Isolation Of Anaerobic Bacteria. *Journal of Bacteriology*, 83(6), 1217–1223. <https://doi.org/10.1128/jb.83.6.1217-1223.1962>

Forsythe, S. J. (2000). *The microbiology of safe food*. Berlin: Blackwell Science, Ltd.

Franco, W., Pérez-Díaz, I. M., Connelly, L., & Diaz, J. T. (2020). Isolation of exopolysaccharide-producing yeast and lactic acid bacteria from quinoa (*Chenopodium quinoa*) sourdough fermentation. *Foods*, 9(3). <https://doi.org/10.3390/foods9030337>

Freeman, D. J., Falkiner, F. R., & Keane, C. T. (1989). New method for detecting slime production by coagulase negative staphylococci. *Journal of Clinical Pathology*, 42(8), 872–874. <https://doi.org/10.1136/jcp.42.8.872>

Gamar, L., Blondeau, K., & Simonet, J. -M. (1997). Physiological approach to extracellular polysaccharide production by *Lactobacillus rhamnosus* strain C83. *Journal of Applied Microbiology*, 83(3), 281–287. <https://doi.org/10.1046/j.1365-2672.1997.00228.x>

Gänzle, M., Vermeulen, N., & Vogel, R. (2007). Carbohydrate, peptide and lipid metabolism of lactic acid bacteria in sourdough. *Food microbiology*, 24 2, 128-38 . <https://doi.org/10.1016/J.FM.2006.07.006>.

García Vilanova, M., Díez, C., Quirino, B., & Iñaki Álava, J. (2015). Microbiota distribution in sourdough: Influence of high sucrose resistant strains. *International Journal of Gastronomy and Food Science*, 2(2), 98–102. <https://doi.org/10.1016/j.ijgfs.2015.01.002>

Giyatno, D. C., Retrainingrum, E. (2020). Isolasi dan karakterisasi bakteri asam laktat penghasil eksopolisakarida dari buah kersen (*Muntingia calabura* L.). *Sains Dasar*, 9(2), 42-49.

Gupta, P., & Diwan, B. (2016). Bacterial Exopolysaccharide mediated heavy metal removal: A Review on biosynthesis, mechanism and remediation strategies. *Biotechnology Reports*, 13, 58 - 71. <https://doi.org/10.1016/j.btre.2016.12.006>.

Hadioetomo, R. S. (1993). *Mikrobiologi Dasar Dalam Praktek*. Jakarta: PT Gramedia.

Harley, J. P. (2005). *Laboratory Exercises in Microbiology*, 6th edition. New York: The McGraw-Hill Companies, Inc.

Haroun, B. M., El-Menoufy, H.A., Amin, H.A. dan El-Waseif, A. A. (2013). Biosynthesis and Morphology of an Exopolysaccharide from a Probiotic *Lactobacillus plantarum*



Under Different Growth Condition. *Journal of Applied Sciences Research*, 9(2), 1256-1265.

Hendrawan, Y., Ahmad, A. M., Djoyowasito, G., & Marantika, M. E. (2016). Pengkajian beras pecah kulit (brown rice) dalam kemasan vakum (vacuum packaging) berdasarkan ketebalan plastik kemasan jenis nylon. *Jurnal Keteknikan Pertanian Tropis dan Biosistem*, 4(3), 250-261.

Ismail, I., Mubarak, F., Rasyak, R. I., Rusli, R., Fitriana, F., & Mashar, H. M. (2023). Isolasi dan Uji Aktivitas Bakteri Asam Laktat dari Produk Fermentasi Kombucha Teh Dalam Menghambat Bakteri Escherichia coli, *Staphylococcus aureus*, dan *Salmonella thypi*. *Jurnal Mandala Pharmacon Indonesia*, 9(2), 335–344. <https://doi.org/10.35311/jmp.v9i2.386>

Ispirli, H., Demirbaş, F., Yüzer, M. O., & Dertli, E. (2018). Identification of Lactic Acid Bacteria from Spontaneous Rye Sourdough and Determination of Their Functional Characteristics. *Food Biotechnology*, 32(3), 222–235. <https://doi.org/10.1080/08905436.2018.1507913>

Johnson, J.L. (1973). Use of nucleic-acid homologies in the taxonomy of anaerobic bacteria. *International Journal of Systematic Bacteriology*, 23(4), 308–315.

Kemhay, N. (2024). *Karakteristik Dried Sourdough Tomi-Tomi (*Flacourtie inermis* robx) dan Pengaruhnya terhadap Karakteristik Fisik Roti*. [Unpublished Thesis]. Universitas Gadjah Mada.

K Patel, K., Shah, F., & Dwivedi, M. (2018). Exopolysaccharide (EPS) Producing Isolates from Sugarcane Field Soil and Antibacterial Activity of Extracted EPSS. *ACTA SCIENTIFIC MICROBIOLOGY*, 1(4), 6–13. <https://doi.org/10.31080/asmi.2018.01.0032>

Kobayashi, S., Miwa, S., Otake, F., Miura, M., Muraoka, H., & Ogawa, S. (2008). Spectral Analyses of Interaction between Congo red and Cyclodextrins or Maltooligosaccharides. In *J. Appl. Glycosci*, 55(1).

Komatsuzaki, N., Izawa, M., Suzumori, M., Fujihara, S., & Shima, J. (2019). Characteristics of New Sourdough using Lactic Acid Bacteria and Wild Yeast. *Journal of Food Science and Nutrition Research*. <https://doi.org/10.26502/jfsnr.2642-1100004>.

Korcz, E., Varga, L. (2021). Exopolysaccharides from Lactic Acid Bacteria: Techno-Functional Application in the Food Industr. *Trends Food Sci. Technol.* 110, 375–384.

Kramer, M. F. dan Coen, D.M. (2003). Enzymatic amplification of DNA by PCR: Standard Procedures And Optimization. Current Protocols in Immunology. USA: John Wiley and Sons, Inc.

Lau, S. W., Chong, A. Q., Chin, N. L., Talib, R. A., & Basha, R. K. (2021). Sourdough Microbiome Comparison and Benefits. *Microorganisms*, 9(7), 1355. <https://doi.org/10.3390/microorganisms9071355>



- Lee, J.-S., Bae, Y.-M., Han, A., & Lee, S.-Y. (2016). Development of *Congo red* broth method for the detection of biofilm-forming or slime-producing *Staphylococcus* sp. *LWT*, 73, 707–714. [https://doi.org/https://doi.org/10.1016/j.lwt.2016.03.023](https://doi.org/10.1016/j.lwt.2016.03.023)
- Lehninger, A. (1994). *Dasar-Dasar Biokimia*. Jakarta: Erlangga.
- Lhomme, E., Lattanzi, A., Dousset, X., Minervini, F., De Angelis, M., Lacaze, G., Onno, B., & Gobbetti, M. (2015). Lactic acid bacterium and yeast microbiotas of sixteen French traditional sourdoughs. *International Journal of Food Microbiology*, 215, 161–170. <https://doi.org/10.1016/j.ijfoodmicro.2015.09.015>
- Li, D., Li, J., Zhao, F., Wang, G., Qin, Q., & Hao, Y. (2016). The influence of fermentation condition on production and molecular mass of EPS produced by *Streptococcus thermophilus* 05-34 in milk-based medium. *Food Chemistry*, 197, 367–372. <https://doi.org/https://doi.org/10.1016/j.foodchem.2015.10.129>
- Li, S., Zhang, A., Zhao, W., Li, P., Si, X., Liu, J., & Yi, H. (2024). Physicochemical properties of whole grain foxtail millet sourdough and steamed bread quality: Co-fermentation of lactic acid bacteria and yeast in whole grain fermented foods. *Food Bioscience*, 57. <https://doi.org/10.1016/j.fbio.2024.103581>
- Liu, P., Xue, J., Tong, S., Dong, W., & Wu, P. (2018). Structure characterization and hypoglycaemic activities of two polysaccharides from *Inonotus obliquus*. *Molecules*, 23(8). <https://doi.org/10.3390/molecules23081948>
- Liu, W., Pang, H., Zhang, H., & Cai, Y. (2014). Biodiversity of Lactic Acid Bacteria. In *Lactic Acid Bacteria* (pp. 103–203). Springer Netherlands. https://doi.org/10.1007/978-94-017-8841-0_2
- Lolita Octavia Putri, A., & Endang Kusdiyantini, dan. (2018). *Isolasi dan identifikasi bakteri asam laktat dari pangan fermentasi berbasis ikan (Inasua) yang diperjualbelikan di Maluku-Indonesia Isolation and identification of lactic acid bacteria from fish-based fermented foods (Inasua) from Maluku-Indonesia* (Vol. 1, Issue 2). <http://ejournal2.undip.ac.id/index.php/jbt>
- Mediatani. (2024). *Beras pecah kulit*. [Online] Available from: <https://mediatani.co/ini-3-jenis-beras-kaya-manfaat-yang-wajib-kamu-ketahui/beras-coklat/> [Accessed 18th March 2024].
- Melia, S., Juliyarsi, I., Kurnia, Y. F., Pratama, Y. E., & Azahra, H. (2021). Examination of Titratable Acidity, pH, Total Lactic Acid Bacteria and Sensory Properties in Whey Fermented with Probiotic *Pediococcus acidilactic* BK01. *Advances in Animal and Veterinary Sciences*, 10(1), 114–119. <https://doi.org/10.17582/journal.aavs/2022/10.1.114.119>
- Meylia, V. N. (2024). *Sourdough tepung beras pecah kulit (*Oryza sativa*) dan Pengaruhnya Terhadap Karakteristik Tekstur Roti Tawar Gluten dan Gluten-free*. [Skripsi]. Universitas Gadjah Mada.
- Michel, E., Monfort, C., Deffrasnes, M., Guezenec, S., Lhomme, E., Barret, M., Sicard, D., Dousset, X., & Onno, B. (2016). Characterization of relative abundance of lactic



acid bacteria species in French organic sourdough by cultural, qPCR and MiSeq high-throughput sequencing methods. *International Journal of Food Microbiology*, 239, 35–43. <https://doi.org/10.1016/j.ijfoodmicro.2016.07.034>

Montemurro, M., Pontonio, E., Rizzello, C.G. (2019). *Quinoa Flour as an Ingredient to Enhance the Nutritional and Functional Features of Cereal-Based Foods. In Flour and Breads and Their Fortification in Health and Disease Prevention*. Academic Press: Cambridge.

Moradi, J.T., Guimar~aes, S., Sahin, (2023). Current applications of exopolysaccharides from lactic acid bacteria in the development of food active edible packaging, *Curr. Opin. Food Sci.* 40(2021), 33–39. <https://doi.org/10.1016/j.cofs.2020.06.001>

Muhammad Saeed Muhammad Saeedand Iqra Yasmin, I. Y. K. M. I. and I. P. I. P. K. M. R. and A. S. A. S. K. W. A. (n.d.). *Lactic acid bacteria in sourdough fermentation; a safe approach for food preservation*. 24(4), 211–217.

Nandini, A., Nuherdiana, S. D., Nagarajan, D., & Jo Shu- Chang, J. S. (2021). Optimasi Mikroorganisme (LAB) terhadap Pembentukan Asam Laktat dengan Metode Batch Fermentasi. *Akta Kimia Indonesia*, 6(2), 127. <https://doi.org/10.12962/j25493736.v6i2.7846>

Novriaman Pakpahan, & Nafisah Eka Puteri. (2022). Pengolahan Produk Beras Pecah Kulit Sebagai Pangan Bernutrisi Dan Bernilai Ekonomi Di Desa Leuhan Aceh Barat. *Jurnal Pengabdian Kepada Masyarakat*, 6(2), 312–316.

Nurhamidah, A., Warsidah, & Idiawati, N. (2019). Isolasi dan Karakterisasi Bakteri Asam Laktat (BAL) dari Ale-ale dan Cincalok. *Jurnal Laut Khatulistiwa*, 2(3), 85-90.

Ouyang, B., Duan, M., Zhu, S., Zhou, X., & Zhou, Y. (2023). Effect of tartary buckwheat sourdough fermented by different exogenous lactic acid bacteria on antifreeze property of frozen dough. *Food Chemistry Advances*, 2. <https://doi.org/10.1016/j.focha.2023.100182>

Parvez, S., Malik, K. A. , Ah Kang, S., and Kim, H. Y. (2006). Probiotics and their fermented food products are beneficial for health. *J. Appl. Microbiol.* 100: 1171-1185. <https://doi.org/10.1111/j.1365-2672.2006.02963>

Patten, D. A., & Laws, A. P. (2015). Lactobacillus-produced exopolysaccharides and their potential health benefits: a review. *Beneficial Microbes*, 6(4), 457–471. <https://doi.org/https://doi.org/10.3920/BM2014.0117>

Pham, P. L., Dupont, I., Roy, D., Lapointe, G., dan Cerning, J. (2000). Production of Exopolysaccharides by Lactobacillus Rhamnosus And Analysis of Its Enzymatic Degradation During Prolonged Fermentation. *Appl Environ Microbiol.* 66(6), 2302–2310.

Pribadi, A. (2018). *Pemanfaatan Ekstrak Air Buah Flacourtie Inermis Roxb. (Lobi-Lobi) Sebagai Pengawet Ikan Laut*. 2, 1–7.



- Rahnama Vosough, P., Edalatian Dovom, M. R., Habibi Najafi, M. B., Javadmanesh, A., & Mayo, B. (2022). Biodiversity of exopolysaccharide-producing lactic acid bacteria from Iranian traditional Kishk and optimization of EPS yield by *Enterococcus* spp. *Food Bioscience*, 49, 101869. <https://doi.org/https://doi.org/10.1016/j.fbio.2022.101869>
- Ramos, L., Alonso-Hernando, A., Martínez-Castro, M., Morán-Pérez, J. A., Cabrero-Lobato, P., Pascual-Maté, A., Téllez-Jiménez, E., & Mujico, J. R. (2021). Sourdough Biotechnology Applied to Gluten-Free Baked Goods: Rescuing the Tradition. *Foods*, 10(7), 1498. <https://doi.org/10.3390/foods10071498>
- Ravindran, A., Manivannan, A. C., Bharathi, G. S. J., Balasubramanian, V., Velmurugan, P., Sivasubramanian, K., Muruganandham, M., Arumugam, N., I. Almansour, A., Kumar, R. S., & Sivakumar, S. (2023). Production and characterization of exopolysaccharide (EPS) from marine *Bacillus halotolerans* and its antibacterial activity against clinical pathogens. *Biologia*, 79(2), 605–619. <https://doi.org/10.1007/s11756-023-01580-7>
- Reid, G. (1999). Biofilms in infectious disease and on medical devices. *International Journal of Antimicrobial Agents*, 11(3), 223–226. [https://doi.org/https://doi.org/10.1016/S0924-8579\(99\)00020-5](https://doi.org/https://doi.org/10.1016/S0924-8579(99)00020-5)
- Rosahdi, T. D., Tafiani, N., & Hafsari, A. R. (2019). Identifikasi Spesies Isolat Bakteri K2Br5 dari Tanah Karst dengan Sistem Kekerabatan Melalui Analisis Urutan Nukleotida Gen 16S rRna. *al Kimiya: Jurnal Ilmu Kimia dan Terapan*, 5(2), 84–88.
- Sanalibaba, P., & Çakmak, G. A. (2016). Exopolysaccharides production by lactic acid bacteria. *Appl. Microbiol.*, 2(2), 1-5.
- Sebastian, A., Barus, T., Mulyono, N., Yanti. (2018). Effects of fermentation and sterilization on quality of soybean milk. *Int. Food Res. J.*, 25, 2428–2434.
- Shukla, M. (2012). Development of Probiotic Beverage from Whey and Pineapple Juice. *Journal of Food Processing & Technology*, 04(02). <https://doi.org/10.4172/2157-7110.1000206>
- Slawson, M. S., & Snyder, M. L. (1952). Mechanism of Action of Sodium Azide on the Genus *Candida*. *Journal of Dental Research*, 31(1), 47–52. <https://doi.org/10.1177/00220345520310012101>
- Sørensen, H. M., Rochfort, K. D., Maye, S., MacLeod, G., Brabazon, D., Loscher, C., & Freeland, B. (2022). Exopolysaccharides of Lactic Acid Bacteria: Production, Purification and Health Benefits towards Functional Food. In *Nutrients* (Vol. 14, Issue 14). MDPI. <https://doi.org/10.3390/nu14142938>
- Stamer, J. R. (1979). The Lactic Acid Bacteria: Microbe of Diversity. *Food Technology*, 33(1), 60–65.
- Suo, B., Chen, X., & Wang, Y. (2021). Recent research advances of lactic acid bacteria in sourdough: origin, diversity, and function. *Current Opinion in Food Science*, 37, 66–75. <https://doi.org/10.1016/j.cofs.2020.09.007>



- Tallon, R., Bressollier, P., & Urdaci, M. C. (2003). Isolation and characterization of two exopolysaccharides produced by *Lactobacillus plantarum* EP56. *Research in Microbiology*, 154(10), 705–712. <https://doi.org/10.1016/j.resmic.2003.09.006>
- Thomas, R. M., Falegan, C. R., Olojede, A. O., Oludipe, E. O., Awarun, O. D., & Daodu, G. O. (2023). Nutritional and sensory quality of Ofada rice sourdough bread made with selected lactic acid bacteria strains. *Helijon*, 9(10), e20828. <https://doi.org/10.1016/j.helijon.2023.e20828>
- Vilanova, M. G., Díez, C., Quirino, B., & Álava, J. I. (2015). Microbiota distribution in sourdough: Influence of high sucrose resistant strains. *International Journal of Gastronomy and Food Science*, 2(2), 98–102. <https://doi.org/10.1016/j.ijgfs.2015.01.002>
- Viola, E., Garofalo, G., Busetta, G., Supper, M., Alfonzo, A., Tolone, M., Francesca, N., Moschetti, G., Sottile, F., Gaglio, R., & Settanni, L. (2024). Selection of lactic acid bacteria from home-made sourdoughs for resistance to the main almond skin polyphenols. *Journal of Agriculture and Food Research*, 15. <https://doi.org/10.1016/j.jafr.2023.100951>
- Vuyst, L. D. and P. Neysens. (2005). The Sourdough Microflora: Biodiversity and Metabolic Interaction. *Trends in Food Science & Technology*. 16, 43-56
- Wegh, C.A.M., Geerlings, S.Y., Knol, J., Roeselers, G., Belzer, C. (2019). Postbiotics and Their Potential Applications in Early Life Nutrition and Beyond. *Int. J. Mol. Sci.* 20, 4673. <https://doi.org/10.3390/ijms20194673>
- Winarno, F. G. dan Fernandez, Ivone E. (2007). *Susu dan Produk Fermentasinya*. Bogor: M-BRIO PRESS.
- Wu, S. C., Su, Y. S., & Cheng, H. Y. (2011). Antioxidant properties of *Lactobacillus*-fermented and non-fermented *Graptopetalum paraguayense* E. Walther at different stages of maturity. *Food Chemistry*, 129(3), 804–809. <https://doi.org/10.1016/j.foodchem.2011.05.025>
- Xu, Y., Cui, Y., Wang, X., Yue, F., Shan, Y., Liu, B., Zhou, Y., Yi, Y., & Lü, X. (2019). Purification, characterization and bioactivity of exopolysaccharides produced by *Lactobacillus plantarum* KX041. *International Journal of Biological Macromolecules*, 128, 480–492. <https://doi.org/10.1016/j.ijbiomac.2019.01.117>
- Xu, Y., Cui, Y., Yue, F., Liu, L., Shan, Y., Liu, B., Zhou, Y., & Lü, X. (2019). Exopolysaccharides produced by lactic acid bacteria and Bifidobacteria: Structures, physicochemical functions and applications in the food industry. *Food Hydrocolloids*. <https://doi.org/10.1016/J.FOODHYD.2019.03.032>.
- Yang, S., Xu, X., Peng, Q., Ma, L., Qiao, Y., & Shi, B. (2023). Exopolysaccharides from lactic acid bacteria, as an alternative to antibiotics, on regulation of intestinal health and the immune system. In *Animal Nutrition* (Vol. 13, pp. 78–89). KeAi Communications Co. <https://doi.org/10.1016/j.aninu.2023.02.004>



Yu, Y., Wang, L., Qian, H., Zhang, H., & Qi, X. (2018). Contribution of spontaneously-fermented sourdoughs with pear and navel orange for the bread-making. *LWT*, 89, 336–343. <https://doi.org/10.1016/j.lwt.2017.11.001>

Yuniarti, F., Hidayati, W., Setiawati, S., & Nabilah, K. (2022). Isolasi dan Uji Aktivitas Enzim B-Galaktosidase Bakteri Asam Laktat (BAL) dari Fermentasi Buah Sirsak (*Annona muricata* L.). *Al-Kauniyah: Jurnal Biologi*, 15(1), 28–35. <https://doi.org/10.15408/kauniyah.v15i1.15523>

Zaidiyah, Lubis, Y. M., Putri, C. A. R. G., & Rohaya, S. (2020). Physicochemical properties of sourdough bread made from local variety sweet potato and pineapple juice. *IOP Conference Series: Earth and Environmental Science*, 425(1), 1–8. <https://doi.org/10.1088/1755-1315/425/1/012079>