



DAFTAR PUSTAKA

- Akoh, D.B. & Min, C.C. (2002). *Food Lipids: Chemistry, Nutrition and Biotechnology*. New York: Marcell Dekker.
- Alexander, R.J. (1998). *Sweeteners: Nutritive*. St. Paul MN: Eagan Press.
- American Dietetic Association. (2004). Position of the American Dietetic Association: use of nutritive and nonnutritive sweeteners. *Journal of the Academy of Nutrition and Dietetics*, 104 (2), 255-275. [10.1016/j.jada.2003.12.001](https://doi.org/10.1016/j.jada.2003.12.001)
- Amoriello, T., Mellara, F., Amoriello, M., Ceccarelli, D., & Ciccoritti, R. (2021). Powdered seaweeds as a valuable ingredient for functional breads. *European Food Research and Technology*, 247, 2431-2443.
- Arufe, S., Della Valle, G., Chiron, H., Chenlo, F., Sineiro, J., & Moreira, R. (2018). Effect of brown seaweed powder on physical and textural properties of wheat bread. *European Food Research Technology*, 244 (1), 1–10.
- Assosiation Official Analysis Chemist. (2006). *Official Method Of Analytical Chemist*. Washington DC: AOAC International.
- Atik, D.S., Gurbuz, B., Boluk, E., & Palabiyik, I. (2021). Development of vegan kefir fortified with *Spirulina platensis*. *Food Bioscience*, 42. [10.1016/j.fbio.2021.101050](https://doi.org/10.1016/j.fbio.2021.101050)
- Badan Pengawas Obat dan Makanan Republik RI (BPOM RI). (2016). *Peraturan BPOM Nomor 9 Tahun 2016 tentang Acuan Label Gizi*. Jakarta: BPOM RI.
- Badan Pengawas Obat dan Makanan Republik RI (BPOM RI). (2022). *Peraturan BPOM Nomor 1 Tahun 2022 tentang Pengawasan Klaim pada Label dan Iklan Pangan Olahan*. Jakarta: BPOM RI.
- Badan Standarisasi Nasional. (2018). *SNI 8371:2018 Roti Tawar*. Jakarta: Badan Standarisasi Nasional.
- Bakar, M.F.A., Ranneh, Y., & Kamil, N.F.M. (2022). Development of high fiber rich antioxidant biscuits from purple and orange sweet potato peels. *Food Research*, 6 (1), 12-19. [10.26656/fr.2017.6\(1\).036](https://doi.org/10.26656/fr.2017.6(1).036)
- Baldwin, R.R., Baldry R.P., & Johansen, R.G. (1972). At systems for baking producers. *Journal of American Oil Chemist Society*, 49, 473–477.
- Barkallah, M., Ben Atitallah, A., Bentati, F., Dammak, M., Hadrich, B., Fendri, I., Ali Ayadi, M., Michaud, P. & Abdelkafi, S. (2019). Effect of *Spirulina platensis* Biomass with High Polysaccharides Content on Quality Attributes of Common Carp (*Cyprinus carpio*) and Common Barbel (*Barbus barbus*) Fish Burgers. *Applied Science*, 9 (11). [10.3390/app9112197](https://doi.org/10.3390/app9112197)
- Barkallah, M., Dammak, M., Louati, I., Bentati, F., Hadrich, B., Mechichi, T., Ali Ayadi, M., Fendri, I., Attia, H., & Abdelkafi, S. (2017). Effect of *Spirulina platensis* fortification on physicochemical, textural, antioxidant and sensory properties of yogurt during fermentation and storage. *LWT*, 84, 323-330. [10.1016/j.lwt.2017.05.071](https://doi.org/10.1016/j.lwt.2017.05.071)



- Batista, A.P., Niccolai, A., Bursic, I., Sousa, I., Raymundo, A., Rodolfi, L., Biondi, N., & Tredici, M.R. (2019). Microalgae as Functional Ingredients in Savory Food Products: Application to Wheat Crackers. *Foods*, 8 (12). [10.3390/foods8120611](https://doi.org/10.3390/foods8120611)
- Batista, A.P., Niccolai, A., Fradinho, P., Fragoso, S., Bursic, I., Rodolfi, L., Biondi, N., Tredici, M.R., Sousa, I., & Raymundo, A. (2017). Microalgae biomass as an alternative ingredient in cookies: sensory, physical and chemical properties, antioxidant activity and in vitro digestibility. *Algal Research*, 26, 161–171. [10.1016/j.algal.2017.07.017](https://doi.org/10.1016/j.algal.2017.07.017)
- Begum, H., Yusoff, F.M.D., Banerjee, S., Khatoon, H., & Shariff, M. (2016). Availability and utilization of pigments from microalgae. *Crit. Rev. Food Sci. Nutr.*, 56, 2209-2222.
- Ben Atitallah, A., Barkallah, M., Hentati, F., Dammak, M., Ben Hlima, H., Fendri, I., Attia, H., Michaud, P., & Abdelkafi, S. (2019). Physicochemical, textural, antioxidant and sensory characteristics of microalgae-fortified canned fish burgers prepared from minced flesh of common barbel (*Barbus barbus*). *Food Bioscience*, 30. [10.1016/j.fbio.2019.100417](https://doi.org/10.1016/j.fbio.2019.100417)
- Benelhdj, S., Gharsallaoui, A., Degraeve, P., Attia, H., Ghorbel, D. (2016). Effect of pH on the functional properties of *Arthrospira* (*Spirulina*) *platensis* protein isolate. *Food Chemistry*, 194, 1056-1063. [10.1016/j.foodchem.2015.08.133](https://doi.org/10.1016/j.foodchem.2015.08.133)
- Biliaderis, C.G., Arvanitoyannis, I., Izquierdo, M.S., Prokopowich, D.J. (1997). Effect of hydrocolloids on gelatinization and structure formation in concentrated waxy maize and wheat starch gels. *Starch-Stärke*, 49 (7/8), 278-283.
- Bohn, R.T. (1954). A review of the comparative value of sugars for bread. *Baker's Digest*, 28 (115).
- Bourne, M.C. (2002). *Food Texture and Viscosity: Concept and Measurement*. New York: Academic Press.
- Bumbalough, J. (2000). Margarine types and preparation technology. In: O'Brien RD, Farr WE, Wan PJ, editors. *Introduction to Fats and Oils Technology*. Lancaster, PA: AOCS Press.
- Capriles, V.D. & Aréas, J.A.G. (2014). Novel approaches in gluten-free breadmaking: Interface between food science, nutrition, and health. *Compreh. Rev. Food Sci. Food Saf.*, 13, 871–890.
- Chandra, M.V. & Shamasundar, B.A. (2015). Texture Profile Analysis and Functional Properties of Gelatin from the Skin of Three Species of Fresh Water Fish. *International Journal of Food Properties*, 18 (3), 572-584. [10.1080/10942912.2013.845787](https://doi.org/10.1080/10942912.2013.845787)
- Chen, C., Tang, T., Shi, Q., Zhou, Z., & Fan, J. (2022). The potential and challenge of microalgae as promising future food sources. *Trends in Food Science & Technology*, 126, 99-112. [10.1016/j.tifs.2022.06.016](https://doi.org/10.1016/j.tifs.2022.06.016)



- Collar, C., Andreu, P., Martínez, J.C., & Armero, E. (1999). Optimization of hydrocolloid addition to improve wheat bread dough functionality: a response surface methodology study. *Food Hydrocolloids*, 13, 467-475.
- Cotton, R.H. & Ponte, J.G.Jr. (1973). *Baking industry*. In: Inglett GE, editor. *Wheat: Production and Utilization*. Westport: CT Avi Publishing Company.
- Cui, T., Liu, R., Wu, T., & Zhang, M. (2019a). Influence of konjac glucomannan and frozen storage on rheological and tensile properties of frozen dough. *Polymers*, 11 (5). [10.3390/polym11050794](https://doi.org/10.3390/polym11050794)
- Cui, T., Wu, T., Liu, R., Sui, W., Wang, S., & Zhang, M. (2019b). Effect of degree of konjac glucomannan enzymatic hydrolysis on the physicochemical characteristic of gluten and dough. *ACS Omega*, 4 (6), 9654-9663. [10.1021/acsomega.9b00061](https://doi.org/10.1021/acsomega.9b00061)
- Das, L., Raychaudhuri, U., & Chakraborty, R. (2013). Role of Hydrocolloids in Improving the Physical and Textural Characteristics of Fennel Bread. *International Food Research Journal*, 20 (5), 2253-2259.
- De Garmo, E.G., Sullivan, W.G., & Cerook, J.R. (1984). *Engineering Economy 7th ed.* New York: Macmilland Publ. Co.
- De Marco, E.R., Steffolani, M.E., Martínez, C.S., & León, A.E. (2014). Effects of spirulina biomass on the technological and nutritional quality of bread wheat pasta. *LWT – Food Science and Technology*, 58, 102-108. [10.1016/j.lwt.2014.02.054](https://doi.org/10.1016/j.lwt.2014.02.054)
- Dervas, G., Doxastakis, G., Hadjisavva-Zinoviadi, S., & Triantafillakos, N. (1999). Lupin flour addition to wheat flour doughs and effect on rheological properties. *Food Chemistry*, 66, 67-73.
- Devani, B.M., Jani, B.L., Kapopara, M.B., Vyas, D.M., & Ningthoujam, M.D. (2016). Study on quality of white bread enriched with finger millet flour. *International Journal of Agriculture, Environment and Biotechnology*, 9 (5), 903-907. [10.5958/2230-732X.2016.00116.9](https://doi.org/10.5958/2230-732X.2016.00116.9)
- Doxastakis, G., Zafiriadis, I., Irakli, M., & Tananaki, C. (2002). Lupin, soya and triticale addition to wheat flour doughs and their effect on rheological properties. *Food Chemistry*, 77, 219-227.
- Encina-Zelada, Christian, R., Cadavez, V., Monteiro, F., Teixeira, J.A., & Gonzales-Baron, U. (2019). Physicochemical and Textural Quality Attributes of Gluten-Free Bread Formulated with Guar Gum. *European Food Research and Technology*, 245 (2), 443-458. [10.1007/s00217-018-3176-3](https://doi.org/10.1007/s00217-018-3176-3)
- Federation of American Societies for Experimental Biology (FASEB) Life Science Office. (1994). *The Evaluation of the Energy of Certain Sugar Alcohols used as Food Ingredients*. Bethesda, MD: Federation of American Societies for Experimental Biology.
- Fernandes, R., Campos, J., Serra, M., Fidalgo, J., Almeida, H., Casas, A., Toubarro, D., & Barros, A. I. R. N. A. (2023). Exploring the Benefits of Phycocyanin: From Spirulina Cultivation to Its Widespread Applications. *Pharmaceuticals*, 16 (4). [10.3390/ph16040592](https://doi.org/10.3390/ph16040592)



- Fisher, C. & Scott, T.R. (1997). *Food flavours: biology and chemistry*. Cambridge, U.K.: The Royal Society of Chemistry.
- Food and Agriculture Organization. (2008). *A Review on Culture, Production and Use of Spirulina as Food for Humans and Feeds for Domestic Animals and Fish*. Rome: FAO Fisheries and Aquaculture Department.
- Francezon, N., Tremblay, A., Mouget, J.L., Pasetto, P., & Beaulieu, L. (2021). Algae as a source of natural flavors in innovative foods. *Journal of Agricultural and Food Chemistry*, 69, 11753-11772. [10.1021/acs.jafc.1c04409](https://doi.org/10.1021/acs.jafc.1c04409)
- Freile-Pelegrín, Y. & Robledo, D. (2013). Bioactive phenolic compounds from algae. *Bioactive compounds from marine foods*, 113-129. [10.1002/9781118412893.ch6](https://doi.org/10.1002/9781118412893.ch6)
- Gad, A.S., Khadrawy, Y.A., El-Nekeety, A.A., Mohamed, S.R., Hassan, N.S., & Abdel-Wahhab, M.A. (2011). Antioxidant activity and hepatoprotective effects of whey protein and Spirulina in rats. *Nutrition*, 27 (5), 582-589. [10.1016/j.nut.2010.04.002](https://doi.org/10.1016/j.nut.2010.04.002)
- García-Segovia, P., Pagán-Moreno, M.J., Lara, I.F., & Martínez-Monzó, J. (2017). Effect of microalgae incorporation on physicochemical and textural properties in wheat bread formulation. *Food Science and Technology International*, 23, 437–447.
- Gardjito, M., Indrati, R., Yuniarti, Z., & Hendrasty, H.K. (2019). *Gastronomi Indonesia*. Yogyakarta: Global Pustaka Utama.
- Giami, S.Y., Amasisi, T. & Ekiyor, G. (2004). Comparison of bread making properties of composite flour from kernels of roasted and boiled African breadfruit (*Treculia Africana decne*) seeds. *Journal of Raw Material Research*, 1, 16-25.
- Gould, J.T. (2007). Baking Around the World. In: *Technology of Breadmaking*, 2nd ed. USA: Springer.
- Graça, C., Fradinho, P., Sousa, I., & Raymundo, A. (2018). Impact of Chlorella vulgaris on the rheology of wheat flourdough and bread texture. *LWT-Food Science Technology*, 89, 466–474.
- Guarda, A., Rosell, C.M., Benedito, C., & Galotto, M.J. (2004). Different hydrocolloids as bread improvers and antistaling agents. *Food Hydrocolloids*, 18 (2), 241-247. [10.1016/S0268-005X\(03\)00080-8](https://doi.org/10.1016/S0268-005X(03)00080-8)
- Guo, J., Liu, F., Gan, C., Wang, Y., Wang, P., Li, X., & Huo, J. (2022). Effects of Konjac glucomannan with different viscosities on the rheological and microstructural properties of dough and the performance of steamed bread. *Food Chemistry*, 368. [10.1016/j.foodchem.2021.130853](https://doi.org/10.1016/j.foodchem.2021.130853)
- Guo, J., Wang, C., Liu, C., & Wang, P. (2020). Effect of konjac glucomannan on gelatinization, retrogradation, and gelling properties of frozen wheat starch. *Starch-Stärke*, 73. [10.1002/star.202000025](https://doi.org/10.1002/star.202000025)
- Gutiérrez-Salmeán, G., Fabila-Castillo, L., & Chamorro-Cevallos, G. (2015). Nutritional and toxicological aspects of Spirulina (*arthrospira*). *Nutr Hosp*, 32 (1), 34-40.



- Hafsa, Y.A., Amel, D., Samia, S., & Sidahmed, S. (2014). Evaluation of Nutritional and Sensory Properties of Bread Enriched with Spirulina. *Annals, Food Science and Technology*, 15 (2).
- Henrikson, R. (2009). *Earth Food Spirulina: How this remarkable blue-green algae can transform your health and our planet*. Hawaii: Ronore Enterprises.
- Hernandez-Lopez, I., Alamprese, C., Cappa, C., Prieto-Santiago, V., Abadias, M., & Aguiló-Aguayo, I. (2023). Effect of Spirulina in Bread Formulated with Wheat Flours of Different Alveograph Strength. *Foods*, 12 (20). [10.3390/foods12203724](https://doi.org/10.3390/foods12203724)
- Hoseney, R.C. (1994). *Principles of Science and Technology*, 2nd ed. USA: American Association of Cereal Chemist Inc.
- Igoe, R.S. & Hui, Y.H. (2001). *Dictionary of Food Ingredients*. Gaithersburg MD: Aspen.
- Janda-Milczarek, K., Szymczykowska, K., Jakubczyk, K., Kupnicka, P., Skonieczna-Zydecka, K., Pilarczyk, B., Tomza-Marciniak, A., Ligenza, A., Stachowska, E., & Dalewski, B. (2023). Spirulina Supplements as a Source of Mineral Nutrients in the Daily Diet. *Applied Science*, 13 (2), 1011. [10.3390/app13021011](https://doi.org/10.3390/app13021011)
- Kamaludin, A.M.R. & Holik, H.A. (2022). Review Article: Chemical Content and Pharmacological Activities of *Spirulina* sp. *Indonesian Journal of Biological Pharmacy*, 2 (2), 59-66.
- Kebede, E. & Ahlgren, G. (1996). Optimum growth conditions and light utilization efficiency of *Spirulina platensis* (= *Arthrosira fusiformis*) (Cyanophyta) from Lake Chitu, Ethiopia. *Hydrobiol*, 332, 99-109.
- Kementerian Pertanian. (2022). *Statistik Konsumsi Pangan Tahun 2022*. Jakarta: Pusat Data dan Sistem Informasi Pertanian.
- Khemiri, S., Khelifi, N., Nunes, M.C., Ferreira, A., Gouveia, L., Smaali, I., & Raymundo, A. (2020). Microalgae biomass as an additional ingredient of gluten-free bread: Dough rheology, texture quality and nutritional properties. *Algal Research*, 50. [10.1016/j.algal.2020.101998](https://doi.org/10.1016/j.algal.2020.101998)
- Kumala, T., Sutrisno, A., & Yunianta. (2020). Glucomannan as an anti-staling agent to improve the texture value of whole wheat bread. *IOP Conference Series: Earth and Environmental Science*. 475 012030.
- Lai, H.M. & Lin, T.C. (2006). *Bakery Products: Science and Technology*. USA: Blackwell Publishing.
- Lazaridou, A., Duta, D., Papageorgiou, M., Belc, N., & Biliaderis, C.G. (2007). Effects of hydrocolloids on dough rheology and bread quality parameters in gluten-free formulations. *Journal of Food Engineering*, 79 (3), 1033-1047. [10.1016/j.jfoodeng.2006.03.032](https://doi.org/10.1016/j.jfoodeng.2006.03.032)
- Lestari, Dianika, Kresnowati, M.T.A.P., Rahmani, A., Aliwarga, L., & Bindar, Y. (2019). Effect of Hydrocolloid on Characteristics of Gluten-Free Bread from Rice Flour and Fermented Cassava Flour (Fercaf). *Reaktor*, 19 (3), 89-95. [10.14710/reaktor.19.3.89-95](https://doi.org/10.14710/reaktor.19.3.89-95)



- Li, J., Zhu, Y., Yadav, M.P., & Li, J. (2019b). Effect of various hydrocolloids on the physical and fermentation properties of dough. *Food Chemistry*, 271, 165-173. [10.1016/j.foodchem.2018.07.192](https://doi.org/10.1016/j.foodchem.2018.07.192)
- Liu, P., Zhang, S., Zhu, G., Chen, Y., Ouyang, H., & Han, M. (2002). *Professional standard of the People's Republic of China for Konjac flour*. China: Ministry of Agriculture of the People's Republic of China.
- Liu, Y.F., Xu, L.Z., Cheng, N., Lin, L.J., & Zhang, C.W. (2000). Inhibitory effect of phycocyanin from *Spirulina platensis* on the growth of human leukemia K562 cells. *J. Appl. Phycol.*, 12, 125–130.
- Lohano, Kumar, D., Ahmed Sheikh, S., & Shahnawaz, M. (2010). Effect of Chemical Preservatives on the Shelf Life of Bread at Various Temperature. *Pakistan Journal of Nutrition*, 9 (3), 279-283.
- Lucas, B.F., Morais, M.G.d., Santos, T.D., & Costa, J.A.V. (2018). Spirulina for snack enrichment: Nutritional, physical and sensory evaluations. *LWT*, 90.
- Luo, A., Feng, J., Hu, B., Lv, J., Chen, C.O., & Xie, S. (2017). Polysaccharides in *Spirulina platensis* improve antioxidant capacity of chinese-style sausage. *Journal of Food Science*, 82, 2591–2597.
- Manley. (1998). *Technology of Biscuits, Crackers and Cookies*. Chisester: Ellis Horwood Limited Publisher.
- Manullang, M., Theresia, K., & Hari, E. (1995). Pengaruh Konsentrasi Tepung Tapioka dan Sodium Tripolifosfat terhadap Mutu dan Daya wet Kamaboko Ikan Pari Kelapa (*Trygon Sephen*). *Bul Tek dan Industri Pangan*, 6 (2).
- Marcus J.B. (2013). Carbohydrate Basics: Sugars, Starches and Fibers in Foods and Health: Healthy Carbohydrate Choices, Roles and Applications in Nutrition, Food Science and the Culinary Arts. In: *Culinary Nutrition: The Science and Practice of Healthy Cooking*. Oxford, UK: Academic Press.
- Martin, M.L., Zeleznak, K.J., & Hoseney, R.C. (1991). A mechanism of bread firming. I. Role of starch swelling. *Cereal Chemistry*, 68, 498-503.
- Matz, S.A. (1960). *Bakery Technology and Engineering*. Westport: AVI Publishing Company.
- Matz, S.A. (1989). *Wheatflour*. In: *Technology of the Materials of Baking*. Barking, UK: Elsevier Science Publisher Ltd.
- Milledge, J.J. (2011). Commercial application of microalgae other than as biofuels: a brief review. *Reviews in Environmental Science and Bio/Technology*, 10, 31-41.
- Mohammad-Taghi, Golmakani, S., Soleimanian-Zad, N., Alavi, E., Nazari, M., & Hadi. (2019). Effect of Spirulina (*Arthrospira platensis*) powder on probiotic bacteriologically acidified feta-type cheese. *Journal of Applied Phycology*, 31, 1085-1094. [10.1007/s10811-018-1611-2](https://doi.org/10.1007/s10811-018-1611-2)
- Mohammed, I., Ahmed, A.R., & Senge, B. (2012). Dough rheology and bread quality of wheat-chickpea flour blends. *Industrial Crops and Products*, 36, 196–202.
- Molenda, M. & Horabik, J. (2005). Characterization of mechanical properties of particulate solids for storage and handling, part 1. In: *Mechanical Properties of Granular Agro-Materials and Food Powders for Industrial Practice*. Poland: Alf-Graf.



- Mustafa, S. & Widjanarko, S. B. (2014). Pengecilan Ukuran Metode Ball Mill dan Pemurnian Kimia terhadap Kemurnian Tepung Porang (*Amorphophallus muelleri* Blume). *Jurnal Pangan Dan Agroindustri*, 3 (2).
- Muthoharoh, D.F. & Sutrisno, A. (2017). Pembuatan Roti Tawar Bebas Gluten Berbahan Baku Tepung Garut, Tepung Beras, dan Maizena (Konsentrasi Glukomanan dan Waktu Proofing). *Jurnal Pangan dan Agroindustri*, 5 (2), 34-44.
- Nelson, A.L. (2000). *Sweeteners: Alternative*. St. Paul MN: Eagan Press.
- Nesetril, D.M. (1967). *Corn sweeteners: their types and uses in baking*. Bakers Digest, 41, 28-33.
- Ngemakwe, PH. N., Roes-Hill, M.L., & Jideani, V.A. (2015). Advances in gluten-free bread technology. *Food Science and Technology International*, 21 (4), 256-276. [10.1177/1082013214531425](https://doi.org/10.1177/1082013214531425)
- O'Brien, R.D. (1998). *Baking Shortenings*. In: *Fats and oils: Formulating and Processing for Applications*. Lancaster, PA: Technomic Publication.
- O'Donnell, K.M. (1995). Water—the most valuable ingredient. *Proc., Am. Soc. Bakery Engrs.*, 71, 139.
- Ofelt, C.W. & Larmour, R.K. (1940). The effect of milk on the bromate requirements of flours. *Cereal Chemistry*, 17, 1.
- Page, J.M. (1958). Baker's salt, its use and function. *Bakers Digest*, 32 (1), 23.
- Parmar, R.S. & Singh, C. (2018). A comprehensive study of eco-friendly natural pigment and its applications. *Biochem. Biophys. reports*, 13 (2018), 22-26.
- Paula da Silva, S., Ferreira do Valle, A., & Perrone, D. (2021). Microencapsulated *Spirulina maxima* biomass as an ingredient for the production of nutritionally enriched and sensorially well-accepted vegan biscuits. *LWT*, 142. [10.1016/j.lwt.2021.110997](https://doi.org/10.1016/j.lwt.2021.110997)
- Plaza-Diaz, J. & Gil, A. (2016). *Sucrose: Dietary Importance*. Amsterdam: Elsevier Ltd.
- Puerta, P., Garzón, R., Rosell, C.M., Fiszman, S., Laguna, L., & Tárrega, A. (2021). Modifying gluten-free bread's structure using different baking conditions: Impact on oral processing and texture perception. *LWT*, 140, 1–8. <https://doi.org/10.1016/j.lwt.2020.110718>
- Purlis, E. & Salvadori, V.O. (2007). Bread browning kinetics during baking. *Journal of Food Engineering*, 80, 1107–1115.
- Pyler, E.J. & Gorton, L.A. (2008). *Baking Science & Technology*, 4th ed. Kansas City: Sosland Publishing Company.
- Radocaj, O.F., Dimic, E.B., & Vujasinovic, V.B. (2011). Optimization of the texture of fat-based spread containing hull-less pumpkin (*Cucurbita pepo* L.) seed press-cake. *Acta Periodica Technologica*, 42, 131–143.
- Rahman, M.S. & Al-Mahrouqi, A.I. (2009). Instrumental texture profile analysis of gelatin gel extracted from grouper skin and commercial (bovine and porcine) gelatin gels. *International Journal of Food Sciences and Nutrition*, 60, 229–242.
- Rathnayake, H.A., Navaratne, S.B., & Navaratne, C.M. (2018). Porous Crumb Structure of Leavened Baked Products. *International Journal of Food Science*, 2018 (2), 1-15. [10.1155/2018/8187318](https://doi.org/10.1155/2018/8187318)



- Rauf, R. & Sarbini, D. (2015). Daya Serap Air sebagai Acuan untuk Menentukan Volume Air dalam Pembuatan Roti dari Campuran Tepung Terigu dan Tepung Singkong. *Jurnal Agritech*, 35 (3), 324-330.
- Raymundo, A., Batista, A.P., & Sousa, I. (2017). Rheology applied to food product design. In: *Advances in Rheology Research*, 63-118. New York: Nova Science Publisher.
- Renwick, A.G. (2006). The intake of intense sweeteners—An update review. *Food Addit Contam*, 23 (4), 327-338.
- Ri, M.K., Hwi, K.S., Jin, L.Y., & Hwi, K.M. (2010). Preparation method for bread containing spirulina. KR Patent 10-2010-0087513. South Korea: Korea Intellectual Property Office.
- Rikafilanti, S.N. (2013). Efek Fortifikasi Minyak Ikan terhadap Kadar Omega 3 dan Sifat Sensoris Roti Tawar selama Penyimpanan. *Skripsi*. Lampung: Universitas Lampung.
- Rizka, S.K., Purnamadewi, Y.L., & Hasanah, N. (2018). Bread Products in Food Consumption Patterns and Existence of Halal Label in Society Consumption Decision (Case: Bogor City). *Jurnal Al-Muzara'ah*, 6 (1), 15-27. [10.29244/jam.6.1.15-27](https://doi.org/10.29244/jam.6.1.15-27)
- Rouhier, B. (2009). *Spirulina and Malnutrition*. Beauvais: Institute Polytechnique LaSalle.
- Saputro, E.A., Lefiyanti, O., & Mastuti, E. (2014). Pemurnian Tepung Glukomanan dari Umbi Porang (*Amorphophallus muelleri* Blume) Menggunakan Proses Ekstraksi/Leaching dengan Larutan Etanol. *Symposium Nasional RAPI XIII*, 7-13.
- Sasson, A. (1997). *Micro Biotechnologies: Recent Developments and Prospects for Developing Countries*. BIOTEC Publication 1/2542, 11–31. Place de Fontenoy, Paris. France. United Nations Educational, Scientific and Cultural Organization (UNESCO).
- Schunemann, C. & Treu, G. (1984). The leavening of wheat-flour doughs. In: Shewchuk R, editor. *Baking: The Art and science*. Calgary, Alberta, Canada: Baker Tech Inc.
- Seghiri, R., Kharbach, M., & Essamri, A. (2019). Functional Composition, Nutritional Properties, and Biological Activities of Moroccan Spirulina Microalgae. *Hindawi Journal of Food Quality*, 1-11.
- Selmo, M.S. & Salas-Mellado, M.M. (2014). Technological quality of bread from rice flour with *Spirulina*. *International Food Research Journal*, 21 (4), 1523-1528.
- Selomulyo, V.O. & Zhou, W. (2007). Frozen bread dough: Effects of freezing storage and dough improvers. *Journal of Cereal Science*, 45 (1), 1-17. [10.1016/j.jcs.2006.10.003](https://doi.org/10.1016/j.jcs.2006.10.003)
- Shori, A.B., Kee, L.A., & Baba, A.S. (2020). Total Phenols, Antioxidant Activity and Sensory Evaluation of Bread Fortified with Spearmint. *Arabian Journal for Science and Engineering*, 46, 5257-5264.
- Sim, S.Y., Aziah, A.N., & Cheng, L.H. (2011). Characteristics of wheat dough and Chinese steamed bread added with sodium alginates or konjac



- glucomannan. *Food Hydrocolloids*, 25 (5), 951–957. [10.1016/j.foodhyd.2010.09.009](https://doi.org/10.1016/j.foodhyd.2010.09.009)
- Sitanggang, A.B. (2020). Peran Penting Hidrokoloid dalam Produk Konfeksioneri. *Foodreview Indonesia*, 15 (5), 50-55.
- Smetana, S., Sandmann, M., Rohn, S., Pleissner, D., & Heinz, V. (2017). Autotrophic and heterotrophic microalgae and cyanobacteria cultivation for food and feed: Life cycle assessment. *Bioresource Technology*, 245, 162-170. [10.1016/j.biortech.2017.08.113](https://doi.org/10.1016/j.biortech.2017.08.113)
- Soni, R.A., Sudhakar, K., & Rana, R.S. (2017). *Spirulina* – From growth to nutritional product: A review. *Trends in Food Science & Technology*, 69, 157-171. [10.1016/j.tifs.2017.09.010](https://doi.org/10.1016/j.tifs.2017.09.010)
- Tester, R. & Al-Ghazzewi, F. (2013). Mannans and health, with a special focus on glucomannans. *Food Research International*, 50, 384-391.
- Tester, R. & Al-Ghazzewi, F. (2017). Glucomannans and nutrition. *Food Hydrocolloids*, 68, 246-254. [10.1016/j.foodhyd.2016.05.017](https://doi.org/10.1016/j.foodhyd.2016.05.017)
- Tibbetts, S.M., Milley, J.E., & Lall, S.P. (2015). Chemical composition and nutritional properties of freshwater and marine microalgal biomass cultured in photobioreactors. *Journal of Applied Phycology*, 27 (3), 1109-1119.
- VOGELBUSCH Biocommodities. (2020). *Baker's Yeast*. Austria.
- Wajda, L., Rekas, Z., Tarko, T., Duda-Chodak, A., Liebersbach, A., & Makarewicz, M. (2020). Dried biomass of *Arthrosira platensis* inhibits growth of aureobasidium pullulans LW14 and some bacteria when added to unpasteurised apple juice. *Indian Journal of Microbiology*, 60, 346-352. [10.1007/s12088-020-00871-w](https://doi.org/10.1007/s12088-020-00871-w)
- Wang, Y., Chen, Y., Zhou, Y., Nirasawa, S., Tatsumi, E., Li, X., & Cheng, Y. (2017). Effects of konjac glucomannan on heat-induced changes of wheat gluten structure. *Food Chemistry*, 229, 409-416. [10.1016/j.foodchem.2017.02.056](https://doi.org/10.1016/j.foodchem.2017.02.056)
- Widjanarko, S., Widyastuti, E., & Rozaq, F. (2015). The effect of porang (*Amorphophallus muelleri* Blume) milling time using ball mill (cyclone separator) method toward physical and chemical properties of porang flour. *Jurnal Pangan dan Agroindustri*, 3, 867-877.
- Wiggins, C. & Cauvain, S.P. (2007). *Proving, Baking and Cooling*. In: *Technology of Breadmaking*, 2nd ed. USA: Springer.
- Xu, W., Xiong, Y., Li, Z., Luo, D., Wang, Z., Sun, Y., Shah, B.R. (2020). Stability, microstructural and rheological properties of complex prebiotic emulsion stabilized by sodium caseinate with inulin and konjac glucomannan. *Food Hydrocolloids*, 105, Article 105772. [10.1016/j.foodhyd.2020.105772](https://doi.org/10.1016/j.foodhyd.2020.105772)
- Yen, G.C. & Chen, H.Y. (1995). Antioxidant activity of various tea extracts in relation to their antimutagenicity, *J. Agric. Food Chem.*, 43, 27-37.
- Zhao, D., Zhou, Y., Liu, H., Liang, J., Cheng, Y., & Nirasawa, S. (2017). Effects of dough mixing time before adding konjac glucomannan on the quality of noodles. *Journal of Food Science and Technology*, 54 (12), 3837-3846. [10.1007/s13197-017-2831-1](https://doi.org/10.1007/s13197-017-2831-1)



- Zhou, L., Li, K., Duan, X., Hill, D., Barrow, C., Dunshea, F., Martin, G., & Suleria, H. (2022). Bioactive compounds in microalgae and their potential health benefits. *Food Bioscience*, 49. [10.1016/j.fbio.2022.101932](https://doi.org/10.1016/j.fbio.2022.101932)
- Zhou, Y., Zhao, D., Foster, T.J., Liu, Y., Wang, Y., Nirasawa, S., Tatsumi, E., & Cheng, Y. (2014). Konjac glucomannan-induced changes in thiol/disulphide exchange and gluten conformation upon doughmixing. *Food Chemistry*, 143, 163-169. [10.1016/j.foodchem.2013.07.088](https://doi.org/10.1016/j.foodchem.2013.07.088)
- Zlateva, D. & Chochkov, R. (2019). Effect of *Spirulina platensis* on the crumb firming of wheat bread during storage. *Food Technology*, 8 (4), 851-860. [10.24263/2304-974X-2019-8-4-15](https://doi.org/10.24263/2304-974X-2019-8-4-15)
- Zlateva, D., Chochkov, R., & Stefanova, D. (2022). Effect of *Spirulina platensis* and kelp biomass addition on the fatty acid composition of wheat bread. *Ukrainian Food Journal*, 11 (1), 102-114. [10.24263/2304-974X-2022-11-1-11](https://doi.org/10.24263/2304-974X-2022-11-1-11)