

## DAFTAR PUSTAKA

- Adikari, A. M. M. U., Priyashantha, H., Disanayaka, J. N. K., Jayatileka, D. V., Kodithuwakku, S. P., Jayatilake, J. A. M. S., & Vidanarachchi, J. K. (2021). Isolation, identification and characterization of *Lactobacillus* species diversity from Meekiri: traditional fermented buffalo milk gels in Sri Lanka. *Heliyon*, 7(10). <https://doi.org/10.1016/j.heliyon.2021.e08136>
- Ajewole, \*, Akoma, E. A., Daniel, O., Nnadozie, A. A., & Njoku, H. &. (2014). *CHARACTERIZATION OF LACTIC ACID BACTERIA ISOLATED FROM TWO FERMENTED FOOD PRODUCTS AND THE STOMACH OF RUMINANT ANIMAL* (Vol. 3, Issue 3).
- Ameen, S. M., & Caruso, G. (2017). *Lactic Acid in the Food Industry*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-58146-0>
- Angelin, J., & Kavitha, M. (2020). Exopolysaccharides from probiotic bacteria and their health potential. In *International Journal of Biological Macromolecules* (Vol. 162, pp. 853–865). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2020.06.190>
- Arciola, C. R., Campoccia, D., Gamberini, S., Cervellati, M., Donati, E., & Montanaro, L. (2002). Detection of slime production by means of an optimised Congo red agar plate test based on a colourimetric scale in *Staphylococcus epidermidis* clinical isolates genotyped for *ica* locus. In *Biomaterials* (Vol. 23). [www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)
- Behare, P. V., Singh, R., Tomar, S. K., Nagpal, R., Kumar, M., & Mohania, D. (2010). Effect of exopolysaccharide-producing strains of *Streptococcus thermophilus* on technological attributes of fat-free lassi. *Journal of Dairy Science*, 93(7), 2874–2879. <https://doi.org/10.3168/jds.2009-2300>
- Berthold-Pluta, A. M., Pluta, A. St., Garbowska, M., & Stasiak-Róžańska, L. (2019). Exopolysaccharide-Producing Lactic Acid Bacteria – Health-Promoting Properties And Application In The Dairy Industry. *Postępy Mikrobiologii - Advancements of Microbiology*, 58(2), 191–204. <https://doi.org/10.21307/pm-2019.58.2.191>
- Bezerra, R. A., & Fonseca, G. G. (2023). Microbial count, chemical composition and fatty acid profile of biological silage obtained from pacu and spotted sorubim fish waste using lactic acid bacteria fermentation. *Biocatalysis and Agricultural Biotechnology*, 54. <https://doi.org/10.1016/j.bcab.2023.102929>
- Bibi, A., Xiong, Y., Rajoka, M. S. R., Mehwish, H. M., Radicetti, E., Umair, M., Shoukat, M., Khan, M. K. I., & Aadil, R. M. (2021). Recent advances in the production of exopolysaccharide (EPS) from *Lactobacillus* spp. and its application in the food industry: A review. In *Sustainability (Switzerland)* (Vol. 13, Issue 22). MDPI. <https://doi.org/10.3390/su132212429>

- Corry, J., & Zwietering, M. (2008). *Food Microbiology* (M. R. Adams & M. O. Moss, Eds.; 3rd ed.). The Royal Society of Chemistry.
- Diw, Y., Indah Widya Yanti, D., & Abdurrahim Dali, F. (2013). Characteristics of Lactic Acid Bacteria Isolated during Bakasang Fermentation Process. *JPHPI*, 16.
- Farag, M. A., Jomaa, S. A., El-wahed, A. A., & El-seedi, H. R. (2020). The many faces of kefir fermented dairy products: Quality characteristics, flavour chemistry, nutritional value, health benefits, and safety. In *Nutrients* (Vol. 12, Issue 2). MDPI AG. <https://doi.org/10.3390/nu12020346>
- Ferreira, A. A., Souza Tette, P. A., Santos Mendonça, R. C., De Souza Soares, A., & De Carvalho, M. M. (2015). Detection of exopolysaccharide production and biofilm-related genes in staphylococcus spp. Isolated from a poultry processing plant. *Food Science and Technology (Brazil)*, 34(4), 710–716. <https://doi.org/10.1590/1678-457X.6446>
- Fuso, A., Bancalari, E., Castellone, V., Caligiani, A., Gatti, M., & Bottari, B. (2023). Feeding Lactic Acid Bacteria with Different Sugars: Effect on Exopolysaccharides (EPS) Production and Their Molecular Characteristics. *Foods*, 12(1). <https://doi.org/10.3390/foods12010215>
- Ganatsios, V., Nigam, P., Plessas, S., & Terpou, A. (2021). Kefir as a functional beverage gaining momentum towards its health promoting attributes. In *Beverages* (Vol. 7, Issue 3). MDPI AG. <https://doi.org/10.3390/beverages7030048>
- Goa, T., Beyene, G., Mekonnen, M., & Gorems, K. (2022). Isolation and Characterization of Lactic Acid Bacteria from Fermented Milk Produced in Jimma Town, Southwest Ethiopia, and Evaluation of their Antimicrobial Activity against Selected Pathogenic Bacteria. *International Journal of Food Science*, 2022. <https://doi.org/10.1155/2022/2076021>
- Grønnevik, H., Falstad, M., & Narvhus, J. A. (2011). Microbiological and chemical properties of Norwegian kefir during storage. *International Dairy Journal*, 21(9), 601–606. <https://doi.org/10.1016/j.idairyj.2011.01.001>
- Gunkova, P. I., Buchilina, A. S., Maksimiuk, N. N., Bazarnova, Y. G., & Girel, K. S. (2021). Carbohydrate Fermentation Test of Lactic Acid Starter Cultures. *IOP Conference Series: Earth and Environmental Science*, 852(1). <https://doi.org/10.1088/1755-1315/852/1/012035>
- Guzel-Seydim, Z. B., Gökırmaklı, Ç., & Greene, A. K. (2021). A comparison of milk kefir and water kefir: Physical, chemical, microbiological and functional properties. In *Trends in Food Science and Technology* (Vol. 113, pp. 42–53). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2021.04.041>

- Handayani, T. (2009). *Pencarian Bakteri Asam Laktat Penghasil Ekspolisakarida yang Mempunyai Aktivitas Fruktansukrase dari Koleksi Isolat Asal Sumber Lokal*. University of Indonesia.
- Hill, A., Montgomery, A., Postnikoff, L., Touchet, K., & Vallaster, L. (2020). *Introduction to Food Microbiology*. British Columbia. <http://www.foodsafe.ca>
- Hsieh, H. H., Wang, S. Y., Chen, T. L., Huang, Y. L., & Chen, M. J. (2012). Effects of cow's and goat's milk as fermentation media on the microbial ecology of sugary kefir grains. *International Journal of Food Microbiology*, 157(1), 73–81. <https://doi.org/10.1016/j.ijfoodmicro.2012.04.014>
- Huang, Y., Wu, F., Wang, X., Sui, Y., Yang, L., & Wang, J. (2013). Characterization of *Lactobacillus plantarum* Lp27 isolated from Tibetan kefir grains: A potential probiotic bacterium with cholesterol-lowering effects. *Journal of Dairy Science*, 96(5), 2816–2825. <https://doi.org/10.3168/jds.2012-6371>
- Ismail, Y. S., Yulvizar, C., & Mazhitov, B. (2018). Characterization of lactic acid bacteria from local cows milk kefir. *IOP Conference Series: Earth and Environmental Science*, 130(1). <https://doi.org/10.1088/1755-1315/130/1/012019>
- Jurášková, D., Ribeiro, S. C., & Silva, C. C. G. (2022). Exopolysaccharides Produced by Lactic Acid Bacteria: From Biosynthesis to Health-Promoting Properties. In *Foods* (Vol. 11, Issue 2). MDPI. <https://doi.org/10.3390/foods11020156>
- Karadeniz, D. G., Kaskatepe, B., Kiymaci, M. E., Tok, K. C., Gumustas, M., & Karaaslan, C. (2021). Microbial exopolysaccharide production of *Streptococcus thermophilus* and its antiquorum sensing activity. *Archives of Microbiology*, 203(6), 3331–3339. <https://doi.org/10.1007/s00203-021-02313-7>
- Kim, H., Oh, N., Kwon, M., Kwon, O. H., Ku, S., Seo, J., & Roh, S. (2022). Exopolysaccharide of *Enterococcus faecium* L15 promotes the osteogenic differentiation of human dental pulp stem cells via p38 MAPK pathway. *Stem Cell Research and Therapy*, 13(1). <https://doi.org/10.1186/s13287-022-03151-0>
- Komesu, A., Allan Rocha de Oliveira, J., Helena da Silva Martins, L., Regina Wolf Maciel, M., & Maciel Filho, R. (2017). Lactic acid manufacture. In *BioResources* (Vol. 12, Issue 2).
- Kumar, K., Mathur, A., Rawal, M. K., Malhotra, A., Sandal, A., & Jain, S. (2018). *FOOD AND DAIRY MICROBIOLOGY* (1st ed.). Vikas® Publishing House Pvt. Ltd. [www.vikaspublishing.com](http://www.vikaspublishing.com)

- Li, N., Liu, X., He, X., Wang, S., Cao, S., Xia, Z., Xian, H., Qin, L., & Mao, W. (2017). Structure and anticoagulant property of a sulfated polysaccharide isolated from the green seaweed *Monostroma angicava*. *Carbohydrate Polymers*, 159, 195–206. <https://doi.org/10.1016/j.carbpol.2016.12.013>
- Mekky, A. F., Hassanein, W. A., Reda, F. M., & Elsayed, H. M. (2022). Anti-biofilm potential of *Lactobacillus plantarum* Y3 culture and its cell-free supernatant against multidrug-resistant uropathogen *Escherichia coli* U12. *Saudi Journal of Biological Sciences*, 29(4), 2989–2997. <https://doi.org/10.1016/j.sjbs.2022.01.014>
- Michael, D. R., Davies, T. S., Moss, J. W. E., Lama Calvente, D., Ramji, D. P., Marchesi, J. R., Pechlivanis, A., Plummer, S. F., & Hughes, T. R. (2017). The anti-cholesterolaemic effect of a consortium of probiotics: An acute study in C57BL/6J mice. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-02889-5>
- Mora-Villalobos, J. A., Montero-Zamora, J., Barboza, N., Rojas-Garbanzo, C., Usaga, J., Redondo-Solano, M., Schroedter, L., Olszewska-Widdrat, A., & López-Gómez, J. P. (2020). Multi-product lactic acid bacteria fermentations: A review. In *Fermentation* (Vol. 6, Issue 1). MDPI AG. <https://doi.org/10.3390/fermentation6010023>
- Netrusov, A. I., Liyaskina, E. V., Kurgaeva, I. V., Liyaskina, A. U., Yang, G., & Revin, V. V. (2023). Exopolysaccharides Producing Bacteria: A Review. In *Microorganisms* (Vol. 11, Issue 6). MDPI. <https://doi.org/10.3390/microorganisms11061541>
- Nguyen, T. H. T., Dao, T. T. U., Pham, G. V., Do, T. S., Nguyen, T. T. L., Nguyen, T. H. L., Chu, M. N., Nguyen Quoc, D. Q., & Tien, N. A. (2020). Effect of pH on the adsorption behaviour of Congo Red Dye on the Mg-Al layered double hydroxide. *IOP Conference Series: Materials Science and Engineering*, 736(2). <https://doi.org/10.1088/1757-899X/736/2/022077>
- Olson, N. D., & Morrow, J. B. (2012). DNA extract characterization process for microbial detection methods development and validation. *BMC Research Notes*, 5. <https://doi.org/10.1186/1756-0500-5-668>
- Oude Elferink, S. J. W. H., Krooneman, E. J., Gottschal, J. C., Spoelstra, S. F., Faber, F., & Driehuis, F. (2001). Anaerobic conversion of lactic acid to acetic acid and 1,2-propanediol by *Lactobacillus buchneri*. *Applied and Environmental Microbiology*, 67(1), 125–132. <https://doi.org/10.1128/AEM.67.1.125-132.2001>
- Passerini, D., Coddeville, M., Le Bourgeois, P., Loubière, P., Ritzenthaler, P., Fontagné-Faucher, C., Daveran-Mingot, M. L., & Coccagn-Bousquet, M. (2013). The carbohydrate metabolism signature of *Lactococcus lactis* strain A12 reveals its sourdough ecosystem origin. *Applied and Environmental Microbiology*, 79(19), 5844–5852. <https://doi.org/10.1128/AEM.01560-13>

- Paulo, E. M., Vasconcelos, M. P., Oliveira, I. S., Affe, H. M. de J., Nascimento, R., de Melo, I. S., Roque, M. R. de A., & de Assis, S. A. (2012). An alternative method for screening lactic acid bacteria for the production of exopolysaccharides with rapid confirmation. *Ciencia e Tecnologia de Alimentos*, 32(4), 710–714. <https://doi.org/10.1590/S0101-20612012005000094>
- Plessas, S., Nouska, C., Mantzourani, I., Kourkoutas, Y., Alexopoulos, A., & Bezirtzoglou, E. (2017). Microbiological exploration of different types of Kefir grains. In *Fermentation* (Vol. 3, Issue 1). MDPI AG. <https://doi.org/10.3390/fermentation3010001>
- Putri, I., Jannah, N., & Purwantisari, S. (2020). Isolation and characterization of lactic acid bacteria from *Apis mellifera* and their potential as antibacterial using in vitro test against growth of *Listeria monocytogenes* and *Escherichia coli*. *NICHE Journal of Tropical Biology*, 3(1), 26–34.
- Rhaiem, N., Chahboun, N., Inekach, S., & Ouhssine, M. (2016). Identification and characterization of lactic acid bacteria isolated from cow milk and olives brine. In *J. Mater. Environ. Sci* (Vol. 7, Issue 5).
- Riaz Rajoka, M. S., Wu, Y., Mehwish, H. M., Bansal, M., & Zhao, L. (2020). Lactobacillus exopolysaccharides: New perspectives on engineering strategies, physiochemical functions, and immunomodulatory effects on host health. In *Trends in Food Science and Technology* (Vol. 103, pp. 36–48). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.06.003>
- Sari, R., Deslianri, L., & Apridamayanti, P. (2016). Skrining Aktivitas Antibakteri Bakteriosin dari Minuman Ce Hun Tiau. *Pharm Sci Res*.
- Sophian, A., & Yustina, Y. (2023). Analisis Nilai Kemurnian DNA Menggunakan Nano Fotometer pada Rasio 260/230 yang Diisolasi dari Produk Nugget. *Muhammadiyah Journal of Nutrition and Food Science (MJNF)*, 3(2), 82. <https://doi.org/10.24853/mjnf.3.2.82-86>
- Sørensen, H. M., Rochfort, K. D., Maye, S., MacLeod, G., Brabazon, D., Loscher, C., & Freeland, B. (2022). Exopolysaccharides of Lactic Acid Bacteria: Production, Purification and Health Benefits towards Functional Food. In *Nutrients* (Vol. 14, Issue 14). MDPI. <https://doi.org/10.3390/nu14142938>
- Srinivasan, R., Karaoz, U., Volegova, M., MacKichan, J., Kato-Maeda, M., Miller, S., Nadarajan, R., Brodie, E. L., & Lynch, S. V. (2015). Use of 16S rRNA gene for identification of a broad range of clinically relevant bacterial pathogens. *PLoS ONE*, 10(2). <https://doi.org/10.1371/journal.pone.0117617>
- Suhaeni. (2018). Uji TOTAL ASAM DAN ORGANOLEPTIK YOGHURT KATUK. *Jurnal Dinamika*, 9, 21–28.
- Sulmiyati, S., Said, N. S., Fahrodi, D. U., Malaka, R., & Fatma, F. (2019). Physicochemical, Microbiology, and Sensory Characterization of Goat Milk



- Kefir in Various Incubation Time. *Buletin Peternakan*, 43(3). <https://doi.org/10.21059/buletinpeternak.v43i3.37217>
- Szutowska, J., Gwiazdowska, D., Rybicka, I., Pawlak-Lemańska, K., Biegańska-Marecik, R., & Gliszczynska-Świgło, A. (2021). Controlled fermentation of curly kale juice with the use of autochthonous starter cultures. *Food Research International*, 149. <https://doi.org/10.1016/j.foodres.2021.110674>
- Talib, N., Mohamad, N. E., Yeap, S. K., Hussin, Y., Mubin Aziz, M. N., Masarudin, M. J., Sharifuddin, S. A., Hui, Y. W., Ho, C. L., & Alitheen, N. B. (2019). Isolation and characterization of *Lactobacillus* spp. From kefir samples in Malaysia. *Molecules*, 24(14). <https://doi.org/10.3390/molecules24142606>
- Taye, Y., Degu, T., Fesseha, H., & Mathewos, M. (2021). Isolation and Identification of Lactic Acid Bacteria from Cow Milk and Milk Products. *Scientific World Journal*, 2021. <https://doi.org/10.1155/2021/4697445>
- Temmerman, R., Huys, G., & Swings, J. (2004). Identification of lactic acid bacteria: Culture-dependent and culture-independent methods. *Trends in Food Science and Technology*, 15(7–8), 348–359. <https://doi.org/10.1016/j.tifs.2003.12.007>
- Vasileva, T., Iliev, I., Amari, M., Bivolarski, V., Bounaix, M. S., Robert, H., Morel, S., Rabier, P., Ivanova, I., Gabriel, B., Fontagné-Faucher, C., & Gabriel, V. (2012). Characterization of glycosyltransferase activity of wild-type *Leuconostoc mesenteroides* strains from Bulgarian fermented vegetables. *Applied Biochemistry and Biotechnology*, 168(3), 718–730. <https://doi.org/10.1007/s12010-012-9812-7>
- Wang, S., Dong, Z., Li, J., Chen, L., & Shao, T. (2019). *Pediococcus acidilactici* strains as silage inoculants for improving the fermentation quality, nutritive value and in vitro ruminal digestibility in different forages. *Journal of Applied Microbiology*, 126(2), 424–434. <https://doi.org/10.1111/jam.14146>
- Wang, Y., Wu, J., Lv, M., Shao, Z., Hungwe, M., Wang, J., Bai, X., Xie, J., Wang, Y., & Geng, W. (2021). Metabolism Characteristics of Lactic Acid Bacteria and the Expanding Applications in Food Industry. In *Frontiers in Bioengineering and Biotechnology* (Vol. 9). Frontiers Media S.A. <https://doi.org/10.3389/fbioe.2021.612285>
- Whitman, W. B. (2009). *Bergey's Manual of Systematic Bacteriology* (P. De Vos, Ed.; 2nd ed., Vol. 3). Springer Dordrecht Heidelberg.
- Winand, R., Bogaerts, B., Hoffman, S., Lefevre, L., Delvoye, M., Van Braekel, J., Fu, Q., Roosens, N. H. C., De Keersmaecker, S. C. J., & Vanneste, K. (2020). Targeting the 16s rRNA gene for bacterial identification in complex mixed samples: Comparative evaluation of second (illumina) and third (oxford nanopore technologies) generation sequencing technologies. *International Journal of Molecular Sciences*, 21(1). <https://doi.org/10.3390/ijms21010298>

- Wulandari, D., Purwaningsih Fakultas Farmasi, D., Setia Budi Jln Letjen Sutoyo Mojosongo, U., Surakarta, K., & Tengah, J. (2019). *Morphological, Biochemical, and Molecular Identification and Characterization of Amylolytic Bacteria in Tubers of Colocasia esculenta*. <http://ejurnal.bppt.go.id/index.php/JBBI>
- Xiong, Z., Tian, X., Wang, G., Song, X., Xia, Y., Zhang, H., & Ai, L. (2022). Development of a high-throughput screening method for exopolysaccharide-producing *Streptococcus thermophilus* based on Congo red. *Food Research International*, 162. <https://doi.org/10.1016/j.foodres.2022.112094>
- Xiu, L., Zhang, H., Hu, Z., Liang, Y., Guo, S., Yang, M., Du, R., & Wang, X. (2018). Immunostimulatory activity of exopolysaccharides from probiotic *Lactobacillus casei* WXD030 strain as a novel adjuvant in vitro and in vivo. *Food and Agricultural Immunology*, 29(1), 1086–1105. <https://doi.org/10.1080/09540105.2018.1513994>
- Zhang, K., Liu, S., Liang, S., Xiang, F., Wang, X., Lian, H., Li, B., & Liu, F. (2024). Exopolysaccharides of lactic acid bacteria: Structure, biological activity, structure-activity relationship, and application in the food industry: A review. In *International Journal of Biological Macromolecules* (Vol. 257). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2023.128733>
- Zhou, Y., Cui, Y., & Qu, X. (2019). Exopolysaccharides of lactic acid bacteria: Structure, bioactivity and associations: A review. In *Carbohydrate Polymers* (Vol. 207, pp. 317–332). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2018.11.093>