

DAFTAR PUSTAKA

- Abbasiliasi, S., Ramanan, R. N., Ibrahim, T. A. T., Mustafa, S., Mohamad, R., Daud, H. H. M., & Ariff, A. B. (2011). Effect of medium composition and culture condition on the production of bacteriocin-like inhibitory substances (BLIS) by *Lactobacillus paracasei* LA07, a strain isolated from budu. *Biotechnology and Biotechnological Equipment*, 25(4), 2652–2657. <https://doi.org/10.5504/bbeq.2011.0101>
- Aristimuño Ficosoco, C., Mansilla, F. I., Vignolo, G. M., & Nader-Macías, M. E. F. (2023). Optimization of Probiotic *Lactobacilli* Production for In-Feed Supplementation to Feedlot Cattle. *Applied Microbiology*, 3(2), 339–357.
- Avila-Reyes, S. V., Márquez-Morales, C. E., Moreno-León, G. R., Jiménez-Aparicio, A. R., Arenas-Ocampo, M. L., Solorza-Feria, J., García-Armenta, E., Villalobos-Espinosa, J. C. (2022). Comparative Analysis of Fermentation Conditions on the Increase of Biomass and Morphology of Milk Kefir Grains. *Applied Sciences*. 12(5), 2459. <https://doi.org/10.3390/app12052459>
- Bacteriological Analytical Manual (BAM). 2001. Chapter 3: Aerobic Plate Count. <https://www.fda.gov/food/laboratory-methods-food/bam-chapter-3-aerobic-plate-count>. [Diakses 21 Januari 2024].
- Bandiera, N. S., Bruzaroski, S. R., Gomez, R. J. H. C., Santana, E. H. W. de, Souza, C. H. B. de, Aragon, C. C., Pimentel, T. C., & Aragon-Alegro, L. C. (2021). Probiotic powder: Optimization of the process parameters and influence of the drying method. *Research, Society and Development*, 10(16), e420101623796. <https://doi.org/10.33448/rsd-v10i16.23796>
- Brooks, G. F, J. F. Buteel, dan A. S. Morsedan. (2001). Mikrobiologi kedokteran edisi pertama. Penerjemah dan Editor: Bagian Mikrobiologi Fakultas Kedokteran Universitas Erlangga. Jakarta: Salemba Media.
- Carvalho, A. S., Silva, J., Ho, P., Teixeira, P., Malcata, F. X., and Gibbs, P. (2004). Effects of various sugars added to growth and drying media upon thermotolerance and survival throughout storage of freeze-dried *Lactobacillus delbrueckii* ssp. *Bulgaricus*. *Biotechnol. Prog.* 20, 248–54
- Chen, S., Ren, J., & Chen, R. (2019). Cryopreservation and Desiccation Preservation of Cells. *Comprehensive Biotechnology*, 5(11), 157-166. Doi: 10.1016/B978-0-444-64046-8.00451-1
- Cheng, L., Wang, J., Fu, Q., Miao, L., Yang L., Li, S., Li, F., & Shen, Z. (2015). Optimization of Carbon and Nitrogen Sources and Substrate Feeding Strategy to Increase The Cell Density of *Streptococcus suis*. *Biotechnology & Biotechnological Equipment*, 29(4), 779-785, DOI: 10.1080/13102818.2015.1039465
- Choi, G. H., Lee, N. K., & Paik, H. D. (2021). Optimization of medium composition for biomass production of *Lactobacillus plantarum* 200655 using response surface methodology. *Journal of Microbiology and Biotechnology*, 31(5), 717–725. <https://doi.org/10.4014/jmb.2103.03018>

- Cui, Y., and Qu, X. (2021). Genetic Mechanisms of Prebiotic Carbohydrate Metabolism in Lactic Acid Bacteria: Emphasis on *Lactocaseibacillus casei* and *Lactocaseibacillus paracasei* as Flexible, Diverse, and Outstanding Prebiotic Carbohydrate Starters. *Trends in Food Science & Technology*, 115, 486-499.
- Danisco. (2010). *Lactobacillus paracasei* LPC-37 ®
- De Man, J. C., Rogosa, M. & Sharpe, M. E. (1960). A Medium for The Cultivation of Lactobacilli. *J. appl. Bact.*, 23(1), 130-135
- Douillard, F.P., Ribbera, A., Jarvinen, H.M., Kant, R., Pietila, T.E., et al. (2013) Comparative Genomic and Functional Analysis of *Lactobacillus casei* and *Lactobacillus rhamnosus* Strains Marketed as Probiotics. *Applied and Environmental Microbiology*, 79, 1923–1933.
- Eiteman, M. & Ramalingam, S. (2015). Microbial production of lactic acid. *Biotechnol. Lett.* 37, 955–972. doi: 10.1007/s10529-015-1769-5
- Elias, M., G. Wiczorek, S. Rosenne & D. S. Tawfik. (2014). The universality of enzymatic rate temperature dependency. *Trends Biochem. Sci.* 39:1-7. doi: <http://dx.doi.org/10.1016/j.tibs.2013.11.001>
- FAO/WHO (2002). Guidelines for the evaluation of probiotics in food: Report of a joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food. London Ontario, Canada
- Fardiaz, S. (1992). *Mikrobiologi Pengolahan Pangan*. Bogor: Departemen Pendidikan dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Pangan dan Gizi Institut Pertanian Bogor. 3- 23.
- Fenster, K., Freeburg, B., Hollard, C., Wong, C., Laursen, R.R., Ouwehand, A.C. (2019). The Production and Delivery of Probiotics: A Review of a Practical Approach. *Microorganisms*, 7, 83
- Fonteles T.V., Costa M.G.M., de Jesus A.L.T., Rodrigues S. (2012). Optimization of the fermentation of cantaloupe juice by *Lactobacillus casei* NRRL B-442. *Food Bioprocess Tech.* 5, 2819–2826. doi: 10.1007/s11947-011-0600-0.
- Gurban, Oglu Gulahmadov, S., Batdorj, B., Dalgalarondo, M., Chobert, J. M., Alekper Oglu Kuliev, A., & Haertlé, T. (2006). Characterization of bacteriocin-like inhibitory substances (BLIS) from lactic acid bacteria isolated from traditional Azerbaijani cheeses. *European Food Research and Technology*, 224(2), 229–235. <https://doi.org/10.1007/s00217-006-0338-5>
- Harmayani, E., Ngatirah, Rahayu, E. S., dan Utami, T. (2001). Ketahanan dan Viabilitas Probiotik Bakteri Asam Laktat Selama Proses Pembuatan Kultur Kering dengan Metode *Freeze Drying* dan *Spray Drying*. *Tekno. dan Industri Pangan*, XII(2), 126-132
- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., et al. (2014). Expert consensus document. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature Reviews Gastroenterology & Hepatology*, 11(8), 506–514
- Holzappel, W.H., Wood, B.J.B. (1998). *The genera of lactic acid bacteria*. London: Blackie Academic & Professional.
- Hu, P. L., Yuan, Y. H., Yue, T. L., & Guo, C. F. (2018). A new method for the in vitro determination of the bile tolerance of potentially probiotic lactobacilli.

- Applied Microbiology and Biotechnology*, 102(4), 1903–1910.
<https://doi.org/10.1007/s00253-018-8742-x>
- Islam, S.U. (2016). Clinical uses of probiotics. *Medicine*, 95, e2658. Doi: 10.1097/MD.0000000000002658
- Isnawati, & Trimulyono, G. (2018). Temperature range and degree of acidity growth of isolate of indigenous bacteria on fermented feed “fermege.” *Journal of Physics: Conference Series*, 953(1). <https://doi.org/10.1088/1742-6596/953/1/012209>
- Kilinc B., Cakli, S., Tolasa, S. & Dincer, T. (2006). Chemical, Microbiological and Sensory Changes Associated with Fish Sauce Processing. *European Food Research and Technology*, 222(5), 604-613
- Krasaekoopt, W., Bhandari, B., Deeth, H. (2003). Evaluation of encapsulation techniques of probiotics for yoghurt. *Int Dairy J*, 13: 3-13
- Lau, J., Tran, C., Licari, P., Galazzo, J. (2004). Development of a high cell-density fed-batch bioprocess for the heterologous production of 6-deoxyerythronolide B in *Escherichia coli*. *J Biotechnol.*, 110, 95–103
- Liao, Q., Hang, X., Liu, X., Pan, J., Zhang, H., & Yang, H. (2010). The influence of pH on heat stress response by probiotic *Lactobacillus plantarum* LP-Onlly. *Ann Microbiol*, 60, 341–348
- Luis, Calista. (2024). Optimasi Konsentrasi Sumber Pepton Ikan Gabus dalam Media Pertumbuhan untuk Produksi Bubuk Probiotik *Lactocaseibacillus paracasei* subsp. *Paracasei* GMRMP 001. *Skripsi*. Universitas Gadjah Mada, Yogyakarta
- Maier, R. M. (2009). Bacterial Growth. In *Environmental Microbiology* (pp. 37–54). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-370519-8.00003-1>
- Maleki Kakelar, H., Barzegari, A., Hanifian, S., Barar, J., Omidi, Y. (2019). Isolation and molecular identification of *Lactobacillus* with probiotic potential from abomasums driven rennet. *Food Chem.* 272, 709–714
- Manzoor, A., Qazi, J. I., Haq, I. U., Mukhtar, H., & Rasool, A. (2017). Significantly enhanced biomass production of a novel bio-therapeutic strain *Lactobacillus plantarum* (AS-14) by developing low cost media cultivation strategy. *Journal of Biological Engineering*, 11(1). <https://doi.org/10.1186/s13036-017-0059-2>
- Meena, G. S., Kumar, N., Majumdar, G. C., Banerjee, R., Meena, P. K., dan Yadav, V. (2014). Growth Characteristics Modeling of *Lactobacillus acidophilus* Using RSM and ANN. *Braz. Arch. Biol. Technol*, 57, 15-22
- Mendonça, A.A., Pinto-Neto, W.d.P., da Paixão, G.A., Santos, D.d.S., De Morais, M.A., Jr., De Souza, R.B. (2023). Journey of the Probiotic Bacteria: Survival of the Fittest. *Microorganisms*, 11, 95.
- Mira, P., Yeh, P., Hall, B. G. (2022). Estimating Microbial Population Data From Optical Density. *PLoS One*, 17(10):e0276040. doi: 10.1371/journal.pone.0276040.
- Nagashima, A. I., Pansiera, P. E., Baracat, M. M., Gómez, J. (2013) Development of Effervescent Products, in Powder and Tablet Form, Supplemented with Probiotics *Lactobacillus acidophilus* and *Saccharomyces boulardii*. *Food Sci. Technol*, 33, 605–611

- Neha A, Kamaljit S, Ajay B, Tarung G. (2012). Probiotic as effective treatment of disease. *International Research Journal Of Pharmacy: India* ISSN: 2230-8407, 98
- Noll, P., Lilge, L., Hausmann, R., & Henkel, M. (2020). Modeling and exploiting microbial temperature response. In *Processes* (Vol. 8, Issue 1). MDPI AG. <https://doi.org/10.3390/pr8010121>
- Norton, S., Lacroix, C., Vuillemard, J-C. (1994). Kinetic Study of Continuous Whet Permeate Fermentation by Immobilized *Lactobacillus helveticus* for Lactic Acid Productio. *Enzyme Microb Technol*, 16(4), 57-66.
- Oh, S., Kim, S. H., Worobo, R. W. (2000). Characterization and Purification of A Bacteriocin Produced by A Potential Probiotic Culture *Lactobacillus acidophilus* 30SC. *J Dairy and Food Sci*, 83, 2747-2752.
- Onayanti, N., Budji, R.G., Sartini, 2015. Uji Viabilitas Probiotik Asal Saluran Pencernaan Itik Pedaging Anas Domesticus yang Dienkapsulasi Dengan Metode *Cross Link*
- Paineau, D., Carcano, D., Leyer, G., Darquy, S., Alyanakian, M. A., Simoneau, G., Bergmann, J. F., Brassart, D., Bornet, F., Ouwehand, A. C. (2008). Effects of seven potential probiotic strains on specific immune responses in healthy adults: a double-blind, randomized, controlled trial. *JFEMS Immunol and Med Microbiol*, 53(1), 107–113.
- Rahmi, Ade Oktrina. 2023. Seleksi Bakteri Asam Laktat dari Dadih Asal Alahan Panjang Sebagai Kandidat Probiotik Asli Indonesia. *Tesis*. Universitas Gadjah Mada.
- Reiny, S, S. (2012). Potensi *Lactobacillus acidophilus* ATCC 4796 sebagai Biopreservatif pada Rebusan Daging Ikan Tongkol. *Jurnal IJAS*, II(2), 604-613.
- Rezac, S., Kok, C. R., Heermann, M., & Hutkins, R. (2018). Fermented foods as a dietary source of live organisms. In *Frontiers in Microbiology* (Vol. 9, Issue AUG). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2018.01785>
- Rohmatussolihat, Ridwan, R., Widyastuti, Y., Sari, N. F., Fidryanto, R., dan Astuti, W. D. (2021). Optimization of Medium Composition for Probiotic Powder Inoculum Using the Response Surface Methodology. *IOP Conf. Series: Earth and Environmental Science*, 788. DOI: :10.1088/1755-1315/788/1/012038
- Saarela M., Virkajärvi I., Alakomi H.L., Mattila-Sandholm T., Vaari A., Suomalainen T., et al. (2005). Influence of fermentation time, cryoprotectant and neutralization of cell concentrate on freeze-drying survival, storage stability, and acid and bile exposure of *Bifidobacterium animalis* ssp. *lactis* cells produced without milk-based ingredients. *J. Appl. Microbiol*, 99(6), 1330–1339.
- Salminen, S., von Wright, A., Ouwehand, A. C. (2004). *Lactic Acid Bacteria: Microbiological and Functional Aspects*. New York: Marcel Dekker, Inc.
- Sharah, A., & Karnila, R. (2015). Pembuatan Kurva Pertumbuhan Bakteri Asam Laktat yang Di Isolasi Dari Ikan Peda Kembung (*Rastrelliger sp.*)
- Shu, G., Wang, Z., Chen, L., Wan, H. & Chen, H. (2018). Characterization of freeze-dried *Lactobacillus acidophilus* in goat milk powder and tablet: Optimization

- of the composite cryoprotectants and evaluation of storage stability at different temperature. *Food Science and Technology*, 90(1), 70-76.
- Ślizewska, K., & Chlebicz-Wójcik, A. (2020). Growth kinetics of probiotic lactobacillus strains in the alternative, cost-efficient semi-solid fermentation medium. *Biology*, 9(12), 1–13. <https://doi.org/10.3390/biology9120423>
- Subagiyo, Margino, Sebastian, Triyanto, dan Setyati, Wilis Ari. (2015). Pengaruh pH, Suhu, dan Salinitas terhadap Pertumbuhan dan Produksi Organik Bakteri Asam Laktat yang Diisolasi dari Intestinum Udang Penaeid. *Ilmu Kelautan*, 20(4), 187-194. DOI: 10.14710/ik.ijms.20.4.187-194
- Sudha, M. R., P. Chauhan, K. Dixit, S. Babu, K. Jamil. (2009). Probiotics as Complementary Therapy for Hypercholesterolemia. *Biology and Medicine*. 1(4): Rev 4
- Sutton, A. (2008). Product development of probiotics as biological drugs. *Clin Infect Dis*, 46: S128-S132. 31.
- Syukur, S. (2012). *Bioteknologi Dasar Dan Bakteri Asam Laktat Antimikrobia*. Padang: Lembaga Pengembangan Teknologi dan Informasi dan Komunikasi (LPTIK) Universitas Andalas
- Sornsenee, P., Chimplee, S., Saengsuwan, P., & Romyasamit, C. (2022). Characterization of probiotic properties and development of banana powder enriched with freeze-dried *Lactobacillus paracasei* probiotics. *Heliyon*, 8(10). <https://doi.org/10.1016/j.heliyon.2022.e11063>
- Tabassum., A., Shiby, V. K. & Pandey, M. C. (2017). Quality aspects and Storage evaluation of Freeze Dried Probiotic Pineapple Lassi Powder. *Defence Life Science Journal*, 2(2), 186-192.
- Valencia, M. S., Salgado, S. M., Andrade, S. A. C., Padilha, V. M., Livera, A. V. S., & Stamford, T. L. M. (2016). Development of creamy milk chocolate dessert added with fructo-oligosaccharide and *Lactobacillus paracasei* subsp. *paracasei* LBC 81. *LWT-Food Science and Technology*, 69, 104–109.
- Wardani, S. K., Cahyanto, M. N., Rahayu, & Utami, T. (2017). The effect of inoculum size and incubation temperature on cell growth, acid production and curd formation during milk fermentation by *Lactobacillus plantarum* Dad 13. In *International Food Research Journal* (Vol. 24, Issue 3).
- WHO, FAO, (2006). *Probiotics in food, health and nutritional properties and guidelines for evaluation*. Rome
- Wolvers, D., Antonie, J.M., Myllyluoma, E., Schrezenmeir, J., Szajewska, H., and Rijkers, G.T. (2010). Guidance for Substantiating the Evidence for Beneficial Effects of Probiotics: Prevention and Management of Infections by Probiotics. *J. Nutr.* 140(3), 698-712
- Yang, Y. S., Chen, M. C., Liao, C. C. (2001). Mutant Bifidobacteria Strains With Acid, Bile Salt And Oxygen Tolerance. *J US Pat App*, 38, 63- 66
- Yuliana. (2008). Kinetika pertumbuhan bakteri asam laktat isolat T5 yang berasal dari tempoyak. *Jurnal teknologi industri dan hasil pertanian*, 73(2).
- Zubaidah, E., Saparianti, E., Hindrawan, J. (2012). Studi aktivitas antioksidan pada bekatul dan susu skim terfermentasi probiotik (*Lactobacillus plantarum* B2 dan *Lactobacillus acidophilus*). *J. Teknol. dan Ind. Pangan*, 13, 111–118.