

DAFTAR PUSTAKA

- Adams, M. R., & Moss, M. O. (2008). *Food Microbiology Third Edition*.
Cambridge: RSC Publishing.
- Afzaal, M., Hameed, S., Liaqat, I., Khan, A., Manan, H., Shahid, R., & Altaf, M.
(2022). Heavy metals contamination in water, sediments and fish of
freshwater ecosystems in Pakistan. *Water Practice and Technology*, 17(5),
1253–1272.
- Ahimed, H., Hiko, A., Abdellah, A., Muktar, Y., & Gutema, F. (2022). Isolation
and multidrug drug resistance profile of *Listeria* species in selected Dairy
Farm's Operational stages in Oromia Regional State, Ethiopia. *Scientific
African*, 16(1), 1-9.
- Akbar, G., Kusdiyantini, E., & Wijanarka. (2019). Isolasi dan Karakterisasi secara
Morfologi dan Biokimia Khamir dari Limbah Kulit Nanas Madu (*Ananas
comosus* L.) untuk Produksi Bioetano. *Berkala Bioteknologi*, 2(1), 1-11.
- Akhtar, S., Khan, Z., Ahmad, K., Nadeem, M., Ejaz, A., Hussain, M., & Ashraf, M.
(2022). Assessment of lead toxicity in diverse irrigation regimes and
potential health implications of agriculturally grown crops in Pakistan.
Agricultural Water Management, 271(1), 1-11.
- Alengebawy, A., Abdelkhalek, S. Q., & Wang, M. (2021). Heavy Metals and
Pesticides Toxicity in Agricultural Soil and Plants: Ecological Risks and
Human Health Implications. *Toxics*, 9(3), 42-50.
- Amirah, Sahputri, J., Zubir, & Khairunnisa, C. (2022). DETEKSI TINGKAT
CEMARAN BAKTERI STAPHYLOCOCCUS AUREUS PADA

DAGING AYAM BROILER YANG DIJUAL DI PASAR TRADISIONAL
KOTA LHOKSEUMAWE. *Jurnal Penelitian dan Pengabdian Masyarakat*,
1(12), 1074-1084.

Andari, S., & Yudhayanti, D. (2022). ISOLASI dan IDENTIFIKASI
SALMONELLA SP PADA DAGING AYAM SEGAR YANG DIJUAL DI
PASAR LEGI PONOROGO. *Jurnal Delima Harapan*, 9(2), 101-108.

Andrade, P. (2023). Dietary risk assessment for fumonisins: challenges and
prospects. *Current Opinion in Food Science*, 54(1), 1-11.

Andriani, M., Purnawarman, T., Damayanti, R., & Daulay, S. (2016). Identifikasi
Listeria monocytogenes pada Susu Kambing di Kabupaten Purworejo Jawa
Tengah. *Jurnal Sain Veteriner*, 34(1), 16-23.

Antle, J. (1995). *Choice and Efficiency in Food safety Policy*. Washington:
Enterprise Institute.

Atisha, S., & Musfiroh, I. (2020). REVIEW ARTIKEL: METODE
ENVIRONMENTAL MONITORING PADA AREA RUANG BERSIH
DAN PROSES ASEPTIK. *Farmaka*, 18(3), 87-93.

Ballom, K., Tsai, H., Taylor, M., Tang, J., & Zhu, M. (2020). Stability of *Listeria*
monocytogenes in non-fat dry milk powder during isothermal treatment and
storage. *Food Microbiology*, 87(1), 1-7.

Basta, P., Viana, P., Vaconcellos, A., Perisse, A., Hofer, C., Paiva, N., . . . Achatz,
R. (2021). Mercury Exposure in Mundurucu Indigenous Communities from
Brazilian Amazon: Methodological Background and an Overview of the

Principal Results. *International Journal of Environmental Research and Public Health*, 18(17), 9222-9230.

Bastiansz, A., Ewald, J., Saldana, V., Rios, A., & Basu, N. (2022). A Systematic Review of Mercury Exposures from Skin-Lightening Products. *Environmental Health Perspective*, 130(11), 116002-116009.

Bawa, U. (2023). Heavy metals concentration in food crops irrigated with pesticides and their associated human health risks in Paki, Kaduna State, Nigeria. *Food Science and Technology*, 9(1), 1-11.

Bertelloni, F., Bresciani, F., Cagnoli, G., Scotti, B., Lazzerini, L., Marcucci, M., . . . Ehani, V. (2023). House Flies (*Musca domestica*) from Swine and Poultry Farms Carrying Antimicrobial Resistant Enterobacteriaceae and Salmonella. *Veterinary Sciences*, 10(2), 1-14.

Bhattacharya, S. (2019). Probiotics against alleviation of lead toxicity: recent advances. *Interdisciplinary Toxicology*, 12(2), 89-92.

Borucki, M. K., Peppin, J. D., White, D., & Loge, F. (2003). Variation in biofilm formation among strains of *Listeria monocytogenes*. *App Environ Microbiol*, 69(1), 7336-7342.

BPOMRI. (2018). *PerKa BPOM No 34 tahun 2018 tentang Pedoman Cara Pembuatan Obat Yang Baik*. Jakarta: BPOM RI.

BPOMRI. (2023). *Perka BPOM No 24 tahun 2023 tentang Persyaratan Keamanan dan Mutu Suplemen Kesehatan*. Jakarta: BPOM RI.



- Bria, E., Ola, A., & Cunha, T. (2019). Analisis Kandungan Metabolit Sekunder dan Uji aktivitas Antibakteri Jamur Endofit Batang Binahong (*Anredera Cordifolia Steenis*). *Chemistry Notes*, 1(2), 1-11.
- Cartwright, L., & Latifah, D. (2010). Hazard Analysis Critical Control Point (HACCP) Sebagai Model Kendali Dan Penjaminan Mutu Produksi Pangan. *INVOTEC*, 6(17), 509-519.
- Chapman, C., Gibson, G., Todd, S., & Rowland, I. (2013). Comparative in vitro inhibition of urinary tract pathogens by single-and multi-strain probiotics. *Eur. J. Nutr.*, 52(6), 1669-1677.
- Citairesmi, A., & Putri, F. (2019). PENERAPAN HAZARD ANALYSIS AND CRITICAL CONTROL POINT (HACCP) PADA PROSES PRODUKSI WAFER ROLL. *Jurnal Teknologi & Industri Hasil Pertanian*, 24(1), 1-14.
- Crettels, L., Champon, L., Burlion, N., Delree, E., Saegerman, C., & Thiry, D. (2023). Antimicrobial resistant *Escherichia coli* prevalence in freshwaters in Belgium and human exposure risk assessment. *Heliyon*, 9(6), 1-10.
- Dwiyitno. (2010). Identifikasi Bakteri Patogen Pada Produk Perikanan Dengan Teknik Molekuler. *Squalen*, 5(2), 67-78..
- Famularo, G., Simone, C., Matteuzzi, D., & Pirovano, F. (1999). Traditional and high potency probiotic preparations for oral bacteriotherapy. *BioDrugs*, 12(6), 455-470.
- Feyissa, N., Alemu, T., Birri, D., & Dessalegn, A. (2023). Isolation, identification, and determination of antibiogram characteristics of *Staphylococcus aureus*



in cow milk and milk products (yoghurt and cheese) in West Showa Zone, Ethiopia. *International Dairy Journal*, 137(1), 1-8.

Gadogbe, M., Bao, W., Wels, B., Dai, S., Santillan, D., Santillan, M., & Lehmler, H. (2020). Levels of Tin and Organotin Compounds in Human Urine Samples from Iowa, United States. *Journal of Environmental Science and Health, Part A, Toxic/Hazardous Substances and Environmental Engineering*, 54(9), 884-890.

Ge, H., Xu, Y., Hu, M., Zhang, K., Zhang, S., Jiao, X., & Chen, X. (2021). Isolation, Characterization, and Application in Poultry Products of a Salmonella-Specific Bacteriophage, S55. *Journal of Food Protection*, 84(7), 1202–1212.

Goverde, M., Willrodt, J., & Staerk, A. (2017). Evaluation Of The Recovery Rate of Different Swabs for Microbial Environment Monitoring. *PDA Journal of Pharmaceutical Science and Technology*, 71(1), 33-42.

Hamida, F., Aliya, L., Syafriana, V., & Pratiwi, D. (2019). ESCHERICHIA COLI RESISTEN ANTIBIOTIK ASAL AIR KERAN DI KAMPUS ISTN. *Jurnal Kesehatan*, 12(1), 63-72.

Hamidi, F., Octavianingtyas, D., Nadawati, I., & Ekawati, E. (2023). VERIFIKASI METODE UJI ANGKA ENTEROBACTERIACEAE PADA PRODUK SUSU DAN ANALOGNYA SESUAI SNI ISO 21528-2:2017. *Jurnal SainHealth*, 7(1), 1-8.



- Idrees, M., Sawant, S., Karodia, N., & Rahman, A. (2021). Staphylococcus aureus Biofilm: Morphology, Genetics, Pathogenesis and Treatment Strategies. *International Journal of Environmental Research and Public Health*, 18(14), 1-20.
- Ifie, I., . Igwebuike, C., Imasuen, P., Akalamudo, W., Oghenebrorhie, O., Akpodiete, J., & Eze, U. (2022). Assessment of aflatoxin and heavy metals levels in maize and poultry feeds from Delta State, Nigeria. *International Journal of Environmental Science and Technology*, 19(1), 12551–12560.
- Itodo, A., & Itodo, H. (2011). Quantitative specification of potentially toxic metals in expired canned tomatoes founds in village market. *Nature and Science*, 8(4), 54-58.
- Jamshidi, A., & Zeinali, T. (2019). Significance and Characteristics of Listeria monocytogenes in Poultry Products. *International Journal of Food Science*, 1(1), 1-8.
- Jawetz, Melnick, & Adelberg. (2008). *Medical Microbiology 24th*. United States: The McGraw-Hill Companies Inc.
- Jeantet, R., Huang, S., Jan, G., Schuck, P., Loir, Y., & Chen, X. (2017). *Method for preparing a probiotic powder using a two-in-one whey-containing nutrient medium*. French: Inra.
- Kemenkes. (2004). *Keputusan Menteri Kesehatan Republik Indonesia No. 1204/MENKES/SK/X/2004 tentang Persyaratan Kesehatan Lingkungan Rumah Sakit*. Jakarta: Kementerian Kesehatan RI.



- Khairi, A., & Nugroho, W. (2021). Analisis Potensi Cemaran Mikroba Pada Beberapa Peralatan Produksi PT PIS Dengan Metode Swab. *Ilmu Pangan dan Hasil Pertanian*, 5(2), 191-203.
- Kwoji, I., Aiyegoro, O., Okpeku, M., Adeleke, M., & Muiswinkel, W. (2021). Multi-Strain Probiotics: Synergy among Isolates Enhances Biological Activities. *Biology (Basel)*, 10(4), 1-20.
- Lagarde, J., Feurer, C., Denis, M., Douarre, P.-E., Piveteau, P., & Roussel, S. (2023). *Listeria monocytogenes* prevalence and genomic diversity along the pig and pork production chain. *Food Microbiology*, 104(4), 1-35.
- Lehmler, H., Gadogbe, M., Liu, B., & Bao, W. (2019). Environmental Tin Exposure in a Nationally Representative Sample of U.S. Adults and Children: the National Health and Nutrition Examination Survey 2011–2014. *Environmental Pollution*, 240(1), 599-606.
- Magaji, H., Auwal, S., Nasir, R., Suleiman, A., Usman, S., & Jagaba, A. (2023). Sustainable production of glutamic acid by *Enterobacter* sp. strain isolated from cheese for potential protein biosynthesis: Optimization by Response Surface Methodology. *Bioresource Technology Reports*, 24(1), 1-13.
- Majid, A., Utami, T., & Rahayu, E. (2023). Probiotic potential of kombucha drink from butterfly pea (*Clitoria ternatea* L.) flower with the addition of *Lactiplantibacillus plantarum* subsp. *plantarum* Dad-13. *Biocatalysis and Agricultural Biotechnology*, 51(1), 1-11.
- Meena, B., Anburajan, L., Selvaganapathi, K., Vinithkumar, N., & Dharani, G. (2020). Characteristics and dynamics of *Salmonella* diversity and



prevalence of biomarker genes in Port Blair Bays, South Andaman, India.

Marine Pollution Bulletin, 160(1), 1-15.

Mossel, D., Corry, J., Struijk, C., & Baird, R. (1995). *Essentials of the Microbiology of Foods. A textbook for advanced studies, Chapter 9*. Chichester: John Wiley and Sons.

Muhandri, T., & Kadarisman, D. (2006). *Sistem Jaminan Mutu Industri Pangan*. Bogor: IPB Press.

Nawaz, M., Xu, C., Qaria, M., Haider, S., Khalid, H., Alghamdi, H., . . . Zhu, D. (2023). Genomic and biotechnological potential of a novel oil-degrading strain *Enterobacter kobei* DH7 isolated from petroleum-contaminated soil. *Chemosphere*, 340(1), 1-11.

Nurhidayanti, & Sari, R. (2022). Perbedaan Karakteristik Koloni Bakteri *Staphylococcus aureus* Pada Media Agar Darah Domba dan Media Agar Darah Manusia. *Jurnal Analis Kesehatan*, 11(1), 30-34.

Nusyura, R., Azizah, E., Ningsih, D., & Dewi, M. (2023). Analisis Kadar Logam Kadmium, Mangan dan Seng dalam Air Limbah secara Inductively Coupled Plasma - Optical Emission Spectrometry. *Jurnal Serambi Engineering*, 8(1), 4529-4537.

Okrend, A., & Rose, B. (1989). *Laboratory Communication*. Washington: USDA.

Olaimat, A., Ghoush, M., Al-holy, M., Hilal, H., Al-Nabulsi, A., Osaili, T., . . . Holley, R. (2021). Survival and growth of *Listeria monocytogenes* and *Staphylococcus aureus* in ready-to-eat Mediterranean vegetable salads:



Impact of storage temperature and food matrix. *International Journal of Food Microbiology*, 346(1), 1-7.

Paineau, D., Carcano, D., Leyer, G., Darquy, S., Alyanakian, M. A., Simoneau, G., . . . Ouwehand, A. C. (2008). . Effects of seven potential probiotic strains on specific immune responses in healthy adults: a double-blind, randomized, controlled trial. *J FEMS Immunol and Med Microbiol*, 53(1), 107-113.

Panico, P., Velasco, M., Salazar, A., Picones, A., Huidobro, R., Palomo, G., . . . Hiriart, M. (2022). Is Arsenic Exposure a Risk Factor for Metabolic Syndrome? A Review of the Potential Mechanisms. *Frontiers in Endocrinology*, 13(1), 1-11.

Pastor, A., Gonzales, E., Villarino, M., Cabrera, F., Moreno, J., Jimenez, E., . . . Karagas, M. (2021). Toenails as a biomarker of exposure to arsenic: A review. *Environmental Research*, 195(1), 1-15.

Patricis, C., Maria, A., & Filomena, F. (2020). Biosorption of Heavy Metals by the Bacterial Exopolysaccharide FucoPol. *Applied Science*, 10(1), 1-13.

Pearson, A., & Dutson, T. (1995). *HACCP in Meat, Poultry, and Fish Processing*. Boston: Springer.

Perdana, W. (2018). Penerapan GMP dan Perencanaan Pelaksanaan HACCP (Hazard Analysis Critical Control Point) Produk Olahan Pangan Tradisional (Mochi). *Agrosience*, 8(2), 231-267.

Pokharel, A., & Felicia, W. (2023). Dietary exposure to cadmium from six common foods in the United States. *Food and Chemical Toxicology*, 178(1), 1-7.



- Prabhakar, P., Lekshmi, M., Joseph, T., Balange, A., Nayak, B., & Kumar, S. (2021). Performance evaluation of a selective-enrichment-isolation protocol for *Salmonella enterica* from seafood. *Journal of Microbiological Methods*, 180(1), 1-3.
- Putrayana, K., Permatasari, A., Rosiana, I., & Widhiantara, I. (2021). Uji Kualitas Ruangan IGD secara Bakteri di Rumah Sakit Bedah Dharma Usadha Sidhi dengan Penggunaan Desinfektan (Natrium Hipoklorit). *Jurnal Media Sains*, 5(1), 13-23.
- Putri, N., Najah, Z., Nurtiana, W., & Anggraeni, D. (2022). PENERAPAN HAZARD ANALYSIS CRITICAL CONTROL POINT (HACCP) PADA PRODUKSI BONTOT: PANGAN LOKAL BANTEN. *Jurnal Teknologi dan Industri Pertanian Indonesia*, 14(1), 23-31.
- Raduly, Z., Szabo, L., Madar, A., Pocsi, I., & Csernoch, L. (2020). Toxicological and Medical Aspects of *Aspergillus*-Derived Mycotoxins Entering the Feed and Food Chain. *Frontiers in Microbiology*, 10(1), 1-23.
- Rahayu, E. (2003). Lactic acid bacteria in fermented-foods of Indonesia origin. *Agritech*, 23(2), 8.
- Rahayu, E., & Utami, T. (2019). *Probiotik dan Gut Microbiota, Manfaatnya pada Kesehatan*. Sleman: PT Kanisius.
- Rahayu, Y., Mambang, D., Nasution, H., & Ramadani, A. (2023). Deteksi cemaran *Staphylococcus aureus* pada ayam krispy lokal di sekitar salah satu universitas kota Medan. *Journal of Pharmaceutical and Sciences*, 6(3), 1356-1362.



- Refianto, B., & Irdawati. (2020). Enumeration of Enterobacteriaceae in Iced-Based Children Food in Koto Tengah District, Padang West Sumatera. *Bioscience*, 4(1), 39-49.
- Ridhwan, M., Umarudin, M. N., Kurniawan, F., Daud, M., Hansur, L., Asrinawaty, A., . . . Hartati, R. (2023). *Mikrobiologi dan Parasitologi*. Padang: PT Global Eksekutif Teknologi.
- Riga, P., Buntuan, V., & Rares, F. (2015). Isolasi Dan Identifikasi Bakteri Aerob Yang Dapat Menyebabkan Infeksi Nosokomial Di Ruang Instalasi Gizi Blu Rsup Prof. Dr. R. D. Kandou Manado. *Jurnal e-Biomedik*, 3(1), 227-235.
- Rolfe, R. (2000). The role of probiotic cultures in the control of gastrointestinal health. *Journal Nutrition*, 130(1), 396-402.
- Rukmana, J., Taufik, Y., Salam, W., Latuconsina, N., & Rizki, F. (2023). KAJIAN HACCP (HAZARD ANALYSIS CRITICAL CONTROL POINT) PADA PROSES PRODUKSI TAHU SUSU. *Communnity Development Journal*, 4(4), 7189-7197.
- Sanders, M. (1993). Summary of conclusions from a consensus panel of experts on health attributes of lactic cultures—significance to fluid milk-products containing cultures. *Journal Dairy Science*, 76(1), 1819-1828.
- Schaefer, H., Flannery, B., Crosby, L., Dominic, O., Punzalan, C., & Middleton, K. (2022). A systematic review of adverse health effects associated with oral cadmium exposure. *Regulatory Toxicology and Pharmacology*, 134(1), 1-24.



- Sentosa, R., & Hapsari, R. (2019). JUMLAH DAN POLA BAKTERI UDARA PRE DAN POST PEMBERSIHAN : STUDI OBSERVASIONAL DI RUANG OPERASI RUMAH SAKIT NASIONAL DIPONEGORO SEMARANG. *Jurnal Kedokteran Diponegoro*, 8(2), 811-822.
- Stevenson, K. (1990). *Implementing HACCP in Food Industry*. Washington: Food Processors.
- Stiles, M., & Lai-King, N. (1981). Biochemical Characteristics And Identification Of Enterobacteriaceae Isolated from Meats. *Applied And Environmental Microbiology*, 41(3), 639-645.
- Suherman, S., Janitra, A., Budhiary, K., Pratiwi, W., & Idris, F. (2021). Review on hazard analysis and critical control point (HACCP) in the dairy product: Cheese. *IOP Publishing*, 1053(1), 1-16.
- Sulistiani, A., & Hafiludin. (2022). KARAKTERISTIK MIKROBIOLOGI (ALT, E. Coli DAN Salmonella) PADA PRODUK HASIL PERIKANAN DI BPMHP SEMARANG. *Juvenil*, 3(1), 37-43.
- Sulistiani, Dinoto, A., Julistiono, H., Handayani, R., Roswiem, A., Sari, P., & Saputra, S. (2020). Seleksi Bakteri Asam Laktat dari Nira Aren [(*Arenga pinnata* (Wurmb))] Asal Papua Sebagai Kandidat Probiotik. *Jurnal Biologi Indonesia*, 16(1), 1-11.
- Tanackov, S., Dimić, G., Đerić, N., Mojović, L., Tomović, V., Šojić, B., . . . Pejin, J. (2020). Growth control of molds isolated from smoked fermented sausages using basil and caraway essential oils, in vitro and in vivo. *LWT - Food Science and Technology*, 123(1), 1-7.



- Tegegne, B., & Kebede, B. (2022). Probiotics, their prophylactic and therapeutic applications in human health development: A review of the literature. *Heliyon*, 8(6), 1-14.
- Thakur, M., Rachamalla, M., Niyogi, S., Datusalia, A., & Flora, S. (2021). Molecular Mechanism of Arsenic-Induced Neurotoxicity including Neuronal Dysfunctions. *International Journal of Molecular Science*, 22(18), 1-14.
- Timmerman, H., Koning, C., Mulder, L., Rombouts, F., & Beynen, A. (2004). Monostrain, multistrain and multispecies probiotics—A comparison of functionality and efficacy. *International Journal of Food Microbiology*, 96(3), 219-233.
- Trisno, K., PG, K., & Suarjana, I. (2018). Isolasi dan Identifikasi Bakteri *Escherichia Coli* dari Udara pada Rumah Potong Unggas Swasta di Kota Denpasar. *Indonesia Medicus Veterinus*, 8(5), 685-694.
- Waluyo. (2004). *Mikrobiologi Umum*. Malang: UMM Press.
- Wang, J., Zhu, X., Zhao, Y., Liu, H., Zhang, Z., Yan, L., . . . Aleri, J. (2023). Prevalence and antimicrobial resistance of *Salmonella* and ESBL *E. coli* isolated from dairy cattle in Henan Province, China. *Preventive Veterinary Medicine*, 213(1), 1-5.
- Wang, S., Mirmiran, S., Li, X., Li, X., Zhang, F., Duan, X., . . . Qian, P. (2023). Temperate phage influence virulence and biofilm-forming of *Salmonella* Typhimurium and enhance the ability to contaminate food product. *International Journal of Food Microbiology*, 398(1), 1-11.



- White, C. (2022). Lead in Mineral or Multivitamin-Multimineral Products. *Annals of Pharmacotherapy*, 56(3), 339–345.
- Yilmaz, E., Boztug, A., Haq, H., Boczkaj, G., & Altunay, N. (2023). Synthesis, characterization and application of cross-linked functional terpolymer through epoxy group as sorbent for extraction of cadmium from waters and foods: Multivariate optimization. *Food Chemistry*, 435(1), 1-9.
- Yousef, A., & Carlstrom, C. (2003). *Food Microbiology : A Laboratory Manual*. New Jersey: John Wiley John Inc.
- Yuniarti, R., Wifqi, A., & Ratih, A. (2015). Penerapan sistem Hazard Analysis Critical Control Point (HACCP) pada proses pembuatan keripik tempe. *Jurnal Ilmiah Teknik Industri*, 14(1), 86-95.
- Zahran, E., Risha, E., Hamed, M., Ibrahim, T., & Palić, D. (2020). Dietary mycotoxicosis prevention with modified zeolite (Clinoptilolite) feed additive in Nile tilapia (*Oreochromis niloticus*). *Aquaculture*, 515(1), 1-10.