



REFERENCES

- Abd- ElGhany, M., Hegazy, A., Basuny, A., Zaghlool, A., 2020. Using of red palm oil as milk fat healthy replacer in ice milk. *Al-Azhar J. Agric. Res.* 45, 8–22. <https://doi.org/10.21608/ajar.2020.126614>
- Adetola, O.A., Olajide, J.O., Olalusi, A.P., 2014. Development of a Screw Press for Palm Oil Extraction. *Int. J. Sci. Eng. Res.* 5, 1416–1422.
- Alan, D.F., Naeli, M.H., Naderi, M., Jafari, S.M., Tavakoli, H.R., 2019. Production of *Trans* -free fats by chemical interesterified blends of palm stearin and sunflower oil. *Food Sci. Nutr.* 7, 3722–3730. <https://doi.org/10.1002/fsn3.1231>
- Azlan, A., Prasad, K.N., Khoo, H.E., Abdul-Aziz, N., Mohamad, A., Ismail, A., Amom, Z., 2010. Comparison of fatty acids, vitamin E and physicochemical properties of *Canarium odontophyllum* Miq. (dabai), olive and palm oils. *J. Food Compos. Anal.* 23, 772–776. <https://doi.org/10.1016/j.jfca.2010.03.026>
- Basturk, A., Javidipour, I., Boyaci, I.H., 2007. Oxidative Stability of Natural and Chemically Interesterified Cottonseed, Palm and Soybean Oils. *J. Food Lipids* 14, 170–188. <https://doi.org/10.1111/j.1745-4522.2007.00078.x>
- Benadé, A.J.S., 2001. The Potential of Red Palm Oil-Based Shortening as a Food Fortificant for Vitamin A in the Baking Industry. *Food Nutr. Bull.* 22, 416–418. <https://doi.org/10.1177/156482650102200412>
- Bryś, J., Flores, L.F.V., Górska, A., Ostrowska–Ligeża, E., Bryś, A., Niemiec, T., Koczón, P., 2019. The Synthesis Followed by Spectral and Calorimetric Evaluation of Stability of Human Milk Fat Substitutes Obtained from Thistle Milk and Lard. *Int. J. Anal. Chem.* 2019, 1–10. <https://doi.org/10.1155/2019/5417962>
- Brzezińska, R., Bryś, J., Giers, O., Bryś, A., Górska, A., Ostrowska-Ligeża, E., Wirkowska-Wojdyła, M., 2022. Quality Evaluation of Plant Oil Blends Interesterified by Using Immobilized *Rhizomucor miehei* Lipase. *Appl. Sci.* 12, 11148. <https://doi.org/10.3390/app122111148>
- Cassiday, L., 2017. Red Palm Oil. *INFORM* 28, 6–10.
- Chen, C.W., Chong, C.L., Ghazali, H.M., Lai, O.M., 2007. Interpretation of triacylglycerol profiles of palm oil, palm kernel oil and their binary blends. *Food Chem.* 100, 178–191. <https://doi.org/10.1016/j.foodchem.2005.09.044>
- Codex Alimentarius, 1999. *Codex Standard for Named Vegetable Oils: CXS 210-1999*. URL https://www.fao.org/fao-who-codexalimentarius/sh-proxy/en/?lnk=1&url=https%253A%252F%252Fworkspace.fao.org%252Fsites%252Fcodex%252Fstandards%252FCXS%2B210-1999%252FCXS_210e.pdf (accessed 1.15.23).
- Criado, M., Hernández-Martín, E., López-Hernández, A., Otero, C., 2008. Enzymatic interesterification of olive oil with fully hydrogenated palm oil: Characterization of fats. *Eur. J. Lipid Sci. Technol.* 110, 714–724. <https://doi.org/10.1002/ejlt.200800017>
- Da Silva, R.C., Soares, D.F., Lourenço, M.B., Soares, F.A.S.M., Da Silva, K.G., Gonçalves, M.I.A., Gioielli, L.A., 2010. Structured lipids obtained by chemical interesterification of olive oil and palm stearin. *LWT - Food Sci. Technol.* 43, 752–758. <https://doi.org/10.1016/j.lwt.2009.12.010>



- Danthine, S., Lefébure, E., Trinh, H.N., Blecker, C., 2014. Effect of Palm Oil Enzymatic Interesterification on Physicochemical and Structural Properties of Mixed Fat Blends. *J. Am. Oil Chem. Soc.* 91, 1477–1487. <https://doi.org/10.1007/s11746-014-2494-2>
- De Clercq, N., Danthine, S., Nguyen, M.T., Gibon, V., Dewettinck, K., 2012. Enzymatic Interesterification of Palm Oil and Fractions: Monitoring the Degree of Interesterification using Different Methods. *J. Am. Oil Chem. Soc.* 89, 219–229. <https://doi.org/10.1007/s11746-011-1905-x>
- Dewi, E.K., Mardawati, E., Nurhasanah, S., 2023. Color Changes Evaluation on Crude Palm Oil Processing into Red Palm Oil and Palm Cooking Oil as a Visual Indicator of β -Carotene Content in Oils. *Biomass Biorefinery Bioeconomy* 1, 25–29.
- Dijkstra, A.J., 2021. *Chemical Interesterification*. URL <https://lipidlibrary.aocs.org/edible-oil-processing/chemical-interesterification> (accessed 12.15.23).
- Dijkstra, A.J., 2016. Vegetable Oils: Composition and Analysis, in: *Encyclopedia of Food and Health*. Elsevier, pp. 357–364. <https://doi.org/10.1016/B978-0-12-384947-2.00708-X>
- Dijkstra, A.J., 2015. Interesterification, chemical or enzymatic catalysis. *Lipid Technol.* 27, 134–136. <https://doi.org/10.1002/lite.201500029>
- Dollah, S., Abdulkarim, S.M., Ahmad, S.H., Khoramnia, A., Ghazali, H.M., 2015. Enzymatic interesterification on the physicochemical properties of *Moringa oleifera* seed oil blended with palm olein and virgin coconut oil. *Grasas Aceites* 66, e073. <https://doi.org/10.3989/gya.0695141>
- Echegaray, N., Pateiro, M., Nieto, G., Rosmini, M.R., Munekata, P.E.S., Sosa-Morales, M.E., Lorenzo, J.M., 2022. Lipid oxidation of vegetable oils, in: *Food Lipids*. Elsevier, pp. 127–152. <https://doi.org/10.1016/B978-0-12-823371-9.00009-5>
- El-Hadad, N., Abou-Gharbia, H.A., Abd El-Aal, M.H., Youssef, M.M., 2010. Red Palm Olein: Characterization and Utilization in Formulating Novel Functional Biscuits. *J. Am. Oil Chem. Soc.* 87, 295–304. <https://doi.org/10.1007/s11746-009-1497-x>
- El-Hadad, N.N.M., Youssef, M.M., Abd El-Aal, M.H., Abou-Gharbia, H.H., 2011a. Utilisation of red palm olein in formulating functional chocolate spread. *Food Chem.* 124, 285–290. <https://doi.org/10.1016/j.foodchem.2010.06.034>
- El-Hadad, N.N.M., Youssef, M.M., Abd El-Aal, M.H., Abou-Gharbia, H.H., 2011b. Utilisation of red palm olein in formulating functional chocolate spread. *Food Chem.* 124, 285–290. <https://doi.org/10.1016/j.foodchem.2010.06.034>
- Endo, Y., Ohta, A., Kido, H., Kuriyama, M., Sakaguchi, Y., Takebayashi, S., Hirai, H., Murakami, C., Wada, S., 2011. Determination of Triacylglycerol Composition in Vegetable Oils Using High-performance Liquid Chromatography: A Collaborative Study. *J. Oleo Sci.* 60, 451–456. <https://doi.org/10.5650/jos.60.451>
- Farfán, M., Álvarez, A., Gárate, A., Bouchon, P., 2015. Comparison of Chemical and Enzymatic Interesterification of Fully Hydrogenated Soybean Oil and Walnut Oil to Produce a Fat Base with Adequate Nutritional and Physical



- Characteristics. *Food Technol. Biotechnol.* 53. <https://doi.org/10.17113/ftb.53.03.15.3854>
- Farmani, J., Safari, M., Hamedi, M., 2009. *Trans*-free fats through interesterification of canola oil/palm olein or fully hydrogenated soybean oil blends. *Eur. J. Lipid Sci. Technol.* 111, 1212–1220. <https://doi.org/10.1002/ejlt.200900092>
- Fernandez-Lafuente, R., 2010. Lipase from *Thermomyces lanuginosus*: Uses and prospects as an industrial biocatalyst. *J. Mol. Catal. B Enzym.* 62, 197–212. <https://doi.org/10.1016/j.molcatb.2009.11.010>
- Fu, X., Zheng, J., Ying, X., Yan, H., Wang, Z., 2014. Investigation of Lipozyme TL IM-catalyzed transesterification using ultraviolet spectrophotometric assay. *Chin. J. Catal.* 35, 553–559. [https://doi.org/10.1016/S1872-2067\(14\)60053-X](https://doi.org/10.1016/S1872-2067(14)60053-X)
- Gamallo, O.D., Júnior, H.F.M., De Carvalho, M.G., Saldanha, T., 2020. Chemical interesterification of palm oil and palm kernel oil in the presence of the DAPTS-MCM-41 catalyst. Regiospecific distribution and composition in triacylglycerols. *Braz. J. Chem. Eng.* 37, 773–782. <https://doi.org/10.1007/s43153-020-00061-7>
- Gao, Z., Zhu, Y., Jin, J., Jin, Q., Wang, X., 2023a. Chemical–Physical Properties of Red Palm Oils and Their Application in the Manufacture of Aerated Emulsions with Improved Whipping Capabilities. *Foods* 12, 3933. <https://doi.org/10.3390/foods12213933>
- Gao, Z., Zhu, Y., Jin, J., Jin, Q., Wang, X., 2023b. Chemical–Physical Properties of Red Palm Oils and Their Application in the Manufacture of Aerated Emulsions with Improved Whipping Capabilities. *Foods* 12, 3933. <https://doi.org/10.3390/foods12213933>
- Gunstone, F.D., 2008. *Oils and fats in the food industry, Food industry briefing series*. Wiley-Blackwell Pub, Oxford ; Ames, Iowa.
- Hamm, W., Hamilton, R.J., Calliauw, G. (Eds.), 2013. *Edible oil processing*, Second edition. ed. John Wiley & Sons Inc, Chichester, West Sussex Hoboken, NJ.
- Hasibuan, H.A., Akram, A., Putri, P., Rangkuti, B.T., 2019. Pembuatan Margarin dan Baking Shortening dari Minyak Sawit Merah dan Aplikasinya dalam Produk Bakery. *agriTECH* 38, 353. <https://doi.org/10.22146/agritech.32162>
- Hasibuan, H.A., Hardika, A.P., 2015. Formulasi margarin dan cokelat tabor berbahan minyak sawit dan minyak inti sawit menjadi produk olesan untuk roti tawar. *J. Agro Based Ind.* 32, 45–50.
- Hasrini, R.F., Hariyadi, P., Andarwulan, N., 2009. Interesterifikasi Enzimatik dengan Lipase pada Campuran Minyak Sawit Merah dan Minyak Kelapa untuk Menghasilkan Bahan Baku Spreads Kaya β -Karoten. *J. Agro Based Ind.* 26, 25–36.
- Hawach, 2023. *Troubleshooting HPLC Column Retention Time Drift*. URL <https://www.hawachhplccolumn.com/troubleshooting-hplc-column-retention-time-drift/> (accessed 1.20.24).
- Herslöf, B., Podlaha, O., Töregård, B., 1979. HPLC of triglycerides. *J. Am. Oil Chem. Soc.* 56, 864–866. <https://doi.org/10.1007/BF02909537>



- Holčapek, M., Lída, M., Jandera, P., Kabátová, N., 2005. Quantitation of triacylglycerols in plant oils using HPLC with APCI-MS, evaporative light-scattering, and UV detection. *J. Sep. Sci.* 28, 1315–1333. <https://doi.org/10.1002/jssc.200500088>
- Ifeduba, E.A., Martini, S., Akoh, C.C., 2016. Enzymatic Interesterification of High Oleic Sunflower Oil and Tripalmitin or Tristearin. *J. Am. Oil Chem. Soc.* 93, 61–67. <https://doi.org/10.1007/s11746-015-2756-7>
- Imran, M., Nadeem, M., 2015. Triacylglycerol composition, physico-chemical characteristics and oxidative stability of interesterified canola oil and fully hydrogenated cottonseed oil blends. *Lipids Health Dis.* 14, 138. <https://doi.org/10.1186/s12944-015-0140-0>
- Issaq, H.J., Chan, K.C., Veenstra, T.D., 2007. PEPTIDES | Liquid Chromatography, in: *Encyclopedia of Separation Science*. Elsevier, pp. 1–9. <https://doi.org/10.1016/B0-12-226770-2/02311-5>
- Jenab, E., Temelli, F., Curtis, J.M., Zhao, Y.-Y., 2014. Performance of two immobilized lipases for interesterification between canola oil and fully-hydrogenated canola oil under supercritical carbon dioxide. *LWT - Food Sci. Technol.* 58, 263–271. <https://doi.org/10.1016/j.lwt.2014.02.051>
- Kamaruzaman, N., Babji, A.S., Ismail, W.R.W., Peng, F.S., 2015. Vitamin e contents and oxidative stability of red palm oils blended chicken nuggets during frozen storage. *Malays. J. Anal. Sci.* 19, 202–212.
- Karabulut, I., Turan, S., Ergin, G., 2004. Effects of chemical interesterification on solid fat content and slip melting point of fat/oil blends. *Eur. Food Res. Technol.* 218, 224–229. <https://doi.org/10.1007/s00217-003-0847-4>
- Khatoon, S., 2000. Semi-Solid Fat by Interesterification of Red Palm Oil with Other Vegetable Oils. *J. Food Lipids* 7, 83–93. <https://doi.org/10.1111/j.1745-4522.2000.tb00163.x>
- Khatoon, S., Reddy, S.R.Y., 2005. Plastic fats with zero *trans* fatty acids by interesterification of mango, mahua and palm oils. *Eur. J. Lipid Sci. Technol.* 107, 786–791. <https://doi.org/10.1002/ejlt.200501210>
- Khor, Y.P., Hew, K.S., Abas, F., Lai, O.M., Cheong, L.Z., Nehdi, I.A., Sbihi, H.M., Gewik, M.M., Tan, C.P., 2019. Oxidation and Polymerization of Triacylglycerols: In-Depth Investigations towards the Impact of Heating Profiles. *Foods* 8, 475. <https://doi.org/10.3390/foods8100475>
- Komaram, A.C., Anjaneyulu, E., Goswami, K., Nayak, R.R., Kanjilal, S., 2021. Detection and quantification of palmolein and palm kernel oil added as adulterant in coconut oil based on triacylglycerol profile. *J. Food Sci. Technol.* 58, 4420–4428. <https://doi.org/10.1007/s13197-020-04927-z>
- Kua, Y.L., Gan, S., Morris, A., Ng, H.K., 2018. Optimization of simultaneous carotenes and vitamin E (tocols) extraction from crude palm olein using response surface methodology. *Chem. Eng. Commun.* 205, 596–609. <https://doi.org/10.1080/00986445.2017.1407760>
- Li, Y., Zhao, J., Xie, X., Zhang, Z., Zhang, N., Wang, Y., 2018. A low trans margarine fat analog to beef tallow for healthier formulations: Optimization of enzymatic interesterification using soybean oil and fully hydrogenated palm oil. *Food Chem.* 255, 405–413. <https://doi.org/10.1016/j.foodchem.2018.02.086>



- López-Hernández, A., Torres, C.F., Garcia, H.S., Hill, C.G., 2004. Method for analysis of TAG formed by reaction of fish oil with hydrogenated soybean oil. *J. Am. Oil Chem. Soc.* 81, 743–747. <https://doi.org/10.1007/s11746-004-0972-x>
- Ly, B.C.K., Dyer, E.B., Feig, J.L., Chien, A.L., Del Bino, S., 2020. Research Techniques Made Simple: Cutaneous Colorimetry: A Reliable Technique for Objective Skin Color Measurement. *J. Invest. Dermatol.* 140, 3-12.e1. <https://doi.org/10.1016/j.jid.2019.11.003>
- Ma, X., Hu, Z., Mao, J., Xu, Y., Zhu, X., Xiong, H., 2019. Synthesis of cocoa butter substitutes from *Cinnamomum camphora* seed oil and fully hydrogenated palm oil by enzymatic interesterification. *J. Food Sci. Technol.* 56, 835–845. <https://doi.org/10.1007/s13197-018-3543-x>
- Mamat, H., Nor Aini, I., Said, M., Jamaludin, R., 2005. Physicochemical characteristics of palm oil and sunflower oil blends fractionated at different temperatures. *Food Chem.* 91, 731–736. <https://doi.org/10.1016/j.foodchem.2004.06.045>
- Manzoor, S., Masoodi, F.A., Akhtar, G., Rashid, R., 2022. Production of trans-free shortening by lipase catalysed interesterification using mustard oil and palm stearin: optimisation and characterisation. *Biomass Convers. Biorefinery.* <https://doi.org/10.1007/s13399-022-03315-1>
- Masuchi, M.H., Gandra, K.M., Marangoni, A.L., De Sá Perenha, C., Chiu, M.C., Grimaldi, R., Gonçalves, L.A.G., 2014. Fats from Chemically Interesterified High-Oleic Sunflower Oil and Fully Hydrogenated Palm Oil. *J. Am. Oil Chem. Soc.* 91, 859–866. <https://doi.org/10.1007/s11746-014-2420-7>
- Mba, O.I., Dumont, M.-J., Ngadi, M., 2015. Palm oil: Processing, characterization and utilization in the food industry – A review. *Food Biosci.* 10, 26–41. <https://doi.org/10.1016/j.fbio.2015.01.003>
- McWilliams, M., 1979. *Food fundamentals*, 3d ed. ed. Wiley, New York.
- Mohamad Shah, N.K., Sanny, M., Ab Karim, N.A., Kuppan, K., Mat Yusoff, M., 2022. Enhanced natural antioxidant compounds in red palm olein-based shortening developed for sandwich cookie cream. *Food Res.* 6, 172–181. [https://doi.org/10.26656/fr.2017.6\(2\).118](https://doi.org/10.26656/fr.2017.6(2).118)
- Mordi, R.C., Ademosun, O.T., Ajanaku, C.O., Olanrewaju, I.O., Walton, J.C., 2020. Free Radical Mediated Oxidative Degradation of Carotenes and Xanthophylls. *Molecules* 25, 1038. <https://doi.org/10.3390/molecules25051038>
- Nainggolan, M., Sinaga, A.G.S., 2021. Characteristics of fatty acid composition and minor constituents of red palm olein and palm kernel oil combination. *J. Adv. Pharm. Technol. Res.* 12, 22–26. https://doi.org/10.4103/japtr.JAPTR_91_20
- NCBI, 2023b. *PubChem Compound Summary for CID 10942334, Sodium Methoxide.* URL <https://pubchem.ncbi.nlm.nih.gov/compound/Sodium-Methoxide> (accessed 12.13.23).
- NCBI, 2023a. *PubChem Compound Summary for CID 14798, Sodium Hydroxide.* URL <https://pubchem.ncbi.nlm.nih.gov/compound/Sodium-Hydroxide> (accessed 12.13.23).



- Ng, M.H., Choo, Y.M., 2016. Improved Method for the Qualitative Analyses of Palm Oil Carotenes Using UPLC. *J. Chromatogr. Sci.* 54, 633–638. <https://doi.org/10.1093/chromsci/bmv241>
- Nguyen, V., Rimaux, T., Truong, V., Dewettinck, K., Van Bockstaele, F., 2020. Granular Crystals in Palm Oil Based Shortening/Margarine: A Review. *Cryst. Growth Des.* 20, 1363–1372. <https://doi.org/10.1021/acs.cgd.9b01191>
- Nielsen, S.S. (Ed.), 2017. *Food Analysis*, Food Science Text Series. Springer International Publishing, Cham. <https://doi.org/10.1007/978-3-319-45776-5>
- Norizzah, A.R., Nur Azimah, K., Zaliha, O., 2018. Influence of enzymatic and chemical interesterification on crystallisation properties of refined, bleached and deodourised (RBD) palm oil and RBD palm kernel oil blends. *Food Res. Int.* 106, 982–991. <https://doi.org/10.1016/j.foodres.2018.02.001>
- Novozymes, 2023. *Lipases, Immobilized (Granular) Lipozyme® TL IM*. URL <https://www.novozymes.com/en/products/oils-fats/lipozyme-tl-im> (accessed 12.19.23).
- O'Brien, R.D., 2008. *Fats and Oils: Formulating and Processing for Applications*, Third Edition, 0 ed. CRC Press. <https://doi.org/10.1201/9781420061673>
- Pande, G., Akoh, C.C., Shewfelt, R.L., 2013. Utilization of enzymatically interesterified cottonseed oil and palm stearin-based structured lipid in the production of trans-free margarine. *Biocatal. Agric. Biotechnol.* 2, 76–84. <https://doi.org/10.1016/j.bcab.2012.08.005>
- Patterson, H.B.W., 2011. *Quality and Control*, in: *Hydrogenation of Fats and Oils*. Elsevier, pp. 329–350. <https://doi.org/10.1016/B978-1-893997-93-6.50018-X>
- Paula, A.V., Nunes, G.F.M., Osório, N.M., Santos, J.C., De Castro, H.F., Ferreira-Dias, S., 2015. Continuous enzymatic interesterification of milkfat with soybean oil produces a highly spreadable product rich in polyunsaturated fatty acids. *Eur. J. Lipid Sci. Technol.* 117, 608–619. <https://doi.org/10.1002/ejlt.201400316>
- Prasanth K. P., K., A. Gopala, K., 2014. Physico-chemical characteristics and nutraceutical distribution of crude palm oil and its fractions. *Grasas Aceites* 65, e018. <https://doi.org/10.3989/gya.097413>
- Prasanth Kumar, P.K., Jeyarani, T., Gopala Krishna, A.G., 2016. Physicochemical characteristics of phytonutrient retained red palm olein and butter-fat blends and its utilization for formulating chocolate spread. *J. Food Sci. Technol.* 53, 3060–3072. <https://doi.org/10.1007/s13197-016-2279-8>
- Punathil Kannan Prasanth, P.K., Ambale Gundappa Gopala, K., 2014. Impact of Different Deacidification Methods on Quality Characteristics and Composition of Olein and Stearin in Crude Red Palm Oil. *J. Oleo Sci.* 63, 1209–1221. <https://doi.org/10.5650/jos.ess14060>
- Purnama, K.O., Setyaningsih, D., Hambali, E., Taniwiryono, D., 2020. Processing, Characteristics, and Potential Application of Red Palm Oil - A review. *Int. J. Oil Palm* 3, 40–55. <https://doi.org/10.35876/ijop.v3i2.47>
- Ramos-Escudero, F., Muñoz, A.M., Ramos Escudero, M., Viñas-Ospino, A., Morales, M.T., Asuero, A.G., 2019. Characterization of commercial Sacha inchi oil according to its composition: tocopherols, fatty acids, sterols, triterpene and aliphatic alcohols. *J. Food Sci. Technol.* 56, 4503–4515. <https://doi.org/10.1007/s13197-019-03938-9>



- Ribeiro, A.P.B., Moura, J.M.L.N.D., Grimaldi, R., Gonçalves, L.A.G., 2007. Interesterificação química: alternativa para obtenção de gorduras zero trans. *Quím. Nova* 30, 1295–1300. <https://doi.org/10.1590/S0100-40422007000500043>
- Riyadi, A.H., Muchtadi, T.R., Andarwulan, N., Haryati, T., 2016. Pilot Plant Study of Red Palm Oil Deodorization Using Moderate Temperature. *Agric. Agric. Sci. Procedia* 9, 209–216. <https://doi.org/10.1016/j.aaspro.2016.02.129>
- Rudsari, T.M., Najafian, L., Shahidi, S.A., 2019. Effect of chemical interesterification on the physicochemical characteristics of bakery shortening produced from palm stearin and Ardeh oil (*Sesamum indicum*) blends. *J. Food Process. Preserv.* 43. <https://doi.org/10.1111/jfpp.14101>
- Ruswanto, A., Ramelan, A.H., Praseptiangga, D., Partha, I.B.B., 2021. The study of carotene content and iodine value of oil from different ripening levels and storage duration of palm fresh fruit bunches. *IOP Conf. Ser. Earth Environ. Sci.* 709, 012022. <https://doi.org/10.1088/1755-1315/709/1/012022>
- Saberi, A.H., Lai, O.-M., Miskandar, M.S., 2012. Melting and Solidification Properties of Palm-Based Diacylglycerol, Palm Kernel Olein, and Sunflower Oil in the Preparation of Palm-Based Diacylglycerol-Enriched Soft Tub Margarine. *Food Bioprocess Technol.* 5, 1674–1685. <https://doi.org/10.1007/s11947-010-0475-5>
- Sampaio, K.A., Ayala, J.V., Silva, S.M., Ceriani, R., Verhé, R., Meirelles, A.J.A., 2013. Thermal Degradation Kinetics of Carotenoids in Palm Oil. *J. Am. Oil Chem. Soc.* 90, 191–198. <https://doi.org/10.1007/s11746-012-2156-1>
- Samuel, C.B., Joy, E.-E., Barine, K.-K.D., 2018. Effect of Chemical Interesterification on the Physicochemical Characteristics and Fatty Acid Profile of Bakery Shortening Produced from Shea Butter and Fluted Pumpkin Seed Oil Blend. *Am. J. Food Sci. Technol.* 6, 187–194. <https://doi.org/10.12691/ajfst-6-4-8>
- Sathasivam, T., Muniyandy, S., Chuah, L.H., Janarthanan, P., 2018. Encapsulation of red palm oil in carboxymethyl sago cellulose beads by emulsification and vibration technology: Physicochemical characterization and in vitro digestion. *J. Food Eng.* 231, 10–21. <https://doi.org/10.1016/j.jfoodeng.2018.03.008>
- Senanayake, S.P.J.N., Shahidi, F., 2020. Modification of Fats and Oils via Chemical and Enzymatic Methods, in: Shahidi, F. (Ed.), *Bailey's Industrial Oil and Fat Products*. Wiley, pp. 1–29. <https://doi.org/10.1002/047167849X.bio062.pub2>
- Shahidi, F. (Ed.), 2005. *Bailey's Industrial Oil and Fat Products*, 1st ed. Wiley. <https://doi.org/10.1002/047167849X>
- Singh, P.K., Chopra, R., Garg, M., Dhiman, A., Dhyani, A., 2022. Enzymatic Interesterification of Vegetable Oil: A Review on Physicochemical and Functional Properties, and Its Health Effects. *J. Oleo Sci.* 71, 1697–1709. <https://doi.org/10.5650/jos.ess22118>
- Siswanti, Hastuti, P., Supriyanto, Anandito, R.B.K., 2021. Synthesis of margarine fat from sesame oil and palm stearin by chemical interesterification. *Food Res.* 5, 70–77. [https://doi.org/10.26656/fr.2017.5\(S2\).015](https://doi.org/10.26656/fr.2017.5(S2).015)
- Soares, F.A.S.D.M., Da Silva, R.C., Hazzan, M., Capacla, I.R., Viccola, E.R., Maruyama, J.M., Gioielli, L.A., 2012. Chemical Interesterification of Blends of



- Palm Stearin, Coconut Oil, and Canola Oil: Physicochemical Properties. *J. Agric. Food Chem.* 60, 1461–1469. <https://doi.org/10.1021/jf204111t>
- Sonntag, N.O.V., 1983. Fat splitting, esterification, and interesterification, in: *Bailey's Industrial Oil and Fat Products*. Wiley Interscience, New York, pp. 97–173.
- Stavenga, D.G., Wilts, B.D., 2014. Oil droplets of bird eyes: microlenses acting as spectral filters. *Philos. Trans. R. Soc. B Biol. Sci.* 369, 20130041. <https://doi.org/10.1098/rstb.2013.0041>
- Subroto, E., 2020. Monoacylglycerols and diacylglycerols for fat-based food products: a review. *Food Res.* 4, 932–943. [https://doi.org/10.26656/fr.2017.4\(4\).398](https://doi.org/10.26656/fr.2017.4(4).398)
- Sugiyono, Wibowo, M., Soekopitojo, S., Wulandari, N., 2012. Pembuatan Bahan Baku Spreads Kaya Karoten dari Minyak Sawit Merah Melalui Interesterifikasi Enzimatis Menggunakan Reaktor Batch. *J. Teknol. Dan Ind. Pangan* 23, 117–125. <https://doi.org/10.6066/jtip.2012.23.2.117>
- Sumarna, D., Sodias, L., Suprpto, H., 2017. Study on Red Palm Oil Characteristics Produced from CPO (Crude Palm Oil). *J. Teknol. Pertan. Univ. Mulawarman* 12, 35–38.
- Tan, C.H., Lee, C.J., Tan, S.N., Poon, D.T.S., Chong, C.Y.E., Pui, L.P., 2021. Red Palm Oil: A Review on Processing, Health Benefits and Its Application in Food. *J. Oleo Sci.* 70, 1201–1210. <https://doi.org/10.5650/jos.ess21108>
- Tan, C.P., Che Man, Y.B., 2000. Differential scanning calorimetric analysis of edible oils: Comparison of thermal properties and chemical composition. *J. Am. Oil Chem. Soc.* 77, 143–155. <https://doi.org/10.1007/s11746-000-0024-6>
- Tasirin, A., Said, M., 2012. Potential of a Soft Spreadable Margarine Produced from Waste Chicken Fat and Corn Oil Catalyzed by the *Thermomyces lanuginosus* (Tl Im) Lipozyme. *Pak. J. Nutr.* 11, 360–366. <https://doi.org/10.3923/pjn.2012.360.366>
- Teh, S.S., Lau, H.L.N., 2021. Quality assessment of refined red palm-pressed mesocarp olein. *Food Chem.* 340, 127912. <https://doi.org/10.1016/j.foodchem.2020.127912>
- University of Montreal, Canada, Delisle, H., 2018. *The nutritional value of red palm oil*, in: *Center for International Cooperation in Agricultural Research for Development (CIRAD)*, France, Rival, A. (Eds.), Burleigh Dodds Series in Agricultural Science. Burleigh Dodds Science Publishing, pp. 217–232. <https://doi.org/10.19103/AS.2017.0018.33>
- Vanhoutte, B., Dewettinck, K., Vanlerberghe, B., Huyghebaert, A., 2002. Monitoring milk fat fractionation: Effect of agitation, temperature, and residence time on physical properties. *J. Am. Oil Chem. Soc.* 79, 1169–1176. <https://doi.org/10.1007/s11746-002-0622-3>
- Xu, Y., Zhang, T., Lu, M., Liu, Ruru, Guo, Y., Liu, Ruijie, Chang, M., Wang, X., 2021. Effects of chain length and saturation of triglycerides on cellular antioxidant activity of vegetable oil emulsions. *LWT* 146, 111437. <https://doi.org/10.1016/j.lwt.2021.111437>
- Yang, H., Mu, Y., Chen, H., Su, C., Yang, T., Xiu, Z., 2014. Sn-1,3-specific Interesterification of Soybean Oil with Medium-chain Triacylglycerol Catalyzed



- by Lipozyme TL IM. *Chin. J. Chem. Eng.* 22, 1016–1020. <https://doi.org/10.1016/j.cjche.2014.06.027>
- Yang, X., Boyle, R.A., 2016. Sensory Evaluation of Oils/Fats and Oil/Fat–Based Foods, in: *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats*. Elsevier, pp. 157–185. <https://doi.org/10.1016/B978-1-63067-056-6.00003-3>
- Zarringhalami, S., Sahari, M.A., Barzegar, M., Hamidi-Esfehani, Z., 2012. Production of Cocoa Butter Replacer by Dry Fractionation, Partial Hydrogenation, Chemical and Enzymatic Interesterification of Tea Seed Oil. *Food Nutr. Sci.* 03, 184–189. <https://doi.org/10.4236/fns.2012.32027>
- Zhang, H., Xu, X., Nilsson, J., Mu, H., Adler-Nissen, J., Høy, C., 2001. Production of margarine fats by enzymatic interesterification with silica-granulated *Thermomyces lanuginosa* lipase in a large-scale study. *J. Am. Oil Chem. Soc.* 78, 57–64. <https://doi.org/10.1007/s11746-001-0220-4>
- Zhang, R., Chen, K., Chen, X., Yang, B., Kan, J., 2021. Thermostability and kinetics analysis of oil color, carotenoids and capsaicinoids in hotpot oil models (butter, rapeseed oil, and their blends). *LWT* 152, 112216. <https://doi.org/10.1016/j.lwt.2021.112216>
- Zhang, Z., Lee, W.J., Xie, X., Ye, J., Tan, C.P., Lai, O.M., Li, A., Wang, Y., 2021a. Enzymatic Interesterification of Palm Stearin and Palm Olein Blend Catalyzed by sn-1,3-Specific Lipase: Interesterification Degree, Acyl Migration, and Physical Properties. *J. Agric. Food Chem.* 69, 9056–9066. <https://doi.org/10.1021/acs.jafc.0c06297>
- Zhang, Z., Lee, W.J., Zhou, H., Wang, Y., 2019. Effects of chemical interesterification on the triacylglycerols, solid fat contents and crystallization kinetics of palm oil-based fats. *Food Funct.* 10, 7553–7564. <https://doi.org/10.1039/C9FO01648A>
- Zhang, Z., Ye, J., Lee, W.J., Akoh, C.C., Li, A., Wang, Y., 2021b. Modification of palm-based oil blend via interesterification: Physicochemical properties, crystallization behaviors and oxidative stabilities. *Food Chem.* 347, 129070. <https://doi.org/10.1016/j.foodchem.2021.129070>