

DAFTAR PUSTAKA

- Abbott, J. A. (1999). Quality measurement of fruits and vegetables. *Postharvest Biology and Technology*, 15(3), 207–225.
- Abdelhedi, O., Salem, A., Nasri, R., Nasri, M., & Jridi, M. (2022). Food applications of bioactive marine gelatin films. *Current Opinion in Food Science*, 43, 206–215. <https://doi.org/10.1016/j.cofs.2021.12.005>
- Abdillah, A. A., & Charles, A. L. (2021). Characterization of a natural biodegradable edible film obtained from arrowroot starch and iota-carrageenan and application in food packaging. *International Journal of Biological Macromolecules*, 191, 618–626. <https://doi.org/10.1016/j.ijbiomac.2021.09.141>
- Abdou, E. S., & Sorour, M. A. (2014). Preparation and characterization of starch/carrageenan edible films. *International Food Research Journal*, 21(1), 189–193.
- Agustina, R. K., Dieny, F. F., Rustanti, N., Anjani, G., & Afifah, D. N. (2020). *Antioxidant activity and soluble protein content of tempeh gembus hydrolysate*.
- Ajisaka. (2012). *Teh Khasiatnya Dahsyat*. Penerbit Stomata.
- Anandito, R. B. K., Nurhartadi, E., & Bukhori, A. (2012). Effect of glycerol on the characteristics of edible film from jali (*Coix lacryma-jobi* L) flour. *Jurnal Teknologi Hasil Pertanian*, 5(2), 17–23.
- Arifin, S., Bambang, K., & Dharmadi, A. D. (1994). Petunjuk teknis pengolahan teh. *Pusat Penelitian Teh Dan Kina Gambung. Bogor*.
- Arizka, A. A., & Daryatmo, J. (2015). Perubahan kelembaban dan kadar air teh selama penyimpanan pada suhu dan kemasan yang berbeda. *Jurnal Aplikasi Teknologi Pangan*, 4(4).
- ASTM. (1993). *Annual book of ASTM standards*. American Society for testing and material.
- Avena-Bustillos, R. J., Olsen, C. W., Olson, D. A., Chiou, B., Yee, E., Bechtel, P. J., & McHugh, T. H. (2006). Water Vapor Permeability of Mammalian and Fish Gelatin Films. *Journal of Food Science*, 71(4). <https://doi.org/10.1111/j.1750-3841.2006.00016.x>
- Badan Standardisasi Nasional. (2016). *SNI 3945:2016. Teh hijau*.

- Balian, G., & Bowes, J. H. (1977). The structure and properties of collagen. *The Science and Technology of Gelatin*, 197, 1–30.
- Bourtoom, T. (2008). Plasticizer effect on the properties of biodegradable blend film from rice starch-chitosan. *Songklanakarin Journal of Science & Technology*, 30.
- Cagri, A., Ustunol, Z., & Ryser, E. T. (2004). Antimicrobial Edible Films and Coatings. *Journal of Food Protection*, 67(4), 833–848. <https://doi.org/10.4315/0362-028X-67.4.833>
- Choi, I., Lee, S. E., Chang, Y., Lacroix, M., & Han, J. (2018). Effect of oxidized phenolic compounds on cross-linking and properties of biodegradable active packaging film composed of turmeric and gelatin. *LWT*, 93, 427–433. <https://doi.org/10.1016/j.lwt.2018.03.065>
- Cindy, A. (2023). *OPTIMASI PEMBUATAN HIDROLISAT PROTEIN OKARA SECARA FERMENTASI MENGGUNAKAN RESPONSE SURFACE METHODOLOGY DAN APLIKASINYA UNTUK PRODUK SNACK BAR*. Universitas Gadjah Mada .
- Denavi, G. A., Pérez-Mateos, M., Añón, M. C., Montero, P., Mauri, A. N., & Gómez-Guillén, M. C. (2009). Structural and functional properties of soy protein isolate and cod gelatin blend films. *Food Hydrocolloids*, 23(8), 2094–2101. <https://doi.org/10.1016/j.foodhyd.2009.03.007>
- Dewi, M. Y. (2019). *Karakterisasi Edible Film Dari Alginat, Gliserol Dan Minyak Biji Bunga Matahari*. Universitas Gadjah Mada.
- Diniz, P. H. G. D., Pistonesi, M. F., Alvarez, M. B., Band, B. S. F., & de Araújo, M. C. U. (2015). Simplified tea classification based on a reduced chemical composition profile via successive projections algorithm linear discriminant analysis (SPA-LDA). *Journal of Food Composition and Analysis*, 39, 103–110. <https://doi.org/10.1016/j.jfca.2014.11.012>
- Embuscado, M. E., & Huber, K. C. (2009). *Edible films and coatings for food applications* (Vol. 9). Springer.
- Eslahi, N., Dadashian, F., Hemmati Nejad, N., & Rabiee, M. (2014). Evaluation of wool nanoparticles incorporation in chitosan/gelatin composite films. *Journal of Applied Polymer Science*, 131(11). <https://doi.org/10.1002/app.40294>
- Fu, Z., Wu, M., Han, X., & Xu, L. (2017). Effect of okara dietary fiber on the properties of starch-based films. *Starch - Stärke*, 69(11–12). <https://doi.org/10.1002/star.201700053>

- Fukatsu, S. I. (1978). Storage of green tea by the use of various packaging. *Japan Agricultural Research Quarterly*, 12(1), 33–38.
- Galiotta, G., Di Gioia, L., Guilbert, S., & Cuq, B. (1998). Mechanical and Thermomechanical Properties of Films Based on Whey Proteins as Affected by Plasticizer and Crosslinking Agents. *Journal of Dairy Science*, 81(12), 3123–3130. [https://doi.org/10.3168/jds.S0022-0302\(98\)75877-1](https://doi.org/10.3168/jds.S0022-0302(98)75877-1)
- Gómez-Guillén, M. C., Giménez, B., López-Caballero, M. E., & Montero, M. P. (2011). Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids*, 25(8), 1813–1827. <https://doi.org/10.1016/j.foodhyd.2011.02.007>
- Gontard, N., Guilbert, S., & CUQ, J. (1993). Water and glycerol as plasticizers affect mechanical and water vapor barrier properties of an edible wheat gluten film. *Journal of Food Science*, 58(1), 206–211.
- Handito, D. (2011). Pengaruh Konsentrasi Karagenan Terhadap Sifat Fisik Dan Mekanik Edible Film (the Effect of Carrageenan Concentrations on Mechanical and Physical Properties of Edible Films). *Agroteksos*, 21, 151–157.
- Hasan, T., & Dwijayanti, E. (2022). Kandungan Gelatin Ekstrak Limbah Tulang Ikan Bandeng (Chanos chanos) dengan Variasi Konsentrasi Asam Sitrat. *Jurnal Sains Dan Edukasi Sains*, 5(1), 38–43.
- Haug, I. J., Draget, K. I., & Smidsrød, O. (2004a). Physical and rheological properties of fish gelatin compared to mammalian gelatin. *Food Hydrocolloids*, 18(2), 203–213.
- Haug, I. J., Draget, K. I., & Smidsrød, O. (2004b). Physical behaviour of fish gelatin- κ -carrageenan mixtures. *Carbohydrate Polymers*, 56(1), 11–19.
- Horita, H. (1987). Off-flavor components of green tea during preservation. *Japan Agricultural Research Quarterly*, 21(3), 192–197.
- Hosseini, S. F., & Gómez-Guillén, M. C. (2018). A state-of-the-art review on the elaboration of fish gelatin as bioactive packaging: Special emphasis on nanotechnology-based approaches. *Trends in Food Science & Technology*, 79, 125–135.

- Hosseini, S. F., Rezaei, M., Zandi, M., & Ghavi, F. F. (2013). Preparation and functional properties of fish gelatin–chitosan blend edible films. *Food Chemistry*, *136*(3–4), 1490–1495. <https://doi.org/10.1016/j.foodchem.2012.09.081>
- Indraswati, D. (2017). Pengemasan makanan. *Forum Ilmiah Kesehatan: Jakarta*.
- Jridi, M., Souissi, N., Mbarek, A., Chadeyron, G., Kammoun, M., & Nasri, M. (2013). Comparative study of physico-mechanical and antioxidant properties of edible gelatin films from the skin of cuttlefish. *International Journal of Biological Macromolecules*, *61*, 17–25.
- Karim, A. A., & Bhat, R. (2009). Fish gelatin: properties, challenges, and prospects as an alternative to mammalian gelatins. *Food Hydrocolloids*, *23*(3), 563–576. <https://doi.org/10.1016/j.foodhyd.2008.07.002>
- Khazaei, N., Esmaili, M., Djomeh, Z. E., Ghasemlou, M., & Jouki, M. (2014). Characterization of new biodegradable edible film made from basil seed (*Ocimum basilicum* L.) gum. *Carbohydrate Polymers*, *102*, 199–206. <https://doi.org/10.1016/j.carbpol.2013.10.062>
- Krisnadi, R., Handarni, Y., & Udyani, K. (2019). Pengaruh jenis plasticizer terhadap karakteristik plastik biodegradable dari bekatul padi. *Prosiding Seminar Nasional Sains Dan Teknologi Terapan*, *1*(1), 125–130.
- Krochta, J. M., & Mulder-Johnston, C. de. (1997). *Edible and biodegradable polymer films: challenges and opportunities*.
- Kusumawati, D. H., & Putri, W. D. R. (2013). Karakteristik fisik dan kimia edible film pati jagung yang diinkorporasi dengan perasan temu hitam. *Jurnal Pangan Dan Agroindustri*, *1*(1), 90–100.
- Liu, C., Huang, J., Zheng, X., Liu, S., Lu, K., Tang, K., & Liu, J. (2020). Heat sealable soluble soybean polysaccharide/gelatin blend edible films for food packaging applications. *Food Packaging and Shelf Life*, *24*, 100485. <https://doi.org/10.1016/j.fpsl.2020.100485>
- Liu, Z., Lin, D., Shen, R., Zhang, R., Liu, L., & Yang, X. (2021). Konjac glucomannan-based edible films loaded with thyme essential oil: Physical properties and antioxidant-antibacterial activities. *Food Packaging and Shelf Life*, *29*, 100700. <https://doi.org/10.1016/j.fpsl.2021.100700>

- Lv, L.-C., Huang, Q.-Y., Ding, W., Xiao, X.-H., Zhang, H.-Y., & Xiong, L.-X. (2019). Fish gelatin: The novel potential applications. *Journal of Functional Foods*, 63, 103581. <https://doi.org/10.1016/j.jff.2019.103581>
- Maneely, T. (2006). Glycerin Production and Utilization. *Biodiesel One-Day Course from Field to Fuel, Couer d'Alene Idaho*, 15.
- Mareta, D. T., & Awami, S. N. (2011). Pengemasan produk sayuran dengan bahan kemasan plastik pada penyimpanan suhu ruang dan suhu dingin. *Mediagro*, 7(1).
- Marismandani, A. D. P., & Husni, A. (2020). Development and characterization of biobased alginate/glycerol/virgin coconut oil as biodegradable packaging. *E3S Web of Conferences*, 147, 03016.
- Materials, A. S. for T. and. (2002). *Standard test method for tensile properties of thin plastic sheeting*. Astm International.
- Moranda, D. P., Handayani, L., & Nazlia, S. (2018). Pemanfaatan limbah kulit ikan tuna sirip kuning (*Thunnus albacares*) sebagai gelatin: Hidrolisis menggunakan pelarut HCl dengan konsentrasi berbeda. *Acta Aquatica: Aquatic Sciences Journal*, 5(2), 81. <https://doi.org/10.29103/aa.v5i2.850>
- Murni, S. W., Pawignyo, H., Widyawati, D., & Sari, N. (2015). *Pembuatan edible film dari tepung jagung (Zea Mays L.) dan kitosan*.
- Nisperos-Carriedo, M. O. (1994). Edible coatings and films based on polysaccharides. *Edible Coatings and Films to Improve Food Quality*, 1, 322–323.
- Nurdiani, R., Yufidasari, H. S., & Sherani, J. S. (2019). Karakteristik edible film dari gelatin kulit ikan kakap merah (*Lutjanus argentimaculatus*) dengan penambahan pektin. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 22(1), 174–186.
- Osés, J., Fernández-Pan, I., Mendoza, M., & Maté, J. I. (2009). Stability of the mechanical properties of edible films based on whey protein isolate during storage at different relative humidity. *Food Hydrocolloids*, 23(1), 125–131.
- O'Toole, D. K. (1999). Characteristics and use of okara, the soybean residue from soy milk production a review. *Journal of Agricultural and Food Chemistry*, 47(2), 363–371.

- Owuor, P. O., Obanda, M., Nyirenda, H. E., Mphangwe, N. I. K., Wright, L. P., & Apostolides, Z. (2006). The relationship between some chemical parameters and sensory evaluations for plain black tea (*Camellia sinensis*) produced in Kenya and comparison with similar teas from Malawi and South Africa. *Food Chemistry*, 97(4), 644–653.
- Pastoriza, S., Quesada, J., & Rufián-Henares, J. A. (2022). Maillard Reaction. In *Encyclopedia of Dairy Sciences* (pp. 771–789). Elsevier. <https://doi.org/10.1016/B978-0-12-818766-1.00306-8>
- Paul, S. K. (2020). Edible Films and Coatings for Fruits and Vegetables. In *Encyclopedia of Renewable and Sustainable Materials* (pp. 363–376). Elsevier. <https://doi.org/10.1016/B978-0-12-803581-8.11509-7>
- Pranoto, Y. (2008). Pembuatan edible film dari gelatin hasil ekstraksi kulit ikan nila (*Oreochromis niloticus*) dan kerisi putih (*Pristipomoides multidens*) dengan penambahan K-Karaginan. *Prosiding Seminar PATPI. Palembang*, 14–16.
- Pranoto, Y., Lee, C. M., & Park, H. J. (2007). Characterizations of fish gelatin films added with gellan and κ -carrageenan. *LWT-Food Science and Technology*, 40(5), 766–774.
- Prasetyaningrum, A., Rokhati, N., Kinasih, D. N., & Wardhani, F. D. N. (2010). Karakterisasi bioactive edible film dari komposit alginat dan lilin lebah sebagai bahan pengemas makanan biodegradable. *Seminar Rekayasa Kimia Dan Proses*, 2, 1411–4216.
- Prawira-Atmaja, M. I., Maulana, H., Shabri, S., Riski, G. P., Fauziah, A., Harianto, S., & Rohdiana, D. (2021). Evaluasi kesesuaian mutu produk teh dengan persyaratan standar nasional indonesia. *Jurnal Standardisasi*, 23(1), 43.
- Putra, H. B. P. (2021). *Karakteristik Active Edible Film Berbasis Kitosan dengan Penambahan Ekstrak Daun Waru (Hibiscus tiliaceus L.)*. Universitas Gadjah Mada.
- Rahayu, N. A., Cahyanto, M. N., & Indrati, R. (2019). Pola perubahan protein koro benguk (*Mucuna pruriens*) selama fermentasi tempe menggunakan inokulum Raprima. *Agritech*, 39(2), 128–135.
- Ramadhan, A. (2023). *OPTIMASI DAN KARAKTERISASI FORMULA OPTIMUM EDIBLE FILM BERBASIS GLUKOMANAN PORANG (Amorphophallus oncophyllus) DAN PLASTICIZER SORBITOL DENGAN RESPONSE SURFACE METHODOLOGY*. Universitas Gadjah Mada .

- Rhim, J.-W., & Wang, L.-F. (2013). Mechanical and water barrier properties of agar/ κ -carrageenan/konjac glucomannan ternary blend biohydrogel films. *Carbohydrate Polymers*, 96(1), 71–81. <https://doi.org/10.1016/j.carbpol.2013.03.083>
- Rohdiana, D. (2009). Teh Ini Menyehatkan, Telaah Ilmiah Populer. *Alfabeta: Bandung. Cetakan I.*
- Rusli, A., Metusalach, S., & Tahir, M. M. (2017). Karakterisasi edible film karagenan dengan pemlastis gliserol. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(2), 219–229.
- Sandi, S., Palupi, R., & Amyesti, A. (2012). Pengaruh Penambahan Ampas Tahu dan Dedak Fermentasi Terhadap Karkas, Usus dan Lemak Abdomen Ayam Broiler. *Agrinak*, 2(1), 1–5.
- Santoso, B. (2020). edible Film: teknologi dan aplikasinya. *Palembang: NoerFikri.*
- Schaafsma, G. (2009). Safety of protein hydrolysates, fractions thereof and bioactive peptides in human nutrition. *European Journal of Clinical Nutrition*, 63(10), 1161–1168.
- Setyaningrum, A., Sumarni, N. K., & Hardi, J. (2017). Sifat Fisiko-Kimia Edible Film Agar–Agar Rumput Laut (*Gracilaria* sp.) Tersubstitusi Glycerol. *Natural Science: Journal of Science and Technology*, 6(2).
- Shurtleff, W., & Aoyagi, A. (2007). A brief history of fermentation, east and west. *A Chapter from History of Soybean and Soyfood. Soyinfo Center, Lafayette, California.*
- Skurtys, O. (2010). *Food hydrocolloid edible films and coatings.*
- Sothornvit, R., & Krochta, J. M. (2005). Plasticizers in edible films and coatings. In *Innovations in Food Packaging* (pp. 403–433). Elsevier. <https://doi.org/10.1016/B978-012311632-1/50055-3>
- Sudaryati, H. P., Mulyani, T., Hansyah, E. R., & Madya-Surabaya, J. R. (2010). SIFAT FISIK DAN MEKANIS EDIBLE FILM DARI TEPUNG PORANG (*Amorphophallus oncophyllus*) DAN KARBOKSIMETILSELULOSA Physical and Mechanical Properties of Edible Film from Porang (*Amorphophallus oncophyllus*) Flour and Carboxymethylcellulose. *Jurnal Teknologi Pertanian*, 11(3), 196–201.
- Supriyanto, S., Darmadji, P., & Susanti, I. (2014). Studi pembuatan teh daun tanaman kakao (*Theobroma cacao* L) sebagai minuman penyegar. *Agritech*, 34(4), 422–429.

- Syarifuddin, A., Dirpan, A., & Rahman, A. N. F. (2019). Difusi teknologi pembuatan edible film berbasis karagenan/pati sebagai kemasan primer dodol rumput laut di Kabupaten Takalar. *Jurnal Dinamika Pengabdian*, 5(1), 1–11.
- Teshome, K. (2019). Effect of tea processing methods on biochemical composition and sensory quality of black tea (*Camellia sinensis* (L.) O. Kuntze): A review. *Journal of Horticulture and Forestry*, 11(6), 84–95.
- Thomazine, M., Carvalho, R. A., & Sobral, P. J. A. (2006). Physical Properties of Gelatin Films Plasticized by Blends of Glycerol and Sorbitol. *Journal of Food Science*, 70(3), E172–E176. <https://doi.org/10.1111/j.1365-2621.2005.tb07132.x>
- Trinetta, V. (2016). Edible Packaging. In *Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/B978-0-08-100596-5.03210-8>
- Utami, R., Khasanah, L. U., Yunitier, K. K., & Manuhara, G. J. (2017). Pengaruh oleoresin daun kayu manis (*Cinnamomum burmanii*) dua tahap terhadap karakteristik edible film tapioka. *Caraka Tani: Journal of Sustainable Agriculture*, 32(1), 55–67.
- Vieira, M. G. A., Da Silva, M. A., Dos Santos, L. O., & Beppu, M. M. (2011). Natural-based plasticizers and biopolymer films: A review. *European Polymer Journal*, 47(3), 254–263.
- Vogelsang-O'Dwyer, M., Sahin, A. W., Bot, F., O'Mahony, J. A., Bez, J., Arendt, E. K., & Zannini, E. (2023). Enzymatic hydrolysis of lentil protein concentrate for modification of physicochemical and techno-functional properties. *European Food Research and Technology*, 249(3), 573–586.
- Wang, H., Ding, F., Ma, L., & Zhang, Y. (2021). Edible films from chitosan-gelatin: Physical properties and food packaging application. *Food Bioscience*, 40, 100871.
- Wickramasinghe, R. L., & Perera, K. (1972). *Chemical changes during storage of black tea*.
- Xiong, Y., Kamboj, M., Ajlouni, S., & Fang, Z. (2021). Incorporation of salmon bone gelatine with chitosan, gallic acid and clove oil as edible coating for the cold storage of fresh salmon fillet. *Food Control*, 125, 107994. <https://doi.org/10.1016/j.foodcont.2021.107994>
- Yang, L., Yang, M., Xu, J., Nie, Y., Wu, W., Zhang, T., Wang, X., & Zhong, J. (2022). Structural and emulsion stabilization comparison of four gelatins from two freshwater and two marine fish skins. *Food Chemistry*, 371, 131129. <https://doi.org/10.1016/j.foodchem.2021.131129>



UNIVERSITAS
GADJAH MADA

Karakterisasi Edible Film dari Komposit Gelatin Ikan dengan Penambahan Hidrolisat Protein Okara dan

Aplikasinya Sebagai Pengemas Primer Teh Hijau Kering

RANA RAIHANA AQILA, Andriati Ningrum, S.T.P., M.Agr., Ph.D.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhang, L., Chen, D., Yu, D., Regenstein, J. M., Jiang, Q., Dong, J., Chen, W., & Xia, W.

(2022). Modulating physicochemical, antimicrobial and release properties of chitosan/zein bilayer films with curcumin/nisin-loaded pectin nanoparticles. *Food Hydrocolloids*, 133, 107955. <https://doi.org/10.1016/j.foodhyd.2022.107955>