



## DAFTAR PUSTAKA

- Ademe, D., D. Belew, and G. Tabor. 2012. Influence of bulb topping and intra row spacing on yield and quality of some shallot (*Allium cepa* Var. *Aggregatum*) varieties at Aneded woreda, western Amhara. African Journal of Plant Science, 6(6): 90-202.
- Alemu, D., C. Kitila, W. Garedew, L. Jule, B. Badassa, N. Nagaprasad, and K. Ramaswamy. 2022. Growth, yield, and yield variables of onion (*Allium cepa* L.) varieties as influenced by plant spacing at Dambi Dollo, Western Ethiopia. Scientific Reports, 12(1): 20563.
- Azkiyah, D. R., dan T. Tohari. 2019. Pengaruh ketinggian tempat terhadap pertumbuhan, hasil dan kandungan steviol glikosida pada tanaman stevia (*Stevia rebaudiana*). Vegetalika, 8(1): 1-12.
- Azmi, C., I. M. Hidayat, dan G. Wiguna. 2011. Pengaruh varietas dan ukuran umbi terhadap produktivitas bawang merah, Jurnal Hortikultura, 21(3): 206-213.
- Badan Pusat Statistik. 2021. Produksi tanaman sayuran 2021. <https://www.bps.go.id/indicator/55/61/1/> produksi-tanaman-sayuran.html. Diakses tanggal 19 Januari 2024.
- Badan Pusat Statistik. 2022. Produksi tanaman sayuran 2022. <https://www.bps.go.id/indicator/55/61/1/> produksi-tanaman-sayuran.html. Diakses tanggal 25 Mei 2023.
- Badan Riset dan Inovasi Nasional. 2023. Atasi Permasalahan Produksi dan Pemberian Bawang Merah, BRIN Kembangkan Teknologi TSS. <https://www.brin.go.id/news/111817/atasi -permasalahan - produksi - dan - pemberian – bawang – merah – brin – kembangkan -teknologi - tss>. Diakses tanggal 25 Mei 2023.
- Butt, A. M. 1968. Vegetative growth, morphogenesis and carbohydrate content of the onion plant as a function of light and temperature under field-and controlled conditions.
- Ceunfin, S., and M. G. Bere. 2022. Pengaruh jenis pupuk organik terhadap pertumbuhan dan hasil beberapa kultivar ubi jalar (*Ipomoea batatas* L.) di lahan kering. Savana Cendana, 7(02): 33-37.
- Darma, W. A., A. D. Susila, dan D. Dinarti. 2015. Pertumbuhan dan hasil bawang merah asal umbi tss varietas tuk tuk pada ukuran dan jarak tanam yang berbeda. Agrovigor: Jurnal Agroekoteknologi, 1-7.
- Deviana, W., M. Meiriani, dan S. Silitonga. 2014. Pertumbuhan dan produksi bawang merah (*Allium ascalonicum* L.) dengan pembelahan umbi bibit pada beberapa jarak tanam. Jurnal Agroekoteknologi Universitas Sumatera Utara, 2(3), 99911.



Elings, A. 2000. Estimation of leaf area in tropical maize. *Agronomy Journal*, 92(3): 436-444.

Evans, J. R. 1999. Leaf anatomy enables more equal access to light and CO<sub>2</sub> between chloroplasts. *The New Phytologist*, 143(1): 93-104.

Fang, H., and S. Liang. 2008. Leaf area index models. *Encyclopedia of Ecology*, 1: 2139-2148.

FAOSTAT. 2023. Crops and livestocks product. <https://www.fao.org/faostat/en/#data/QCL>. Diakses tanggal 25 Mei 2023.

Hasan, M. R., A. K. M. M, Tahsin, M. N. Islam, M. A. Ali, and J. Uddain. 2017. Growth and yield of lettuce (*Lactuca sativa L.*) influenced as nitrogen fertilizer and plant spacing. *Journal of Agriculture and Veterinary Science*, 10(6), 62-71.

Hortensteiner, S., and B. Krautler. 2011. Chlorophyll breakdown in higher plants. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, 1807(8): 977-988.

Islam, M. R., A. Mukherjee, K. G. Quddus, P. K. Sardar, and M. Hossain. 2015. Effect of spacing and fertilizer on the growth and yield of onion. *Int. J. Sci. Tech. Res*, 4(10), 308-312.

Jilani, M. S. 2010. Effect of plant spacing on growth and yield of two varieties of onion (*Allium cepa L.*) under the agro-climatic condition of di khan. *Pakistan Journal of Science*, 62(1).

Jones, H.A., and L. K. Mann. 1963. Onions and their Allies, Leonard Hill Ltd, London, pp. 286.

Kahsay, Y., D. Belew, and F. Abay. 2014. Effects of intra-row spacing on plant growth and yield of onion varieties (*Allium cepa L.*) at Aksum, Northern Ethiopia. *African Journal of Agricultural Research*, 9(10): 931-940.

Ketter, C. A. T., and W. M. Randle. 1998. Pungency assessment in onions. Tested studies for laboratory teaching, 19, 177-196.

Khokhar, K. M. 2009. Effect of set-size and storage temperature on bolting, bulbing and seed yield in tpatlawo onion cultivars. *Scientia Horticulturae*, 122(2): 187-194.

Kusmali, M., U. Ahmad, and E. Darmawati. 2020. The effect of curing and leaves cutting in longterm storage of shallot. In IOP Conference Series: Earth and Environmental Science, (542)1:012009.

Lanzotti, V. 2006. The analysis of onion and garlic. *Journal of chromatography A*, 1112(1-2), 3-22.

Li, X., B. Schmid, F. Wang, and C. T. Paine. 2016. Net assimilation rate determines the growth rates of 14 species of subtropical forest trees. *PLoS one*, 11(3):0150644.



Li, Y., N. He, J. Hou, L. Xu, C. Liu, J. Zhang, and X. Wu. 2018. Factors influencing leaf chlorophyll content in natural forests at the biome scale. *Frontiers in Ecology and Evolution*, 6: 64.

Manurung, M. 2022. Analisis Perkembangan Harga Bahan Pangan Pokok dan Barang Penting, di Pasar Domestik dan Internasional: Desember 2022. Kementerian Perdagangan Republik Indonesia.

Mubarak, I. 2021. Response of onion crop to bulb set size and planting date under mulching in dry Mediterranean environment. *Acta agriculturae Slovenica*, 117(3), 1-9.

Murti, A. C., W. D. P. Al Machfudz, A. E. Prihatiningrum, dan S. Arifin. 2022. Effect of planting distance and bulb size on growth and production of shallots (*Allium ascalonicum* L.). In IOP Conference Series: Earth and Environmental Science, 1104(1): 012002.

Palta, J. P. 1990. Leaf chlorophyll content. *Remote Sensing Reviews*, 5(1): 207–213.

Puizina, J. 2013. Shallots in Croatia—genetics, morphology and nomenclature. *Acta Botanica Croatica*, 72(2): 387-398.

Ricciardi, L., R. Mazzeo, A. R. Marcotrigiano, G. Rainaldi, P. Iovieno, V. Zonno, S. Pavan., and C. Lotti. 2020. Assessment of genetic diversity of the “acquaviva red onion” (*Allium cepa* L.) apulian landrace. *Plants*, 9(2), 260.

Setiawan, A. B., S. Purwanti, dan T. Toekidjo. 2012. Pertumbuhan dan hasil benih lima varietas cabai merah (*Capsicum annum* L.) di dataran menengah. *Vegetalika*, 1(3): 1-11.

Shigyo, M., and C. Kik. 2008. Onion. *Vegetables II: Fabaceae, Liliaceae, Solanaceae, and Umbelliferae*, 121-159.

Shimelis, T., K. Woldetsadik, and W. Mohammed. 2020. Effect of nitrogen fertilizer rates and intra-row spacing on yield and yield components of ‘improved huruta ‘shallot variety (*Allium cepa* var. *ascalonicum*) at Haramaya, Eastern Ethiopia. *Turkish Journal of Agriculture-Food Science and Technology*, 8(12): 2541-2549.

Singh, S., S. Kumar, S. P. Singh, S. Yadav, S. Yadav, A. Singh, and M. K. Awasthi. 2022. Plant spacing and cultivar on quality attributes in sprouting broccoli. *South African Journal of Botany*, 148, 737-741.

Sopha, G. A. 2020. Influence of plant density, compost and biofertilizer on true shallot seed growth in alluvial soil. *Indonesian Journal of Agricultural Science*, 21(2): 70-77.

Stearn, W.T. 1992. How Many Species of Allium Are Known T Curtis's Botanical Magazine, 9, 180-182



Sumarni, N., dan A. Hidayat. 2005. Budidaya bawang merah. Bandung: Balai Penelitian Tanaman Sayur.

Sun, W., M. H. Shahrajabian, and Q. Cheng. 2019. The insight and survey on medicinal properties and nutritive components of shallot. *Journal of Medicinal Plants Research*, 13(18), 452-457.

Teshika, J. D., A. M. Zakariyyah, T. Zaynab, G. Zengin, K. R. Rengasamy, S. K. Pandian, dan M. M. Fawzi. 2019. Traditional and modern uses of onion bulb (*Allium cepa* L.): a systematic review. *Critical reviews in food science and nutrition*, 59(1): S39-S70.

Thorup-Kristensen, K. 2006. Root growth and nitrogen uptake of carrot, early cabbage, onion and lettuce following a range of green manures. *Soil Use and Management*, 22(1): 29–38.

Trukhachev, V. I., I.I. Seregina, S. L. Belopukhov, I. I. Dmitrevskaya, T. L. Fomina, O. A. Zharkikh, and D. M. Akhmetzhanov. 2022. The effect of stressful ecological conditions on chlorophyll content in the leaves of spring wheat plants. In IOP Conference Series: Earth and Environmental Science, 981(3):032093).

Wang, X., G. Chen, S. Du, H. Wu, R. Fu, and X. Yu. 2021. Light intensity influence on growth and photosynthetic characteristics of *Horsfieldia hainanensis*. *Frontiers in Ecology and Evolution*, 9: 1-14.

Watson, D. J. 1947. Comparative physiological studies on the growth of field crops: I. Variation in net assimilation rate and leaf area between species and varieties, and within and between years. *Annals of botany*, 11(41): 41-76.

Watson, D. J. 1958. The dependence of net assimilation rate on leaf-area index. *Annals of Botany*, 22(1): 37-54.

Wilson, J. W. 1966. Effect of temperature on net assimilation rate. *Annals of botany*, 30(4): 753-761.

Woldetsadik, S. K., and T. S. Workneh. 2010. Effects of nitrogen levels, harvesting time and curing on quality of shallot bulb. *African Journal of Agricultural Research*, 5(24): 3342-3353.

Zhao, Y., Q. Han, C. Ding, Y. Huang, J. Liao, T. Chen, and M. Yuan. 2020. Effect of low temperature on chlorophyll biosynthesis and chloroplast biogenesis of rice seedlings during greening. *International journal of molecular sciences*, 21(4): 1390.