

DAFTAR PUSTAKA

- Aalaei, A., & Davoudpour, H. (2016). Revised multi-choice goal programming for incorporated dynamic virtual cellular manufacturing into supply chain management: a case study. *Engineering Applications of Artificial Intelligence*, 47, 3–15. <https://doi.org/https://doi.org/10.1016/j.engappai.2015.04.005>
- Adarang, H., Bozorgi-Amiri, A., Khalili-Damghani, K., & Tavakkoli-Moghaddam, R. (2020). A robust bi-objective location-routing model for providing emergency medical services. *Journal of Humanitarian Logistics and Supply Chain Management*, 10(3), 285–319. <https://doi.org/https://doi.org/10.1108/jhlscm-11-2018-0072>
- Archetti, C., & Speranza, M. G. (2008). The split delivery vehicle routing problem: a survey. in *the vehicle routing problem: latest advances and new challenges* (pp. 103–122). Springer.
- Beiki, H., Seyedhosseini, S. M., Ghezavati, V. R., & Seyedaliakbar, S. M. (2020). Multi-objective optimization of multi-vehicle relief logistics considering satisfaction levels under uncertainty. *International Journal of Engineering, Transactions B: Applications*, 33(5), 814–824. <https://doi.org/10.5829/IJE.2020.33.05B.13>
- Celine, L. (2020). *Optimasi multi-objective location routing problem yang mempertimbangkan service level dengan menggunakan metode NSGA-II* (undergraduate thesis). Universitas Gadjah Mada.
- Chen, S., Golden, B., & Wasil, E. (2007). The split delivery vehicle routing problem: applications, algorithms, test problems, and computational results. *Networks*, 49(4), 318–329. <https://doi.org/10.1002/net.20181>
- Chen, Z., Yang, M., Guo, Y., Liang, Y., Ding, Y., & Wang, L. (2020). The split delivery vehicle routing problem with three-dimensional loading and time windows constraints. *Sustainability (Switzerland)*, 12(17). <https://doi.org/https://doi.org/10.3390/su12176987>
- Chiandussi, G., Codegone, M., Ferrero, S., & Varesio, F. E. (2012). Comparison of multi-objective optimization methodologies for engineering applications. *Computers and Mathematics with Applications*, 63(5), 912–942. <https://doi.org/https://doi.org/10.1016/j.camwa.2011.11.057>
- Chopra, S., & Meindl, P. (2013). *Supply Chain Management: Strategy, Planning and Operation* (5th ed.). Pearson Orentice Hall.
- Cichocka, J., & Browne, W. N. (2016). *Multicriteria optimization in architectural design goal-oriented methods and computational morphogenesis*. Oficyna Wydawnicza Politechniki Wrocławskiej.
- Coello, C. A. C., Lamont, G. B., & Veldhuizen, D. A. Van. (2007). *Evolutionary Algorithms for Solving Multi-Objective Problems* (2nd ed.). Springer.
- Deb, K., Pratap, A., Agarwal, S., & Meyarivan, T. (2002). A fast and elitist multiobjective genetic algorithm: NSGA-II. In *IEEE Transactions on Evolutionary Computation* (Vol. 6, Issue 2).

- Dharmika, N. A. (2019). *Multi-objective location routing problem with time windows dengan tujuan mengoptimalkan biaya dan service level* (undergraduate thesis). Universitas Gadjah Mada.
- Fallah-Tafti, A., Vahdatzad, M. A., & Sadegheiyeh, A. (2019). A comprehensive mathematical model for a location-routing-inventory problem under uncertain demand: A numerical illustration in cash-in-transit sector. *International Journal of Engineering, Transactions B: Applications*, 32(11), 1634–1642. <https://doi.org/https://doi.org/10.5829/ije.2019.32.11b.15>
- Feng, Q., & Zhao, Q. (2019). Routing problem in after-sales delivery service: A model based on customer satisfaction. *2019 16th International Conference on Service Systems and Service Management (ICSSSM)*, 1–3. <https://doi.org/https://doi.org/10.1109/ICSSSM.2019.8887633>
- Govindan, K., Jafarian, A., Khodaverdi, R., & Devika, K. (2014). Two-echelon multiple-vehicle location-routing problem with time windows for optimization of sustainable supply chain network of perishable food. *International Journal of Production Economics*, 152, 9–28. <https://doi.org/https://doi.org/10.1016/j.ijpe.2013.12.028>
- Govindan, K., Mina, H., Esmaeili, A., & Gholami-Zanjani, S. M. (2020). An integrated hybrid approach for circular supplier selection and closed loop supply chain network design under uncertainty. *Journal of Cleaner Production*, 242. <https://doi.org/https://doi.org/10.1016/j.jclepro.2019.118317>
- Govindan, K., Salehian, F., Kian, H., Hosseini, S. T., & Mina, H. (2023). A location-inventory-routing problem to design a circular closed-loop supply chain network with carbon tax policy for achieving circular economy: An augmented epsilon-constraint approach. *International Journal of Production Economics*, 257. <https://doi.org/https://doi.org/10.1016/j.ijpe.2023.108771>
- Guerreiro, A. P., Fonseca, C. M., & Paquete, L. (2022). The hypervolume indicator. *ACM Computing Surveys*, 54(6), 1–42. <https://doi.org/10.1145/3453474>
- Gündüz, H. I. (2011). The single-stage location-routing problem with time windows. *Lecture Notes in Computer Science*, 44–58. https://doi.org/10.1007/978-3-642-24264-9_4
- Haupt, R. L., & Haupt, S. E. (2004). *Practical Genetic Algorithms* (2nd ed.). John Wiley.
- Huang, M., Liu, M., & Kuang, H. (2024). Vehicle routing problem for fresh products distribution considering customer satisfaction through adaptive large neighborhood search. *Computers & Industrial Engineering*, 190, 110022. <https://doi.org/https://doi.org/10.1016/j.cie.2024.110022>
- Khan, S., Haleem, A., & Khan, M. I. (2020). Assessment of risk in the management of Halal supply chain using fuzzy BWM method. *Supply Chain Forum*, 22(1), 1–17. <https://doi.org/https://doi.org/10.1080/16258312.2020.1788905>
- Laporte, G., Nobert, Y., & Arpin, D. (1986). An exact algorithm for solving a capacitated location-routing problem. *Annals of Operations Research*, 6, 291–310. <https://doi.org/https://doi.org/10.1007/bf02023807>
- Lerhlaly, S., Lebbar, M., Allaoui, H., Ouazar, D., & Afifi, S. (2016). An integrated inventory location routing: Problem considering CO2 emissions.

- Contemporary Engineering Sciences*, 9(7), 303–314.
<https://doi.org/https://doi.org/10.12988/ces.2016.512326>
- Li, P., Lan, H., & Saldanha-Da-Gama, F. (2019). A bi-objective capacitated location-routing problem for multiple perishable commodities. *IEEE Access*, 7, 136729–136742.
<https://doi.org/https://doi.org/10.1109/access.2019.2941363>
- Mamaghani, E. J., & Davari, S. (2020). The bi-objective periodic closed loop network design problem. *Expert Systems with Applications*, 144. <https://doi.org/https://doi.org/10.1016/j.eswa.2019.113068>
- Mara, S. T. W., Kuo, R. J., & Asih, A. M. S. (2021). Location-routing problem: a classification of recent research. *International Transactions in Operational Research*, 28(6), 2941–2983. <https://doi.org/10.1111/itor.12950>
- Maruti, S. C. (2017). *Penentuan Lokasi Pusat Distribusi, Moda Transportasi dan Rute Dengan Multi-Objective Location Routing Problem Menggunakan Metode NSGA-II* (undergraduate thesis). Universitas Gadjah Mada.
- Mendoza, J. E., Castanier, B., Guéret, C., Medaglia, A. L., & Velasco, N. (2011). Constructive heuristics for the multicompartment vehicle routing problem with stochastic demands. *Transportation Science*, 45(3), 346–363. <https://doi.org/https://doi.org/10.1287/trsc.1100.0353>
- Moon, I., Salhi, S., & Feng, X. (2020). The location-routing problem with multi-compartment and multi-trip: formulation and heuristic approaches. *Transportmetrica A: Transport Science*, 16(3), 501–528. <https://doi.org/https://doi.org/10.1080/23249935.2020.1720036>
- Momenikiyai, M., Ebrahimnejad, S., & Vahdani, B. (2018). A bi-objective mathematical model for inventory-distribution-routing problem under risk pooling effect: Robust meta-heuristics approach. *Economic Computation and Economic Cybernetics Studies and Research*, 52(4), 257–274. <https://doi.org/10.24818/18423264/52.4.18.17>
- Nasrollahi, M., Razmi, J., & Ghodsi, R. (2018). A computational method for measuring transport related carbon emissions in a healthcare supply network under mixed uncertainty: An empirical study. *Promet - Traffic and Transportation*, 30(6), 693–708. <https://doi.org/https://doi.org/10.7307/ptt.v30i6.2779>
- Nekooghadirli, N., Tavakkoli-Moghaddam, R., Ghezavati, V. R., & Javanmard, S. (2014). Solving a new bi-objective location-routing-inventory problem in a distribution network by meta-heuristics. *Computers and Industrial Engineering*, 76(1), 204–221. <https://doi.org/10.1016/j.cie.2014.08.004>
- Nikzamir, M., & Baradaran, V. (2020). A healthcare logistic network considering stochastic emission of contamination: Bi-objective model and solution algorithm. *Transportation Research Part E: Logistics and Transportation Review*, 142. <https://doi.org/https://doi.org/10.1016/j.tre.2020.102060>
- Perl, J., & Daskin, M. S. (1985). A warehouse location-routing problem. *Transportation Research Part B: Methodological*, 19(5), 381–396. [https://doi.org/https://doi.org/10.1016/0191-2615\(85\)90052-9](https://doi.org/https://doi.org/10.1016/0191-2615(85)90052-9)

- Pohan, R. N. A. M. (2022). *Aplikasi NSGA-II berbasis clustering pada multi-objective location-routing problem with soft time windows* (undergraduate thesis). Universitas Gadjah Mada.
- Prayoga, R. (2021). *Perbandingan performansi MOPSO dan NSGA II pada multiobjective location problem with time windows dengan mempertimbangkan minimasi biaya dan maksimasi service level* (undergraduate thesis). Universitas Gadjah Mada.
- Prayoga, R. (2022). *Multiobjective multi-compartment split delivery location routing problem with time windows dengan tujuan minimasi biaya dan maksimasi service level* (thesis). Universitas Gadjah Mada.
- Puljić, K., Manger, R., & Puljićpuljić, K. (2013). Comparison of eight evolutionary crossover operators for the vehicle routing problem. In *Article in Mathematical Communications* (Vol. 18). <https://www.researchgate.net/publication/268043232>
- Rabbani, M., Heidari, R., Farrokhi-Asl, H., & Rahimi, N. (2018). Using metaheuristic algorithms to solve a multi-objective industrial hazardous waste location-routing problem considering incompatible waste types. *Journal of Cleaner Production*, 170, 227–241. <https://doi.org/https://doi.org/10.1016/j.jclepro.2017.09.029>
- Rabbani, M., Amirhossein Sadati, S., & Farrokhi-Asl, H. (2020). Incorporating location routing model and decision making techniques in industrial waste management: Application in the automotive industry. *Computers and Industrial Engineering*, 148. <https://doi.org/10.1016/j.cie.2020.106692>
- Rafele, C. (2004). Logistic service measurement: A reference framework. In *Journal of Manufacturing Technology Management* (Vol. 15, Issue 3, pp. 280–290). <https://doi.org/10.1108/17410380410523506>
- Rahimi, M., Baboli, A., & Rekik, Y. (2017). Multi-objective inventory routing problem: A stochastic model to consider profit, service level and green criteria. *Transportation Research Part E: Logistics and Transportation Review*, 101, 59–83. <https://doi.org/10.1016/j.tre.2017.03.001>
- Rahmanifar, G., Mohammadi, M., Golabian, M., Sherafat, A., Hajiaghahi-Keshteli, M., Fusco, G., & Colombaroni, C. (2024). Integrated location and routing for cold chain logistics networks with heterogeneous customer demand. *Journal of Industrial Information Integration*, 38. <https://doi.org/https://doi.org/10.1016/j.jii.2024.100573>
- Rao, S. S. (2009). *Engineering Optimization Theory and Practice Fourth Edition* (4th ed., Vol. 4). John Wiley & Sons.
- Rath, S., & Gutjahr, W. J. (2014). A math-heuristic for the warehouse location-routing problem in disaster relief. *Computers and Operations Research*, 42, 25–39. <https://doi.org/https://doi.org/10.1016/j.cor.2011.07.016>
- Salhi, S., & Nagy, G. (1999). Consistency and robustness in location-routing. *Studies in Locational Analysis*, 13, 3–19.
- Song, M., Cheng, L., & Lu, B. (2024). Solving the multi-compartment vehicle routing problem by an augmented Lagrangian relaxation method. *Expert Systems with Applications*, 237. <https://doi.org/10.1016/j.eswa.2023.121511>

- Soni, N., & Kumar, T. (2014). Introduction to genetic algorithms. *International Journal of Computer Science and Information Technologies*, 5, 442.
- Tadaros, M., & Migdalas, A. (2022). Bi- and multi-objective location routing problems: classification and literature review. In *Operational Research* (Vol. 22, Issue 5, pp. 4641–4683). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s12351-022-00734-w>
- Talbi, E.-G. (2009). *Metaheuristics from Design to Implementation*. John Wiley & Sons.
- Tirkolaei, E. B., Abbasian, P., & Weber, G. W. (2021). Sustainable fuzzy multi-trip location-routing problem for medical waste management during the COVID-19 outbreak. *Science of the Total Environment*, 756. <https://doi.org/10.1016/j.scitotenv.2020.143607>
- Tricoire, F., & Parragh, S. N. (2017). Investing in logistics facilities today to reduce routing emissions tomorrow. *Transportation Research Part B: Methodological*, 103, 56–67. <https://doi.org/10.1016/j.trb.2017.03.006>
- Validi, S., Bhattacharya, A., & Byrne, P. J. (2020). Sustainable distribution system design: a two-phase DoE-guided meta-heuristic solution approach for a three-echelon bi-objective AHP-integrated location-routing model. *Annals of Operations Research*, 290(1–2), 191–222. <https://doi.org/10.1007/s10479-018-2887-y>
- Van Engeland, J., Beliën, J., De Boeck, L., & De Jaeger, S. (2020). Literature review: Strategic network optimization models in waste reverse supply chains. In *Omega (United Kingdom)* (Vol. 91). Elsevier Ltd. <https://doi.org/10.1016/j.omega.2018.12.001>
- Wang, H., Du, L., & Ma, S. (2014). Multi-objective open location-routing model with split delivery for optimized relief distribution in post-earthquake. *Transportation Research Part E: Logistics and Transportation Review*, 69, 160–179. <https://doi.org/10.1016/j.tre.2014.06.006>
- Wang, X., Liang, Y., Tang, X., & Jiang, X. (2023). A multi-compartment electric vehicle routing problem with time windows and temperature and humidity settings for perishable product delivery. *Expert Systems with Applications*, 233. <https://doi.org/10.1016/j.eswa.2023.120974>
- Wang, Y., Assogba, K., Liu, Y., Ma, X., Xu, M., & Wang, Y. (2018). Two-echelon location-routing optimization with time windows based on customer clustering. *Expert Systems with Applications*, 104, 244–260. <https://doi.org/10.1016/j.eswa.2018.03.018>
- Yen, G. G., & He, Z. (2013). Performance Metrics Ensemble for Multiobjective Evolutionary Algorithms. *IEEE Transactions on Evolutionary Computation*, 18, 131–144. <https://doi.org/10.1109/TEVC.2013.2240687>
- Zandkarimkhani, S., Mina, H., Biuki, M., & Govindan, K. (2020). A chance constrained fuzzy goal programming approach for perishable pharmaceutical supply chain network design. *Annals of Operations Research*, 295(1), 425–452. <https://doi.org/10.1007/s10479-020-03677-7>
- Zhong, S., Cheng, R., Jiang, Y., Wang, Z., Larsen, A., & Nielsen, O. A. (2020). Risk-averse optimization of disaster relief facility location and vehicle routing

under stochastic demand. *Transportation Research Part E: Logistics and
Transportation Review*, 141.
<https://doi.org/https://doi.org/10.1016/j.tre.2020.102015>