

DAFTAR PUSTAKA

- Agus F, and Subiksa I, 2008, Lahan gambut: potensi untuk pertanian dan aspek lingkungan: Bogor, Balai Penelitian Tanah dan World Agroforestry Center (ICRAF).
- Andriesse, J.P., 1988. Nature and Management of Tropical Peat Soils: Food & Agriculture Organisation (FAO), First edition, p. 29-38.
- Anggara, F., Muchitawati, G.S., Moore, T.A., and Septantia, A., 2021, Spatial Variability in Macro- and Microtextures of A Tropical Intermontane Peatland: Preliminary Investigation into The Kutai Lake Peat System, East Kalimantan, Indonesia: Indonesian Journal on Geoscience, v. 8, p. 275–296, doi:10.17014/IJOG.8.2.275-296.
- Badan Restorasi Gambut dan Mangrove, 2021, Rencana Strategis Badan Restorasi Gambut dan Mangrove 2021-2024: Jakarta, BRGM, 7-8 p.
- Berner, R.A., 1982, Burial of organic carbon and pyrite sulfur in the modern ocean: American Journal of Science, v. 282, p. 451–473.
- Bordovskiy, O.K., 1964, Accumulation Of Organic Matter In Bottom Sediments: Marine Geology, v. 3, p. 33-82.
- Calvert, G.D., Durig, J.R., and Esterle, J.S., 1991, Controls on the chemical variability of peat types in a domed peat deposit, Baram River area, Sarawak, Malaysia: International Journal of Coal Geology, v. 17, p. 171–188, doi:10.1016/0166-5162(91)90009-8.
- Cameron, C.C., Esterle, J.S., and Palmer, C.A., 1989, The geology, botany and chemistry of selected peat-forming environments from temperate and tropical latitudes: International Journal of Coal Geology, v. 12, p. 105–156, doi:10.1016/0166-5162(89)90049-9.
- Chou, C.L., 2012, Sulfur in coals: A review of geochemistry and origins: International Journal of Coal Geology, v. 100, p. 1–13, doi:10.1016/j.coal.2012.05.009.
- Cohen, A.D., and Stack, E.M., 1996, Some observations regarding the potential effects of doming of tropical peat deposits on the composition of coal beds: International Journal of Coal Geology, v. 29, p. 39–65, doi:10.1016/0166-5162(95)00011-9.
- Craft, C.B., and Richardson, C.J., 1993, Peat accretion and N, P, and organic C accumulation in nutrient- enriched and unenriched Everglades peatlands: Ecological Applications, v. 3, p. 446–458, doi:10.2307/1941914.
- Dehmer, J., 1993, Petrology and organic geochemistry of peat samples from a raised bog in Kalimantan (Borneo): Organic Geochemistry, v. 20, p. 349–362, doi:10.1016/0146-6380(93)90125-U.
- Demchuk, T., and Moore, T.A., 1993, Palynofloral and organic characteristics of a

- Miocene bog-forest, Kalimantan, Indonesia: *Organic Geochemistry*, v. 20, p. 119–134, doi:10.1016/0146-6380(93)90032-7.
- Diessel, C.F.K., 1992, Coal-Bearing Depositional Systems:, doi:10.1007/978-3-642-75668-9.
- Esterle, J.S., 1990, Trends in Petrographic and Chemical Characteristics of Tropical Doomed Peats in Indonesia and Malaysia as Analogues for Coal Formation: Dissertation, University of Kentucky.
- Esterle, J.S., and Ferm, J.C., 1990, On the use of modern tropical domed peats as analogues for petrographic variation in Carboniferous coal beds: *International Journal of Coal Geology*, v. 16, p. 131–136, doi:10.1016/0166-5162(90)90019-U.
- Esterle, J.S., and Ferm, J.C., 1994, Spatial variability in modern tropical peat deposits from Sarawak, Malaysia and Sumatra, Indonesia: analogues for coal: *International Journal of Coal Geology*, v. 26, p. 1–41, doi:10.1016/0166-5162(94)90030-2.
- Esterle, J., Moore, T., dan Hower, J., 1991, A Reflected-Light Petrographic Techniques for Peats: *International Journal of Coal Geology*, 1991, , p. 1989–1991.
- Farnham, R.S., and Finney, H.R., 1965, Classification and Properties of Organic Soils: *Advances in Agronomy*, v. 17, p. 115–162, doi:10.1016/S0065-2113(08)60413-7.
- Friederich, M.C., Moore, T.A., and Flores, R.M., 2016, A regional review and new insights into SE Asian Cenozoic coal-bearing sediments: Why does Indonesia have such extensive coal deposits? *International Journal of Coal Geology*, v. 166, p. 2–35, doi:10.1016/j.coal.2016.06.013.
- Geodatabase, 2022, Landsystem: <http://mercatoresz.web.id/geodatabase/> (diakses pada Juli 2023)
- Hirata, R., Adachi, M., and Ito, A., 2015, Modeling of carbon and GHG budgets in tropical peatland: 469–478 p., doi:10.1007/978-4-431-55681-7_32.
- Hope, G., Chokkalingam, U., and Anwar, S., 2005, The stratigraphy and fire history of the Kutai Peatlands, Kalimantan, Indonesia: *Quaternary Research*, v. 64, p. 407–417, doi:10.1016/j.yqres.2005.08.009.
- McCabe, P., 1984, Depositional environments of coal and coal-bearing strata, dalam Rahmani, R. dan Flores, R. eds., *Sedimentology of Coal and Coal Bearing Sequences*, The Internatioal Association of Sedimentologist, p.13-42.
- Moore, P.D., 1995, Biological processes controlling the development of modern peat-forming ecosystems: *International Journal of Coal Geology*, v. 28, p. 99–110, doi:10.1016/0166-5162(95)00015-1.
- Moore, P.D., 1987, Ecological and hydrological aspects of peat formation:

Geological Society Special Publication, v. 32, p. 7–15,
doi:10.1144/GSL.SP.1987.032.01.02..

Moore, T.A., and Ferm, J.C., 1992, Composition and grain size of an eocene coal bed in southeastern Kalimantan, Indonesia: *International Journal of Coal Geology*, v. 21, p. 1–30, doi:10.1016/0166-5162(92)90033-S.

Moore, T.A., and Hilbert, R.E., 1992, Petrographic and anatomical characteristics of plant material from two peat deposits of Holocene and Miocene age, Kalimantan, Indonesia: *Review of Palaeobotany and Palynology*, v. 72, p. 199–227, doi:10.1016/0034-6667(92)90027-E.

Moore, T.A., Moroeng, O.M., Shen, J., Esterle, J.S., and Pausch, R.C., 2021, Using carbon isotopes and organic composition to decipher climate and tectonics in the Early Cretaceous: An example from the Hailar Basin, Inner Mongolia, China: *Cretaceous Research*, v. 118, doi:10.1016/j.cretres.2020.104674.

Moore, T.A., and Shearer, J.C., 2003, Peat/coal type and depositional environment - Are they related? *International Journal of Coal Geology*, v. 56, p. 233–252, doi:10.1016/S0166-5162(03)00114-9.

Muchitawati, G.S., and Anggara, F., 2017, Variabilitas Spasial Gambut Tropis Daerah Muara Siran, Kalimantan Timur: *Prosiding Seminar Nasional Kebumihan Ke-10*, p. 680–691.

Muchitawati, G.S., 2018, *Studi Variabilitas Spasial Gambut Tropis Untuk Analogi Karakteristik Batubara Daerah Muara Siran, Kalimantan Timur* [skripsi S.T. tidak dipublikasikan]: Yogyakarta, Universitas Gadjah Mada, 213 p.

Neuzil, S.G., Supardi, Cecil, C.B., Kane, J.S., and Soedjono, K., 1993, Inorganic geochemistry of domed peat in Indonesia and its implication for the origin of mineral matter in coal: *Special Paper of the Geological Society of America*, v. 286, p. 23–44, doi:10.1130/SPE286-p23.

Page, S.E., Rieley, J.O., and Banks, C.J., 2011, Global and regional importance of the tropical peatland carbon pool: *Global Change Biology*, v. 17, p. 798–818, doi:10.1111/j.1365-2486.2010.02279.x.

Parish, F., Sirin, A., Charman, D., Joosten, H., Minayeva, T., Silvius, M., dan Stringer, L., 2008, *Assessment on Biodiversity and Climate change: Main Report*: Wageningen, Global Environment Centre, Kuala Lumpur and Wetlands International, 179 p.

Phillips, S., and Bustin, R.M., 1998, Accumulation of organic rich sediments in a dendritic fluvial/lacustrine mire system at Tasik Bera, Malaysia: implications for coal formation: *International Journal of Coal Geology*, v. 36, p. 31–61, doi:10.1016/S0166-5162(97)00031-1.

Price, F.T., and Casagrande, D.J., 1991, Sulfur distribution and isotopic composition in peats from the Okefenokee Swamp, Georgia and the Everglades, Florida: *International Journal of Coal Geology*, v. 17, p. 1–20,

doi:10.1016/0166-5162(91)90002-Z.

Prokopovich, N.P., 1985, Subsidence of Peat in California and Florida: Bulletin of the Association of Engineering Geologist, v. XXII, no. 4, p. 395-420.

Ratnayake, A.S., 2020, Characteristics of Lowland Tropical Peatlands: Formation, Classification, and Decomposition: Journal of Tropical Forestry and Environment, v. 10, doi:10.31357/jtfe.v10i1.4685.

Shearer, J.C., Staub, J.R., and Moore, T.A., 1994, The conundrum of coal bed thickness: a theory for stacked mire sequences: Journal of Geology, v. 102, p. 611–617, doi:10.1086/629702.

Suárez-ruiz, I., dan Crelling, J.C., 2009, Applied Coal Petrology: The Role of Petrology in Coal Utilization: AP, 388 p.

Subiksa, I.G.M., and Wahyunto, 2011, Genesis Lahan Gambut Di Indonesia: Pengelolaan Lahan Gambut Berkelanjutan, p. 3–13.

Sukarman, 2015, Pembentukan, Sebaran dan Kesesuaian Lahan Pembentukan Tanah Gambut: Panduan Pengelolaan Berkelanjutan Lahan Gambut Terdegradasi, p. 2–15.

Suwarna, N., dan Langford, R.P., 1993, Peta Geologi Lembar Singkawang, Kalimantan: Pusat Penelitian dan Pengembangan Geologi, skala 1:250.000, 1 lembar.

Tsuneoka, R. et al., 2023, Radiocarbon dating of wetland sediment from the Konsen Plateau, eastern Hokkaido, Japan: Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms, v. 536, p. 67–71, doi:10.1016/j.nimb.2022.12.021.

Wahyunto, Ritung, S., Suparto, and H Subagio, 2005, Sebaran Gambut dan Kandungan Karbon di Sumatera dan Kalimantan: Pp. 1-254 p.

Wüst, R.A.J., Hawke, M.I., and Marc Bustin, R., 2001, Comparing maceral ratios from tropical peatlands with assumptions from coal studies: Do classic coal petrographic interpretation methods have to be discarded? International Journal of Coal Geology, v. 48, p. 115–132, doi:10.1016/S0166-5162(01)00050-7.

Wüst, R.A.J., Bustin, R.M., and Lavkulich, L.M., 2003, New classification systems for tropical organic-rich deposits based on studies of the Tasek Bera Basin, Malaysia: Catena, v. 53, p. 133–163, doi:10.1016/S0341-8162(03)00022-5.