



Daftar Pustaka

- Abbas, P.J. and Miller, C.A. 1999, Physiology of the auditory system. In Cummings, C.W., Fredrickson, J.M., Harker, L.A., Krause, C.J., Richardson, M.A. and Schuller, D.E., editors, [CD-ROM], Otolaryngology head and neck surgery, Mosby Inc, St.Louis.
- Albert, P.W. (1997), Noise and the ear In Kerr AG, General editor, Scott-Brown's otolaryngology 6th ed., Adult audiology, Butterworth-Heinemann, Oxford.
- Barone, J.A., Peters, J.M., Garabrant, D.H., Bernstein, L., and Krebsbach, R. 1987, Smoking as a risk factor in noise induced hearing loss, *J Occup Med*, 29, 741-745.
- Bleyer, A.J., Shemanski, L.R., Burke, J.L., Hansen, K.J. and Appel, R.G. 2000, Tobacco, hypertension, and vascular disease: risk factors for renal functional decline in an older population, *Kidney Int*, 57, 2072-2079.
- Bonita, R., Duncan, J., Truelson, T., Jackson, R.T. and Beaglehole, R. 1999, Passive smoking as well as active smoking increases the risk of acute stroke, *Tobacco Control*, 8, 156-160.
- Dobie, R.A. 1998, Noise-induced hearing loss. In Bailey, J.B., Johnson, J.I., Calhoun, K.H., Deskoin, R.W., Kohut, R.I. and Tardi Jr., M.E., editors, [CD-ROM], Bibliomed textbook head and neck surgery otolaryngology 2nd ed, Lippincott-Raven Pub, Philadelphia.
- Eatock, R.A. 2000, Adaptation in hair cells, *Annu Rev Neurosci*, 23, 285-314.
- Enstrom, J.E. and Kabat, G.C. 2003, Environmental tobacco smoke and tobacco related mortality in a prospective study of Californians, 1960-98, *BMJ*, 326, 1-10.
- Erven, A., Skynner, M.J., Okumura, K., Shin-ichiro T., Brown, S.D.M. and Steel K.P. 2002, A novel stereocilia defect in sensory hair cells of the deaf mouse mutant Tasmanian devil, *Eur J Neurosci*, 16, 1433-1441.
- Espmark, A.K., Rosenhall, U., Erlandsson, S. and Steen, B. 2002, The two faces of presbycusis: hearing impairment and psychosocial consequences, *Int J Audiol*, 4, 125- 135.
- Fagrestrom, K. 2002, The epidemiology of smoking: health consequences and benefit of cessation, *Drugs Suppl*, 62, 1-9.



- Fettiplace, R. and Fuchs, P.A. 1999, Mechanism of hair cell tuning, *Annu Rev Physiol*, 61, 809–834.
- Garb, J.L. 1996, *Understanding medical research: A practitioner's guide*, Little Brown and Co., Boston.
- Garcia-Anoveros, J. and Corey, D.P. 1997, The molecules of mechanosensation. *Annu Rev Neurosci*, 20, 567-594.
- Gates, G.A., Cobb, J.L., D'Agostino, R.B. and Wolf, P.A. 1993, The relation of hearing in elderly to the presence of cardiovascular disease and cardiovascular risk factors, *Arch Otolaryngol Head Neck Surg*, 119, 156-161.
- Goodhill, V. 1988, *Ear diseases, deafness and dizziness 3rd ed.*, Medical department of Harper and Row Published. Maryland.
- Graves, C.G., Ginevan, M.E., Jenkins, R.A. and Tardiff, R.G. 2000, Doses and lung burden of environmental tobacco smoke constituents in nonsmoking workplaces, *J Exp Ana Environ Epidemiol*, 10, 365-377.
- Guyton, A.C. and Hall, J.E. 1996, *Textbook of medical physiology*, WB Saunders Co., Philadelphia.
- Hadjieva, D.I., Minevab, P.P. and Vukova, M.I. 2003, Multiple modifiable risk factors for first ischemic stroke: a population-based epidemiological study, *Eur J Neurol*;10:577-582.
- Hendarmin, H. 1971, Noise induced hearing loss, Kumpulan naskah ilmiah kongres Perhati II, Jakarta.
- Hulley, S.B. and Cummings, S.R. 1988. *Designing clinical research: an epidemiologic approach*. William and Wilkins, Baltimore.
- Jennings, C.R. and Jones, N.S. 2001, Presbycusis: review article. *J Laryngol Otol*, 115, 171-178.
- Kros, C.J., Ruppertsberg, J.P. and Rusch, A. 1998, Expression of a potassium current in inner hair cells during development of hearing in mice, *Nature*, 394, 281-284.
- Kuo-Meng, L. and Chien-Jen, C. 1998, Mortality attributable to cigarette smoking in Taiwan: a 12-year follow-up study, *Tob Control*, 7, 141-148.



- Lang, T., Fouriaud, C. and Degoulet, P. 1986, Occupational exposure to noise, hearing loss and arterial hypertension, *Rev Epidemiol Sante Publique*, 34, 318-323.
- Lemeshow, S., Hosmer Jr, D.W., Klar, J. and Lwanga, K. 1990, Adequacy of sample size in health studies, WHO, John Wiley and Sons, New York.
- Lhotta, K., Rumpelt, H.J., Konig, P., Mayer, G. and Kronenberg, F. 2002, Cigarette smoking and vascular pathology in renal biopsies, *Kidney Int*, 61, 648-654.
- Marin, R., Fernandez-Vega, F., Escalada, P., Estevan, J.M., Barreiro, A. and Alvarez J. 1993, Cardiovascular risk factors in peripheral arterial disease: A study of 403 cases, *Rev Clin Esp*, 193, 357-62.
- Matz, R.L. and Andriantsitohaina, R. 2003, Age related endothelium dysfunction: Potential implications for pharmacotherapy, *Drugs Aging*, 527-550.
- Messing, R.O. 2001, Biology of addiction. In Harrison's principle of internal medicine: neurologic disorder, [CD-ROM], McGraw Hill Pub, New York.
- Mills, J.H. 2003, Presbycusis: an overview, available from <http://www.auditory.org/asamtgs/asa93ott/4aBV/4abV1.html>
- Mizoue, T., Miyamoto, T. and Shimizu, T. 2003, Combined effect of smoking and occupational exposure to noise on hearing loss in steel factory workers, *Occup Environ Med*, 60, 56-59.
- Nair, S., Kulkarni, S., Camoens, H.M.T., Ghosh, K. and Mohanty, D. 2001, Changes in Platelet glycoprotein receptors after smoking-a flow cytometric study. *Platelet*, 12, 20-26.
- Nordang, L., Oestreicher, E., Arnold, W. and Anniko, M. 2000, Glutamate is the afferent neurotransmitter in the human cochlea, *Acta Otolaryngol*, 120, 359-362.
- Novo, S. 2002, Classification, epidemiology, risk factors, and natural history of peripheral arterial disease, *Diabetes Obes Metab Suppl*, 4, S1-S6.
- Oeken, J., Lenk, A. and Bootz, F. 2000, Influence of Age and Presbycusis on DPOAE, *Acta Otolaryngol*, 120, 396-403.



Hubungan antara kebiasaan merokok dengan ketulian akibat bising pada pendengaran pekerja pabrik yang terpajan bising
 SUGICHARTO, Muchamad Agus, Prof.Dr.dr. Soewito A., SpTHT
 Universitas Gadjah Mada, 2004 | Dlunduh dari <http://etd.repository.ugm.ac.id/>

- Palmer, K.T., Griffin, M.J., Syddali, H.E., Davis, A., Pannet, B. and Coggan D. 2002, Occupational exposure to noise and attributable burden of hearing difficulties in Great Britain, *Occup Environ Med*, 59, 634-639.
- Peplonska, B. and Szezenia-Dabrowska, N.2002, Occupational disease in Poland 2001, *Int J Occup Med Environ Health*, 15, 337-345.
- Pickles, J.O. 1997, Physiology of hearing. In Kerr AG, General editor, Scott-Brown's otolaryngology 6th ed. Basic sciences, Butterworth-Heinemann, Oxford.
- Pittilo, R.M. 2000, Cigarette smoking, endothelial injury and cardiovascular disease, *J Exp Path*, 81, 219-230.
- Popa, R., Anniko, M., Takumida, M. and Arnold W. 2001, Localization of nitric oxide synthase isoform in the human cochlea, *Acta Otolaryngol*; 121: 454-459.
- Powel, J.T. 1998, Vascular damage from smoking: disease mechanisms at the arterial wall, *Vasc Med*, 3, 21-28.
- Prescott, E., Scharling, H., Osler, M. and Schnohr, P. 2002, Importance of light smoking and inhalation habits on risk of myocardial infarction and all cause mortality: A 22 year follow up of 12 149 men and women in The Copenhagen City Heart Study, *J Epidemiol Community Health*, 56:702-706.
- Purwanto, E., Abdullah, M.N. dan Sudarmi, M. 1988, Ketulian akibat bising pada perusahaan yang menggunakan plat "S.U" dan kaleng "PS" di Malang, Kumpulan naskah pertemuan ilmiah Perhati, Surakarta.
- Pykko, I., Koskimies, K., Starck, J., Pekkarinen, J. and Inaba, R. 1988, Evaluation of factors affecting sensory neural hearing loss, *Acta Otolaryngol Suppl*, 449, 155-158.
- Santi, A.P. and Mancini, P. Cochlear anatomy and central auditory pathway. In Cummings, C.W., Fredrickson, J.M., Harker, L.A., Krause, C.J., Richardson, M.A. and Schuller, D.E. editors, [CD-ROM], Otolaryngology head and neck surgery, Mosby Inc, St. Louis.
- Sapundzhiev, N. and Werner, J.A. 2003, Nasal snuff: historical review and health related aspects, *J Laryngol Otol*, 117, 686-691.



- Sawada, S., Mori, N., Mount, R.J. and Harrison, R.V. 2001, Differential vulnerability of inner and outer hair cell systems to chronic mild hypoxia and glutamate ototoxicity: insights into the cause of auditory neuropathy, *J Otolaryngol*, 30, 106-113.
- Schmidt, P.H. 1967, Presbycusis, *Int Audiol, Suppl I*, 25-26.
- Soewito, A. 2003, Peran indera pendengar dalam kehidupan manusia, Seminar pendengaran pada usia lanjut, 24 Februari, Yogyakarta.
- Stapleton, J.A., Russell, M.A.H., Sutherland, G. and Feyerabend, C. 1998, Nicotine availability from eclipse tobacco heating cigarette, *Psychopharmacology*, 139, 288-290.
- Starck, J., Toppila, E. and Pyykko, I. 1999, Smoking as a risk factor in sensory neural hearing loss among workers exposed to occupational noise, *Acta Otolaryngol*, 119, 302-305.
- Stephanie, J., Ventura, M.A., Hamilton, B.E., Mathews, T.J. and Chandra, A. 2003, Trends and variations in smoking during pregnancy and low birth weight: evidence from the birth certificate, 1990-2000, *Pediatrics*, 111, 1176-1180.
- Suheryanto, R. 1996, Pengaruh kebisingan mesin pabrik tekstil terhadap pendengarankaryawan, Kumpulan naskah ilmiah PIT Perhati, Malang.
- Tambs, K., Hoffman, H.J., Borchgrevink, H.M., Holmen, J. and Samuelsen, S.O. 2003, Hearing loss induced by noise, ear infections, and head injuries: result from the Nord-Trondelag hearing loss study, *Int J Audiol*, 42, 9-105.
- Thomas, A.R., Hedberg, K., and Fleming, D.W. 2001, Comparison of physician based reporting of tobacco attributable deaths and computer derived estimates of smoking attributable death, Oregon, 1989 to 1996, *Tob control*, 10, 161-164.
- Trussel, L.O. 2002, Transmission at the hair cell synapse, *Nat Neurosci*, 5, 85-86.
- Weber, P.C., Adkins Jr., W.Y. and Mills JH. 1998, Anatomy and physiology of hearing. In Bailey, J.B., Johnson, J.I., Calhoun, K.H., Deskoin, R.W., Kohut, R.I. and Tardi Jr., M.E. editors, [CD-ROM], *Bibliomed textbook head and neck surgery otolaryngology 2nd ed.* Lippincott- Raven Pub. Philadelphia.



- Wenthold, R.J., Schneider, M.E., Kim, H.N. and Dechesne, C.J. 1992. Putative biochemical processes in Noise Induced Hearing Loss. In Dancer, A.L., Handerson, D., Salvi, R.J. and Harnenik, R.P., Noise Induced Hearing Loss, Mosby year Boon Inc., St.Louis.
- Wiyadi, M.S.1996, Kurang pendengaran karena kebisingan sebagai salah satu penyakit akibat kerja, Kumpulan naskah ilmiah PIT Perhati, Malang.
- World Health Organization. 1997, Tobacco or health: a global status report, World Health Organization, Geneva.
- World Health Organization. 2000, Tobacco control, World Health Organization, New York.