


DAFTAR PUSTAKA

- Albert, B., 1994, *Molecular Biology of the Cell*, 3rd ed., Garland Publisher, Inc., New York and London.
- Anto, R.J., 2002, Curcumin (diferuloylmethane) induces apoptosis through activation of caspase-8, BID cleavage and cytochrome c release: Its suppression by actopic expression of Bcl-2 and Bcl-xl, *Carcinogenesis*, **23**(1), 143-150.
- Anonim, 1983, American Type Culture Collection, 61, 107, Rockville, Maryland.
- Anonim, 1999, Cancer Cluster, <http://cis.nci.nih.gov/fact>
- Anonim, 1998, *Profil Kesehatan Indonesia*, DepKes RI, Jakarta.
- Anonim, *Raji Cell*, <http://www.Biotech.ist.unigue>.
- Arcinas, M., Heckman, C.A., Mehew, J.W., and Boxer, L.M., 2001, Molecular Mechanisms of Transcriptional Control of *bcl-2* and *c-myc* in Follicular and Transformed Lymphoma, *Cancer Res.*, **61**, 5202-5206.
- Avet-Loiseau, H., Gerson, F. and Magrangeas, F., Minvielle, S., Harousseau, J.L., and Bataille, R., 2001, Rearrangements of the *c-myc* oncogene are present in 15% of primary human multiple tumors, *Blood*, **98**, 3082-3086.
- Bech-Otschir D., Kraft R., Huang X., Henklein P., Kapelari B., Pollman C., and Dubiel W., 2001, COP9 signalosome specific phosphorylation targets p53 to degradation by the ubiquitin system, *EMBO J*, **20**(7), 1630-1639 .
- Bellan, C., Lazzi, S., De Falco, G., Nyongo, A., Giordano, A., and Leoncini, L., 2003, Burkitt's lymphoma: new insights into molecular pathogenesis, *J.Clin. Pathol.*, **56**, 188-192.
- Bharti, A.C., Donato, N., Singh, S., and Aggarawal, B.B., Curcumin (diferloymethane) down-regulates the constitutive action of nyclear factor- κ B and I κ B α kinase in human multiple myeloma cells, leading to suppression of proliferation and induction of apoptosis, *Blood*, **101**(3), 1053-1062.
- Bosch, F.X., Schwartz, E., Boukamp, P., Fusening, N.E., Bartsch, D., and zur Hausen, H., 1990, Suppression in vivo of human papillomavirus typ 18 E6-E7 gene expression in nontumorigenic HeLa X fibroblast hybrid cells, *J. Virol.*, **64**, 4743-4754.





- Brouet, J. and Oshima, H., 1995, Curcumin, an anti-tumor promoter and anti-inflammatory agent, Inhibits induction of nitric oxide synthase in activated Macrophages, *Biochem. And Biophys. Res. Commun.*, **206**(2), 533-540.
- Cassady, J.M., 1990, Natural product as a source of potential cancer chemotherapeutic and chemopreventive agents, *J. Natr. Prod.*, **53**, 23-41.
- Castel, J.V., Jover R., Gomes Lechon, M.J., Ponsoda, X., and Bort, R., 1997, In Vitro investigation of The Molecular Mechanism of Hepatotoxicity. In: Castel, J.V and Gomes-Lechon, M.J (Eds) *In Vitro Methods in Pharmaceutical Research*, 375-410, Academic Press, London.
- Chan, Marion M.Y., Huang, H.I., Fenton, M.R., and Fong, D., 1998, In Vivo Inhibition of nitric oxide synthase gene expression by curcumin, a cancer preventive Natural Product with Anti-Inflammatory Properties, 1998, *Biochem. Pharmacol.*, **55**, 1955-1962.
- Da'i, M., 1998, Pengaruh gugus β Diketon terhadap Daya Reduksi Kurkumin dan Turunannya Pada Ion Ferri, *Skripsi*, Fakultas Farmasi UGM, Yogyakarta.
- DeDregori, J., Leone, G., Miron, A., Jakoi, L., and Nevins, J.R., 1997, Distinct roles for E2F proteins in cell growth control and apoptosis, *Biochemistry*, **94**, 7245-7250.
- Desaintes, C., Goyat, S., Garbay, S., Yaniv, M., and Thierry, F., 1999, Papillomavirus E2 induces p53-independent apoptosis in HeLa Cells, *Oncogen*, **18**, 4538-4545.
- Desaintes, C., Demeret, C., Goyat, S., Yaniv, M., and Thierry, F., 1997, Expression of the papillomavirus E2 protein in HeLa cells leads to Apoptosis, *EMBO J*, **16**(3) 504-514.
- de Villers, E.M., 1994, Human pathogenic papilloma virus types: an update, *Curr. Top. Microbiol. Immunol.*, **186**, 1-12.
- Dhondapkar, M.V., Abe, E., Theus, A., Lacy, M., Langford, J.K., Barlogie, B., and Sanderson, R.D., 1998, Syndecan-1 is multifunctional regulator of Myeloma pathology: control of tumor cell survival, growth and bone cell Differentiation, *Blood*, **91**, 2679-2688.
- Dinkova-Kostova, A.T., and Talalay, P., 1999, Relation of structure of curcumin analogs to their potencies as inducers of phase 2 detoxification enzymes, *Carcinogenesis*, **20**(5), 911-914.



- Dubois, R.N., Abramson, S.B., Draffod, L., Gupta, R.A., Simon, L.S., Van De Putte, L.B., and Lipsky, P.E., 1998, Cyclooxygenase in Biology and Disease, *FASEB J*, **12**, 1063-1073.
- Dyson, N., Howley, P.M., Munger, K., and Harlow, E., 1998, The human papillomavirus-16 E7 oncoprotein is able to bind to the retinoblastoma gene product, *Science*, **243**, 934-937.
- Fessenden, R.J., dan Fessenden, J.S., 1994, Kimia Organik, Jilid 1, Alih Bahasa oleh Pudjaatmaka A.H., Penerbit Erlangga, Jakarta.
- Fessenden, R.J., dan Fessenden, J.S., 1999, Kimia Organik, Jilid 2, Alih Bahasa oleh Pudjaatmaka A.H., Penerbit Erlangga, Jakarta.
- Field, S.J., Tsai, F.Y., Kuo, F., Zubaiaga, A.M., Kalein, W.G., Livingston, D.M., Orkin, S.H., and Greenberg M.E., 1966, E2F-1 functions in mice to promote apoptosis and suppress proliferation, *Cell*, **85**: May 17:549-561.
- Fisher, D.E., 1994. Apoptosis in cancer therapy: crossing the threshold, *Cell*, **78**, 539-542.
- Freshney, R.I., 1986, Culture of Animal cell a Practical Approach, 2nd ed., 71-73, IRL Press Ltd., Oxford.
- Garcia-Carranca, A., Thiery, F., and Yaniv, M., 1998, Interplay of viral and cellular proteins along the long control region of human papillomavirus type 18, *J. Virol*, **62**, 4321-4330.
- Gibbs, J.B., 2000, Anticancer drug targets: growth factors and growth factor signaling, *J. Clin Invest*, **105**, 9-13.
- Greider, C.W., 1999, Telomerase activation one step on the road to cancer, *TIG*, March, **15**(3), 109-112.
- Gross, A., McDonnell, J.M., and Korsmeyer, S.J., 1999, BCL-2 family members and the mitochondria in apoptosis, *Genes & Development*, **13**, 1899-1911.
- Guo, M., and Hay, B.A., 1999, Cell proliferation and apoptosis, *Curr. Op. in Cell Biol.*, **11**, 745-752.
- Hahn, W.C., and Wainberg, R.A., 2002, Modelling The Molecular Circuitry of Cancer, *Nature Reviews Cancer*, **2**, 331-341.



- Hakim, A.R., 2002, Sintesis Kurkumin, Bisdemetoksikurkumin, Bisdemetoksidehidroksi-kurkumin dan Pentagamavunon-0 serta Uji Serta Pengaruhnya Terhadap Farmakokinetika Teofilin Pada Tikus, *Tesis*, Program Pascasarjana UGM, Yogyakarta.
- Hallek, M., Bersagel, P.L., and Anderson, K., 1998, Multiple myeloma: increasing evidence for multistep transformation process, *Blood*, **91**, 3-21.
- Halliwell, B., and Gutteridge, J.M.C., 1990, Role of Free Radicals and catalytic metal ions in human diseases, An overview, *Methods Enzymol.*, **186**, 1-85.
- Hanhanan, D., and Wienberg, R.A., 2000, The Hallmarks of Cancer, *Cell*, **100**, 57-70.
- Horwitz, M., 2000, *Basic Concepts in Medical Genetics*, 115-132, The McGraw-Hill Company Inc., Singapore.
- Jordan, V.C., 1998, Designer Estrogen, *Sci.Am.*, **279**, 60-67.
- Julia, S., 2001, Uji Sitotoksitas Fraksi Protein Daun *Erythrina fusca* Luor (Cangkring) Pada Sel HeLa, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Kakar, S.S., and Roy, D., 1994, Curcumin inhibits TPA induced expression of c-fos, c-jun and c-myc proto-oncogenes messenger RNAs in mouse skin, *Cancer Lett*, **87**(1), 85-89.
- Kanda, K., Hu, H.M., Zhang, L., Grandchamps, J., and Boxer, L.M., 2000, NF-kappaB activity is required for the deregulation of c-myc expression by the immunoglobulin heavy chain enhancer, *J. Biol. Chem*, **10**, 1074.
- Kawabata, Y., Hirokawa, M., Kitabayashi, A., Horiuchi, T., Kuroki, J., and Miura A.B., 1999, Defective apoptotic signal transduction pathway downstream of caspase-3 in human B-lymphoma cells: A Novel Mechanism of Nuclear Apoptosis Resistance, *Blood*, **94**(10), 3523-3530.
- Kawamori, T., Lubet, R., Steele, V.E., Kelloff, G.J., Kakey, R.B., Rao, C.V., and Reddy, B.S., 1999, Chemopreventive Effect of Curcumin, a Naturally Occuring Anti-Inflammatory Prevent, during the Promotion/Progression Stages of Colon Cancer, *Cancer Res.*, **59**, 567-601.
- Keshet, E., and Bens Sasson, S.A., 1999, Anticancer drug targets: approaching angiogenesis, *J. Clin. Invest.*, **104**(11), 1497-1501.



- Khar, A. A., AM, Pandhasaradhi, Begum, Z., and Anjum, R., 1999, Antitumor activity of curcumin is mediated through the induction of apoptosis in AK-5 tumor cells, *FEBS Letters*, **445**, 165-168.
- King, R.J.B., 2000, *Cancer Biology*, 2nd ed., Pearson Education Limited, London.
- Kinoshita, T., Takashi, Y., Sakashita, T., Inoue, H., Tanabe, T., and Yoshimoto, T., 1999, Growth Stimulation and Induction of Epidermal Growth Factor by Overexpression of Cyclooxygenase 1 and 2 in Human Carcinoma Cells, *Biochem. Biophys. Acta*, **1438**(1), 120-130.
- Knockaert, M., Greengard, P., and Meijer L., 2002, Pharmacological inhibitors of cyclin-dependent kinases, *Trends*, **23**(9), 417-424.
- Kuo, M.L., Huang, T.S., and Lin, J.K., 1996, Curcumin an antioxidant an anti-tumor promoter, induces Apoptosis in human leukaemia cells, *Biochem. Biophys. Acta*, **1317**(2), 95-100.
- Lindstrom, M.S., and Wiman, K.G., 2002, Role of genetic and epigenetic changes in Burkitt lymphoma, *Seminars in Cancer Biology*, **12**(5), Oktober, 381-387.
- Lowe, S.W., and Lin, A.W., 2000, Apoptosis in cancer, *Carcinogenesis*, **21**, 485-495.
- Meiyanto, E., 1999, Kurkumin Sebagai Obat Anti Kanker: Menelusuri Mekanisme Aksinya, *MFI*, **10**(4), 224-236.
- Meiyanto, E., Hoshijima, M., Ogawa, T., Ishida N., and Takeya, T., 2001, Osteoclast Differentiation Factor Modulates Cell Cycle Machinery and Causes a Delay in S Phase Progression in RAW264 Cells, *Biochem. Biophys. Res. Commun*, **282**, 278-283.
- Meiyanto, E., 2003, *Komunikasi Pribadi*.
- Majeed, M., Badmaev, V., Shirakumar U., and Rajendran, R., 1995, *Curcuminoids antioxidant phytonutrients*, 3-80, NutriScience Publisher Inc., PisCataway, New Jersey.
- Masuda, T., Isobe, J., Jitoe, A., and Nakatani, N., 1992, Antioxidative Curcuminoids from Rhizomes of *Curcuma xanthorrhiza* Roxb., *Phytochemistry*, **31** (10), 3645-3647.
- Mazars, G.R., Potier, M., Zhang X.G., Jorudan, M., Bataille, R., Theillet, C., and Klein B., 1993, Mutations of the p53 gene in human myeloma cell lines, *Oncogene*, **8**, 1107.



- Morison, R.T., and Boyd, R.N., 1966, *Organic Chemistry*, 273-311, Allyn and Bacon, Inc., Boston.
- Mundy, G.R., Raisz, L.G., Cooper, R.A., Schecter, G.P., and Salmon, S.E., 1974 Evidence for secretion of an osteoclast stimulating factor in myeloma, *N. Engl. J. Med* **291**, 1041.
- Nafrialdi dan Gan, S., 1995, Antikanker dan Immunosupresan Dalam *Farmakologi dan Terapi* ed. IV, editor Ganiswara, S.G. *et al.*, Bagian Farmakologi, Fakultas Kedokteran, Universitas Indonesia, Jakarta.
- Nagata, S., 1997, Apoptosis by Death Factor, *Cell*, **88**, 355-365.
- Nishimura, A., Ono, T., Ishimoto, A., Dowhanic, J.J., Frizell, M.A., Howley, P.M., and Sakai, H., Mechanisms of human pappilomavirus E2-mediated repression of viral oncogen expression and cervical cancer cell growth inhibition, *J. Virol.*, **74**(8), 3752-3760.
- Nogaki, A., Satoh, K., Iwasaka, K., Takano, H., Takamaha, M., Ida, Y., and Sakagami, H., 1998, Radical intensity and cytotoxic activity of curcumin and gallic acid, *Anticancer Res.*, **18**, 3487-3492.
- Nurrochmad, A., 2001, Sintesis Kurkumin, Bisdemetoksikurkumin, Bisdemetoksi-dehidrosikurkumin dan Pentagamavunon-0 serta Uji Kesitotoksikannya Terhadap Sel Mieloma dan Sel Mononuklear Normal Secara *In Vitro*, *Tesis*, Program Pascasarjana UGM, Yogyakarta.
- Otsuki, T., Osamu, Y., Kurebayashi, J., Moriya, T., Sakaguchi, H., Kunisue, H., Yata, K., Uno, M., Yawata, Y., and Ueki, A., 2000, Estrogen receptors in human Myeloma cells, *Cancer Res.*, **60**, 1434-1441.
- Pabon, H.J.J., 1964, A Synthesis of curcumin and related compounds, *Recl. Trav. Chem.*, **23**, 379-386.
- Piwocka K, Bielak-Mijewska A., and Sikora E, 2002, Curcumin induces caspase-3-independent apoptosis in human multidrug-resistant cells, *Ann. N. Y. Acad Sci*, **973**, 250-254.
- Postorino, J.G., S.T., Chen, Tafanai, M., Synder, J.W., and Farber, J.L., 1998, The overexpression of Bax produces cell death upon induction of the mitochondrial permeability transition, *J. Biol. Chem.*, **274**, 1033-1039.



- Pratt, G., 2002, Molecular Aspect of multiple myeloma, *Molecular Pathology*, **55**, 273-283.
- Priyadarsini, K.I., 1997, Free Radical Reactions of Curcumin in Membrane Models, *Free Rad. Biol. Med.*, **23**(6), 838-843.
- Ramachandran, C., Fonseca H.B., Jhabvala, P., Escalon E.A., and Melnick, S.J., 2002, Curcumin inhibits telomerase activity trough human telomerase reverse transcriptase in MCF-7 breast cancer cell line, *Cancer Lett.*, **184**, 1-6.
- Rao, C.V., Rivenson, A., Simi, B., and Reddy, B.S., 1995, Chemoprevention of colon carcinogenesis by dietary curcumin, a naturally occuring plant phenolic compound, *Cancer Res.*, **55**, 259-266.
- Rao, M.N.A., 1997, Antioxidant properties of curcumin, in *Recent Development in Curcumin Pharmacochemistry*, Procedings of The Internastional Symposium on Curcumin Pharmacochemistry (ISCP), August 29-31, 1995, edited by Suwijyo Pramono *et al.*, Aditya Media, Yogyakarta, Indonesia.
- Rianto, R.K., 1998, Daya Tangkap Radikal Superoksid dari Senyawa Siklovalon dan Derivat Lingkar Lima dan Rantai Lurus dengan Variasi Gugus Metoksi pada Cincin Aromatis, *Skripsi*, Fakultas Farmasi UGM.
- Robinson, T.P., Ehler, T., Hubbard, R.B., IV, Bai X., Arbiser J.L., Goldsmith D.J., and Bowen J.P., 2003, Design, synthesis amd biological evaluation of angiogenesis inhibitors: Aromatic enone and dienone analogues of curcumin, *Bioor. & Med. Chem. Lett.*, **13**, 115-117.
- Roughley, P.J., and Whiting, D.A., 1973, Experiments in the biosynthesis of curcumin, *J.C.S. Perkin I*, 2379-2388.
- Schwarze, M.M., and Haley, R.G., 1995, Prevention of Myeloma cell apoptosis by etopic bcl-2 expression or interleukin 6-mediated up-regulation of bcl-xL, *Cancer Res.*, **55**, 2262-2265.
- Sardjiman, S.S., Samhoedi M., and Hakim, L., 1997, 1,5-Diphenyl-1-4-pentadiene-3-ones and cyclic analogues as antioxidative agents. Synthesis and strucyure-activity relationship, in *Recent Development in Curcumin Pharmacochemistry*, Procedings of The Internastional Symposium on Curcumin Pharmacochemistry (ISCP), August 29-31, 1995, edited by Suwijyo Pramono *et al.*, Aditya Media, Yogyakarta, Indonesia.
- Schneider, A.K., 1997, *Cancer Genetics, Encyclopedia of Human Biology*, 2nd Ed., Academic Press, New York.



- Shapiro, G.I. and Harper, J.W., 1999, Anticancer drug targets: cell cycle and checkpoint control, *J. Clin. Invest.*, **104**, 1645-1653.
- Sheng, H., Shao, J., Morrow J.D., Beauchamp, R.D., and Dubois, R.N., 1998, Modulation of apoptosis and Bcl-2 expression by prostaglandin E2 in human colon cancer cells, *Cancer Res.*, **58**(2), 362-368.
- Sher, C.J., 1996, Cancer Cell Cycles, *Science*, **274**, 1672-1676.
- Sher, C.J., 2000, The Pezcoller Lecture: Cancer Cycles Revivited, *Cancer Res.*, **60**, 3689-3695.
- Singh, S., and Aggarwal, B.B., 1995 Activation of transcription factor NF-B is suppressed by curcumin (diferuloylmethane), *J. Biol. Chem.*, **270**, 24995-25000.
- Sofyan, R., 2000, Terapi kanker pada tingkat molekuler, *Cermin Dunia Kedokteran*, **127**, 5-10.
- Soussi, T., 1996, The p53 tumour suppressor gene: a model for molecular epidemiology of human cancer, *Mol. Med. Today*, **2**(1), 32-37.
- Squires M.S., Hudson, E.A., Howells, L., Houghton C.E., Jones J.L., Fox, L.H., Dickens, M., Prigent, SA., and Manson M.M., 2003, Relevance of mitogen activate protein kinase (MAPK) and phosphotidylinositol-3-kinase/protein kinase B (PI3K/PKB) pathways to induction of apoptosis by curcumin in breast cancer, *Biochem Pharmacol*, **65**(3), 361-376.
- Sreejayan and Rao, M.N., Nitric oxide scavenging by curcuminoids, 1997, *J. Pharm. Pharmacol.*, **49**(1), 105-107.
- Supardjan, A.M., dan Meiyanto, E., 2002, Efek antiproliferatif pentagamavunon-0 terhadap beberapa sel kanker, *Laporan Penelitian*, Lembaga Penelitian Universitas Gadjah Mada, Yogyakarta.
- Supardjan, A.M., Jennie, U.A., Samhoedi, M., Timmerman, H., and van der Goot, H., 1997, Synthesis and Hydroxyl Radical Scavenging Activity of Some 4-Alkylcurcumin Derivatives, in *Recent Development in Curcumin Pharmacochemistry*, Proceedings of The Internastional Symposium on Curcumin Pharmacochemistry (ISCP), August 29-31, 1995, edited by Suwijyo Pramono *et al.*, Aditya Media, Yogyakarta Indonesia.



- Syu, Wan-Jr., Shen, C.C, Don, M.J., Ou, J.C., Lee, G.H., and Sun, C.M., 1998, Cytotoxicity of curcuminoids and some novel compounds from *Curcuma zedoaria*, *J. Nat. Prod.*, **61**, 1531-1534.
- Takase, K., Sawai, M., Yamamoto, K., Yata, J., Takasaki, Y., Tetoka, H., and Tsukada, K., 1992, Reversible G1 arrest induced by dimethyl sulfoxide in human lymphoid cell lines: kinetics of the arrest and expression of the cell cycle marker proliferating cell nuclear antigen in myeloma cells, *Cell Growth & Diff.*, **3**(8), 515-521.
- Taketo, M.M., 1998, Cyclooxygenase-2 inhibitors in tumorigenesis (Part II), *J. Nat. Cancer Inst*, **90**(21), 1609-1620.
- Thiery, F., Gracia-Carranca, A., and Yaniv, M., 1987, Elements that control the transcription of genital human papillomavirus type 18, *Cancer Cells*, **5**, 23-32.
- Tim Molnas Fak. Farmasi UGM, 2001, *Buku III, Laporan Penelitian Bidang Farmakologi Proyek Molnas*, Fakultas Farmasi UGM, Yogyakarta.
- Tonnesenn H.H., and Karlsen, J., 1985, Studies on curcumin and curcuminoids, VI: Kinetics of Curcumin Degradation in Aqueous Solution, Original Paper, *Z. Lebensm. Unters. Fosch.* 402-404.
- Tonnesen, H.H., Smistad, G., Agren, T., and Karlsen J., 1993, Studies on curcumin and curcuminoids, XXIII: Effects of curcumin on liposomal lipid peroxidation, *Int. J. Pharm.*, **90**, 221-228.
- Uhle, S., Medalia, O., Waldron R., Dumbey, R., Henklien, O., Bech-Otschir, D., Huang, X., Berse, M., Sperling, I., Schade, R., and Dubiel M., 2003, Protein kinase CK2 and protein kinase D are associated with the COP9 signalosome, *EMBO J*, **22**(6), 1302-1312.
- Urashima, M., Teoh G., Ogata, A., Chauhan, D., Treon S.P., Hoshi, Y., DeCaprio, J.A., and Anderson, K.C., 1997, Role of CDK4 and P16INK4A in interleukin-6 mediated growth of multiple myeloma, *Leukemia*, **11**, 1957-1963.
- van der Goot H, 1997, The chemistry and qualitative structure-activity relationships of curcumin, in *Recent Development in Curcumin Pharmacology*, Proceedings of The International Symposium on Curcumin Pharmacology (ISCP), August 29-31, 1995, edited by Suwijyo Pramono, Aditya Media, Yogyakarta Indonesia.



- Verma, S.P., Goldin, B.R., and Lin, P.S., 1998, The Inhibition of the Estrogenic Effects of Pesticides and Environmental Chemicals by Curcumin and Isoflavonoids, *Envir. Health Presp*, **106**(12), 807-812.
- Warren, S., 1982, *Organic Synthesis: The Disconnection Approach*, 104, 162, John Wiley & Sons Ltd, New York.
- Weinberg, R.A., 1996, How Cancer Arises, *Sci. Am.*, **275**(3), 62-75.
- Wu, Y., Chen, Y., Xu, J., and Lu L., 2002, Anticancer activities of curcumin on human Burkitt's lymphoma, *Zhonghua Zhong Liu Za Zhi*, **24**(4), 348-352.
- Yang, L., Calif, P., Buescher, R., and Fayetteville, A., 1993, Dye and method for making Same, *United States Patent*, Patent Number: 5, 210,316.
- Yaroslavsky B., Watkins, S., Donnenberg A.D., Patton, T.J., and Steinman, R.A., 1999, Subcellular and cell cycle expression profiles of CDK-inhibitor in normal differentiating myeloid cells, *Blood*, **93**, 2907-2917.
- Zhang, B., Gojo, I., and Fenton, R.G., 2002, Myeloid cell factor-1 is a critical survival factor for multiple myeloma, *Blood*, **99**(6), 1885-1893.