



- Abramovici D, Friedman SA, Mercer BM, Audibert F, Lu Kao RN, Sibai BM.1999. Neonatal outcome in severe preeclampsia at '24 to 36 weeks' gestation: Does the HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome matter?. *Am J Obstet Gynecol*;180:221-5 (a)
- Abramovici D, Goldwasser S, Mabie BC, Mercer BM, Goldwasser R, Sibai BM.1999. A randomized comparison of oral misoprostol versus Foley catheter and oxytocin for induction of labor at term. *Am J Obstet Gynecol*;181:1108-12.(b)
- Ananth CV, Bowes WA, Savitz DA, Luther ER.1997. Relationship between pregnancy-induced hypertension and placenta previa: A population-based study. *Am J Obstet Gynecol*; 177: 997-1001.
- Audibert F, Friedman SA, Frangieh AY, Sibai BM. 1996. Clinical utility of strict diagnostic criteria for the HELLP (hemolysis, elevated liver enzymes, and low platelets) syndrome. *Am J Obstet Gynecol*; 175:460-4)
- Brumfield CG, Hauth JC, Andrews WW. 2000. Puerperal infection after cesarean delivery: Evaluation of s standardized protocol. *Am J Obstet Gynecol*;182:1147-1151.
- Buchbinder A, Sibai BM, Caritis S, MacPherson C, Hauth J, Lindheimer MD, *et al.* 2002. Adverse perinatal outcome are significantly higher in severe gestational hypertension than in mild preeclampsia. *Am J Obstet Gynecol*; 186: 66-71.
- Coppage KH & Polzin WJ. 2002. Severe preeclampsia and delivery outcomes: Is immediate cesarean delivery beneficial?. *Am J Obstet Gynecol*;186:921-923.
- Cowles T, Saleh A,Cotton DB. 1996. Hypertensive disorders of pregnancy. In: James DK, Steer PJ, Weiner CP, Gonik B, eds. *High Risk Pregnancy Management Option* London: WB Saundes Company : 253-275.
- Cunningham FG, Gant NF, Leveno KJ, Gilstrap II LC, Hauth JC, Wenstrom KD, eds. 2001. Hypertensive disorders in pregnancy. In: *Williams Obstetrics* 21sted. New York: The McGraw-Hill Company: 567-618.
- Dekker GA & Sibai BM. 1998. Etiology and pathogenesis of preeclampsia: Current concepts. *Am J Obstet Gynecol*;179:1359-75
- Drukker J & Knuppel RA. 1993. Hypertension in Pregnancy. In: Knuppel RA & Drukker JE, eds. *High Risk Pregnancy: A Team Approach*, 2nd ed. WB Saunders Company, Philadelphia:468-517
- Haddad B, Barton JR, Livingstone JC, Chahine R, Sibai BM. 2000. HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome versus severe preeclampsia: Onset at ≤ 28.0 weeks' gestation. *Am J Obstet Gynecol*;183:1475-9 (a).





- Haddad B, Barton JR, Livingstone JC, Chahine R, Sibai BM. 2000. Risk factors for adverse maternal outcomes among women with HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome. *Am J Obstet Gynecol*;183:444-8 (b)
- Hauth JC, Ewell MG, Levine RJ, Esterlitz JR, Sibai BM, Curret LB, Catalano PM, Morris CD. 2000. Pregnancy outcomes in healthy nulliparas who developed hypertension. *Obstet Gynecol*; 95: 24-28.
- Isler CM, Rinehart BK, Terrone DA, Martin RW, Magann EF, Martin JN. 1999. Maternal mortality associated with HELLP (hemolysis, elevated liver enzymes, and low platelets) syndrome. *Am J Obstet Gynecol*; 181:924-8
- Leitch CR, Cameron AD, Walker JJ. 1997. The changing pattern of eclampsia over a 60-year period. *Br J Obstet Gynaecol*;104:917-22.
- Leveno KJ, Alexander JM, McIntire DD, Lucas MJ. 1998. Does magnesium sulfate given for prevention of eclampsia affect the outcome of labor?. *Am J Obstet Gynecol*;178:707-12.
- MacKay AP, Berg CJ, Atrash HK. 2001. Pregnancy-Related Mortality From Preeclampsia and Eclampsia. *Obstet Gynecol*(97); 4: 533-538
- Mackenzie IZ. 1996. labor induction ncluding pregnancy termination for fetal anomaly. In: James DK, Steer PJ, Weiner CP, Gonik B, eds. *High Risk Pregnancy Management Option* London: WB Saundes Company : 1041-59.
- Magann EF, Bass D, Chauhan SP, Sullivan DL, Martin RW, Martin JN. 1994. Antepartum corticosteroids: disease stabilization in patient with the syndrome of hemolysis, elevated liver enzymes, and low platelets. *Am J Obstet Gynecol*; 171: 1148-53.
- McCowan LME, Buist RG, North RA, Gamble G. 1996. Perinatal morbidity in chronic hypertension. *Br J Obstet Gynaecol*;103:123-9.
- Nassar AH, Adra AM, Chaktoura N, Gómez-Marin O, Beydoun S. 1998. Severe preeclampsia remote from term: Labor induction or elective cesarean delivery?. *Am J Obstet Gynecol*;179: 1210-1213.
- Newman MG, Robichaux AG, Stedman CA, Jaekle RK, Fontenot MT, Dotson T, Lewis DF. 2003. Perinatal outcomes in preeclampsia that is complicated by massive proteinuria. *Am J Obstet Gynecol*; 188: 264-8.
- Pritchard JA & Pritchard SA. 1975. Standardized treatment of 154 consecutive cases of eclampsia. *Am J Obstet Gynecol*;123:543-547.
- Roberts JM. 1994. Pregnancy-Related Hypertension. In: Creasy RK & Resnik R, eds. *Maternal Fetal Medicine: Principles and Practice*, 3rd ed. WB Saunders Company, Philadelphia:804-843.
- Saftlas AF, Olson DR, Franks AL, Atrash HK, Pokras R. 1990. Epidemiology of preeclampsia and eclampsia in the United States, 1979-1986. *Am J Obstet Gynecol*;163:460-465.



Schiff E, Friedman SA, Sibai BM. 1994. Conservative management of severe preeclampsia remote from term. *Obstet Gynecol*; 84 (4):626-630.

Schroeder BM. 2002. ACOG practice bulletin on diagnosing and managing preeclampsia and eclampsia. ACOG practice bulletin no. 33.

Sibai BM, Ewell MG, Levine RJ, Klebanoff MA, Esterlitz JR, Catalano PM, Goldenberg RL, Joffe G. 1997. Risk factors associated with preeclampsia in healthy nulliparous women. *Am J Obstet Gynecol*; 177: 1003-7

Sibai BM, Hauth JC, Caritis S, Lindheimer MD, MacPherson C, Klebanoff M, VanDorsten JP, Landon M, Miodovnik M, Paul R, Meis P, Thurnau G, Dombrowski M, Roberts J, McNellis D. 2000. For the National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units: Hypertensive disorders in twin versus singleton gestations. *Am J Obstet Gynecol*; 182: 938-42.

Sweet RL & Ledger WJ. 1973. Puerperal infectious morbidity. *Am J Obstet Gynecol*; 117 (8): 1093-1100.

Tompkins MJ dan Thiagarajah S. 1999. HELLP (hemolysis, elevated liver enzymes, and low platelet count) syndrome: The benefit of corticosteroids. *Am J Obstet Gynecol*; 181:304-9

Usta IM & Sibai BM. 1996. Pregnancy induced hypertension and preeclampsia. In: Spitzer AR, ed. *Intensive Care of the Fetus and Neonate*. Mosby-Year Book Inc. St Louis:239-251.

WHO Department of Reproductive Health and Research. 2000. Managing complications in pregnancy and childbirth. A guide for midwives and doctors..

Wingo PA, Higgins JE, Rubin GL, Zahnizer SC, eds. 1991. *An Epidemiologic Approach to Reproductive Health*. CDC, FHI, WHO; 151-178.

Witlin AG, Mattar F, Sibai BM. 2000. Postpartum stroke: A twenty-year experience. *Am J Obstet Gynecol*; 183:83-8 (a).

Witlin AG, Saade GR, Mattar F, Sibai BM. 2000. Predictors of neonatal outcome in women with severe preeclampsia or eclampsia between 24 and 33 weeks' gestation. *Am J Obstet Gynecol*; 182:607-11(b).

Zhang J, Klebanoff MA, Levine RJ, Puri M, Moyer P. 1999. The puzzling association between smoking and hypertension during pregnancy. *Am J Obstet Gynecol*; 181: 1407-1410.