

- Amstrong , A.D and Hassenbein, S.E. (2020) ‘Risk factors for increased postoperative pain and recommended orderset for postoperative analgesic usage’, *Clin J Pain*, 36, pp. 845–851.
- Aqil Mansoor (2011) ‘Is preemptive analgesic effect of ketamine dose dependent? Effect of increasing dose on post septorhinoplasestpy pain’, *Pak J Med Sci*, 36, pp. 608–612.
- Bahrudin M. (2017) *Patofisiologi nyeri*. Saintika Medika (13).
- Behdad, A., Hosseinpour, M. and Khorasani, P. (2011) ‘Preemptive Use of Ketamine on Post Operative Pain of Appendectomy’, *The Korean Journal of Pain*, 24(3), pp. 137–140. Available at: <https://doi.org/10.3344/kjp.2011.24.3.137>.
- Black, K., B., K. (2019) ‘What is the Structure and Function of the Spinothalamic Pathways?’, *Brainstuff*. Available at: <https://brainstuff.org/blog/structure-and-function-of-the-spinothalamic-pathways> (Accessed: 27 October 2022).
- Butterworth JF, Mackey DC, and Wasnick JD (2018a) ‘Analgesic Agents’, in *Morgan & Mikhail’s Clinical Anesthesiology*. 6th edn. Chapter 10: McGraw-Hill Education.
- Butterworth JF, Mackey DC, and Wasnick JD (2018b) *Morgan & Mikhail’s Clinical Anesthesiology*. 6th edn. McGraw-Hill Education (Chapter 10).
- Camire D *et al.* (2020) ‘Movement-Evoked Pain Versus Pain at Rest in Postsurgical Clinical Trials and Meta-Analyses: Protocol for a Follow-Up Systematic Review’, <https://www.ncbi.nlm.nih.gov> [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7003115/> (Accessed: 29 June 2023).
- Clauw, D.J., Essex, M.N., Pitman, V., Jones, K.D (2019) ‘Reframing chronic pain as a disease, not a symptom: rationale and implications for pain management’, *Postgrad Med.*, (131(3)), pp. 185–198.
- Cummings K and Naguib MA (2015) ‘Opioid Agonists and Antagonists’, in *Stoelting’s Pharmacology & Physiology in Anesthetic Practice*. 5th edn. Philadelphia: Elsevier (Chapter 7), pp. 231–235.
- Doody, O. and Bailey, M.E. (2019) ‘Understanding pain physiology and its application to person with intellectual disability’, *Journal of Intellectual Disabilities*, 23(1), pp. 5–18. Available at: <https://doi.org/10.1177/1744629517708680>.
- Elia, N. and Tramèr, M.R. (2005) ‘Ketamine and postoperative pain – a quantitative systematic review of randomised trials’, *Pain*, 113(1), pp. 61–70. Available at: <https://doi.org/10.1016/j.pain.2004.09.036>.

Ellenby, D, E., D. (2020) ‘Scientists Unveil How General Anesthesia Works. Okinawa Institute of Science and Technology Graduate University’. Available at: <https://www.oist.jp/news-center/news/2020/4/24/scientists-unveil-how-general-anesthesia-works>.

Elzohry, A.A.M. and Foli, Ali.M.E. (2018) ‘Basics of Acute Postoperative Pain’, *American International Journal of Multidisciplinary Scientific Research*, 1(2), pp. 9–15. Available at: <https://doi.org/10.46281/aijmsr.v1i2.183>.

Fullwood, D. *et al.* (2021) ‘Toward Understanding Movement-evoked Pain (MEP) and its Measurement: A Scoping Review’, *The Clinical Journal of Pain*, 37(1), pp. 61–78. Available at: <https://doi.org/10.1097/AJP.0000000000000891>.

Gao, M., Rejaei, D. and Liu, H. (2016) ‘Ketamine use in current clinical practice’, *Acta Pharmacologica Sinica*, 37(7), pp. 865–872. Available at: <https://doi.org/10.1038/aps.2016.5>.

García-Ramírez, P.E. *et al.* (2018) ‘Postoperative pain: frequency and management characterization’, *Colombian Journal of Anesthesiology*, 46(2), pp. 93–97. Available at: <https://doi.org/10.1097/CJ9.0000000000000019>.

Gottschalk, A. and Smith, D.S. (2001) ‘New concepts in acute pain therapy: Preemptive analgesia. Am Fam Physician’. Available at: <http://www.aafp.org/afp/20010515/1979.html> (Accessed: 27 October 2022).

Gumelar, W., Hamzah, H. and Sumartono, C. (2021) ‘The Effectiveness of Intraoperative Ketamine and Fentanyl as Preemptive Analgesia Assessed with qNOX Score’, *JAI (Jurnal Anestesiologi Indonesia)*, 13(2), pp. 67–77. Available at: <https://doi.org/10.14710/jai.v13i2.31900>.

Harsono (2009) *Faktor-Faktor Yang Mempengaruhi Intensitas Nyeri Pasca Bedah Abdomen Dalam Konteks Asuhan Keperawatan Di Rumah Sakit Umum Daerah Ade Mohammad Djoen Sintang*. Universitas Indonesia.

Horn, R. and Kramer, J. (2023) ‘Postoperative Pain Control’, in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK544298/> (Accessed: 4 January 2024).

Hurley, R.W, Elkassabany, N.M, and Wu, C.L (2020) ‘Acute post operative pain’, in *Miller’s Anesthesia*. 9th edn. Philadelphia: Elsevier, p. 2614.

Iacobucci, G.J., Visnjevac, O., Pourafkari, L.,and Nader, D. (2017) ‘Ketamine: An Update on Cellular and Subcellular Mechanisms with Implications for Clinical Practice’, *Pain Physician*, 20(2), pp. E285–E301.

Jain, S., Nazir, N. and Mustafi, S. (2022) ‘Preemptive low-dose intravenous ketamine in the management of acute and chronic postoperative pain following laparoscopic

cholecystectomy: a prospective randomized control study', *Medical Gas Research*, 12(4), p. 141. Available at: <https://doi.org/10.4103/2045-9912.337995>.

Jungquist, C.R. *et al.* (2017) 'Assessing and Managing Acute Pain: A Call to Action', *AJN, American Journal of Nursing*, 117(3), pp. S4–S11. Available at: <https://doi.org/10.1097/01.NAJ.0000513526.33816.0e>.

Kappesser, J. (2019) 'The facial expression of pain in humans considered from a social perspective', *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 374(1785), p. 20190284. Available at: <https://doi.org/10.1098/rstb.2019.0284>.

Karcioglu, O. *et al.* (2018) 'A systematic review of the pain scales in adults: Which to use?', *The American Journal of Emergency Medicine*, 36(4), pp. 707–714. Available at: <https://doi.org/10.1016/j.ajem.2018.01.008>.

Kent, M.L. *et al.* (2017) 'The ACTION–APS–AAPM Pain Taxonomy (AAAPT) Multidimensional Approach to Classifying Acute Pain Conditions', *Pain Medicine*, 18(5), pp. 947–958. Available at: <https://doi.org/10.1093/pm/pnx019>.

Kirkpatrick, D.R. *et al.* (2015) 'Therapeutic Basis of Clinical Pain Modulation', *Clinical and Translational Science*, 8(6), pp. 848–856. Available at: <https://doi.org/10.1111/cts.12282>.

Kumar, P. and Tripathi, L. (2014) 'Challenges in pain assessment: Pain intensity scales', *Indian Journal of Pain*, 28(2), p. 61. Available at: <https://doi.org/10.4103/0970-5333.132841>.

Lestari, L., Hanindito, E. and Utariani, A. (2020) 'Effectiveness of Ketoprofen Suppositories as Preemptive Analgesia for Postoperative Pain in Patients Undergoing Elective Surgery with General Anesthesia', *Indonesian Journal of Anesthesiology and Reanimation*, 2(1), p. 20. Available at: <https://doi.org/10.20473/ijar.V2I12020.20-26>.

Macres, S.M, Moore, P.G, and Fishman, S.M (2017) 'Acute pain management', in *Clinical Anesthesia*. 8th edn. Philadelphia: Wolters Kluwer, p. 3932.

Manuapo, H., Taviato, D. and Sudjud, R.W. (2019) 'Perbandingan Preemptive Analgesia Kombinasi Ibuprofen 75 Miligram dan Parasetamol 250 Miligram per Oral dengan Parasetamol 1 Gram per Oral terhadap Lama Analgesik Pascabedah Odontektomi', *Jurnal Anestesi Perioperatif*, 7(3), pp. 181–187. Available at: <https://doi.org/10.15851/jap.v7n3.1834>.

Mazda, Y., Jadin, S. and Kahn, J.S. (2021) 'Postoperative Pain Management', *Canadian Journal of General Internal Medicine*, 16(SP1), pp. 5–17. Available at: <https://doi.org/10.22374/cjgim.v16iSP1.529>.

McLendon, K. and Sternard, B.T. (2023) 'Anaphylaxis', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK482124/> (Accessed: 4 January 2024).

Memon, R.J. and Tiwari, V. (2023) 'Angioedema', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK538489/> (Accessed: 4 January 2024).

Menteri Kesehatan Republik Indonesia (2019) 'Pedoman Nasional Pelayanan Kedokteran Tata Laksana Nyeri'. Kementerian Kesehatan Republik Indonesia. Available at: https://yankes.kemkes.go.id/unduh/fileunduhan_1610416719_691239.pdf (Accessed: 22 January 2024).

Myles, P.S. *et al.* (2017) 'Measuring acute postoperative pain using the visual analog scale: the minimal clinically important difference and patient acceptable symptom state', *British Journal of Anaesthesia*, 118(3), pp. 424–429. Available at: <https://doi.org/10.1093/bja/aew466>.

Ndebea, A.S. *et al.* (2020) 'Prevalence and Risk Factors for Acute Postoperative Pain After Elective Orthopedic and General Surgery at a Tertiary Referral Hospital in Tanzania', *Journal of Pain Research*, Volume 13, pp. 3005–3011. Available at: <https://doi.org/10.2147/JPR.S258954>.

Orr, P.M., Shank, B.C. and Black, A.C. (2017) 'The Role of Pain Classification Systems in Pain Management', *Critical Care Nursing Clinics of North America*, 29(4), pp. 407–418. Available at: <https://doi.org/10.1016/j.cnc.2017.08.002>.

Pathak, A., Sharma, S. and Jensen, M.P. (2018) 'The utility and validity of pain intensity rating scales for use in developing countries', *Pain Reports*, 3(5), p. e672. Available at: <https://doi.org/10.1097/PR9.0000000000000672>.

Pogatzki-Zahn, E.M., Segelcke, D. and Schug, S.A. (2017) 'Postoperative pain-from mechanisms to treatment', *Pain Reports*, 2(2), p. e588. Available at: <https://doi.org/10.1097/PR9.0000000000000588>.

Raja, S.N. *et al.* (2020) 'Efektivitas Ketamin Sebagai Analgesia Preemptif Terhadap Nyeri Pasca Bedah Onkologi', JAI. Available at: <https://doi.org/10.1097/j.pain.0000000000001939>.

Raharjo, L and Budiono, U. (2009) 'The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises', *Pain*, 161(9), pp. 1976–1982. Available at: <https://ejournal.undip.ac.id/index.php/janesti/article/view/6557>. DOI : 10.14710/jai.v1i3.6557

Rathmel, J.P and Rosow, C.E (2015) 'Intravenous sedatives and hypnotics', in *Stoelting's Pharmacology & Physiology in Anesthetic Practice*. 5th edn. Philadelphia: Elsevier, pp. 186–193.

Renatta, N.M *et al.* (2019) 'Farmakologi Obat Anestesi Intravena', in *Anestesiologi dan Terapi Intensif: Buku Teks KATI-PERDATIN. PERDATIN*. 1st edn. Jakarta: PT Gramedia Pustaka Utama.

Rosenbaum, S.B. *et al.* (2023) 'Ketamine', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK470357/> (Accessed: 4 January 2024).

Satiyah, U., Basuki, D.R. and Laksono, R.M. (2015) 'Pengaruh Pemberian Pre Emptive Ketamin 0,15 mg/kgbb iv Terhadap Intensitas Nyeri Pasca Operasi Bedah Onkologi Mayor Dengan Anestesi Umum Di RSUD Dr Saiful Anwar Malang', *JAI (Jurnal Anestesiologi Indonesia)*, 7(3), p. 197. Available at: <https://doi.org/10.14710/jai.v7i3.10811>.

Scholz J (2020) 'Chronic pain finds its place in the WHO's International Classification of Diseases. An inside look at the ICD-11's integration of chronic pain, including expanded criteria for neuropathic pain', in *Finally, A Systematic Classification of Pain (the ICD-11)*. HealthCentral LLC (3). Available at: <https://www.medcentral.com/pain/finally-systematic-classification-pain-icd-11> (Accessed: 4 January 2024).

Senapathi, T.G.A and Ryalino, C (2019) 'Tatalaksana nyeri pasca bedah', in *Anestesiologi dan Terapi Intensif, Buku Teks KATI-PERDATIN*. 1st edn. Jakarta: Gramedia, p. 1124.

Septyawan, R.B. (2021) 'Efektivitas Preemptif Ketamin Sub Dosis Dalam Mengurangi Kebutuhan Opioid Intraoperatif Dan Lama Waktu Ekstubasi', *Jurnal Ilmiah Kesehatan Media Husada*, 10(2), pp. 88–98. Available at: <https://doi.org/10.33475/jikmh.v10i2.251>.

Singh, H. *et al.* (2013) 'Preemptive analgesia with ketamine for laparoscopic cholecystectomy', *Journal of Anaesthesiology Clinical Pharmacology*, 29(4), p. 478. Available at: <https://doi.org/10.4103/0970-9185.119141>.

Stanos, S. *et al.* (2016) 'Rethinking chronic pain in a primary care setting', *Postgraduate Medicine*, 128(5), pp. 502–515. Available at: <https://doi.org/10.1080/00325481.2016.1188319>.

Tanra, A.H and Musba, A.M.T (2019) 'Definisi, mekanisme, dan klasifikasi nyeri', in *Anestesiologi dan Terapi Intensif, Buku Teks KATI-PERDATIN*. 1st edn. Jakarta: Gramedia, p. 1114.

The European Pain Federation (EFIC) (2022) in *Measuring pain in the clinic. EFIC*, Brussels: European Pain Federation EFIC 2022. Available at: <https://europeanpainfederation.eu/measuring-pain-in-the-clinic/> (Accessed: 4 January 2024).

Uyar Turkeyilmaz, H.E. *et al.* (2021) 'The effect of preemptive ketamine on postoperative analgesia in lower extremity surgery', *Journal of Surgery and Medicine*, 5(11), pp. 1090–1094. Available at: <https://doi.org/10.28982/josam.862547>.

Xu, J. *et al.* (2019) 'Efficacy of pre-emptive use of cyclooxygenase-2 inhibitors for total knee arthroplasty: a mini-review', *Arthroplasty*, 1(1), p. 13. Available at: <https://doi.org/10.1186/s42836-019-0015-3>.

Yang, L. *et al.* (2014) 'Preemptive analgesia effects of Ketamine in patients undergoing surgery. A meta-analysis', *Acta Cirurgica Brasileira*, 29(12), pp. 819–825. Available at: <https://doi.org/10.1590/S0102-86502014001900009>.

Yunafri, A., Nasution, A.S.P. and Nasution, A.H. (2018) 'Perbandingan Ketamin Dosis 0.5 mg/KgBB/IV dan 1 mg/KgBB/IV Sebagai Preemptif Analgesia pada Paska Operasi Ginekologi dengan Anestesi Umum', 3(2).

Zanos, P. *et al.* (2018) 'Ketamine and Ketamine Metabolite Pharmacology: Insights into Therapeutic Mechanisms', *Pharmacological Reviews*. Edited by J.M. Witkin, 70(3), pp. 621–660. Available at: <https://doi.org/10.1124/pr.117.015198>.

Zhong, B. (2009) 'How to Calculate Sample Size in Randomized Controlled Trial?', *J Thor Dis*, 1(1): 51-4.