UNIVERSITAS
GADJAH MADA
Cost Effectiveness Analysis Analgesia Epidural Dibandingkan Opioid Intravena sebagai Analgetik Pasca Operasi Ortopedi di RSUP Dr. Sardjito
Gesit Entra Pranuri, Dr. dr. Sudadi, SpAn-TI, Subsps. N.An (K), Subsp. An. R (K).; dr. Mahmud, M.Sc, SpAn-TI, Subs
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Alves, C. J. Neto, E. Sousa, D.M, Leitao, L., Vasconcelos, D.M., *et al.* (2016) 'Fracture pain-Traveling unknown pathways', *Bone*. Elsevier Inc., 85, pp. 107–114. doi: 10.1016/j.bone.2016.01.026.

Apfelbaum, J. L., Chen, C., Mehta, S. S., Gan, T. J. (2003) 'Postoperative pain experience: Results from a national survey suggest postoperative pain continues to be undermanaged', *Anesthesia and Analgesia*, 97(2), pp. 534–540. doi: 10.1213/01.ANE.0000068822.10113.9E

Archer, K. R., Abraham, C. M. and Obremskey, W. T. (2015) 'Psychosocial Factors Predict Pain and Physical Health After Lower Extremity Trauma', *Clinical Orthopaedics and Related Research*. Springer US, 473(11), pp. 3519–3526. doi: 10.1007/s11999-015-4504-6.

Arefayne, N. R. Tegegne, S.S., Gebregzi, A.H., Mustofa, S.Y. (2020) 'Incidence and associated factors of post-operative pain after emergency Orthopedic surgery: A multi-centered prospective observational cohort study', *International Journal of Surgery Open*. Elsevier Ltd, 27, pp. 103–113. doi: 10.1016/j.ijso.2020.10.003.

Ayad, S., Babazede, R., Elsharkawy, H., Nadar, V., Lokhnade, C., Makarova, N., *et al.* (2016) 'Comparison of transversus abdominis plane infiltration with liposomal bupivacaine versus continuous epidural analgesia versus intravenous opioid analgesia', *PLoS ONE*, 11(4), pp. 1–15. doi: 10.1371/journal.pone.0153675.

Babazade, R., Saasouh, W., Naylor, A. J., Makarova, N., Udeh, C. I., Turan, A., Udeh, B. L. (2019) 'The cost-effectiveness of epidural, patient-controlled intravenous opioid analgesia, or transversus abdominis plane infiltration with liposomal bupivacaine for postoperative pain management', *Journal of Clinical Anesthesia*. Elsevier, 53(October 2018), pp. 56–63. doi: 10.1016/j.jclinane.2018.10.003.

Bartha, E., Carlsson, P. and Kalman, S. (2006) 'Evaluation of costs and effects of epidural analgesia and patient-controlled intravenous analgesia after major abdominal surgery', *British Journal of Anaesthesia*. British Journal of Anaesthesia, 96(1), pp. 111–117. doi: 10.1093/bja/aei270.

Birant, D., Akca, A., Bozkurt, B., Baglan, M.. (2022) '*Classification of Scatter Plot Images Using Deep Learning*', *Deu Muhendislik Fakultesi Fen ve Muhendislik*, 24(71), pp. 631–642. doi: 10.21205/deufmd.2022247126.

Bonnet, F. and Marret, E. (2005) 'Influence of anaesthetic and analgesic techniques on outcome after surgery', 95(1), pp. 52–58. doi: 10.1093/bja/aei038.

Borsook, D., Kussman, B.D., George, E., Becerra, L.R., Burke, D.W. (2013) 'Surgically induced neuropathic pain: Understanding the perioperative process', *Annals of Surgery*, 257(3), pp. 403–412. doi: 10.1097/SLA.0b013e3182701a7b.

Cost Effectiveness Analysis Analgesia Epidural Dibandingkan Opioid Intravena sebagai Analgetik Pasca Operasi Ortopedi di RSUP Dr. Sardjito
Gesit Entra Pranuri, Dr. dr. Sudadi, SpAn-TI, Subsps. N.An (K), Subsp. An. R (K).; dr. Mahmud, M.Sc, SpAn-TI, Subs
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Cho relief following hip or knee replacement', *Cochrane Database of Systematic Reviews*, 2003(3). doi: 10.1002/14651858.CD003071.

Chou, R., Gordon, D. B., de Leon-Casasola, O. A., Rosenberg, J. M., Bickler, S., Brennan, T., Carter, T., *et al.* (2016) 'Management of postoperative pain: A clinical practice guideline from the American pain society, the American society of regional anesthesia and pain medicine, and the American society of anesthesiologists' committee on regional anesthesia, executive committee, and administrative council', *Journal of Pain*. Elsevier, 17(2), pp. 131–157. doi: 10.1016/j.jpain.2015.12.008.

Corman, S., Shah, N. and Dagenais, S. (2018) 'Medication, equipment, and supply costs for common interventions providing extended post-surgical analgesia following total knee arthroplasty in US hospitals', *Journal of Medical Economics*. Taylor & Francis, 21(1), pp. 11–18. doi: 10.1080/13696998.2017.1371031.

Edgley, C., Hogg, M., De Silva, A., Braat, S., Bucknill, A. *et al.* (2019) 'Severe acute pain and persistent post-surgical pain in orthopaedic trauma patients: a cohort study', *British Journal of Anaesthesia*. Elsevier Ltd, 123(3), pp. 350–359. doi: 10.1016/j.bja.2019.05.030.

Wick, E.C., Grant, M.C., Wu, C.L. (2017) 'Postoperative Multimodal Analgesia Pain Management With Nonopioid Analgesics and Techniques A Review', *JAMA Surgery* 152(7). doi: 10.1001/jamasurg.2017.0898.

Fowler, S. J., Symons, J., Sabato, S., Myles, P.S. (2008) 'Epidural analgesia compared with peripheral nerve blockade after major knee surgery: A systematic review and meta-analysis of randomized trials', *British Journal of Anaesthesia*, 100(2), pp. 154–164. doi: 10.1093/bja/aem373.

Gan, T. J. (2017) 'Poorly controlled postoperative pain : prevalence , consequences , and prevention', *Journal of Pain Research* 2017:10 pp. 2287–2298.

Garimella, V., Cellini, C. (2013) 'Postoperative Pain Control', *Clinical Colon Rectal Surgery* 2013, vol 26 (3) pp 191-196

Gerbershagen, H. J., Aduckathil, S., Wijck, A.J.M, Peelen, L.M., Kalkman, C.K., *et al.* (2013) 'Pain Intensity on the First Day after Surgery', *Anesthesiology*, 118(4), pp. 934–944. doi: 10.1097/aln.0b013e31828866b3.

Hughes, M. J. *et al.* (2014) 'Analgesia After Open Abdominal Surgery in the Setting of Enhanced Recovery Surgery A Systematic Review and Meta-analysis', 149(12), pp. 1224–1230. doi: 10.1001/jamasurg.2014.210.

Liu, Y., Xiao, S., Yang, H., Lu, X., Hou, A., *et al.* (2023) 'Postoperative pain-related outcomes and perioperative pain management in China: a population-based study', *The Lancet Regional Health - Western Pacific*, 39, pp. 1–12. doi: 10.1016/j.lanwpc.2023.100822.

Ndebea, A. S., van den Heuvel, S.A.S, Temu, R., Kaino, M.M., van Boekel, R.L.M., *et*

Cost Effectiveness Analysis Analgesia Epidural Dibandingkan Opioid Intravena sebagai Analgetik Pasca Operasi Ortopedi di RSUP Dr. Sardjito
Gesit Entra Pranuri, Dr. dr. Sudadi, SpAn-TI, Subsps. N.An (K), Subsp. An. R (K).; dr. Mahmud, M.Sc, SpAn-TI, Subs
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

al. (2020) 'I general surgery at a tertiary referral hospital in Tanzania', *Journal of Pain Research*, 13, pp. 3005–3011. doi: 10.2147/JPR.S258954.

Oderda, G. M., Said, Q., Evans, R. S., Stoddard, G. J., Llyod, J., Jackson, K., Rublee, D., Samore, M. H. (2007) 'Opioid-related adverse drug events in surgical hospitalizations: Impact on costs and length of stay', *Annals of Pharmacotherapy*, 41(3), pp. 400–407. doi: 10.1345/aph.1H386.

Pitimana-aree, S., Visalyaputra, S., Komoltri, C., Muangman, S., Tiviraj, S., *et al.* (2005) 'An Economic Evaluation of Bupivacaine Plus Fentanyl Versus Ropivacaine Alone for Patient-Controlled Epidural Analgesia After Total-Knee Replacement Procedure: A Double-Blinded Randomized Study', *Regional Anesthesia and Pain Medicine*, 30(5), pp. 446–451. doi: 10.1016/j.rapm.2005.05.010.

Puntillo, F., Giglio, M. and Varrassi, G. (2021) 'The Routes of Administration for Acute Postoperative Pain Medication', *Pain and Therapy*. Springer Healthcare, 10(2), pp. 909–925. doi: 10.1007/s40122-021-00286-5.

Singh, K.P., Saikia, P., Lahakar, M. (2016) 'Prevalence of acute post-operative pain in patients in adult age-group undergoing inpatient abdominal surgery and correlation of intensity of pain and satisfaction with analgesic management : A cross-sectional single institute-based study', *Indian Journal of Anesthesia* (45), pp. 737–744. doi: 10.4103/0019-5049.191686

Small, C. and Laycock, H. (2020) 'Acute postoperative pain management', *British Journal of Surgery*, 107(2), pp. e70–e80. doi: 10.1002/bjs.11477.

Sommer, M., Rijke, J. M., van Kleef, M., Kessels, A. G. H., Peters, M. L., Geurts, J. W. J. M., Gramke, H. F., Marcus, M. A. E. (2008) 'Original Article The prevalence of postoperative pain in a sample of 1490 surgical inpatients', *European Journal of Anaesthesiology* pp. 267–274. doi: 10.1017/S0265021507003031.

Takura, T., Yuasa, A., Yonemoto, N, Demiya, S., Matsuda, H., *et al.* (2022) 'Cost-Effectiveness Analysis of the Treatment Strategies with or without Opioid Medications in Surgery-Eligible Patients with Osteoarthritis in Japan', *PharmacoEconomics - Open*. Springer International Publishing, 6(1), pp. 33–45. doi: 10.1007/s41669-021-00292-5.

Tilleul, P., Aissou, M., Bocquet, F., Thiriat, N., le Grelle, O., Burke, M. J., Hutton, J., Beaussier, M. (2012) 'Cost-effectiveness analysis comparing epidural, patient-controlled intravenous morphine, and continuous wound infiltration for postoperative pain management after open abdominal surgery', *British Journal of Anaesthesia*, 108(6), pp. 998–1005. doi: 10.1093/bja/aes091.

Viderman, D., Tapinova, K., Nabidollayeva, F., Tankacheev, R., Abdildin, Y., G. (2022) 'Intravenous versus Epidural Routes of Patient-Controlled Analgesia in Abdominal Surgery: Systematic Review with Meta-Analysis', *Journal of Clinical Medicine*, 11(9). doi: 10.3390/jcm11092579.

Wils
Cost Effectiveness Analysis Analgesia Epidural Dibandingkan Opioid Intravena sebagai Analgetik Pasca Operasi Ortopedi di RSUP Dr. Sardjito
Gesit Entra Pranuri, Dr. dr. Sudadi, SpAn-TI, Subsps. N.An (K), Subsp. An. R (K).; dr. Mahmud, M.Sc, SpAn-TI, Subs
1–8. doi: 10.21037/dmr.2019.08.05
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/