

## DAFTAR PUSTAKA

- Akhter, M., 2016, Challenges in docking: Mini review, *JSM Chem.*, 4, 1025.
- Bao, Y., Guo, J., Ma, J., Li, M., and Li, X., 2017, Physicochemical and antimicrobial activities of cationic gemini surfactants with polyether siloxane linked group, *J. Mol. Liq.*, 242, 8–15.
- Belanger, S.E., Brill, J.L., Rawlings, J.M., and Price, B.B., 2016, Development of acute toxicity quantitative structure activity relationships (QSAR) and their use in linear alkylbenzene sulfonate species sensitivity distributions, *Chemosphere*, 155, 18–27.
- Boeije, G.M., Cano, M.L., Marshall, S.J., Belanger, S.E., Van Compernelle, R., Dorn, P.B., Gümbel, H., Toy, R., and Wind, T., 2006, Ecotoxicity quantitative structure-activity relationships for alcohol ethoxylate mixtures based on substance-specific toxicity predictions, *Ecotoxicol. Environ. Saf.*, 64, 75–84.
- Brycki, B., Drgas, M., Bielawska, M., Zdziennicka, A., and Jańczuk, B., 2016, Synthesis, spectroscopic studies, aggregation and surface behavior of hexamethylene-1,6-bis(N,N-dimethyl-N-dodecylammonium bromide), *J. Mol. Liq.*, 221, 1086–1096.
- Brycki, B., Koziróg, A., Kowalczyk, I., Pospieszny, T., Materna, P., and Marciniak, J., 2017, Synthesis, structure, surface and antimicrobial properties of new oligomeric quaternary ammonium salts with aromatic spacers, *Molecules*, 22, .
- Brycki, B.E., Kowalczyk, I.H., Szulc, A., Kaczerewska, O., and Pakiet, M., 2017, Multifunctional Gemini Surfactants: Structure, Synthesis, Properties and Applications,. In, *Application and Characterization of Surfactants*.
- Brycki, B.E., Szulc, A., Kowalczyk, I., Koziróg, A., and Sobolewska, E., 2021, Antimicrobial activity of gemini surfactants with ether group in the spacer part, *Molecules*, 26, .
- Cano, G., Garcia-Rodriguez, J., Garcia-Garcia, A., Perez-Sanchez, H., Benediktsson, J.A., Thapa, A., and Barr, A., 2017, Automatic selection of molecular descriptors using random forest: Application to drug discovery, *Expert Syst. Appl.*, 72, 151–159.
- Cherkasov, A., Muratov, E.N., Fourches, D., Varnek, A., Baskin, I.I., Cronin, M., Dearden, J., Gramatica, P., Martin, Y.C., Todeschini, R., Consonni, V., Kuz'Min, V.E., Cramer, R., Benigni, R., Yang, C., Rathman, J., Terfloth, L., Gasteiger, J., Richard, A., et al., 2014, QSAR modeling: Where have you been? Where are you going to?, *J. Med. Chem.*, 57, 4977–5010.
- Daina, A., Michielin, O., and Zoete, V., 2017, SwissADME: A free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules, *Sci. Rep.*, 7, 1–13.
- Devinsky, F., Lacko, I., Bittererova, F., and Mlynarcik, D., 1987, Quaternary ammonium salts XVIII .\* Preparation and relationship between structure , IR spectral characteristics , and antimicrobial activity of some new bis-

- quaternary isosters of 1, 5-pentanediammonium dibromides, *Chem. Pap.*, 41, 803–814.
- Devinsky, F., Lacko, I., Mlynarcik, D., Racansky, V., and Krasnec, L., 1985, Relationship Between Critical Micelle Concentrations and Minimum Inhibitory Concentrations for Some Non-Aromatic Quaternary Ammonium Salts and Amine Oxides., *Tenside Deterg.*, 22, 10–15.
- Dolezal, R., Soukup, O., Malinak, D., Savedra, R.M.L., Marek, J., Dolezalova, M., Pasdiorova, M., Salajkova, S., Korabecny, J., Honegr, J., Ramalho, T.C., and Kuca, K., 2016, Towards understanding the mechanism of action of antibacterial N-alkyl-3-hydroxypyridinium salts: Biological activities, molecular modeling and QSAR studies, *Eur. J. Med. Chem.*, 121, 699–711.
- Dutta, S., 2015, Application of Qsar in Drug Design and Drug Discovery, *Int. J. Recent Sci. Res.*, 6, 3921–3924.
- Eklund, L., 2014, Hydration of oxo anions-a combined computational and experimental structure and dynamics study in aqueous solutions,.
- Fazlara, A. and Ekhtelat, M., 2012, The disinfectant effects of benzalkonium chloride on some important foodborne pathogens, *Am. J. Agric. Environ. Sci.*, 12, 23–29.
- Fisicaro, E., Compari, C., Bacciottini, F., Barbero, N., Viscardi, G., and Quagliotto, P., 2014, Is the counterion responsible for the unusual thermodynamic behaviour of the aqueous solutions of gemini bispyridinium surfactants?, *Colloids Surfaces A Physicochem. Eng. Asp.*, 443, 249–254.
- Gadaleta, D., Mangiatordi, G.F., Catto, M., Carotti, A., and Nicolotti, O., 2016, Applicability Domain for QSAR Models, *Int. J. Quant. Struct. Relationships*, 1, 45–63.
- Gagik H, T. and Nelli R, H., 2018, The bactericidal activity of quaternary ammonium salts with 2-hydroxyethyl group, *MOJ Bioorganic Org. Chem.*, 2, 176–177.
- Golbraikh, A. and Tropsha, A., 2003, QSAR modeling using chirality descriptors derived from molecular topology, *J. Chem. Inf. Comput. Sci.*, 43, 144–154.
- Golbraikh, A., Wang, X.S., Zhu, H., and Tropsha, A., 2017, Predictive QSAR modeling: Methods and applications in drug discovery and chemical risk assessment,.
- Gore, M. and Jagtap, U., 2012, Computational Drug Discovery and Design, ed R Baron,.
- Gramatica, P., Cassani, S., and Chirico, N., 2014, QSARINS-chem: Insubria datasets and new QSAR/QSPR models for environmental pollutants in QSARINS, *J. Comput. Chem.*, 35, 1036–1044.
- Guha, R., 2013, On exploring structure-activity relationships, *Methods Mol. Biol.*, 993, 81–94.
- Hargrove, T.Y., Friggeri, L., Wawrzak, Z., Qi, A., Hoekstra, W.J., Schotzinger, R.J., York, J.D., Guengerich, F.P., Lepesheva, G.I., 2017, Structural analyses of Candida albicans sterol 14 $\alpha$ -demethylase complexed with azole drugs address the molecular basis of azole-mediated inhibition of fungal sterol biosynthesis, *J. Bio. Chem.*, 292 (16), 6728–6743.
- Hodges, G., Roberts, D.W., Marshall, S.J., and Dearden, J.C., 2006, The aquatic

- toxicity of anionic surfactants to *Daphnia magna*-A comparative QSAR study of linear alkylbenzene sulphonates and ester sulphonates, *Chemosphere*, 63, 1443–1450.
- Huang, X., Jia, Y., Wang, S., Ma, X., Cao, Z., and Zhong, H., 2019, Novel Sodium O-Benzylthioethyl Xanthate Surfactant: Synthesis, DFT Calculation and Adsorption Mechanism on Chalcopyrite Surface, *Langmuir*, 35, 15106–15113.
- Jennings, M.C., Minbiole, K.P.C., and Wuest, W.M., 2016, Quaternary Ammonium Compounds: An Antimicrobial Mainstay and Platform for Innovation to Address Bacterial Resistance, *ACS Infect. Dis.*, 1, 288–303.
- Kamboj, R., Singh, S., Bhadani, A., Kataria, H., and Kaur, G., 2012, Gemini imidazolium surfactants: Synthesis and their biophysiochemical study, *Langmuir*, 28, 11969–11978.
- Khan, K., Benfenati, E., and Roy, K., 2019, Consensus QSAR modeling of toxicity of pharmaceuticals to different aquatic organisms: Ranking and prioritization of the DrugBank database compounds, *Ecotoxicol. Environ. Saf.*, 168, 287–297.
- Kubinyi, H. Folkers, G. Martin, Y. C., 2008, 3D QSAR in Drug Design, Vol. III, Eds. Dordrecht: Kluwer Academic, 57–69.
- Kumar, N. and Tyagi, R., 2014, Industrial Applications of Dimeric Surfactants: A Review, *J. Dispers. Sci. Technol.*, 35, 205–214.
- Kumar, V., Ojha, P.K., Saha, A., and Roy, K., 2020, Exploring 2D-QSAR for prediction of beta-secretase 1 (BACE1) inhibitory activity against Alzheimer's disease, *SAR QSAR Environ. Res.*, 31, 87–133.
- Kuperkar, K., Modi, J., and Patel, K., 2012, Surface-active properties and antimicrobial study of conventional cationic and synthesized symmetrical gemini surfactants, *J. Surfactants Deterg.*, 15, 107–115.
- Lafitte, D., Lamour, V., Tsvetkov, P. O., Makarov, A. A., Klich, M., Deprez, P., Gilli, R., 2002, DNA Gyrase Interaction with Coumarin-Based Inhibitors: The Role of the Hydroxybenzoate Isopentenyl Moiety and the 5'-Methyl Group of the Noviose†. *Biochemistry*, 41(23), 7217–7223.
- Leszczynski, J., 2017, Handbook of Computational Chemistry. Second edition.,
- Łudzik, K., Kustrzepa, K., and Piekarski, H., 2014, Thermodynamics of micelle formation of gemini surfactants hexylene-1,6-bis(dimethyloctylammonium bromide) and dodecylene-1,12-bis(dimethyloctylammonium bromide) by electric conductance measurements, *J. Chem. Eng. Data*, 59, 4165–4172.
- Magnus Bergström, L., 2016, Second CMC in surfactant micellar systems, *Curr. Opin. Colloid Interface Sci.*, 22, 46–50.
- Mavromoustakos, T. and Kellici, T.F., 2018, Rational Drug Design Methods and Protocols.,
- Melville, J.L. and Hirst, J.D., 2007, TMACC: Interpretable correlation descriptors for quantitative structure-activity relationships, *J. Chem. Inf. Model.*, 47, 626–634.
- Meng, Y. and Lin, B. Le, 2008, A feed-forward artificial neural network for prediction of the aquatic ecotoxicity of alcohol ethoxylate, *Ecotoxicol. Environ. Saf.*, 71, 172–186.

- Menger, F.M. and Keiper, J.S., 2000, Gemini surfactants, *Angew. Chemie - Int. Ed.*, 39, 1906–1920.
- Menger, F.M. and Littau, C.A., 1993, Gemini Surfactants: A New Class of Self-Assembling Molecules, *J. Am. Chem. Soc.*, 115, 10083–10090.
- Moriwaki, H., Tian, Y.S., Kawashita, N., and Takagi, T., 2018, Mordred: A molecular descriptor calculator, *J. Cheminform.*, 10, 1–14.
- Mynercik, D., Devinsky, F., and Lacko, I., 1996, Influence of counterions on antimicrobial activity of quaternary ammonium salts, *Eur. J. Pharm. Sci.*, S191.
- O’Boyle, N.M., Banck, M., James, C.A., Morley, C., Vandermeersch, T., and Hutchison, G.R., 2011, Open Babel: An Open chemical toolbox, *J. Cheminform.*, 3, 1–14.
- Obłak, E., Piecuch, A., Krasowska, A., and Łuczyński, J., 2013, Antifungal activity of gemini quaternary ammonium salts, *Microbiol. Res.*, 168, 630–638.
- Obłak, E., Piecuch, A., Rewak-Soroczyńska, J., and Paluch, E., 2019, Activity of gemini quaternary ammonium salts against microorganisms, *Appl. Microbiol. Biotechnol.*, 103, 625–632.
- Ohkura, K., Sukeno, A., Yamamoto, K., Nagamune, H., Maeda, T., and Kourai, H., 2003, Analysis of structural features of bis-quaternary ammonium antimicrobial agents 4,4'-( $\alpha,\omega$ -Polymethylenedithio)bis (1-alkylpyridinium iodide)s using computational simulation, *Bioorganic Med. Chem.*, 11, 5035–5043.
- Okazaki, K., Manabe, Y., Maeda, T., Nagamune, H., and Kourai, H., 1996, Quantitative structure-activity relationship of antibacterial dodecylpyridinium iodide derivatives, *Biocontrol Sci.*, 1, 51–59.
- Pałkowski, Ł., Błaszczyński, J., Skrzypczak, A., Błaszczak, J., Kozakowska, K., Wróblewska, J., Kozusko, S., Gospodarek, E., Krysiński, J., and Słowiński, R., 2014, Antimicrobial activity and SAR study of new gemini imidazolium-based chlorides, *Chem. Biol. Drug Des.*, 83, 278–288.
- Pietralik, Z., Kołodziejaska, Z., Weiss, M., and Kozak, M., 2015, Gemini surfactants based on bis- Imidazolium alkoxy derivatives as effective agents for delivery of nucleic acids: A structural and spectroscopic study, *PLoS One*, 10, 1–22.
- Pourbasheer, E., Riahi, S., Ganjali, M.R., and Norouzi, P., 2010, Quantitative structureactivity relationship (QSAR) study of interleukin-1 receptor associated kinase 4 (IRAK-4) inhibitor activity by the genetic algorithm and multiple linear regression (GA-MLR) method, *J. Enzyme Inhib. Med. Chem.*, 25, 844–853.
- Rajkowska, K., Koziróg, A., Otlewska, A., Piotrowska, M., Nowicka-Krawczyk, P., Brycki, B., Kunicka-Styczyńska, A., and Gutarowska, B., 2016, Quaternary ammonium biocides as antimicrobial agents protecting historical wood and brick, *Acta Biochim. Pol.*, 63, 153–159.
- Rath, E.C., Gill, H., and Bai, Y., 2017, Identification of potential antimicrobials against *Salmonella typhimurium* and *Listeria monocytogenes* using Quantitative Structure-Activity Relation modeling, *PLoS One*, 12, 1–17.

- Ren, C., Wang, F., Zhang, Z., Nie, H., Li, N., and Cui, M., 2015, Colloids and Surfaces A: Physicochemical and Engineering Aspects Synthesis, surface activity and aggregation behavior of Gemini bromide, *Colloids Surfaces A Physicochem. Eng. Asp.*, 467, 1–8.
- Roy, K., Kar, S., and Das, R.N., 2015a, A Primer on QSAR/QSPR Modeling: Fundamental Concepts (Springer Briefs in Molecular Sciences), Academic Press.
- Roy, K., Kar, S., and Das, R.N., 2015b, Understanding the Basics of QSAR for Applications in Pharmaceutical Sciences and Risk Assessment, Academic Press.
- Rybinska, A., Sosnowska, A., Barycki, M., and Puzyn, T., 2016, Geometry optimization method versus predictive ability in QSPR modeling for ionic liquids, *J. Comput. Aided. Mol. Des.*, 30, 165–176.
- Schramm, L.L., Stasiuk, E.N., and Marangoni, D.G., 2003, Surfactants and their applications, *Annu. Reports Prog. Chem. - Sect. C*, 99, 3–48.
- Shirai, A., Sumitomo, T., Kurimoto, M., Maseda, H., and Kourai, H., 2009, The mode of the antifungal activity of gemini-pyridinium salt against yeast, *Biocontrol Sci.*, 14, 13–20.
- Shukla, D. and Tyagi, V.K., 2006, Cationic Gemini Surfactants: A Review, *J. Oleo Sci.*, 55, 381–390.
- Stefaniu, A. and Pintilie, L., 2018, Molecular Descriptors and Properties of Organic Molecules, *Symmetry (gr. Theory) Math. Treat. Chem.*, i, 13.
- Sun, X.Z., Wang, N., Cao, D., Hu, Z.Y., Mao, P., Zhang, H.B., and Zhou, X.H., 2011, The antimicrobial activities of a series of bis-quaternary ammonium compounds, *Chinese Chem. Lett.*, 22, 887–890.
- Sushko, I., Novotarskyi, S., Körner, R., Pandey, A.K., Rupp, M., Teetz, W., Brandmaier, S., Abdelaziz, A., Prokopenko, V. V., Tanchuk, V.Y., Todeschini, R., Varnek, A., Marcou, G., Ertl, P., Potemkin, V., Grishina, M., Gasteiger, J., Schwab, C., Baskin, I.I., et al., 2011, Online chemical modeling environment (OCHEM): Web platform for data storage, model development and publishing of chemical information, *J. Comput. Aided. Mol. Des.*, 25, 533–554.
- Tatsumi, T., Imai, Y., Kawaguchi, K., Miyano, N., and Ikeda, I., 2014, Antimicrobial activity of cationic Gemini surfactant containing an oxycarbonyl group in the lipophilic portion against gram-positive and gram-negative microorganisms, *J. Oleo Sci.*, 63, 137–140.
- Tehrani-Bagha, A.R., Holmberg, K., van Ginkel, C.G., and Kean, M., 2015, Cationic gemini surfactants with cleavable spacer: Chemical hydrolysis, biodegradation, and toxicity, *J. Colloid Interface Sci.*, 449, 72–79.
- Tehrani-Bagha, A.R., Holmberg, K., Nydén, M., and Nordstierna, L., 2013, Micelle growth of cationic gemini surfactants studied by NMR and by time-resolved fluorescence quenching, *J. Colloid Interface Sci.*, 405, 145–149.
- Tetko, I. V. and Poda, G.I., 2007, Prediction of Log P with Property-Based Methods, 381–406.
- Tezel, U. and Pavlostathis, S.G., 2015, Quaternary ammonium disinfectants: Microbial adaptation, Degradation and ecology, *Curr. Opin. Biotechnol.*, 33,



296–304.

- Tiwari, P. and Singh, V.K., 2017, Computer assisted drug designing : Quantitative structure Activity Relationship studies on mono- and Bis- Thiazolium salts having Potent antimalarial activity, *Int. J. Sci. Res. Publ.*, 7, 213–235.
- Todeschini, R., 2006, Molecular descriptors and chemometrics : A powerful combined tool for pharmaceutical, toxicological and environmental problems, *GIT Lab. J. Eur.*, 10, 40–42.
- Tripathi, A. and Misra, K., 2017, Molecular Docking: A structure-based drug designing approach, *J Bioinform, Genomics, Proteomics*, 2, 1015.
- Vieira, D.B. and Carmona-Ribeiro, A.M., 2006, Cationic lipids and surfactants as antifungal agents: Mode of action, *J. Antimicrob. Chemother.*, 58, 760–767.
- Xie, D.H. and Zhao, J., 2013, Unique aggregation behavior of a carboxylate gemini surfactant with a long rigid spacer in aqueous solution, *Langmuir*, 29, 545–553.
- Xie, X., Cong, W., Zhao, F., Li, H., Xin, W., Hou, G., and Wang, C., 2018, Synthesis, physiochemical property and antimicrobial activity of novel quaternary ammonium salts, *J. Enzyme Inhib. Med. Chem.*, 33, 98–105.
- Zhang, L., Jia, L., Zhao, Z., Yang, R., Wang, J., and Guo, X., 2020, Synthesis, physiochemical properties, and antimicrobial activities of a novel gemini surfactants with biphenyl and multiple amide groups, *Colloids Surfaces A Physicochem. Eng. Asp.*, 593, 124628.
- Zhang, T., Cao, X., Wang, X., and Song, C., 2017, Synthesis, surface activity and thermodynamic properties of cationic gemini surfactants with diester and rigid spacers, *J. Mol. Liq.*, 230, 505–510.
- Zhao, B., Wang, C., Zhao, S., Qin, M., Zhou, Z., and Sun, Y., 2008, Density functional theory study on the structure and vibrational frequencies of glycylglycine, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 70, 301–306.
- Zhou, C. and Wang, Y., 2020, Structure–activity relationship of cationic surfactants as antimicrobial agents, *Curr. Opin. Colloid Interface Sci.*, 45, 28–43.
- Zhu, Y., Free, M.L., Woollam, R., and Durnie, W., 2017, A review of surfactants as corrosion inhibitors and associated modeling, *Prog. Mater. Sci.*, 90, 159–223.