

DAFTAR PUSTAKA

- Ahmed, W., Iqbal, J., Aisida, S.O., Badshah, A., Ahmad, I., Alamgir, K., and Gul, I.H., 2020, Structural, Magnetic, and Dielectric Characteristics of Optically Tuned Fe-Doped ZrO₂ Nanoparticles with Visible Light-Driven Photocatalytic Activity, *Mater. Chem. Phys.*, 251, 122999.
- Al-Mamun, M.R., Kader, S., Islam, M.S., and Khan, M.Z.H., 2019, Photocatalytic Activity Improvement and Application of UV-TiO₂ Photocatalysis in Textile Wastewater Treatment: A Review, *J. Environ. Chem. Eng.*, 7, 103248.
- Alajmi, B.M., Basaleh, A.S., Ismail, A.A., and Mohamed, R.M., 2023, Bi₂S₃ Incorporated Mesoporous ZrO₂ Networks as an Effective Photocatalyst for Photocatalytic Oxidation of Thiophene, *Inorg. Chem. Commun.*, 151, 110584.
- Ali, T., Tripathi, P., Azam, A., Raza, W., Ahmed, A.S., Ahmed, A., and Muneer, M., 2017, Photocatalytic Performance of Fe-Doped TiO₂ Nanoparticles under Visible-Light Irradiation, *Mater. Res. Express*, 4, 015022.
- Anku, W.W., Mamo, M.A., and Govender, P.P., 2017, *Phenolic Compounds - Natural Sources, Importance and Applications*, InTech, London.
- Anonim, 2010, *Peraturan Menteri Negara Lingkungan Hidup Nomor 03 Tahun 2010 tentang Baku Mutu Air Limbah Bagi Kawasan Industri*.
- Argurio, P., Fontananova, E., Molinari, R., and Drioli, E., 2018, Photocatalytic Membranes in Photocatalytic Membrane Reactors, *Processes*, 6, 162.
- Ayuningtyas, E., 2020, Penurunan Kadar Warna dan Fenol Air Limbah Batik Menggunakan Metode Advanced Oxidation Processes (AOPs) Berbasis Ozon-GAC, *J. Rekayasa Lingkung.*, 20.
- Azami, M., Wei, J., Valizadehderakhshan, M., Jayapalan, A., Ayodele, O.O., and Nowlin, K., 2023, Effect of Doping Heteroatoms on the Optical Behaviors and Radical Scavenging Properties of Carbon Nanodots, *J. Phys. Chem. C. Nanomater. Interfaces*, 127, 7360–7370.
- Bagwasi, S., Tian, B., Zhang, J., and Nasir, M., 2013, Synthesis, Characterization, and Application of Bismuth and Boron Co-Doped TiO₂: A Visible Light Active Photocatalyst, *Chem. Eng. J.*, 217, 108–118.
- Barkhade, T. and Banerjee, I., 2019, Optical Properties of Fe doped TiO₂ Nanocomposites Synthesized by Sol-Gel Technique, *Mater. Today Proc.*, 18, 1204–1209.
- Basha, S., Barr, C., Keane, D., Nolan, K., Morrissey, A., Oelgemöller, M., and Tobin, J.M., 2011, On the Adsorption/Photodegradation of Amoxicillin in Aqueous Solutions by an Integrated Photocatalytic Adsorbent (IPCA): Experimental Studies and Kinetics Analysis, *Photochem. Photobiol. Sci.*, 10, 1014–1022.

- Bashir, M., Riaz, S., and Naseem, S., 2014, Magnetic Properties of Fe₃O₄ Stabilized Zirconia, *IEEE Trans. Magn.*, 50, 1–4.
- Chagas, P.M.B., Torres, J.A., Silva, M.C., and Corrêa, A.D., 2015, Immobilized Soybean Hull Peroxidase for the Oxidation of Phenolic Compounds in Coffee Processing Wastewater, *Int. J. Biol. Macromol.*, 81, 568–575.
- Cheng, H.-H., Chen, S.-S., Yang, S.-Y., Liu, H.-M., and Lin, K.-S., 2018, Sol-Gel Hydrothermal Synthesis and Visible Light Photocatalytic Degradation Performance of Fe/N Codoped TiO₂ Catalysts, *Materials (Basel)*, 11, 939.
- Cheng, Q., Yang, W., Chen, Q., Zhu, J., Li, D., Fu, L., and Zhou, L., 2020, Fe-Doped Zirconia Nanoparticles with Highly Negative Conduction Band Potential for Enhancing Visible Light Photocatalytic Performance, *Appl. Surf. Sci.*, 530, 147291.
- Crișan, M., Mardare, D., Ianculescu, A., Drăgan, N., Nițoi, I., Crișan, D., Voicescu, M., Todan, L., Oancea, P., Adomniței, C., Dobromir, M., Gabrovská, M., and Vasile, B., 2018, Iron-Doped TiO₂ Films and Their Photoactivity in Nitrobenzene Removal from Water, *Appl. Surf. Sci.*, 455, 201–215.
- Cyriac, B., 2023, *Zirconia - New Advances, Structure, Fabrication and Applications*, InTech, London.
- Dang, T.T.T., Le, S.T.T., Channei, D., Khanitchaidecha, W., and Nakaruk, A., 2016, Photodegradation Mechanisms of Phenol in the Photocatalytic Process, *Res. Chem. Intermed.*, 42, 5961–5974.
- Dong, Y., Qi, L., Li, J., and Chen, I.-W., 2017, A Computational Study of Yttria-Stabilized Zirconia: II. Cation Diffusion, *Acta Mater.*, 126, 438–450.
- Eddy, D.R., Permana, M.D., Sakti, L.K., Sheha, G.A.N., Solihudin, Hidayat, S., Takei, T., Kumada, N., and Rahayu, I., 2023, Heterophase Polymorph of TiO₂ (Anatase, Rutile, Brookite, TiO₂ (B)) for Efficient Photocatalyst: Fabrication and Activity, *Nanomaterials*, 13, 704.
- El-Ashtoukhy, E.-S.Z., El-Taweel, Y.A., Abdelwahab, O., and Nassef, E.M., 2013, Treatment of Petrochemical Wastewater Containing Phenolic Compounds by Electrocoagulation Using a Fixed Bed Electrochemical Reactor, *Int. J. Electrochem. Sci.*, 8, 1534–1550.
- Emiroğlu, M., Karaali, C., Esin, H., Akpınar, G., and Aydın, C., 2017, reatment of Pilonidal Disease by Phenol Application, *Turkish J. Surg.*, 33, 5–9.
- Etacheri, V., Di Valentin, C., Schneider, J., Bahnemann, D., and Pillai, S.C., 2015, Visible-Light Activation of TiO₂ Photocatalysts: Advances in Theory and Experiments, *J. Photochem. Photobiol. C Photochem. Rev.*, 25, 1–29.
- Fini, E.H., Ayat, S., and Pahlavan, F., 2022, *Phenolic Compounds - Chemistry, Synthesis, Diversity, Non-Conventional Industrial, Pharmaceutical and Therapeutic Applications*, InTech, London.

- Gatou, M.-A., Fiorentis, E., Lagopati, N., and Pavlatou, E.A., 2023, Photodegradation of Rhodamine B and Phenol Using TiO₂/SiO₂ Composite Nanoparticles: A Comparative Study, *Water*, 15, 2773.
- Ghanbari, S., Givianrad, M.H., and Aberoomand Azar, P., 2019, Simultaneous Reduction of Cr(VI) and Degradation of Azo Dyes by F-Fe-Codoped TiO₂/SiO₂ Photocatalysts under Visible and Solar Irradiation, *Can. J. Chem.*, 97, 659–671.
- Ghorbanpour, M. and Feizi, A., 2019, Iron-doped TiO₂ Catalysts with Photocatalytic Activity, *J. Water Environ. Nanotechnol.*, 4, 60–66.
- Goharshadi, E.K. and Hadadian, M., 2012, Effect of Calcination Temperature on Structural, Vibrational, Optical, and Rheological Properties of Zirconia Nanoparticles, *Ceram. Int.*, 38, 1771–1777.
- Guo, Z., Ma, R., and Li, G., 2006, Degradation of Phenol by Nanomaterial TiO₂ in Wastewater, *Chem. Eng. J.*, 119, 55–59.
- Hagemeyer, A. and Volpe, A., 2016, *Reference Module in Materials Science and Materials Engineering*. Elsevier, Sydney.
- Haiqi, O. Al, Nour, A.H., Bargaa, R., and Ayodele, B.V., 2020, Effect of Process Parameters on the Photocatalytic Degradation of Phenol in Oilfield Produced Wastewater Using ZnO/Fe₂O₃ Nanocomposites, *Bull. Chem. React. Eng. Catal.*, 15, 128–136.
- Hanaor, D.A.H. and Sorrell, C.C., 2011, Review of the Anatase to Rutile Phase Transformation, *J. Mater. Sci.*, 46, 855–874.
- Hanein, T., Nguyen, H., Provis, J.L., Utton, C., and Kunther, W., 2023, Thermodynamics of Calcined Clays Used in Cementitious Binders: Origin to Service Life Considerations, *J. Mater. Chem. A*, 11, 17920–17937.
- Hayati, R., Kurniawan, R., Prasetyo, N., Sudiono, S., and Syoufian, A., 2022, Codoping Effect of Nitrogen (N) to Iron (Fe) Doped Zirconium Titanate (ZrTiO₄) Composite toward Its Visible Light Responsiveness as Photocatalysts, *Indones. J. Chem.*, 22, 692–702.
- Horti, N.C., Kamatagi, M.D., Nataraj, S.K., Wari, M.N., and Inamdar, S.R., 2020, Structural and Optical Properties of Zirconium Oxide (ZrO₂) Nanoparticles: Effect of Calcination Temperature, *Nano Express*, 1, 1.
- Ilkhechi, N.N. and Kaleji, B.K., 2014, High Temperature Stability and Photocatalytic Activity of Nanocrystalline Anatase Powders with Zr and Si Co-Dopants, *J. Sol-Gel Sci. Technol.*, 69, 351–356.
- Irfan, F., Tanveer, M.U., Moiz, M.A., Husain, S.W., and Ramzan, M., 2022, TiO₂ as an Effective Photocatalyst: Mechanisms, Applications, and Dopants: A Review, *Eur. Phys. J. B*, 95, 184.
- Isari, A.A., Hayati, F., Kakavandi, B., Rostami, M., Motevassel, M., and

- Dehghanifard, E., 2020, N, Cu-Codoped TiO₂@Functionalized SWCNT Photocatalyst Coupled with Ultrasound and Visible-Light: An Effective Sono-Photocatalysis Process for Pharmaceutical Wastewaters Treatment, *Chem. Eng. J.*, 392, 123685.
- Islam, S., Nagpure, S., Kim, D., and Rankin, S., 2017, Synthesis and Catalytic Applications of Non-Metal Doped Mesoporous Titania, *Inorganics*, 5, 15.
- Ismiati, N. and Darwis, D., 2021, The Effect of Sintering Temperature on the Mechanical Properties of Ceramic, *J. Phys. Conf. Ser.*, 1763, 012094.
- Khan, H. and Shah, M.U.H., 2023, Modification Strategies of TiO₂-Based Photocatalysts for Enhanced Visible Light Activity and Energy Storage Ability: A Review, *J. Environ. Chem. Eng.*, 11, 111532.
- Khezrianjoo, S. and Revanasiddappa, H., 2012, Langmuir-Hinshelwood Kinetic Expression for the Photocatalytic Degradation of Metanil Yellow Aqueous Solutions by ZnO Catalyst, *Chem. Sci.*, 2012.
- Kim, H.-T., Han, J.-S., Yang, J.-H., Lee, J.-B., and Kim, S.-H., 2009, The Effect of Low Temperature Aging on the Mechanical Property and Phase Stability of Y-TZP Ceramics, *J. Adv. Prosthodont.*, 1, 113–7.
- Kim, J.Y., Kim, C.S., Chang, H.K., and Kim, T.O., 2011, Synthesis and Characterization of N-Doped TiO₂/ZrO₂ Visible Light Photocatalysts, *Adv. Powder Technol.*, 22, 443–448.
- Kim, T.H., Rodríguez-González, V., Gyawali, G., Cho, S.H., Sekino, T., and Lee, S.W., 2013, Synthesis of Solar Light Responsive Fe, N Co-Doped TiO₂ Photocatalyst by Sonochemical Method *Catal. Today*, 212, 75–80.
- Koohestani, H. and Sadrnezhaad, S.K., 2016, Improvement in TiO₂ Photocatalytic Performance by ZrO₂ Nanocompositing and Immobilizing, *Desalin. Water Treat.*, 57, 28450–28459.
- Kumar, K.V., Porkodi, K., and Rocha, F., 2008, Langmuir–Hinshelwood Kinetics: A Theoretical Study, *Catal. Commun.*, 9, 82–84.
- Kumar, R., Singh, A.K., and Mondal, P.S., 2022, Study of UV-Assisted Photocatalytic Degradation of Organic Dye, *Mater. Today Proc.*, 66, 3244–3249.
- Kumari, N., Sareen, S., Verma, M., Sharma, S., Sharma, A., Sohal, H.S., Mehta, S.K., Park, J., and Mutreja, V., 2022, Zirconia-Based Nanomaterials: Recent Developments in Synthesis and Applications, *Nanoscale Adv.*, 4, 4210–4236.
- Kurniawan, R., Sudiono, S., Trisunaryanti, W., and Syoufian, A., 2019, Synthesis of Iron-Doped Zirconium Titanate as a Potential Visible-Light Responsive Photocatalyst, *Indones. J. Chem.*, 19, 454–460.
- Kusumawardani, L.J. and Iryani, A., 2021, Photocatalytic Degradation of Phenol Using TiO₂-Fe Under H₂O₂ Presence by Visible and Sunlight Irradiation, *J.*

Kim. Val., 7, 94–99.

- Lal, M., Sharma, P., and Ram, C., 2021, Calcination Temperature Effect on Titanium Oxide (TiO₂) Nanoparticles Synthesis, *Optik (Stuttg.)*, 241, 166934.
- Lee, J.S., You, K.H., and Park, C.B., 2012, Highly Photoactive, Low Bandgap TiO₂ Nanoparticles Wrapped by Graphene, *Adv. Mater.*, 24, 1084–1088.
- Li, K., Wang, H., Pan, C., Wei, J., Xiong, R., and Shi, J., 2012, Enhanced Photoactivity of Fe + N Codoped Anatase-Rutile TiO₂ Nanowire Film under Visible Light Irradiation, *Int. J. Photoenergy*, 2012, 1–8.
- Li, M., Zhang, S., Lv, L., Wang, M., Zhang, W., and Pan, B., 2013, A Thermally Stable Mesoporous ZrO₂–CeO₂–TiO₂ Visible Light Photocatalyst, *Chem. Eng. J.*, 229, 118–125.
- Liu, H., 2022, Improved Visible Light Photocatalytic Activity of Fe, N Co-doped TiO₂ for Degradation of o-Chlorophenol in Water, *Int. J. Electrochem. Sci.*, 17, 220322.
- Mahtabian, S., Yahay, Z., Mirhadi, S.M., and Tavangarian, F., 2020, Synthesis and Characterization of Hierarchical Mesoporous-Macroporous TiO₂-ZrO₂ Nanocomposite Scaffolds for Cancellous Bone Tissue Engineering Applications, *J. Nanomater.*, 2020, 1–13.
- Makula, P., Pacia, M., and Macyk, W., 2018, How To Correctly Determine the Band Gap Energy of Modified Semiconductor Photocatalysts Based on UV-Vis Spectra, *J. Phys. Chem. Lett.*, 9, 6814–6817.
- Malika, M. and Sonawane, S.S., 2022, The Sono-photocatalytic Performance of a Fe₂O₃ Coated TiO₂ Based Hybrid Nanofluid Under Visible Light via RSM, *Colloids Surfaces A Physicochem. Eng. Asp.*, 641, 128545.
- Mandor, H., Amin, N.K., Abdelwahab, O., and El-Ashtoukhy, E.S.Z., 2022, Preparation and Characterization of N-Doped ZnO and N-Doped TiO₂ Beads for Photocatalytic Degradation of Phenol and Ammonia, *Environ. Sci. Pollut. Res.*, 29, 56845–56862.
- Martha, S., Chandra Sahoo, P., and Parida, K.M., 2015, An Overview on Visible Light Responsive Metal Oxide Based Photocatalysts for Hydrogen Energy Production, *RSC Adv.*, 5, 61535–61553.
- Mazhari, B.B.Z. and Agsar, D., 2016, Detection of Phenols from Industrial Effluents Using Streptomyces Mediated Gold Nanoparticles, *Indian J. Mater. Sci.*, 2016, 1–5.
- Medina, -R.I., Liu, J.L., Hernández, -R.A., Romo, -B.C., Pedroza, -H.G., Jáuregui, -R.J., and Gracia, -P.M.A., 2014, Synthesis, Characterization, Photocatalytic Evaluation, and Toxicity Studies of TiO₂-Fe³⁺ Nanocatalyst, *J. Mater. Sci.*, 49, 5309–5323.
- Monteros, A.E. de los, Lafaye, G., Cervantes, A., Del Angel, G., Barbier Jr., J., and

- Torres, G., 2015, Catalytic Wet Air Oxidation of Phenol over Metal Catalysts (Ru, Pt) Supported on TiO₂-CeO₂ Oxides, *Catal. Today*, 258, 564–569.
- Moongraksathum, B., Shang, J.-Y., and Chen, Y.-W., 2018, Photocatalytic Antibacterial Effectiveness of Cu-Doped TiO₂ Thin Film Prepared via the Peroxo Sol-Gel Method, *Catalysts*, 8, 352.
- Mukherjee, R. and De, S., 2014, Adsorptive Removal of Phenolic Compounds Using Cellulose Acetate Phthalate–Alumina Nanoparticle Mixed Matrix Membrane, *J. Hazard. Mater.*, 265, 8–19.
- Muslim, M.I., Kurniawan, R., Pradipta, M.F., Trisunaryanti, W., and Syoufian, A., 2021, The Effects of Manganese Dopant Content and Calcination Temperature on Properties of Titania-Zirconia Composite, *Indones. J. Chem.*, 21, 882.
- Mustapha, S., Ndamitso, M.M., Abdulkareem, A.S., Tijani, J.O., Shuaib, D.T., Ajala, A.O., and Mohammed, A.K., 2020, Application of TiO₂ and ZnO Nanoparticles Immobilized on Clay in Wastewater Treatment: A Review, *Appl. Water Sci.*, 10, 49.
- Oanh, L.M., Do, D.B., Hung, N.M., Thang, D.V., Phuong, D.T., Ha, D.T., and Van Minh, N., 2016, Formation of Crystal Structure of Zirconium Titanate ZrTiO₄ Powders Prepared by Sol–Gel Method, *J. Electron. Mater.*, 45, 2553–2558.
- Othman, S.H., Abdul Rashid, S., Mohd Ghazi, T.I., and Abdullah, N., 2011, Fe-Doped TiO₂ Nanoparticles Produced via MOCVD: Synthesis, Characterization, and Photocatalytic Activity, *J. Nanomater.*, 2011, 1–8.
- Panigrahy, N., Priyadarshini, A., Sahoo, M.M., Verma, A.K., Daverey, A., and Sahoo, N.K., 2022, A Comprehensive Review on Eco-Toxicity and Biodegradation of Phenolics: Recent Progress and Future Outlook, *Environ. Technol. Innov.*, 27, 102423.
- Panwar, S., Upadhyay, G.K., and Purohit, L.P., 2022, Gd-Doped ZnO:TiO₂ Heterogeneous Nanocomposites for Advanced Oxidation Processes, *Mater. Res. Bull.*, 145, 111534.
- Park, J.-Y. and Lee, I.-H., 2012, Influence of Calcination Temperature on Phase Transformation and Grain Size of Electrospun Zirconium Oxide Fibers, *J. Ceram. Soc. Japan*, 120, 229–232.
- Pawar, M., Topcu Sengođular, S., and Gouma, P., 2018, A Brief Overview of TiO₂ Photocatalyst for Organic Dye Remediation: Case Study of Reaction Mechanisms Involved in Ce-TiO₂ Photocatalysts System, *J. Nanomater.*, 2018, 1–13.
- Ramos, R.L., Moreira, V.R., and Amaral, M.C.S., 2024, Phenolic Compounds in Water: Review of Occurrence, Risk, and Retention by Membrane Technology, *J. Environ. Manage.*, 351, 119772.
- Realpe, J.A., Nuñez, D., Rojas, N., Ramirez, Y., and Acevedo, M., 2021, Effect of

Fe–N Codoping on the Optical Properties of TiO₂ for Use in Photoelectrolysis of Water, *ACS Omega*, 6, 4932–4938.

Rokh, G.B., 2019, Fabrication of Photocatalytic Ce- and Fe-Doped and Codoped TiO₂ Thin Films, *Thesis*, University of New South Wales, Sydney.

Roškarič, M., Žerjav, G., Finšgar, M., Zavašnik, J., and Pintar, A., 2023, Influence of the Calcination Duration of g-C₃N₄/TiO₂ "Veggie-Toast-Like" Photocatalyst on the Visible-Light Triggered Photocatalytic Oxidation of Bisphenol A, *J. Alloys Compd.*, 947, 169585.

Said, K.A.M., Ismail, A.F., Abdul Karim, Z., Abdullah, M.S., and Hafeez, A., 2021, A Review of Technologies for Phenolic Compounds Recovery and Phenol Removal from Wastewater, *Process Saf. Environ. Prot.*, 151, 257–289.

Shinde, S.G., Patil, M.P., Kim, G.-D., and Shrivastava, V.S., 2020, Ni, C, N, S Multi-Doped ZrO₂ Decorated on Multi-Walled Carbon Nanotubes for Effective Solar Induced Degradation of Anionic Dye, *J. Environ. Chem. Eng.*, 8, 103769.

Siddiqui, H., 2020, *Ion Beam Techniques and Applications*. InTech, London.

Simonenko, E.P., Simonenko, N.P., Kopitsa, G.P., Mokrushin, A.S., Khamova, T. V., Sizova, S. V., Khaddazh, M., Tsvigun, N. V., Pipich, V., Gorshkova, Y.E., Sevastyanov, V.G., and Kuznetsov, N.T., 2019, A Sol-Gel Synthesis and Gas-Sensing Properties of Finely Dispersed ZrTiO₄, *Mater. Chem. Phys.*, 225, 347–357.

Singh, H., Sunaina, Yadav, K.K., Bajpai, V.K., and Jha, M., 2020, Tuning the Bandgap of m-ZrO₂ by Incorporation of Copper Nanoparticles into Visible Region for the Treatment of Organic Pollutants, *Mater. Res. Bull.*, 123, 110698.

Sinhmar, A., Setia, H., Kumar, V., Sobti, A., and Toor, A.P., 2020, Enhanced Photocatalytic Activity of Nickel and Nitrogen Codoped TiO₂ under Sunlight, *Environ. Technol. Innov.*, 18, 100658.

Siwińska-Ciesieleczyk, K., Świgoń, D., Rychtowski, P., Moszyński, D., Zgoła-Grześkowiak, A., and Jesionowski, T., 2020, The Performance of Multicomponent Oxide Systems Based on TiO₂, ZrO₂, and SiO₂ in the Photocatalytic Degradation of Rhodamine B: Mechanism and Kinetic Studies, *Colloids Surfaces A Physicochem. Eng. Asp.*, 586, 124272.

Solano Pizarro, R.A. and Herrera Barros, A.P., 2020, Cypermethrin Elimination Using Fe-TiO₂ Nanoparticles Supported on Coconut Palm Spathe in a Solar Flat Plate Photoreactor, *Adv. Compos. Lett.*, 29.

Sood, S., Umar, A., Mehta, S.K., and Kansal, S.K., 2015, Highly Effective Fe-Doped TiO₂ Nanoparticles Photocatalysts for Visible-Light Driven Photocatalytic Degradation of Toxic Organic Compounds, *J. Colloid Interface Sci.*, 450, 213–223.

- Southon, P., 2000, Structural Evolution during the Preparation and Heating of Nanophase Zirconia Gels, *Thesis*, University of Technology Sydney, Sydney.
- Stefanic, G. and Musić, S., 2002, Factors Influencing the Stability of Low Temperature Tetragonal ZrO₂, *Croat. Chem. Acta*, 75, 727–767.
- Sun, C., Liu, L., Qi, L., Li, H., Zhang, H., Li, C., Gao, F., and Dong, L., 2011, Efficient Fabrication of ZrO₂-Doped TiO₂ Hollow Nanospheres with Enhanced Photocatalytic Activity of Rhodamine B Degradation,, *J. Colloid Interface Sci.*, 364, 288–297.
- Thind, S.S., Wu, G., and Chen, A., 2012, Synthesis of Mesoporous Nitrogen–Tungsten Co-Doped TiO₂ Photocatalysts with High Visible Light Activity, *Appl. Catal. B Environ.*, 111–112, 38–45.
- Tran, H.D., Nguyen, D.Q., Do, P.T., and Tran, U.N.P., 2023, Kinetics of Photocatalytic Degradation of Organic Compounds: A Mini-Review and New Approach, *RSC Adv.*, 13, 16915–16925.
- Tryba, B., 2008, Increase of the Photocatalytic Activity of by Carbon and Iron Modifications, *Int. J. Photoenergy*, 2008, 1–15.
- Venkatesan, A., Al-onazi, W.A., Elshikh, M.S., Pham, T.H., Suganya, S., Boobas, S., and Priyadharsan, A., 2022, Study of Synergistic Effect of Cobalt and Carbon Codoped with TiO₂ Photocatalyst for Visible Light Induced Degradation of Phenol, *Chemosphere*, 305, 135333.
- Viet, N.M., Mai Huong, N.T., and Thu Hoai, P.T., 2023, Enhanced Photocatalytic Decomposition of Phenol in Wastewater by Using La–TiO₂ Nanocomposite, *Chemosphere*, 313, 137605.
- Villegas, L.G.C., Mashhadi, N., Chen, M., Mukherjee, D., Taylor, K.E., and Biswas, N., 2016, A Short Review of Techniques for Phenol Removal from Wastewater, *Curr. Pollut. Reports*, 2, 157–167.
- Xu, D.-Y. and Yang, Z., 2013, Cross-Linked Tyrosinase Aggregates for Elimination of Phenolic Compounds from Wastewater, *Chemosphere*, 92, 391–398.
- Yaacob, N., Ismail, A.F., Sean, G.P., and Nazri, N.A.M., 2019, Structural and Photocatalytic Properties of Co-Doped Hybrid ZrO₂–TiO₂ Photocatalysts, *SN Appl. Sci.*, 1, 252.
- Yang, D., Li, Y., Wang, Y., and Jiang, Z., 2014, Bioinspired Synthesis of Mesoporous ZrO₂ Nanomaterials with Elevated Defluoridation Performance in Agarose Gels, *RSC Adv.*, 4, 49811–49818.
- Yang, S.S., Ren, B.H., Chen, S.Y., Liu, S.N., Zhang, Y.C., and Sun, Y., 2023, Influence of Calcination Temperature of TiO₂ Nanowires via Hydrothermal Method for Photocatalytic Degradation, *Dig. J. Nanomater. Biostructures*, 18, 47–54.

- Zare, M.H. and Mehrabani-Zeinabad, A., 2022, Photocatalytic Activity of ZrO₂/TiO₂/Fe₃O₄ Ternary Nanocomposite for the Degradation of Naproxen: Characterization and Optimization Using Response Surface Methodology, *Sci. Rep.*, 12, 10388.
- Zhang, D. and Zeng, F., 2010, Structural, Photochemical, and Photocatalytic Properties of Zirconium Oxide Doped TiO₂ Nanocrystallites, *Appl. Surf. Sci.*, 257, 867–871.
- Zhang, Yang, Zhang, Yali, Huang, Y., Jia, Y., Chen, L., Pan, Y., and Wang, M., 2021, Adsorptive-Photocatalytic Performance and Mechanism of Me (Mn,Fe)-N Co-Doped TiO₂/SiO₂ in Cyanide Wastewater, *J. Alloys Compd.*, 867, 159020.
- Zhang, Z.-G., Liu, H., Wang, X.-X., Zhang, J., Yu, M., Ramakrishna, S., and Long, Y.-Z., 2019, One-Step Low Temperature Hydrothermal Synthesis of Flexible TiO₂/PVDF@MoS₂ Core-Shell Heterostructured Fibers for Visible-Light-Driven Photocatalysis and Self-Cleaning, *Nanomaterials*, 9, 431.
- Zulfiqar, M., Samsudin, M.F.R., and Sufian, S., 2019, Modelling and Optimization of Photocatalytic Degradation of Phenol via TiO₂ Nanoparticles: An Insight into Response Surface Methodology and Artificial Neural Network, *J. Photochem. Photobiol. A Chem.*, 384, 112039.