

DAFTAR PUSTAKA

- Abu-Taweel, G.M., Attia, M.F., Hussein, J., Mekawi, E.M., Galal, H.M., Ahmed, E.I., Allam, A.A., and El-Naggar, M.E., 2020, Curcumin Nanoparticles have Potential Antioxidant Effect and Restore Tetrahydrobiopterin Levels in Experimental Diabetes, *Biomed. Pharmacother.*, 131, 110688.
- Agarwal, P. and Gupta, R., 2016, Alpha-amylase Inhibition can Treat Diabetes Mellitus, *Res. Rev. J. Med. Heal. Sci.*, 5, 1–8.
- Amalraj, A., Pius, A., Gopi, Sreerag, and Gopi, Sreeraj, 2017, Biological Activities of Curcuminoids, other Biomolecules from Turmeric and their Derivatives – A Review, *J. Tradit. Complement. Med.*, 7, 205–233.
- Bhawana, Basniwal, R.K., Buttar, H.S., Jain, V.K., and Jain, N., 2011, Curcumin Nanoparticles: Preparation, Characterization, and Antimicrobial Study, *J. Agric. Food Chem.*, 59, 2056–2061.
- Biswas, A.K., Islam, M.R., Choudhury, Z.S., Mostafa, A., and Kadir, M.F., 2014, Nanotechnology Based Approaches in Cancer Therapeutics, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 5, 1–11.
- Bozonnet, S., Jensen, M.T., Nielsen, M.M., Aghajari, N., Jensen, M.H., Kramhøft, B., Willemoës, M., Tranier, S., Haser, R., and Svensson, B., 2007, The “Pair of Sugar Tongs” Site on the Non-Catalytic Domain C of Barley α -Amylase Participates in Substrate Binding and Activity, *FEBS J.*, 274, 5055–5067.
- Das, K.K., Razzaghi-Asl, N., Tikare, S.N., Di Santo, R., Costi, R., Messori, A., Pescatori, L., Crucitti, G.C., Jargar, J.G., Dhundasi, S.A., and Saso, L., 2016a, Hypoglycemic activity of curcumin synthetic analogues in alloxan-induced diabetic rats, *J. Enzyme Inhib. Med. Chem.*, 31, 99–105.
- Das, K.K., Razzaghi-Asl, N., Tikare, S.N., Di Santo, R., Costi, R., Messori, A., Pescatori, L., Crucitti, G.C., Jargar, J.G., Dhundasi, S.A., and Saso, L., 2016b, Hypoglycemic Activity of Curcumin Synthetic Analogues in Alloxan-induced Diabetic Rats, *J. Enzyme Inhib. Med. Chem.*, 31, 99–105.
- Du, Z.Y., Liu, R.R., Shao, W.Y., Mao, X.P., Ma, L., Gu, L.Q., Huang, Z.S., and Chan, A.S.C., 2006, α -Glucosidase Inhibition of natural Curcuminoids and Curcumin Analogs, *Eur. J. Med. Chem.*, 41, 213–218.
- El-Naggar, M.E., Al-Joufi, F., Anwar, M., Attia, M.F., and El-Bana, M.A., 2019, Curcumin-loaded PLA-PEG Copolymer Nanoparticles for Treatment of Liver Inflammation in Streptozotocin-Induced Diabetic Rats, *Colloids Surfaces B Biointerfaces*, 177, 389–398.
- Elberry, A.A., Harraz, F.M., Ghareib, S.A., Gabr, S.A., Nagy, A.A., and Abdel-Sattar, E., 2015, Methanolic Extract of Marrubium Vulgare Ameliorates

- Hyperglycemia and Dyslipidemia in Streptozotocin-Induced Diabetic Rats, *Int. J. Diabetes Mellit.*, 3, 37–44.
- Fasano, A., 1998, Innovative Strategies for the Oral Delivery of Drugs and Peptides, *Trends Biotechnol.*, 16, 152–157.
- Fomina, M. V., Vatsadze, S.Z., Freidzon, A.Y., Kuz'mina, L.G., Moiseeva, A.A., Starostin, R.O., Nuriev, V.N., and Gromov, S.P., 2022, Structure-Property Relationships of Dibenzylidenecyclohexanones, *ACS Omega*, 7, 10087–10099.
- Francis, A.P., Murthy, P.B., and Devasena, T., 2014, Bis-demethoxy Curcumin Analog Nanoparticles: Synthesis, Characterization, and Anticancer Activity In Vitro, *J. Nanosci. Nanotechnol.*, 14, 4865–4873.
- Ganugula, R., Nuthalapati, N.K., Dwivedi, S., Zou, D., Arora, M., Friend, R., Sheikh-Hamad, D., Basu, R., and Kumar, M.N.V.R., 2023, Nanocurcumin Combined with Insulin Alleviates Diabetic Kidney Disease Through P38/P53 Signaling Axis, *J. Control. Release*, 353, 621–633.
- Gao, L., Liu, G., Wang, X., Liu, F., Xu, Y., and Ma, J., 2011, Preparation of a Chemically Stable Quercetin Formulation using Nanosuspension Technology, *Int. J. Pharm.*, 404, 231–237.
- Gayathri N, G.M. and S.T., 2019, International Journal of Advances in Pharmaceutics Inclusion of Hydrophilic-Lipophilic Balance (HLB) in the treatment of Psoriasis-A new approach QR Code, *Int. J. Adv. Pharm.*, 5, 2320–4923.
- Goel, A., Kunnumakkara, A.B., and Aggarwal, B.B., 2008, Curcumin as “Curecumin”: From Kitchen to Clinic, *Biochem. Pharmacol.*, 75, 787–809.
- Harahap, F., 2012, Fisiologi Tumbuhan: Suatu Pengantar, Inimed Press, Medan.
- Hawaiz, F. and Shekh Omer, D., 2017, Ultrasound-assisted Synthesis of Some New Curcumin Analogs and Their Corresponding Pyrazoline Derivatives, *ARO-The Sci. J. Koya Univ.*, 5, 30–35.
- Hawaiz, F.E. and Samad, M.K., 2012, Synthesis and Spectroscopic Characterization of Some New Biological Active Azo-Pyrazoline Derivatives, *E-Journal Chem.*, 9, 1613–1622.
- Inayah, S.K., Pranowo, H.D., Wahyuningsih, T.D., and Anwar, C., 2019, Ultrasound-Assisted Synthesis of Some Curcumin Analogs and Their Synergistic Effect with Ferulic Acid on α -Amylase Inhibition, *Mater. Sci. Forum*, 948 MSF, 120–126.
- Jamwal, R., 2018, Bioavailable Curcumin Formulations: A Review of Pharmacokinetic Studies in Healthy Volunteers, *J. Integr. Med.*, 16, 367–374.
- Junyaprasert, V.B. and Morakul, B., 2015, Nanocrystals for Enhancement of Oral Bioavailability of Poorly Water-Soluble Drugs, *Asian J. Pharm. Sci.*, 10, 13–

23.

- Kálai, T., Kuppusamy, M.L., Balog, M., Selvendiran, K., Rivera, B.K., Kuppusamy, P., and Hideg, K., 2011, Synthesis of N-substituted 3,5-bis(arylidene)-4-Piperidones with High Antitumor and Antioxidant Activity, *J. Med. Chem.*, 54, 5414–5421.
- Kanwal, Q., Ahmed, M., Hamza, M., Ahmad, M., Atiq-Ur-Rehman, N., Yousaf, N., Javaid, A., Anwar, A., Khan, I.H., and Muddassar, M., 2023, Curcumin Nanoparticles: Physicochemical Fabrication, Characterization, Antioxidant, Enzyme Inhibition, Molecular Docking and Simulation Studies, *RSC Adv.*, 13, 22268–22280.
- Karakucuk, A., Teksin, Z.S., Eroglu, H., and Celebi, N., 2019, Evaluation of Improved Oral Bioavailability of Ritonavir Nanosuspension, *Eur. J. Pharm. Sci.*, 131, 153–158.
- Kesuma, D., Siswandono, S., Purwanto, B.T., and Hardjono, S., 2018, Uji In Silico Aktivitas Sitotoksik dan Toksisitas Senyawa Turunan N-(Benzoil)-N'-feniltiourea Sebagai Calon Obat Antikanker, *JPSCR J. Pharm. Sci. Clin. Res.*, 3, 1.
- Khan, K.U., Minhas, M.U., Badshah, S.F., Suhail, M., Ahmad, A., and Ijaz, S., 2022, Overview of Nanoparticulate Strategies for Solubility Enhancement of Poorly Soluble Drugs, *Life Sci.*, 291, 120301.
- Kibbe, A.H., 2000, Pharmaceutical Expipients. Third Edition (Electronic version),.
- Kumar, A. and Dixit, C.K., 2017, Methods for Characterization of Nanoparticles, *Adv. Nanomedicine Deliv. Ther. Nucleic Acids*, 44–58.
- Kumar, R., 2019, Journal of Drug Delivery Science and Technology Nanotechnology based approaches to Enhance Aqueous Solubility and Bioavailability of Griseofulvin : A literature Survey, *J. Drug Deliv. Sci. Technol.*, 53, 101221.
- Kundu, P., Debnath, S.L., Ahad, M.F., Devnath, H.S., Saha, L., Karmakar, U.K., and Sadhu, S.K., 2023, Exploration of in Vivo and in Vitro Biological Effects of Sonneratia Caseolaris (L.) Fruits Supported by Molecular Docking and ADMET Study, *Biomed Res. Int.*, 2023, 1–10.
- Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., Xiao, J., Zhao, Y., Li, X., and Yang, S., 2009, Exploration and Synthesis of Curcumin Analogues with Improved Structural Stability both In Vitro and In Vivo as Cytotoxic Agents, *Bioorganic Med. Chem.*, 17, 2623–2631.
- Lin, H., Hu, G.X., Guo, J., Ge, Y., Liang, G., Lian, Q.Q., Chu, Y., Yuan, X., Huang, P., and Ge, R.S., 2013, Mono-carbonyl Curcumin Analogues as 11 β -Hydroxysteroid Dehydrogenase 1 Inhibitors, *Bioorganic Med. Chem. Lett.*, 23, 4362–4366.

- Linton, J.D., Klassen, R., Jayaraman, V., Walker, H., Brammer, S., Ruparathna, R., Hewage, K., Thomson, J., Jackson, T., Baloi, D., Cooper, D.R., Hoejmose, S.U., Adrien-Kirby, A.J., Sierra, L.A., Pellicer, E., Yepes, V., Giunipero, L.C., Hooker, R.E., Denslow, D., et al., 2020, Sintesis Analog Kurkumin berbahan Darar Benziloksibenzaldehida dan Aktivitasnya sebagai inhibitor terhadap α -amilase, *Sustain.*, 14, 1-10.
- Lipinski, C., 2002, Poor Aqueous Solubility - An Industry Wide Problem in Drug Discovery, *Am. Pharm. Rev.*, 5, 82–85.
- Liu, D., Xu, H., Tian, B., Yuan, K., Pan, H., Ma, S., Yang, X., and Pan, W., 2012, Fabrication of Carvedilol Nanosuspensions through the Anti-solvent Precipitation-Ultrasonication Method for the Improvement of Dissolution Rate and Oral Bioavailability, *AAPS PharmSciTech*, 13, 295–304.
- Martínez, R.F., Cravotto, G., and Cintas, P., 2021, Organic Sonochemistry: A Chemist's Timely Perspective on Mechanisms and Reactivity, *J. Org. Chem.*, 86, 13833–13856.
- McMurry, J., 2008, Organic Chemistry, 7th Editio. Graphic World Inc, Canada.
- Merisko-Liversidge, E., Liversidge, G.G., and Cooper, E.R., 2003, Nanosizing: A formulation Approach for Poorly-Water-Soluble Compounds, *Eur. J. Pharm. Sci.*, 18, 113–120.
- Mirchandani, Y., Patravale, V.B., and Brijesh, S., 2021, Solid Lipid Nanoparticles for Hydrophilic Drugs, *J. Control. Release*, 335, 457–464.
- Neary, S.L. and Ottmann, A., 2020, Diagnostic Approach to Differentiating Diabetes Types, *Physician Assist. Clin.*, 5, 109–120.
- Netter, Robert, C; Dann, Dorfman, H.& skillman, 2012, Curcumin Analogs and Methode of use Thereof, *Int. Appl. Publ. under Pat. Coop. treaty*, 21, 1–16.
- Nsairat, H., Khater, D., Sayed, U., Odeh, F., Al Bawab, A., and Alshaer, W., 2022, Liposomes: Structure, Composition, Types, and Clinical Applications, *Heliyon*, 8, 1-12.
- Patel, J.K., Patel, D.J., and Pandya, V.M., 1970, An Overview: Nanoparticles, *Int. J. Pharm. Sci. Nanotechnol.*, 1, 215–220.
- Patravale, V.B., Date, A.A., and Kulkarni, R.M., 2010, Nanosuspensions: a Promising Drug Delivery Strategy, *J. Pharm. Pharmacol.*, 56, 827–840.
- Pires, P.C., Paiva-Santos, A.C., and Veiga, F., 2022, Nano and Microemulsions for the Treatment of Depressive and Anxiety Disorders: An Efficient Approach to Improve Solubility, Brain Bioavailability and Therapeutic Efficacy, *Pharmaceutics*, 14, 1–6.
- Poznyak, A., Grechko, A. V., Poggio, P., Myasoedova, V.A., Alfieri, V., and Orekhov, A.N., 2020, The Diabetes Mellitus–Atherosclerosis Connection: The Role of Lipid and Glucose Metabolism and Chronic Inflammation, *Int. J. Mol.*

Sci., 21, 1–13.

- Pratama, P.R., Isman, F., and Fadlan, A., 2022, Penyelidikan Aktivitas Antikanker Payudara oleh Minyak Atsiri Bunga Michelia Alba Secara In Silico, *al-Kimiya*, 9, 1–9.
- Pratley, R.E., 2013, The Early Treatment of Type 2 Diabetes, *Am. J. Med.*, 126, S2–S9.
- Robinson, T.P., Ehlers, T., Hubbard IV, R.B., Bai, X., Arbiser, J.L., Goldsmith, D.J., and Bowen, J.P., 2003, Design, Synthesis, and Biological Evaluation of Angiogenesis Inhibitors: Aromatic Enone and Dienone Analogues of Curcumin, *Bioorganic Med. Chem. Lett.*, 13, 115–117.
- de Sales, P.M., de Souza, P.M., Simeoni, L.A., Magalhães, P. de O., and Silveira, D., 2012, α -amylase Inhibitors: A review of Raw Material and Isolated Compounds from Plant Source, *J. Pharm. Pharm. Sci.*, 15, 141–183.
- Sastrhamidjojo, 2005, Kimia Organik: Stereokimia, karbohidrat, lemak, Protein, Gadjah Mada University Press, Yogyakarta.
- Schneider, C.A., 2003, Acarbose Treatment and the Risk of Cardiovascular Disease and Hypertension in Patients with Impaired Glucose Tolerance, *Diabetes und Stoffwechsel*, 12, 266–268.
- Setiawan, H. and Irawan, M.I., 2017, Kajian Pendekatan Penempatan Ligan Pada Protein Menggunakan Algoritma Genetika, *J. Sains dan Seni ITS*, 6, 2–6.
- Siboro, P., 1998, Diabetes: Terapi dan pencegahannya, indonesia Publisher Hous7, Bandung.
- Siviero, A., Gallo, E., Maggini, V., Gori, L., Mugelli, A., Firenzuoli, F., and Vannacci, A., 2015, Curcumin, a Golden Spice with a Low Bioavailability, *J. Herb. Med.*, 5, 57–70.
- Sri Ramya, P. V., Guntuku, L., Angapelly, S., Karri, S., Digwal, C.S., Babu, B.N., Naidu, V.G.M., and Kamal, A., 2018, Curcumin Inspired 2-Chloro/Phenoxy Quinoline Analogues: Synthesis and Biological Evaluation as Potential Anticancer Agents, *Bioorganic Med. Chem. Lett.*, 28, 892–898.
- Teixeira-Lemos, E., Nunes, S., Teixeira, F., and Reis, F., 2011, Regular Physical Exercise Training Assists in Preventing Type 2 Diabetes Development: Focus on its Antioxidant and Anti-Inflammatory Properties, *Cardiovasc. Diabetol.*, 10, 1–15.
- Wang, J., Ma, W., and Tu, P., 2015, The mechanism of Self-Assembled Mixed Micelles in Improving Curcumin Oral Absorption: In Vitro and In Vivo, *Colloids Surfaces B Biointerfaces*, 133, 108–119.
- Wulandari, R.P., Gabriel, K.N., Pakhrul, D.F.H., Harits, S.S., Prameswari, N., Pribadi, A.P.A., and Diah, L.A., 2023, In Silico Study of Secondary Metabolite Compounds in Parsley (*Petroselinum crispum*) as a Drug Therapy for Blood

- Cancer (Myeloproliferative Neoplasm (MPN)) targeting JAK-2, *Indones. J. Chem. Sci.*, 12, 212–224.
- Xiao, Z., Storms, R., and Tsang, A., 2006, A Quantitative Starch-Iodine Method for Measuring Alpha-Amylase and Glucoamylase Activities, *Anal. Biochem.*, 351, 146–148.
- Yilmazer-Musa, M., Griffith, A.M., Michels, A.J., Schneider, E., and Frei, B., 2012, Grape Seed and Tea Extracts and Catechin 3-Gallates are Potent Inhibitors of α -amylase and α -glucosidase Activity, *J. Agric. Food Chem.*, 60, 8924–8929.
- Yousefi, A., Yousefi, R., Panahi, F., Sarikhani, S., Zolghadr, A.R., Bahaoddini, A., and Khalafi-Nezhad, A., 2015, Novel Curcumin-Based Pyrano[2,3-d]pyrimidine Antioxidant Inhibitors for α -amylase and α -glucosidase: Implications for their Pleiotropic Effects Against Diabetes Complications, *Int. J. Biol. Macromol.*, 78, 46–55.
- Yuan, X., Li, H., Bai, H., Su, Z., Xiang, Q., Wang, C., Zhao, B., Zhang, Y., Zhang, Q., Chu, Y., and Huang, Y., 2014, Synthesis of novel curcumin analogues for inhibition of 11β -hydroxysteroid dehydrogenase type 1 with anti-diabetic properties, *Eur. J. Med. Chem.*, 77, 223–230.
- Zhang, J., Xie, Z., Zhang, N., and Zhong, J., 2017, Nanosuspension Drug Delivery System: Preparation, Characterization, Postproduction Processing, Dosage Form, and Application, Elsevier Inc.
- Zhao, C., Yang, J., Wang, Y., Liang, D., Yang, X., Li, Xiaoxia, Wu, J., Wu, X., Yang, S., Li, Xiaokun, and Liang, G., 2010, Synthesis of Mono-Carbonyl Analogues of Curcumin and their Effects on Inhibition of Cytokine Release in LPS-Stimulated RAW 264.7 Macrophages, *Bioorganic Med. Chem.*, 18, 2388–2393.