

DAFTAR PUSTAKA

- Acosta, C.A., Pasquali, C.E.L., Paniagua, G., Garcinuño, R.M., and Hernando, P.F., 2018, Evaluation of Total Phenol Pollution in Water of San Martin Canal from Santiago del Estero, Argentina, *Environmental Pollution*, 236, 265–272.
- Ahmed, W. and Iqbal, J., 2021, Effect of Ni Doping on Structural, Optical and Magnetic Characteristics of ZrO₂ Nanoparticles with Efficient Visible Light Driven Photocatalytic Activity, *Ceram. Int.*, 47, 24895–24905.
- Aini Dahalan, F., Abd Gami, A., Yunus Shukor, M., Abdul Khalil, K., Khalid, A., and Aqlima Ahmad, S., 2014, Phenol and its Toxicity, *J. Environ. Microbiol. Toxicol.*, 2, 11–24.
- Alifi, A., Kurniawan, R., and Syoufian, A., 2020, Zinc-Doped Titania Embedded on the Surface of Zirconia: A Potential Visible-Responsive Photocatalyst Material, *Indones. J. Chem.*, 20, 1374–1381.
- Alshabib, M. and Onaizi, S.A., 2019, A Review on Phenolic Wastewater Remediation using Homogeneous and Heterogeneous Enzymatic Processes: Current Status and Potential Challenges, *Sep. Purif. Technol.*, 219, 186–207.
- Anku, W.W., Mamo, M.A., Goven and Govender, P.P., 2017, *Phenolic Compounds in Water: Sources, Reactivity, Toxicity and Treatment Methods*, In Tech.
- Ansari, M.O., Kumar, R., Pervez Ansari, S., Abdel-Wahab Hassan, M.S., Alshahrie, A., and Barakat, M.A.E.F., 2019, *Nanocarbon Aerogel Composites*, Woodhead Publishing.
- Asahi, R., Morikawa, T., Irie, H., and Ohwaki, T., 2014, Nitrogen-Doped Titanium Dioxide as Visible-Light-Sensitive Photocatalyst: Designs, Developments, and Prospects, *Chem. Rev.*, 114, 9824–9852.
- Badli, N.A., Ali, R., Wan Abu Bakar, W.A., and Yuliati, L., 2017, Role of Heterojunction ZrTiO₄/ZrTi₂O₆/TiO₂ Photocatalyst Towards the Degradation of Paraquat Dichloride and Optimization Study by Box–Behnken design, *Arab. J. Chem.*, 10, 935–943.
- Basaleh, A., Ismail, A.A., and Mohamed, R.M., 2022, Novel Visible Light Heterojunction CdS/Gd₂O₃ Nanocomposites Photocatalysts for Cr(VI) Photoreduction, *J. Alloys. Compd.*, 927 .

- Bashirom, N., Tan, W.K., Kawamura, G., Matsuda, A., and Lockman, Z., 2022, Formation of Self-Organized ZrO₂–TiO₂ and ZrTiO₄–TiO₂ Nanotube Arrays by Anodization of Ti–40Zr Foil for Cr(VI) Removal, *J. Mater. Res. Technol.*, 19, 2991–3003.
- Belekbir, S., El Azzouzi, M., El Hamidi, A., Rodríguez-Lorenzo, L., Santaballa, J.A., and Canle, M., 2020, Improved Photocatalyzed Degradation of Phenol, as a Model Pollutant, over Metal-Impregnated Nanosized TiO₂, *Nanomaterials*, 10, 996.
- Bibi, A., Bibi, S., Abu-Dieyeh, M., and Al-Ghouti, M.A., 2023, Towards Sustainable Physiochemical and Biological Techniques for the Remediation of Phenol from Wastewater: A Review on Current Applications and Removal Mechanisms, *J. Clean. Prod.*, 417, 137810.
- Boudet, A.M., 2007, Evolution and Current Status of Research in Phenolic Compounds, *Phytochemistry*, 68, 2722–2735.
- Brinker, C. and Schere, G., 2013, *Sol-Gel Science: The Physics and Chemistry of Sol–Gel Processing*, New York: Academic Press.
- Bugaeva, A.Y., Nazarova, L.Y., Belyi, V.A., and Ryabkov, Y.I., 2022, Phase Transformations of Zirconium Dioxide and Crystal Growth During Heat Treatment of the ZrO₂(CeO₂,Y₂O₃)–La_{0.85}Y_{0.15}Al₁₁O₁₈–Al₂O₃ System, *Russ. J. Gen. Chem.*, 92, 1488–1497.
- Chan, C.K., Porter, J.F., Li, Y.G., Guo, W., and Chan, C.M., 1999, Effects of Calcination on the Microstructures and Photocatalytic Properties of Nanosized Titanium Dioxide Powders Prepared by Vapor Hydrolysis, *Journal of the American Ceramic Society*, 82, 566–572.
- Chauhan, R., Kumar, A., and Chaudhary, R.P., 2012, Structural and Optical Characterization of Zn Doped TiO₂ Nanoparticles Prepared by sol-gel method, *J. Solgel. Sci. Technol.*, 61, 585–591.
- Chen, Q., Chang, Y., Shao, C., Zhang, J., Chen, J., Wang, M., and Long, Y., 2014, Effect of Grain size on Phase Transformation and Photoluminescence Property of the Nanocrystalline ZrO₂ Powders Prepared by Sol-Gel Method, *J. Mater. Sci. Technol.*, 30, 1103–1107.
- Cheng, X., Yu, X., Xing, Z., and Wan, J., 2012, Enhanced Photocatalytic Activity of Nitrogen Doped TiO₂ Anatase Nano-Particle under Simulated Sunlight Irradiation, *Energy Procedia*, 16, 598–605.

- Chong, M.N., Jin, B., Chow, C.W.K., and Saint, C., 2010, Recent Developments in Photocatalytic Water Treatment Technology: A review, *J. Water. Res.*, 44, 2997–3027.
- Dambournet, D., Belharouak, I., and Amine, K., 2010, Tailored Preparation Methods of TiO₂ Anatase, Rutile, Brookite: Mechanism of Formation and Electrochemical Properties, *Chem. Mater.*, 22, 1173–1179.
- Feng, Z.H., Liu, B., Yuan, F.P., Yin, J.Y., Liang, D., Li, X.B., Feng, Z., Yang, K.W., and Cai, S.J., 2007, Influence of Fe-doping on GaN grown on sapphire substrates by MOCVD, *J. Cryst. Growth.*, 309, 8–11.
- Ganesh, I., Gupta, A.K., Kumar, P.P., Sekhar, P.S.C., Radha, K., Padmanabham, G., and Sundararajan, G., 2012, Preparation and Characterization of Ni-Doped TiO₂ Materials for Photocurrent and Photocatalytic Applications, *J. Sci. World.*, 2012, .
- Garg, S., Kumar, P., Singh, S., Yadav, A., Dumée, L.F., Sharma, R.S., and Mishra, V., 2020, Prosopis Juliflora Peroxidases for Phenol Remediation from Industrial Wastewater — An Innovative Practice for Environmental Sustainability, *Environ. Technol. Innov.*, 19, 100865.
- Gionco, C., Hernández, S., Castellino, M., Gadhi, T.A., Muñoz-Tabares, J.A., Cerrato, E., Tagliaferro, A., Russo, N., and Paganini, M.C., 2019, Synthesis and Characterization of Ce and Er Doped ZrO₂ Nanoparticles as Solar Light Driven Photocatalysts, *J. Alloys. Compd.*, 775, 896–904.
- Guo, W., Shen, Y., Boschloo, G., Hagfeldt, A., and Ma, T., 2011, Influence of Nitrogen Dopants on N-Doped TiO₂ Electrodes and Their Applications in Dye-Sensitized Solar Cells, *Electrochim. Acta.*, 56, 4611–4617.
- Hamadani, M., Reisi-Vanani, A., and Majedi, A., 2010, Sol-Gel Preparation and Characterization of Co/TiO₂ Nanoparticles: Application to the Degradation of Methyl Orange, *J. Iran. Chem. Soc.*, 7, 52–58.
- Han, Y. and Zhu, J., 2013, Surface Science Studies on the Zirconia-Based Model Catalysts, *Top. Catal.*, 56:15, 56, 1525–1541.
- Hu, Q., Huang, J., Li, G., Jiang, Y., Lan, H., Guo, W., and Cao, Y., 2016, Origin of the Improved Photocatalytic Activity of Cu Incorporated TiO₂ for Hydrogen Generation from Water, *Appl. Surf. Sci.*, 382, 170–177.
- Hussain, S.T. and Siddiq, A., 2011, Iron and Chromium Doped Titanium Dioxide Nanotubes for the Degradation of Environmental and Industrial Pollutants, *Inter. J. Environ. Sci. Technol.*, 8, 351–362.

- Kambur, A., Pozan, G.S., and Boz, I., 2012, Preparation, Characterization and Photocatalytic Activity of TiO₂-ZrO₂ Binary Oxide Nanoparticles, *Appl. Catal. B. Environ.*, 115–116, 149–158.
- Khezrianjoo, S. and Revanasiddappa, H.D., 2012, Langmuir-Hinshelwood Kinetic Expression for the Photocatalytic Degradation of Metanil Yellow Aqueous Solutions by ZnO Catalyst, *J. Chem. Sci.*, 2012, 85.
- Ku, Y., Lin, C.N., and Hou, W.M., 2011, Characterization of Coupled NiO/TiO₂ Photocatalyst for the Photocatalytic Reduction of Cr(VI) in Aqueous Solution, *J. Mol. Catal. A. Chem.*, 349, 20–27.
- Kumar, K.V., Porkodi, K., and Rocha, F., 2008, Langmuir-Hinshelwood Kinetics - A Theoretical Study, *Catal. Commun.*, 9, 82–84.
- Kumar, S., Bhunia, S., and Ojha, A.K., 2015, Effect of Calcination Temperature on Phase Transformation, Structural and Optical Properties of Sol–Gel Derived ZrO₂ Nanostructures, *Physica. E. Low. Dimens. Syst. Nanostruct.*, 66, 74–80.
- Kumar, S.G. and Devi, L.G., 2011, Review on Modified TiO₂ Photocatalysis Under UV/Visible Light: Selected Results and Related Mechanisms on Interfacial Charge Carrier Transfer Dynamics, *J. Phys. Chem. A.*, 115, 13211–13241.
- Li, Z., Liu, S., Du, M., Wang, J., Srivastava, G.P., Wang, M., Wei, T., Zou, Y., Xiao, N., and Zhou, Q., 2021, Study of Synthesis and Photocatalytic Performance of the Monoclinic/Cubic Heterophase Junction of Rare Earth Doped Zirconia, *J. Phys. Chem. Solids*, 159, 110286.
- Liang, S., Chen, Y., Han, W., Jiao, Y., Li, W., and Tian, G., 2022, Hierarchical S-Scheme Titanium Dioxide@Cobalt-Nickel Based Metal–Organic Framework Nanotube Photocatalyst for Selective Carbon Dioxide Photoreduction to Methane, *J. Colloid. Interface. Sci.*, 11–22.
- Liu, H., Liu, G., and Zhou, Q., 2009, Preparation and Characterization of Zr Doped TiO₂ Nanotube Arrays on the Titanium Sheet and Their Enhanced Photocatalytic Activity, *J. Solid. State. Chem.*, 182, 3238–3242.
- Mancuso, A., Sacco, O., Vaiano, V., Bonelli, B., Esposito, S., Freyria, F.S., Blangetti, N., and Sannino, D., 2021, Visible Light-Driven Photocatalytic Activity and Kinetics of Fe-Doped TiO₂ Prepared by a Three-Block Copolymer Templating Approach, *Materials*, 14.

- Mohamad Said, K.A., Ismail, A.F., Abdul Karim, Z., Abdullah, M.S., and Hafeez, A., 2021, A Review of Technologies for the Phenolic Compounds Recovery and Phenol Removal from Wastewater, *Process Safety and Environmental Protection*, 151, 257–289.
- Mohamed, A., Yousef, S., Nasser, W.S., Osman, T.A., Knebel, A., Sánchez, E.P.V., and Hashem, T., 2020, Rapid Photocatalytic Degradation of Phenol from Water using Composite Nanofibers Under UV, *Environ. Sci. Eur.*, 32, 1–8.
- Moreira, J., Serrano, B., Ortiz, A., and de Lasa, H., 2012, A Unified Kinetic Model for Phenol Photocatalytic Degradation Over TiO₂ Photocatalysts, *Chem. Eng. Sci.*, 78, 186–203.
- Nachit, W., Touhtouh, S., Ramzi, Z., Zbair, M., Eddiai, A., Rguiti, M., Bouchikhi, Abdelhadi, Hajjaji, Abdelowahed, Benkhoulja, Khalil, Bouchikhi, A, Hajjaji, A, and Benkhoulja, K, 2016, Synthesis of nanosized TiO₂ powder by sol gel method at low temperature, *Molecular Crystals and Liquid Crystals*, 627, 170–175.
- Natarajan, T.S., Mozhiarasi, V., and Tayade, R.J., 2021, Nitrogen Doped Titanium Dioxide (N-TiO₂): Synopsis of Synthesis Methodologies, Doping Mechanisms, Property Evaluation and Visible Light Photocatalytic Applications, *Photochem.*, 1, 371–410.
- Pardeshi, S.K. and Patil, A.B., 2008, A Simple Route for Photocatalytic Degradation of Phenol in Aqueous Zinc Oxide Suspension Using Solar Energy, *Sol. Energy*, 82, 700–705.
- Pawar, R.C. and Lee, C.S., 2015, *Heterogeneous Nanocomposite-Photocatalysis for Water Purification*, William Andrew Publishing.
- Pérez-Maqueda, L.A. and Matijević, E., 1997, Preparation and Characterization of Nanosized Zirconium (hydrous) Oxide Particles, *J. Mater. Res.*, 12, 3286–3292.
- Polliotto, V., Albanese, E., Livraghi, S., Indyka, P., Sojka, Z., Pacchioni, G., and Giamello, E., 2017, Fifty-Fifty Zr-Ti Solid Solution with a TiO₂-Type Structure: Electronic Structure and Photochemical Properties of Zirconium Titanate ZrTiO₄, *J. Phys. Chem. C.*, 121, 5487–5497.
- Prasad, K., Pinjari, D. V., Pandit, A.B., and Mhaske, S.T., 2010, Phase Transformation of Nanostructured Titanium Dioxide from Anatase-to-Rutile via Combined Ultrasound Assisted Sol–Gel Technique, *Ultrason. Sonochem.*, 17, 409–415.

- Prianto, B., 2008, Katalisis Heterogen dengan Mekanisme Langmuir-Hinshelwood sebagai Model Reaksi Elektrolisis NaCl, *Jurnal Teknologi Dirgantara*, 9, 51–54.
- Qourzal, S., Assabbane, A., and Ait-Ichou, Y., 2004, Synthesis of TiO₂ via Hydrolysis of Titanium Tetraisopropoxide and its Photocatalytic Activity on a Suspended Mixture with Activated Carbon in the Degradation of 2-naphthol, *J. Photochem. Photobiol. A. Chem.*, 163, 317–321.
- Rahmawati, L., Kurniawan, R., Prasetyo, N., Sudiono, S., and Syoufian, A., 2023, Copper-and-Nitrogen-Codoped Zirconium Titanate (Cu-N-ZrTiO₄) as a Photocatalyst for Photo-Degradation of Methylene Blue under Visible-Light Irradiation, *Indones. J. Chem.*, 23, 416–424.
- Rajaramanan, T., Kumara, G.R.A., Velauthapillai, D., Ravirajan, P., and Senthilnathanan, M., 2021, Ni/N co-doped P25 TiO₂ Photoelectrodes for Efficient Dye-Sensitized Solar Cells, *Mater. Sci. Semicond. Process.*, 135.
- Rashad, M.M. and Baioumy, H.M., 2008, Effect of Thermal Treatment on the Crystal Structure and Morphology of Zirconia Nanopowders Produced by Three Different Routes, *J. Mater. Process. Technol.*, 195, 178–185.
- Raza, W., Lee, J., Raza, N., Luo, Y., Kim, K.H., and Yang, J., 2019, Removal of Phenolic Compounds from Industrial Waste Water Based on Membrane-Based Technologies, *J. Indus. Eng. Chem.*, 71, 1–18.
- Reddy, B.M. and Khan, A., 2005, Recent Advances on TiO₂-ZrO₂ Mixed Oxides as Catalysts and Catalyst Supports, *Catal. Rev. Sci. Eng.*, 47, 257–296.
- Saravanan, A., Senthil Kumar, P., Jeevanantham, S., Karishma, S., Tajsabreen, B., Yaashikaa, P.R., and Reshma, B., 2021, Effective Water/Wastewater Treatment Methodologies for Toxic Pollutants Removal: Processes and Applications Towards Sustainable Development, *Chemosphere*, 280, 130595.
- Selvaraj, A., Sivakumar, S., Ramasamy, A.K., and Balasubramanian, V., 2013, Photocatalytic Degradation of Triazine Dyes Over N-Doped TiO₂ in Solar Radiation, *Res. Chem. Intermed.*, 39, 2287–2302.
- Shaban, M., Ashraf, A.M., and Abukhadra, M.R., 2018, TiO₂ Nanoribbons/Carbon Nanotubes Composite with Enhanced Photocatalytic Activity; Fabrication, Characterization, and Application, *Scientific Reports.*, 8, 1–17.

- Shinde, S.G., Patil, M.P., Kim, G. Do, and Shrivastava, V.S., 2020, Ni, C, N, S Multi-Doped ZrO₂ Decorated on Multi-Walled Carbon Nanotubes for Effective Solar Induced Degradation of Anionic Dye, *J. Environ. Chem. Eng.*, 8, 103769.
- Singh, H., Sunaina, Yadav, K.K., Bajpai, V.K., and Jha, M., 2020, Tuning the Band Gap of m-ZrO₂ by Incorporation of Copper Nanoparticles into Visible Region for the Treatment of Organic Pollutants, *Mater. Res. Bull.*, 123, 110698.
- Slamet, R., Arbianti, and Marlina, E., 2007, Pengolahan Limbah Cr(VI) dan Fenol dengan Fotokatalisis Serbuk TiO₂ dan CuO/TiO₂, *Reaktor*, 11, 78–85.
- Slamet and Ratnawati, 2012, Potensi Titania Nanotube Array dan Aplikasinya dalam Produksi Hidrogen dan Pengolahan Limbah, *J. Kimia Kemasan*, 34, 248–261.
- Soto-Hernandez, M., Palma-Tenango, M., and Garcia-Mateos, M. del R., 2017, *Phenolic Compounds - Natural Sources, Importance and Applications*, InTech.
- Srisuvetha, S., Srisuvetha, V.T., Rayar, S.L., and Shanthi, G., 2018, High Performance Visible Light Photocatalytic Activity of MGO Nanostructures by using Simple Sol-Gel Technique, *IJCESR*, 12(5), 2394-0697.
- Sudrajat, H., Babel, S., Sakai, H., and Takizawa, S., 2016, Rapid Enhanced Photocatalytic Degradation of Dyes Using Novel N-doped ZrO₂, *J. Environ. Manage.*, 165, 224–234.
- Sudrajat, H., Babel, S., Ta, A.T., and Nguyen, T.K., 2020, Mn-doped TiO₂ Photocatalysts: Role, Chemical Identity, and Local Structure of Dopant, *J. Phys. Chem. Solids*, 144, 109517.
- Sujatha, G., Shanthakumar, S., and Chiampo, F., 2020, UV Light-Irradiated Photocatalytic Degradation of Coffee Processing Wastewater using TiO₂ as a Catalyst, *Environments - MDPI*, 7, 1–13.
- Suprpto, S., Kurniawan, F., Budipramana, Y., and Ersam, T., 2014, Synthesis Nickel Hydroxide by Electrolysis at High Voltage, *J. Eng. Appl. Sci.*, 9, 2074–2077.
- Syoufian, A. and Kurniawan, R., 2023, Visible-Light-Induced Photodegradation of Methylene Blue Using Mn,N-codoped ZrTiO₄ as Photocatalyst, *Indones. J. Chem.*, 23, 661–670.

- Villegas, L.G.C., Mashhadi, N., Chen, M., Mukherjee, D., Taylor, K.E., and Biswas, N., 2016, A Short Review of Techniques for Phenol Removal from Wastewater, *Curr. Pollut. Rep.*, 2, 157–167.
- Xue, B., Sun, T., Wu, J.K., Mao, F., and Yang, W., 2015, AgI/TiO₂ Nanocomposites: Ultrasound-Assisted Preparation, Visible-Light Induced Photocatalytic Degradation of Methyl Orange and Antibacterial Activity, *J. Ultrason. Sonochem.*, 22, 1–6.
- Yan, G., Zhang, M., Hou, J., and Yang, J., 2011, Photoelectrochemical and Photocatalytic Properties of N + S co-doped TiO₂ Nanotube Array Films Under Visible Light Irradiation, *J. Mat. Chem. Phys.*, 129, 553–557.
- Yanti, I., Santosa, S.J., and Kartini, I., 2016, Kinetics Study of Au(III) Adsorption on Gallic Acid Intercalated Mg/Al-Hydrotalcite, *Eksakta*, 16, 27–35.
- Zaleska, A., 2008, Doped-TiO₂ : A Review, *Rec. Patents. Eng.*, 2, 157–164.
- Zhang, J., Zhou, P., Liu, J., and Yu, J., 2014, New Understanding of the Difference of Photocatalytic Activity Among Anatase, Rutile and Brookite TiO₂, *Phys. Chem.*, 16, 20382–20386.
- Zhang, Y., Li, C., and Pan, C., 2012, N + Ni Codoped Anatase TiO₂ Nanocrystals with Exposed {001} Facets Through Two-Step Hydrothermal Route,. In, *J. American Ceramic Society.*, 2951–2956.
- Zhao, Z. and Liu, Q., 2008, Mechanism of Higher Photocatalytic Activity of Anatase TiO₂ doped with Nitrogen Under Visible-Light Irradiation from Density Functional Theory Calculation, *J. Phys. D. Appl. Phys.*, 41.