



DAFTAR PUSTAKA

- Adhikari, T., & Tarafdar, J. C. (2015). Nanotechnology in Environmental Soil Science. *Soil Science: Fundamentals to Recent Advances*, February, 297–310. https://doi.org/10.1007/978-981-16-0917-6_14
- Adiatama, A. R., Susanti, R. F., Astuti, W., Petrus, H. T. B. M., & Wanta, K. C. (2022). Synthesis And Characteristic of Nano Silica from Geothermal Sludge: Effect Of Surfactant. *Metalurgi*, 2, 73–86.
- Allendorf, M. D., & Spear, K. E. (2015). *Thermodynamic Analysis of Silica Refractory Corrosion in Glass-Melting Furnaces Thermodynamic Analysis of Silica Refractory Corrosion in Glass-Melting Furnaces*. January 2001. <https://doi.org/10.1149/1.1337603>
- Althoey, F., Zaid, O., Martínez-García, R., Alsharari, F., Ahmed, M., & Arbili, M. M. (2023). Impact of Nano-silica on the hydration, strength, durability, and microstructural properties of concrete: A state-of-the-art review. *Case Studies in Construction Materials*, 18(January), e01997. <https://doi.org/10.1016/j.cscm.2023.e01997>
- Bang, T., Ramesh, S., Long, B. D., Son, N. A., Trung, T. B., & Sivakumar, S. (2022). *Effect of Temperature on The Characteristics of Beta-Tricalcium Phosphate for Use as Bone Substitute Material*. 17(2), 1577–1588.
- Bohner, M., Le, B., Santoni, G., & Döbelin, N. (2020). *Acta Biomaterialia* β - tricalcium phosphate for bone substitution: Synthesis and properties. 113, 23–41. <https://doi.org/10.1016/j.actbio.2020.06.022>
- Callister, W. D., & Rethwisch, D. G. (2010). *Materials Science and Engineering: An Introduction* (8th ed.). John Wiley & Sons, Inc.
- Della, Á. (2008). *Flexural and diametral tensile strength of composite resins*. 22(1), 84–89.
- Donald R. Askeland. (2010). The greening of materials science and engineering. In *The Science and Engineering od Materials* (Vol. 18, Issue 1). <https://doi.org/10.1007/BF02658426>
- Es-saddik, M., Laasri, S., Laghzizil, A., Nunzi, J., & Taha, M. (2021). Mechanical strength characterization and modeling of hydroxyapatite / tricalcium phosphate biocomposite using the diametral-compression test. *Eur Phy J Appl Phys* 93 30403, 1–10. <https://doi.org/10.1051/epjap/2021200368>



Groover, M. P. (2013). Fundamentals of Modern Manufacturing Material, Processes, and Systems, 5th Edition. In *Journal of Chemical Information and Modeling*.

Hamzah, M. S., Wildan, M. W., Kusmono, K., & Suharyadi, E. (2022). Synthesis of Silica Nanoparticles from Silica Sand via Vibration Assisted Alkaline Solution Method. *International Journal of Engineering, Transactions A: Basics*, 35(7), 1300–1306. <https://doi.org/10.5829/ije.2022.35.07a.09>

Hidayat, R., Subardi, A., & Indra, A. (2022). Peningkatan Kekuatan Sintered Body Hidroksiapatit (HA) dengan Penambahan Silika Sebagai Material Penguat. *Prosiding Seminar Nasional ReTII Ke-17, 2022*, 360–366. <https://journal.itny.ac.id/index.php/ReTII/>

Ilie, N., Hilton, T. J., Heintze, S. D., Hickel, R., Watts, D. C., Silikas, N., Stansbury, J. W., Cadenaro, M., & Ferracane, J. L. (2017). Academy of Dental Materials Guidance Resin Composites: Part I Mechanical Properties. *Dental Materials*, 33(8), 880–894. <https://doi.org/10.1016/j.dental.2017.04.013>

Inkson, B. J. (2016). Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>

Jenie, S. N. A., Ghaisani, A., Ningrum, Y. P., Kristiani, A., Aulia, F., & Petrus, H. T. M. B. (2018). Preparation of silica nanoparticles from geothermal sludge via sol-gel method. *AIP Conference Proceedings*, 2026, 1–6. <https://doi.org/10.1063/1.5064968>

Lertchirakarn, V., Palamara, J. E. A., & Messer, H. H. (2001). Anisotropy of tensile strength of root dentin. *Journal of Dental Research*, 80(2), 453–456. <https://doi.org/10.1177/00220345010800021001>

Lin, K., Chang, J., & Shen, R. (2009). The effect of powder properties on sintering, microstructure, mechanical strength and degradability of β -tricalcium phosphate/calcium silicate composite bioceramics. *Biomedical Materials*, 4(6). <https://doi.org/10.1088/1748-6041/4/6/065009>

Mashudi, & Munasir. (2015). Pengaruh Waktu Tahan pada Proses Hydrothermal dan Temperatur Kalsinasi Terhadap Kekristalan Silika dari Bahan Alam Pasir Kuarsa. *Jurnal Fisika* 04, 32–36.

Mori, H. (2003). Extraction of silicon dioxide from waste colored glasses by alkali fusion using potassium hydroxide. *Journal of Materials Science*, 38(16),



3461–3468. <https://doi.org/10.1023/A:1025100901693>

Munasir, Widodo, Triwikantoro, Zainuri, M., & Darminto. (2012). Perbandingan Massa Kalium Hidroksida Pada Ekstraksi SiO₂ Orde Nano Berbasis Bahan Alam Pasir Kuarsa. *Prosiding Seminar Nasional Sains Dan Pendidikan Sains VII UKSW*, 40–44.

Nasir, S., Hussein, M. Z., Zainal, Z., Yusof, N. A., Mohd Zobir, S. A., & Alibe, I. M. (2019). Potential valorization of by-product materials from oil palm: A review of alternative and sustainable carbon sources for carbon-based nanomaterials synthesis potential valorization of by-product materials from oil palm: A review of alternative and sustaina. *BioResources*, 14(1), 2352–2388. <https://doi.org/10.15376/biores.14.1.Nasir>

Oktar, F. N., Agathopoulos, S., Ozyegin, L. S., Gunduz, O., Demirkol, N., Bozkurt, Y., & Salman, S. (2007). Mechanical properties of bovine hydroxyapatite (BHA) composites doped with SiO₂, MgO, Al₂O₃, and ZrO₂. *Journal of Materials Science: Materials in Medicine*, 18(11), 2137–2143. <https://doi.org/10.1007/s10856-007-3200-9>

Pambudi, N. A., Itoi, R., Yamashiro, R., CSS Syah Alam, B. Y., Tusara, L., Jalilinasraby, S., & Khasani, J. (2015). The behavior of silica in geothermal brine from Dieng geothermal power plant, Indonesia. *Geothermics*, 54, 109–114. <https://doi.org/10.1016/j.geothermics.2014.12.003>

Pau, K. S. (2013). Thermoluminescence study of naturally occurring salts relevant to dosimetry obtained from Mizoram. *Doctoral Thesis Department of Physics Mizoram University*.

Pohan, M., Herman, D. Z., & R, H. (2012). Penelitian Mineral Ikutan Pada Lapangan Panas Bumi Daerah Dieng, Kabupaten Banjarnegara, Provinsi Jawa Tengah. *Kelompok Program Peneliti Konservasi, Pusat Sumber Daya Geologi*.

Pokhrel, S. (2018). Hydroxyapatite: Preparation, Properties and Its Biomedical Applications. *Advances in Chemical Engineering and Science*, 08(04), 225–240. <https://doi.org/10.4236/aces.2018.84016>

Rauf, F. A., Sappu, F. P., & Lakat, A. M. A. (2018). Uji Kekerasan dengan Menggunakan Alat Microhardness Vickers pada Berbagai Jenis Material Teknik. *Jurnal Tekno Mesin*, 5(1), 21–24.

Ringdalen, E. L. I. (2015). Changes in Quartz During Heating and the Possible Effects on Si Production. *JOM* 67(2), 484–492.



<https://doi.org/10.1007/s11837-014-1149-y>

Riyanti, F., Kamal, M., Ramdan, M., Mannan, A., & Hariani, P. L. (2021). *Effect of Silica Addition on Mechanical Properties of Eggshell-Derived Hydroxyapatite*. 10(2), 129–138. <https://doi.org/10.13170/ajst.10.2.21982>

Roy, S., & Basu, B. (2008). Mechanical and tribological characterization of human tooth. *Materials Characterization*, 59(6), 747–756. <https://doi.org/10.1016/j.matchar.2007.06.008>

Sampurno, A. (2020). Studi Eksperimental Diametral Tensile Strength, Compressive Strength, dan Kekerasan Vickers. *Tesis Magister Teknik Mesin Universitas Gadjah Mada*.

Silviana, S., Sanyoto, G. J., Darmawan, A., & Sutanto, H. (2020). Geothermal silica waste as sustainable amorphous silica source for the synthesis of silica xerogels. *Rasayan Journal of Chemistry*, 13(3), 1692–1700. <https://doi.org/10.31788/RJC.2020.1335701>

Sukanto, Soenoko, R., Suprapto, W., & Irawan, Y. S. (2019). Parameter Optimization of Ball Milling Process for Silica Sand Tailing. *IOP Conference Series: Materials Science and Engineering*, 494(1), 0–10. <https://doi.org/10.1088/1757-899X/494/1/012073>

Taha, M. A., Youness, R. A., & Ibrahim, M. (2020). Biocompatibility, physico-chemical and mechanical properties of hydroxyapatite-based silicon dioxide nanocomposite for biomedical application. *Ceramic International*, 46, 23599–23610. <https://doi.org/https://doi.org/10.1016/j.ceramint.2020.06.132>

Tontowi, A. E., & Putra, D. A. (2015). Effect of sericin in [HA/Bioplastic] composite composed by 2k factorial design method on solidification time and tensile strength. *International Journal of Engineering and Technology*, 7(5), 1943–1951.

Uo, M., Wada, T., & Sugiyama, T. (2015). Applications of X-ray fluorescence analysis (XRF) to dental and medical specimens. *Japanese Dental Science Review*, 51(1), 2–9. <https://doi.org/10.1016/j.jdsr.2014.07.001>

Wahyudi, A., Technology, C., & Amalia, D. (2017). Preparation of Nano Silica from Silica Sand through Alkali Fusion Preparation of Nano Silica from Silica Sand through Alkali Fusion Process. *October 2013*.

Wahyudityo, R., Harto, A. W., & Suryopratomo, K. (2013). Analisis Scaling Silika pada Pipa Injeksi Brine di Lapangan Panas Bumi Dieng dengan Studi Kasus



UNIVERSITAS
GADJAH MADA

**STUDI SIFAT FISIS DAN SIFAT MEKANIS MATERIAL HYDROXYAPATITE YANG DITAMBAH DENGAN
PARTIKEL NANOSILICA**

HASIL SINTESIS SILICA SCALING GEOTERMAL DIENG MENGGUNAKAN ALKALI FUSION

POTASIUM HIDROKSIDA

Fajar Fitriani, Ir. M. Waziz Wildan, M.Sc., Ph.D., IPU

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

di PT. Geo Dipa Energi. *Teknofisika*, 2(1), 7–14.

Witek, L., Smay, J., Silva, N. R. F. A., Guda, T., Ong, J. L., Coelho, P. G., Street, E., & York, N. (2013). Sintering effects on chemical and physical properties of bioactive ceramics. *Journal of Advanced Ceramics* 2(3), 274–284. <https://doi.org/10.1007/s40145-013-0072-y>

Yokoyama, T., Masuda, H., Suzuki, M., Ehara, K., Nogi, K., Fuji, M., Fukui, T., Suzuki, H., Tatami, J., Hayashi, K., & Toda, K. (2018). Basic Properties and Measuring Methods of Nanoparticles. In *Nanoparticle Technology Handbook*. <https://doi.org/10.1016/B978-0-444-64110-6.00001-9>

Zaytsev, D., & Panfilov, P. (2014). Deformation behavior of human enamel under diametral compression. *Materials Letters*, 136, 130–132. <https://doi.org/10.1016/j.matlet.2014.07.189>