



REFERENCE

- Acanfora, V., Sellitto, A., Russo, A., Zarrelli, M., & Riccio, A. (2023). Experimental investigation on 3D printed lightweight sandwich structures for energy absorption aerospace applications. *Aerospace Science and Technology*, 137, 108276. <https://doi.org/10.1016/j.ast.2023.108276>
- Adib, A. Z. (2023). *Effect of Printing Parameters and Material Configurations on the Mechanical Properties of Multi-material Prepared by Using Fused Filament Fabrication (FFF)*. Department of Mechanical and Industrial Engineering, Faculty of Engineering, Universitas Gadjah Mada.
- Al-Rashid, A., Ahmed, W., Yasir, M., & Koç, M. (2021). Vat photopolymerization of polymers and polymer composites : Processes and applications. *Additive Manufacturing*, 47(September), 102279. <https://doi.org/10.1016/j.addma.2021.102279>
- AnMo Electronics Corporation (2023) *Dino-Lite Brochure*
- Arash, S., Akbari, B., Ghaleb, S., Kaffashi, B., & Marouf, B. T. (2023). Journal of the Mechanical Behavior of Biomedical Materials Preparation of PLA-TPU-Nanoclay composites and characterization of their morphological , mechanical , and shape memory properties. *Journal of the Mechanical Behavior of Biomedical Materials*, 139(January), 105642. <https://doi.org/10.1016/j.jmbbm.2022.105642>
- Arcaute, K., Mann, B., & Wicker, R. (2010). Acta Biomaterialia Stereolithography of spatially controlled multi-material bioactive poly (ethylene glycol) scaffolds. *Acta Biomaterialia*, 6(3), 1047–1054. <https://doi.org/10.1016/j.actbio.2009.08.017>



- Arifvianto, B., Iman, T. N., Prayoga, B. T., Dharmastiti, R., & Salim, U. A. (2021). Tensile properties of the FFF-processed thermoplastic polyurethane (TPU) elastomer. *The International Journal of Advanced Manufacturing Technology*. 1709–1719.
- Arifvianto, B., Satiti, B. E., Salim, U. A., Nuryanti, A., & Mahardika, M. (2022). Mechanical properties of the FFF sandwich - structured parts made of PLA / TPU multi - material. *Progress in Additive Manufacturing*, 7(6), 1213–1223. <https://doi.org/10.1007/s40964-022-00295-6>
- ASTM. (2016). ASTM D638-14, Standard practice for preparation of metallographic specimens. *Annual Book of ASTM Standards*. ASTM International, 82(C), 1–15. <https://doi.org/10.1520/D0638-14.1>
- ASTM. (2017). ASTM D790-17, Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials..*Annual Book of ASTM Standards*. ASTM International, 1–6. <https://doi.org/10.1520/D0790-17>.
- Bagheri, A., & Jin, J. (2019). Photopolymerization in 3D Printing. *ACS Applied Polymer Materials*, 1(4), 593–611. <https://doi.org/10.1021/acsapm.8b00165>
- Bastianich, C., Danhier, P., Préat, V., & Danhier, F. (2016). Anticancer drug-loaded hydrogels as drug delivery systems for the local treatment of glioblastoma. *Journal of Controlled Release*, 243, 29–42. <https://doi.org/10.1016/j.jconrel.2016.09.034>
- Beer, F., Johnston, E., & DeWolf, J. (2014). *Mechanics of materials, 7th SI Edition*. (Vol. 1, Issue 10).



Bozkurt, Y., & Karayel, E. (2021). 3D printing technology; methods, biomedical applications, future opportunities and trends. *Journal of Materials Research and Technology*, 14, 1430–1450. <https://doi.org/10.1016/j.jmrt.2021.07.050>

Brancewicz-Steinmetz, E., Sawicki, J., & Byczkowska, P. (2021). The influence of 3d printing parameters on adhesion between polylactic acid (Pla) and thermoplastic polyurethane (tpu). *Materials*, 14(21). <https://doi.org/10.3390/ma14216464>

Broek, D. (1984). *Elementary Engineering Fracture Mechanics*. Martinus Nijhoff Publishers. <https://doi.org/10.1007/978-94-009-4333-9>

Chhabra, M., Nanditha Kumar, M., RaghavendraSwamy, K. N., & Thippeswamy, H. M. (2022). Flexural strength and impact strength of heat-cured acrylic and 3D printed denture base resins- A comparative in vitro study. *Journal of Oral Biology and Craniofacial Research*, 12(1), 1–3. <https://doi.org/10.1016/j.jobcr.2021.09.018>

Chen, C., & Liao, P. (2023). Sensors and Actuators : A . Physical Additive design and manufacturing of a quadruped robot actuated by electrothermal effect of shape memory polymer. *Sensors and Actuators: A. Physical*, 357(February), 114401. <https://doi.org/10.1016/j.sna.2023.114401>

Choi, J. W., Kim, H. C., & Wicker, R. (2011). Multi-material stereolithography. *Journal of Materials Processing Technology*, 211(3), 318–328. <https://doi.org/10.1016/j.jmatprotec.2010.10.003>.

Cosmi, F., & Maso, A. D. (2020). Materials Today : Proceedings A mechanical characterization of SLA 3D-printed specimens for low- budget applications. *Materials Today: Proceedings*, 32, 194–201. <https://doi.org/10.1016/j.matpr.2020.04.602>



Darnal, A., Shahid, Z., Deshpande, H., Kim, J., & Muliana, A. (2023). Tuning mechanical properties of 3D printed composites with PLA : TPU programmable filaments. *Composite Structures*, 318(April), 117075. <https://doi.org/10.1016/j.compstruct.2023.117075>

Fouassier, J., Lalevee, J. (2021). Backgrounds in Photopolymerization Reactions : A Short. *Photoinitiators: Structures, Reactivity, and Application in Polymerizarion First Edition*. Weinheim: Wiley-VCH

Gaweł, A., Kuciel, S., Liber-Kneć, A., & Mierzwiński, D. (2023). Examination of Low-Cyclic Fatigue Tests and Poisson's Ratio Depending on the Different Infill Density of Polylactide (PLA) Produced by the Fused Deposition Modeling Method. *Polymers*, 15(7). <https://doi.org/10.3390/polym15071651>

Han, D., & Lee, H. (2020). Recent advances in multi-material additive manufacturing: methods and applications. *Current Opinion in Chemical Engineering*, 28, 158–166. <https://doi.org/10.1016/j.coche.2020.03.004>

Han, D., Yang, C., Fang, N. X., & Lee, H. (2019). Rapid multi-material 3D printing with projection micro-stereolithography using dynamic fluidic control. *Additive Manufacturing*, 27(April), 606–615. <https://doi.org/10.1016/j.addma.2019.03.031>

Huang, J., Qin, Q., & Wang, J. (2020). A Review of Stereolithography : *Processes*. September 2020. <https://doi.org/10.3390/pr8091138>

Huang, S. H., Liu, P., Mokasdar, A., & Hou, L. (2013). Additive manufacturing and its societal impact: A literature review. *International Journal of Advanced Manufacturing Technology*, 67(5–8), 1191–1203. <https://doi.org/10.1007/s00170-012-4558-5>



Hwangbo, H., & Jeon, S. J. (2022). Digital light processing 3D printing of multi-materials with improved adhesion using resins containing low functional acrylates. *Korean Journal of Chemical Engineering*, 39(2), 451–459.
<https://doi.org/10.1007/s11814-021-0934-x>

Jakubiak, J., & Rabek, J. F. (2001). Three-dimensional (3D) photopolymerization in the stereolithography. Part II. Technologies of the 3D photopolymerization. *Polimery/Polymers*, 46(3), 164–172.
<https://doi.org/10.14314/polimery.2001.164>

Li, W., Wang, M., Ma, H., Chapa-Villarreal, F. A., Lobo, A. O., & Zhang, Y. S. (2023). Stereolithography apparatus and digital light processing-based 3D bioprinting for tissue fabrication. *IScience*, 26(2), 106039.
<https://doi.org/10.1016/j.isci.2023.106039>

Liao, Y., Liu, C., Coppola, B., Barra, G., Di Maio, L., Incarnato, L., & Lafdi, K. (2019). Effect of porosity and crystallinity on 3D printed PLA properties. *Polymers*, 11(9), 1–14. <https://doi.org/10.3390/polym11091487>

Khatri, B., Frey, M., Raouf-fahmy, A., & Scharla, M. (2020). Development of a Multi-Material Stereolithography 3D Printing Device Development of a multi-material stereolithography 3D printing device. *Micromachines*.
<https://doi.org/10.3390/mi11050532>

Kim, Y. (2023). Scripta Materialia Specific mechanical properties of highly porous Ti-Zr-Mo-Sn shape memory alloy for biomedical applications. *Scripta Materialia*, 231(February), 115433.
<https://doi.org/10.1016/j.scriptamat.2023.115433>



Kumar H, Kim K. Stereolithography 3D Bioprinting. *Methods Mol Biol. Journal of the Mechanical Behaviour of Biomedical Materials.* 2020;2140:93-108.
doi: 10.1007/978-1-0716-0520-2_6. PMID: 32207107.

Mamo, H. B., Adamiak, M., & Kunwar, A. (2023). 3D printed biomedical devices and their applications: A review on state-of-the-art technologies, existing challenges, and future perspectives. *Journal of the Mechanical Behavior of Biomedical Materials,* 143(May), 105930.
<https://doi.org/10.1016/j.jmbbm.2023.105930>

Mao, H., and Chen, Y. (2021). Multi-material stereolithography using curing- on-demand printheads. *Rapid Prototyping Journal.* June.
<https://doi.org/10.1108/RPJ-05-2020-0104>

Matharu, P. S., Wang, Z., Costello, J. H., Colin, S. P., Baughman, R. H., & Tadesse, Y. T. (2023). SoJel –A 3D printed jellyfish-like robot using soft materials for underwater applications. *Ocean Engineering,* 279(April), 114427. <https://doi.org/10.1016/j.oceaneng.2023.114427>

Mondschein, R. J., Kanitkar, A., Williams, C. B., Verbridge, S. S., & Long, T. E. (2017). Polymer structure-property requirements for stereolithographic 3D printing of soft tissue engineering scaffolds. *Biomaterials,* 140, 170–188.
<https://doi.org/10.1016/j.biomaterials.2017.06.005>

Pagac, M., Hajnys, J., Ma, Q., Jancar, L., Jansa, J., Stefek, P., & Mesicek, J. (2021). A review of vat photopolymerization technology: materials, applications, challenges, and future trends of 3D printing. *Polymers* 13, 598.
<https://doi.org/10.3390/polym13040598>.



Qie, H., Wang, Z., Ren, J., Lü, S., & Liu, M. (2022). A tough shape memory hydrogel strain sensor based on gelatin grafted polypyrrole. *Polymer*, 263(September), 125524. <https://doi.org/10.1016/j.polymer.2022.125524>

Rayna, T., & Striukova, L. (2016). From rapid prototyping to home fabrication: How 3D printing is changing business model innovation. *Technological Forecasting and Social Change*, 102, 214–224. <https://doi.org/10.1016/j.techfore.2015.07.023>

Ribeiro, M., Sousa Carneiro, O., & Ferreira da Silva, A. (2019). Interface geometries in 3D multi-material prints by fused filament fabrication. *Rapid Prototyping Journal*, 25(1), 38–46. <https://doi.org/10.1108/RPJ-05-2017-0107>

Romero, P. E., Arribas-Barrios, J., Rodriguez-Alabanda, O., González-Merino, R., & Guerrero-Vaca, G. (2021). Manufacture of polyurethane foam parts for automotive industry using FDM 3D printed molds. *CIRP Journal of Manufacturing Science and Technology*, 32, 396–404. <https://doi.org/10.1016/j.cirpj.2021.01.019>

Sanborn, B. & Song, B., Poisson's ratio of a hyperelastic foam under quasi-static and dynamic loading. *International Journal of Impact Engineering*. Volume 123, 2019, Pages 48-55, ISSN 0734-743X, <https://doi.org/10.1016/j.ijimpeng.2018.06.001>.

Schweiger, J., Edelhoff, D., & Güth, J. F. (2021). 3d printing in digital prosthetic dentistry: An overview of recent developments in additive manufacturing. *Journal of Clinical Medicine*, 10(9). <https://doi.org/10.3390/jcm10092010>

Scranton, A. B., Bowman, C. N., Peiffer, R. W. (1997). *Photopolymer: Fundamentals and Applications*. Washington: American Chemical Society



Shaffer, S., Yang, K., Vargas, J., Di, M. A., & Voit, W. (2014). On reducing anisotropy in 3D printed polymers via ionizing radiation. *Polymer*, 55(23), 5969–5979. <https://doi.org/10.1016/j.polymer.2014.07.054>

Shenzhen Esun Industrial Co., L. (2021a) *eResin-PLA Technical Data Sheet, Materials Technical Data Sheet.* Available on:
<https://www.esun3d.com/eresin-pla-product/>

Shenzhen Esun Industrial Co., L. (2021b) *eResin-Flex Technical Data Sheet, Materials Technical Data Sheet.* Available on:
<https://www.esun3d.com/eresin-elastic-product/>

Shenzhen Anycubic Technology Co., Ltd, (2021a) *Anycubic Photon Mono 4k User Manual*

Shenzhen Anycubic Technology Co., Ltd, (2021b) *Anycubic Wash and Cure User Manual*

Song, Q., Chen, Y., Hou, P., Zhu, P., Helmer, D., Kotz-helmer, F., & Rapp, B. E. (2023). Fabrication of Multi-Material Pneumatic Actuators and Microactuators Using Stereolithography. *Micromachines*, 14, 244. <https://doi.org/10.3390/mi14020244>

Stansbury, J. W., & Idacavage, M. J. (2016). 3D printing with polymers: Challenges among expanding options and opportunities. *Dental Materials*, 32(1), 54–64. <https://doi.org/10.1016/j.dental.2015.09.018>

Vitale, A., & Cabral, J. T. (2016). Frontal conversion and uniformity in 3D printing by photopolymerisation. *Materials*, 9(9), 1–13. <https://doi.org/10.3390/ma9090760>



Waly, C., Petersmann, S. and Arbeiter, F. (2023), Multimaterial Extrusion-Based Additive Manufacturing of Compliant Crack Arrester: Influence of Interlayer Length, Thickness, and Applied Strain Rate. *Advanced Engineering Material.*, 25: 2101703.
<https://doi.org/10.1002/adem.202101703>

Wang, F., Ji, Y., Chen, C., Zhang, G., & Chen, Z. (2022). Tensile properties of 3D printed structures of polylactide with thermoplastic polyurethane. *Journal of Polymer Research*, 29(8). <https://doi.org/10.1007/s10965-022-03172-6>

Yavas, D., Liu, Q., Zhang, Z., & Wu, D. (2022). Materials & Design Design and fabrication of architected multi-material lattices with tunable stiffness , strength , and energy absorption. *Materials & Design*, 217, 110613.
<https://doi.org/10.1016/j.matdes.2022.110613>

Yilmaz, B., Al Rashid, A., Mou, Y. A., Evis, Z., & Koç, M. (2021). Bioprinting: A review of processes, materials and applications. *Bioprinting*, 23(April), e00148. <https://doi.org/10.1016/j.bprint.2021.e00148>

Zhang, J., Hu, Q., Wang, S., Tao, J., & Gou, M. (2020). Digital light processing based three-dimensional printing for medical applications. *International Journal of Bioprinting*, 6(1), 12–27. <https://doi.org/10.18063/ijb.v6i1.242>