

DAFTAR PUSTAKA

- Abate, S.M., Nega, S., Basu, B. and Tamrat, K. (2022) ‘Global mortality of children after perioperative cardiac arrest: A systematic review, meta-analysis, and meta-regression’, *Annals of Medicine & Surgery*, 74. Available at: <https://doi.org/10.1016/j.amsu.2022.103285>.
- Agbamu, P., Menkiti, I., Ohuoba, E. and Desalu, I. (2017) ‘Critical incidents and near misses during anesthesia: A prospective audit’, *Journal of Clinical Sciences*, 14(1), p. 18. Available at: <https://doi.org/10.4103/2468-6859.199170>.
- Ahmad, I. and Sellers, W.F.S. (2004) ‘Prevention and management of laryngospasm’, *Anaesthesia*, 59(9), pp. 920–920. Available at: <https://doi.org/10.1111/j.1365-2044.2004.03914.x>.
- Al-alamy, A.A., Zestos, M.M. and Baraka, A.S. (2009) ‘Pediatric laryngospasm: prevention and treatment’, *Current Opinion in Anaesthesiology*, 22(3), pp. 388–395. Available at: <https://doi.org/10.1097/ACO.0b013e32832972f3>.
- Aloweidi, A., Alghanem, S., Bsisu, I., Ababneh, O., Alrabayah, M., Al-Zaben, K. and Qudaisat, I. (2022) ‘Perioperative Cardiac Arrest: A 3-Year Prospective Study from a Tertiary Care University Hospital’, *Drug, Healthcare and Patient Safety*, Volume 14, pp. 1–8. Available at: <https://doi.org/10.2147/DHPS.S332162>.
- Andersen, L.W., Holmberg, M.J., Berg, K.M., Donnino, M.W. and Granfeldt, A. (2019a) ‘In-Hospital Cardiac Arrest’, *JAMA*, 321(12), p. 1200. Available at: <https://doi.org/10.1001/jama.2019.1696>.
- Aseeri, M., Banasser, G., Baduhduh, O., Baksh, S. and Ghalibi, N. (2020) ‘Evaluation of Medication Error Incident Reports at a Tertiary Care Hospital.’, *Pharmacy (Basel, Switzerland)*, 8(2). Available at: <https://doi.org/10.3390/pharmacy8020069>.
- Banker, A., Bell, C., Gupta-Malhotra, M. and Samuels, J. (2016) ‘Blood pressure percentile charts to identify high or low blood pressure in children’, *BMC Pediatrics*, 16(1), p. 98. Available at: <https://doi.org/10.1186/s12887-016-0633-7>.
- Bharadwaj, A., Khandelwal, M. and Bhargava, S. (2014) ‘Perioperative neonatal and paediatric blood transfusion’, *Indian Journal of Anaesthesia*, 58(5), p. 652. Available at: <https://doi.org/10.4103/0019-5049.144679>.
- Bielka, K., Kuchyn, I., Frank, M., Sirenko, I., Yurovich, A., Slipukha, D., Lisnyy, I., Soliaryk, S. and Posternak, G. (2023) ‘Critical incidents during anesthesia: prospective audit’,

- BMC Anesthesiology*, 23(1), p. 206. Available at: <https://doi.org/10.1186/s12871-023-02171-4>.
- Birlie Chekol, W. and Yaregal Melesse, D. (2020) ‘Incidence and Associated Factors of Laryngospasm among Pediatric Patients Who Underwent Surgery under General Anesthesia, in University of Gondar Compressive Specialized Hospital, Northwest Ethiopia, 2019: A Cross-Sectional Study’, *Anesthesiology Research and Practice*, 2020, pp. 1–6. Available at: <https://doi.org/10.1155/2020/3706106>.
- Bjornson, C.L. and Johnson, D.W. (2013) ‘Croup in children.’, *CMAJ: Canadian Medical Association journal = journal de l’Association medicale canadienne*, 185(15), pp. 1317–23. Available at: <https://doi.org/10.1503/cmaj.121645>.
- Black, A.E. (2008) ‘Laryngospasm in pediatric practice’, *Pediatric Anesthesia*, 18(4), pp. 279–280. Available at: <https://doi.org/10.1111/j.1460-9592.2008.02489.x>.
- Braz, L.G., Módolo, N.S.P., do Nascimento, P., Bruschi, B.A.M., Castiglia, Y.M.M., Ganem, E.M., de Carvalho, L.R. and Braz, J.R.C. (2006) ‘Perioperative cardiac arrest: a study of 53,718 anaesthetics over 9 yr from a Brazilian teaching hospital.’, *British journal of anaesthesia*, 96(5), pp. 569–75. Available at: <https://doi.org/10.1093/bja/ael065>.
- Bunchungmongkol, N., Somboonviboon, W., Suraseranivongse, S., Vasinanukorn, M., Chau-In Md, W. and Hintong, T. (2007a) *Pediatric Anesthesia Adverse Events: The Thai Anesthesia Incidents Study (THAI Study) Database of 25,098 Cases*, *J Med Assoc Thai*. Available at: <http://www.medassocthai.org/journal>.
- Cascella, M., Bimonte, S. and Di Napoli, R. (2020) ‘Delayed Emergence from Anesthesia: What We Know and How We Act.’, *Local and regional anesthesia*, 13, pp. 195–206. Available at: <https://doi.org/10.2147/LRA.S230728>.
- Centers for Disease Control and Prevention (CDC) (2002) ‘State-specific mortality from sudden cardiac death--United States, 1999.’, *MMWR. Morbidity and mortality weekly report*, 51(6), pp. 123–6.
- Cheney, F.W., Domino, K.B., Caplan, R.A. and Posner, K.L. (1999) ‘Nerve Injury Associated with Anesthesia’, *Anesthesiology*, 90(4), pp. 1062–1069. Available at: <https://doi.org/10.1097/00000542-199904000-00020>.
- Cheng, K.C., Chen, C.M., Tan, C.K., Chen, H.M., Lu, C.L. and Zhang, H. (2011) ‘Methylprednisolone reduces the rates of postextubation stridor and reintubation associated with attenuated cytokine responses in critically ill patients.’, *Minerva anesthesiologica*, 77(5), pp. 503–9.

- Cheng, K.-C., Hou, C.-C., Huang, H.-C., Lin, S.-C. and Zhang, H. (2006) 'Intravenous injection of methylprednisolone reduces the incidence of postextubation stridor in intensive care unit patients*', *Critical Care Medicine*, 34(5), pp. 1345–1350. Available at: <https://doi.org/10.1097/01.CCM.0000214678.92134.BD>.
- Clarke, R., Sadleir, P., Van Niekerk, A.W. and Platt, P. (2011) 'Quantification of Volume Loss and Haemodynamic Changes of Gelofusine®-induced Anaphylaxis during Cardiopulmonary Bypass', *Anaesthesia and Intensive Care*, 39(3), pp. 492–495. Available at: <https://doi.org/10.1177/0310057X1103900324>.
- Coté, C.J., Lerman, J., Oishei Children's Hospital, J.R. and Anderson, B.J. (2019) *Coté and Lerman's A Practice of Anesthesia for Infants and Children*. Available at: https://t.me/Anesthesia_Books.
- Cripe, C.C., Patel, A.R., Markowitz, S.D., Behringer, T.S. and Litman, R.S. (2014) 'Supraventricular tachycardia during pediatric anesthesia: a case series and qualitative analysis.', *Journal of clinical anesthesia*, 26(4), pp. 257–63. Available at: <https://doi.org/10.1016/j.jclinane.2013.11.020>.
- Cutler, K.O., Bush, A.J., Godambe, S.A. and Gilmore, B. (2007) 'The use of a pediatric emergency medicine–staffed sedation service during imaging: a retrospective analysis', *The American Journal of Emergency Medicine*, 25(6), pp. 654–661. Available at: <https://doi.org/10.1016/j.ajem.2006.11.043>.
- Darmon, J.-Y., Rauss, A., Dreyfuss, D., Bleichner, G., Elkharrat, D., Schlemmer, B., Tenaillon, A., Brun-Buisson, C. and Huet, Y. (1992) 'Evaluation of Risk Factors for Laryngeal Edema after Tracheal Extubation in Adults and Its Prevention by Dexamethasone A Placebo-controlled, Double-blind, Multicenter Study', *Anesthesiology*, 77(2), pp. 245–251. Available at: <https://doi.org/10.1097/0000542-199208000-00004>.
- Dave, N.M. (2019) 'Premedication and Induction of Anaesthesia in paediatric patients.', *Indian journal of anaesthesia*, 63(9), pp. 713–720. Available at: https://doi.org/10.4103/ija.IJA_491_19.
- Denny, F.W., Murphy, T.F., Clyde, W.A., Collier, A.M. and Henderson, F.W. (1983) 'Croup: an 11-year study in a pediatric practice.', *Pediatrics*, 71(6), pp. 871–6.
- Dewachter, P., Kopac, P., Laguna, J.J., Mertes, P.M., Sabato, V., Volcheck, G.W. and Cooke, P.J. (2019) 'Anaesthetic management of patients with pre-existing allergic conditions: a narrative review', *British Journal of Anaesthesia*, 123(1), pp. e65–e81. Available at: <https://doi.org/10.1016/j.bja.2019.01.020>.

- Dewachter, P., Mouton-Faivre, C., Emala, C.W., Beloucif, S. and Riou, B. (2011a) 'Case Scenario: Bronchospasm during Anesthetic Induction', *Anesthesiology*, 114(5), pp. 1200–1210. Available at: <https://doi.org/10.1097/ALN.0b013e3182172cd3>.
- Dewachter, P., Mouton-Faivre, C., Emala, C.W. and Riou, B. (2009) 'Anaphylaxis and Anesthesia', *Anesthesiology*, 111(5), pp. 1141–1150. Available at: <https://doi.org/10.1097/ALN.0b013e3181bbd443>.
- Dewachter, P. and Savic, L. (2019a) 'Perioperative anaphylaxis: pathophysiology, clinical presentation and management', *BJA Education*, 19(10), pp. 313–320. Available at: <https://doi.org/10.1016/j.bjae.2019.06.002>.
- Disma, N., Veyckemans, F., Virag, K., Hansen, T.G., Becke, K., Harlet, P., Vutskits, L., Walker, S.M., de Graaff, J.C., Zielinska, M., Simic, D., Engelhardt, T., Habre, W., Breschan, C., Likar, R., Platzer, M., Edelman, I., Eger, J., Heschl, S., Messerer, B., Vittinghof, M., Kroess, R. and Sunderland, R. (2021) 'Morbidity and mortality after anaesthesia in early life: results of the European prospective multicentre observational study, neonate and children audit of anaesthesia practice in Europe (NECTARINE)', *British Journal of Anaesthesia*, 126(6), pp. 1157–1172. Available at: <https://doi.org/10.1016/j.bja.2021.02.016>.
- Drory, Y., Turetz, Y., Hiss, Y., Lev, B., Fisman, E.Z., Pines, A. and Kramer, M.R. (1991) 'Sudden unexpected death in persons less than 40 years of age', *The American Journal of Cardiology*, 68(13), pp. 1388–1392. Available at: [https://doi.org/10.1016/0002-9149\(91\)90251-F](https://doi.org/10.1016/0002-9149(91)90251-F).
- Ebo, D.G., Fisher, M.M., Hagendorens, M.M., Bridts, C.H. and Stevens, W.J. (2007) 'Anaphylaxis during anaesthesia: diagnostic approach', *Allergy*, 62(5), pp. 471–487. Available at: <https://doi.org/10.1111/j.1398-9995.2007.01347.x>.
- Engelhardt, T., Ayansina, D., Bell, G.T., Oshan, V., Rutherford, J.S. and Morton, N.S. (2019) 'Incidence of severe critical events in paediatric anaesthesia in the United Kingdom: secondary analysis of the anaesthesia practice in children observational trial (APRICOT study)', *Anaesthesia*, 74(3), pp. 300–311. Available at: <https://doi.org/10.1111/anae.14520>.
- Epstein, S.K. and Ciubotaru, R.L. (1998) 'Independent Effects of Etiology of Failure and Time to Reintubation on Outcome for Patients Failing Extubation', *American Journal of Respiratory and Critical Care Medicine*, 158(2), pp. 489–493. Available at: <https://doi.org/10.1164/ajrccm.158.2.9711045>.

- Foz, C., Staffa, S.J., Brown, M.L., Dinardo, J.A., and Nasr, V.G. (2023) 'Predictors and Outcomes of Perioperative Cardiac Arrest in Children Undergoing Noncardiac Surgery', *British Journal of Anesthesiology*, 8(C), pp.1-8. Available at: <https://doi.org/10.1016/j.bjao.2023.100244>.
- François, B., Bellissant, E., Gissot, V., Desachy, A., Normand, S., Boulain, T., Brenet, O., Preux, P.-M. and Vignon, P. (2007) '12-h pretreatment with methylprednisolone versus placebo for prevention of postextubation laryngeal oedema: a randomised double-blind trial', *The Lancet*, 369(9567), pp. 1083–1089. Available at: [https://doi.org/10.1016/S0140-6736\(07\)60526-1](https://doi.org/10.1016/S0140-6736(07)60526-1).
- Gavel, G., & Walker, R. W. (2014). 'Laryngospasm in anaesthesia'. *Continuing Education in Anaesthesia Critical Care & Pain*, 14(2), pp.47–51. Available at: <https://doi.org/10.1093/bjaceaccp/mkt031>.
- Ghadimi, K., Levy, J.H. and Welsby, I.J. (2016) 'Perioperative management of the bleeding patient', *British Journal of Anaesthesia*, 117, pp. iii18–iii30. Available at: <https://doi.org/10.1093/bja/aew358>.
- Gonzalez, L.P., Pignaton, W., Kusano, P.S., Módolo, N.S.P., Braz, J.R.C. and Braz, L.G. (2012) 'Anesthesia-related mortality in pediatric patients: A systematic review', *Clinics*, pp. 381–387. Available at: [https://doi.org/10.6061/clinics/2012\(04\)12](https://doi.org/10.6061/clinics/2012(04)12).
- De Graaff, J.C., Sarfo, M.C., Van Wolfswinkel, L., Van Der Werff, D.B.M. and Schouten, A.N.J. (2015) 'Anesthesia-related critical incidents in the perioperative period in children; A proposal for an anesthesia-related reporting system for critical incidents in children', *Paediatric Anaesthesia*, 25(6), pp. 621–629. Available at: <https://doi.org/10.1111/pan.12623>.
- Guarracino, F. and Baldassarri, R. (2016) 'Management of perioperative arrhythmias', in *Topical Issues in Anesthesia and Intensive Care*. Springer International Publishing, pp. 111–124. Available at: https://doi.org/10.1007/978-3-319-31398-6_7.
- Guarracino, F. and Bertini, P. (2022) 'Perioperative hypotension: causes and remedies', *Journal of Anesthesia, Analgesia and Critical Care*, 2(1). Available at: <https://doi.org/10.1186/s44158-022-00045-8>.
- Gupta, S., Naithani, U., Brajesh, S., Singh Pathania, V. and Gupta, A. (2009) *Critical Incident Reporting in Anaesthesia: A Prospective Internal Audit, Indian Journal of Anaesthesia*.
- Habre, W., Disma, N., Virag, K., Becke, K., Hansen, Tom G, *et al.*, (2017) 'Incidence of severe critical events in paediatric anaesthesia (APRICOT): a prospective multicentre

- observational study in 261 hospitals in Europe', *The Lancet Respiratory Medicine*, 5(5), pp. 412–425. Available at: [https://doi.org/10.1016/S2213-2600\(17\)30116-9](https://doi.org/10.1016/S2213-2600(17)30116-9).
- Hampson-Evans, D., Morgan, P. and Farrar, M. (2008) 'Pediatric laryngospasm', *Pediatric Anesthesia*, 18(4), pp. 303–307. Available at: <https://doi.org/10.1111/j.1460-9592.2008.02446.x>.
- Hartling, L., Hamm, M., Milne, A., Vandermeer, B., Santaguida, L., Ansari, M., Tsetsvadze, A., Hempel, S., Shekelle, P., Dryden, D. M. (2012). 'Validity and Inter-rater Reliability Testing of Quality Assessment Instrumens'. *Agency for Healthcare Research and Quality*. Available at: <https://www.ncbi.nih.gov/books/NBK92293/>.
- Harper, N.J.N., Cook, T.M., Garcez, T., Farmer, L., Floss, K., Marinho, S., Torevell, H., Warner, A., Ferguson, K., Hitchman, J., Egner, W., Kemp, H., Thomas, M., Lucas, D.N., Nasser, S., Karanam, S., Kong, K.-L., Farooque, S., Bellamy, M. and McGuire, N. (2018) 'Anaesthesia, surgery, and life-threatening allergic reactions: epidemiology and clinical features of perioperative anaphylaxis in the 6th National Audit Project (NAP6)', *British Journal of Anaesthesia*, 121(1), pp. 159–171. Available at: <https://doi.org/10.1016/j.bja.2018.04.014>.
- Harper, N.J.N., Dixon, T., Dugué, P., Edgar, D.M., Fay, A., Gooi, H.C., Herriot, R., Hopkins, P., Hunter, J.M., Mirakian, R., Pumphrey, R.S.H., Seneviratne, S.L., Walls, A.F., Williams, P., Wildsmith, J.A., Wood, P., Nasser, A.S., Powell, R.K., Mirakhur, R. and Soar, J. (2009) 'Suspected Anaphylactic Reactions Associated with Anaesthesia', *Anaesthesia*, 64(2), pp. 199–211. Available at: <https://doi.org/10.1111/j.1365-2044.2008.05733.x>.
- Horvath, B., Kloesel, B., Todd, M.M., Cole, D.J. and Prielipp, R.C. (2021) 'The Evolution, Current Value, and Future of the American Society of Anesthesiologists Physical Status Classification System', *Anesthesiology*, 135(5), pp. 904–919. Available at: <https://doi.org/10.1097/ALN.0000000000003947>.
- Ii, T.A.E., Louis Edberg, J., Kumar, N. and Applefield, D.J. (2017) 'Delayed Emergence From Anesthesia: A Simulation Case for Anesthesia Learners'. Available at: https://doi.org/10.15766/mep_2374.
- Ilala, T.T., Teku Ayano, G., Seife, M.A., Yinges Kebede, M., Geleta, B.A. and Tamrat Yilma, K. (2023) 'Prevalence of Bradycardia After Induction of General Anesthesia and Associated Factors Among Surgical Pediatric Patients. A Prospective Observational Study.', *Pediatric health, medicine and therapeutics*, 14, pp. 419–434. Available at: <https://doi.org/10.2147/PHMT.S429321>.

- Jansen, G., Borgstedt, R., Irmscher, L., Popp, J., Schmidt, B., Lang, E. and Rehberg, S.W. (2021) 'Incidence, Mortality, and Characteristics of 18 Pediatric Perioperative Cardiac Arrests: An Observational Trial From 22,650 Pediatric Anesthesias in a German Tertiary Care Hospital.', *Anesthesia and analgesia*, 133(3), pp. 747–754. Available at: <https://doi.org/10.1213/ANE.00000000000005296>.
- Jeng, C.L., Torrillo, T.M. and Rosenblatt, M.A. (2010) 'Complications of peripheral nerve blocks', *British Journal of Anaesthesia*, 105, pp. i97–i107. Available at: <https://doi.org/10.1093/bja/aeq273>.
- Joffe, A.M. and Deem, S.A. (2013) 'Physiologic and Pathophysiologic Responses to Intubation', in *Benumof and Hagberg's Airway Management*. Elsevier, pp. 184-198.e4. Available at: <https://doi.org/10.1016/B978-1-4377-2764-7.00007-5>.
- Khaleva, E., Franz, A., Garvey, L.H., Jay, N., Ylescupidez, A., Bahnson, H.T. and du Toit, G. (2020) 'Perioperative anaphylaxis in children: Etiology, time sequence, and patterns of clinical reactivity', *Pediatric Allergy and Immunology*, 31(1), pp. 85–94. Available at: <https://doi.org/10.1111/pai.13124>.
- Khoso, N., Ghaffar, W.B., Abassi, S. and Khan, F.A. (2021) 'Pediatric Anesthesia Severe Adverse Events Leading to Anesthetic Morbidity and Mortality in a Tertiary Care Center in a Low- and Middle-Income Country: A 25-Year Audit', *Anesthesia & Analgesia*, 132(1), pp. 217–222. Available at: <https://doi.org/10.1213/ANE.00000000000005162>.
- Kim, H.J., Son, J. Do and Kwak, K.-H. (2014) 'Unexpected and severe postintubation croup after a very short day surgery in a pediatric patient: a case report', *Korean Journal of Anesthesiology*, 67(4), p. 287. Available at: <https://doi.org/10.4097/kjae.2014.67.4.287>.
- Kolawole, H., Marshall, S.D., Crilly, H., Kerridge, R. and Roessler, P. (2017) 'Australian and New Zealand Anaesthetic Allergy Group / Australian and New Zealand College of Anaesthetists Perioperative Anaphylaxis Management Guidelines', *Anaesthesia and Intensive Care*, 45(2), pp. 151–158. Available at: <https://doi.org/10.1177/0310057X1704500204>.
- Koo, C.Y., Hyder, J.A., Wanderer, J.P., Eikermann, M. and Ramachandran, S.K. (2015) 'A meta-analysis of the predictive accuracy of postoperative mortality using the American Society of Anesthesiologists' physical status classification system.', *World journal of surgery*, 39(1), pp. 88–103. Available at: <https://doi.org/10.1007/s00268-014-2783-9>.

- Kouze, K., Hoppe, P., Briesenick, L., Saugel, B. (2020) ‘Intraoperative Hypotension: Pathophysiology, Clinical Relevance, And Therapeutic Approaches’, *Indian Journal Anesthesia*, 64(2), pp. 12-18. Available at: https://doi.org/10.4103/ija.IJA_939_19.
- Kroigaard, M., Garvey, L.H., Gillberg, L., Johansson, S.G.O., Mosbech, H., Florvaag, E., Harboe, T., Eriksson, L.I., Dahlgren, G., Seeman-Lodding, H., Takala, R., Wattwil, M., Hirlekar, G., Dahlén, B. and Guttormsen, A.B. (2007) ‘Scandinavian Clinical Practice Guidelines on the diagnosis, management and follow-up of anaphylaxis during anaesthesia’, *Acta Anaesthesiologica Scandinavica*, 51(6), pp. 655–670. Available at: <https://doi.org/10.1111/j.1399-6576.2007.01313.x>.
- Kroll, D.A., Caplan, R.A., Posner, K., Ward, R.J. and Cheney, F.W. (1990) ‘Nerve Injury Associated with Anesthesia’, *Anesthesiology*, 73(2), pp. 202–207. Available at: <https://doi.org/10.1097/00000542-199008000-00002>.
- Kuller, L.H. (1980) ‘Sudden death—Definition and epidemiologic considerations’, *Progress in Cardiovascular Diseases*, 23(1), pp. 1–12. Available at: [https://doi.org/10.1016/0033-0620\(80\)90002-X](https://doi.org/10.1016/0033-0620(80)90002-X).
- Kwon, C.H. and Kim, S.-H. (2017) ‘Intraoperative management of critical arrhythmia.’, *Korean journal of anesthesiology*, 70(2), pp. 120–126. Available at: <https://doi.org/10.4097/kjae.2017.70.2.120>.
- Lakshman, R., Elks, C.E. and Ong, K.K. (2012) ‘Childhood Obesity’, *Circulation*, 126(14), pp. 1770–1779. Available at: <https://doi.org/10.1161/CIRCULATIONAHA.111.047738>.
- Lalkhen, A.G. and Bhatia, K. (2012) ‘Perioperative peripheral nerve injuries’, *Continuing Education in Anaesthesia, Critical Care and Pain*, 12(1), pp. 38–42. Available at: <https://doi.org/10.1093/bjaceaccp/mkr048>.
- Lee, J.H., Kim, E.K., Song, I.K., Kim, E.H., Kim, H.S., Kim, C.S. and Kim, J.T. (2016) ‘Critical incidents, including cardiac arrest, associated with pediatric anesthesia at a tertiary teaching children’s hospital’, *Paediatric Anaesthesia*, 26(4), pp. 409–417. Available at: <https://doi.org/10.1111/pan.12862>.
- Litman, R.S. and King, M.R. (2022) ‘Routine Airway Management’, in *Litman’s Basics of Pediatric Anesthesia*. Elsevier, pp. 108–119. Available at: <https://doi.org/10.1016/B978-0-323-82902-1.00017-2>.
- Lorinc, A.N., Walters, C.B., Lovejoy, H.K., Crockett, C.J. and Reddy, S.K. (2020) ‘Hot topics in safety for pediatric anesthesia’, *Children*. MDPI.

- Mackie, T., Meaney, J. and Timon, C. (2007) 'Tracheoesophageal compression associated with substernal goitre. Correlation of symptoms with cross-sectional imaging findings', *The Journal of Laryngology & Otology*, 121(4), pp. 358–361. Available at: <https://doi.org/10.1017/S0022215106004142>.
- Maheshwari, K., Ahuja, S., Khanna, A.K., Mao, G., Perez-Protto, S., Farag, E., Turan, A., Kurz, A. and Sessler, D.I. (2020) 'Association Between Perioperative Hypotension and Delirium in Postoperative Critically Ill Patients', *Anesthesia & Analgesia*, 130(3), pp. 636–643. Available at: <https://doi.org/10.1213/ANE.00000000000004517>.
- Malviya, S., Voepel-Lewis, T. and Tait, A.R. (1997) 'Adverse events and risk factors associated with the sedation of children by nonanesthesiologists.', *Anesthesia and analgesia*, 85(6), pp. 1207–13. Available at: <https://doi.org/10.1097/00000539-199712000-00005>.
- Mandell, L.A. and Niederman, M.S. (2019) 'Aspiration Pneumonia', *New England Journal of Medicine*, 380(7), pp. 651–663. Available at: <https://doi.org/10.1056/NEJMra1714562>.
- McGuinness, S. and Sidebotham, D. (2007) 'Acute Respiratory Failure', in *Cardiothoracic Critical Care*. Elsevier, pp. 398–409. Available at: <https://doi.org/10.1016/B978-075067572-7.50030-8>.
- McHugh, M.L. (2012) 'Interrater Reliability: The Kappa Statistic'. *Biochem Med*, 22(3), pp.276-282.
- Merella, F., Canchi-Murali, N. and Mossetti, V. (2019) 'General principles of regional anaesthesia in children', *BJA Education*, 19(10), pp. 342–348. Available at: <https://doi.org/10.1016/j.bjae.2019.06.003>.
- Mohamed Ibrahim, O., Ibrahim, R.M., Al Meslamani, A.Z. and Al Mazrouei, N. (2020) 'Dispensing errors in community pharmacies in the United Arab Emirates: investigating incidence, types, severity, and causes', *Pharmacy Practice*, 18(4), p. 2111. Available at: <https://doi.org/10.18549/PharmPract.2020.4.2111>.
- Morita, K., Kawashima, Y., Irita, K., Kobayayashi, T., Goto, Y., Iwao, Y., Seo, N., Tsuzaki, K., Dohi, S. and Committee on Operating Room Safety of Japanese Society of Anesthesiologists (2001) '[Perioperative mortality and morbidity in 1999 with a special reference to age in 466 certified training hospitals of Japanese Society of Anesthesiologists--report of Committee on Operating Room Safety of Japanese Society of Anesthesiologists].', *Masui. The Japanese journal of anesthesiology*, 50(8), pp. 909–21.

- Nandwani, N., Raphael, J.H. and Langton, J.A. (1997) 'Effect of an upper respiratory tract infection on upper airway reactivity.', *British journal of anaesthesia*, 78(4), pp. 352–5. Available at: <https://doi.org/10.1093/bja/78.4.352>.
- Nafiu, O. O., Voepel-Lewis, T. (2010) 'How do pediatric anesthesiologists define intraoperative hypotension?', *Pediatric Anesth*, 19(11), pp.1048-53.
- Nafiu, O. O., Maclean, S., Blum, J., Kheterpal, S., Cowan, A. and Tremper, K. (2010) 'High BMI in Children As A Risk Factor For Intraoperative Hypotension', *European Journal of Anesthesiology*, 27, pp 1-4. Available at: <https://doi.org/10.1097/EJA.0b013e32833cfd8d>.
- Neal, J., Bernard, C., Hadzic, A., Hebl, J., Hogan, Q., Horlocker, T., Lee, L., Rathmell, J., Sorenson, E. and Suresh, S. (2008) 'ASRA Practice Advisory on Neurologic Complications in Regional Anesthesia and Pain Medicine', *Regional Anesthesia and Pain Medicine*, 33(5), pp. 404–415. Available at: <https://doi.org/10.1016/j.rapm.2008.07.527>.
- Olson, G.L. and Hallen, B. (1984) *Laryngospasm During Anaesthesia. A Computer-Aided Incidence Study in 136 929 Patients*, *Acta Anaesthesiol Scand*.
- Oofuvong, M., Geater, A. F., Chongsuvivatwong, V., Pattaravit, N. and Nuanjun, K. (2014). 'Risk Over Time And Risk Factors of Intraoperative Respiratory Events: A Historical Cohort Study of 14,153 Children', *BMC Anesthesiology*, 14(13), pp. 1-11. Available at: [https:// www.biomedcentral.com/1471-2253/14/13](https://www.biomedcentral.com/1471-2253/14/13).
- Pasma, W., Peelen, L. M., Broek, S. V. D., Buuren, S. V., van Klei, W. A., de Graff, J. C. (2019). 'Patient and Anesthesia Characteristics of Children With Low Pre-Incision Blood Pressure: A Retrospective Observational Study', *Acta Anaesthesiol Scand*, 64, pp. 472-480. Available at: <https://doi.org/10.1111/aas.13520>
- Pavenski, K., Stanworth, S., Fung, M., Wood, E. M., Pink, J., Murphy, M. F., Hume, H., Nahirniak, S., Webert, K. E., Tanael, S., Landry, D., Shehata, N., & International Collaboration for Transfusion Medicine Guidelines (ICTMG) (2018). 'Quality of Evidence-Based Guidelines for Transfusion of Red Blood Cells and Plasma: A Systematic Review'. *Transfusion medicine reviews*, S0887-7963(18)30017-8. Advance online publication. Available at: <https://doi.org/10.1016/j.tmr.2018.05.004>.
- Pfaff, K.E., Tumin, D., Miller, R., Beltran, R.J., Tobias, J.D. and Uffman, J.C. (2020) 'Perioperative aspiration events in children: A report from the Wake Up Safe Collaborative', *Pediatric Anesthesia*, 30(6), pp. 660–666. Available at: <https://doi.org/10.1111/pan.13893>.

- Pluijms, W.A., van Mook, W.N., Wittekamp, B.H. and Bergmans, D.C. (2015) 'Postextubation laryngeal edema and stridor resulting in respiratory failure in critically ill adult patients: updated review.', *Critical care (London, England)*, 19(1), p. 295. Available at: <https://doi.org/10.1186/s13054-015-1018-2>.
- 'Practice Advisory for the Prevention of Perioperative Peripheral Neuropathies' (2011) *Anesthesiology*, 114(4), pp. 741–754. Available at: <https://doi.org/10.1097/ALN.0b013e3181fcbff3>.
- Quinn, J.-A., Munoz, F.M., Gonik, B., Frau, L., Cutland, C., Mallett-Moore, T., Kissou, A., Wittke, F., Das, M., Nunes, T., Pye, S., Watson, W., Ramos, A.-M.A., Cordero, J.F., Huang, W.-T., Kochhar, S. and Buttery, J. (2016) 'Preterm birth: Case definition & guidelines for data collection, analysis, and presentation of immunisation safety data', *Vaccine*, 34(49), pp. 6047–6056. Available at: <https://doi.org/10.1016/j.vaccine.2016.03.045>.
- Raghavan, K., Moo, D.X.Y. and Tan, Z. (2019) 'Severe obesity in children as an independent risk factor for perioperative respiratory adverse events during anaesthesia for minor non-airway surgery, a retrospective observational study', *Proceedings of Singapore Healthcare*, 28(2), pp. 83–89. Available at: <https://doi.org/10.1177/2010105818802994>.
- Raksakietisak, M., Chinachoti, T., Vudhikamraksa, S., Svastdi-Xuto, O. and Surachetpong, S. (2002) 'Perioperative desaturation: incidence, causes, management and outcome.', *Journal of the Medical Association of Thailand = Chotmaihet thangphaet*, 85 Suppl 3, pp. S980-6.
- Ramamoorthy, C., Haberkern, C.M., Bhananker, S.M., Domino, K.B., Posner, K.L., Campos, J.S. and Morray, J.P. (2010) 'Anesthesia-Related Cardiac Arrest in Children with Heart Disease', *Anesthesia & Analgesia*, 110(5), pp. 1376–1382. Available at: <https://doi.org/10.1213/ANE.0b013e3181c9f927>.
- Riley, R.D., Ensor, J., Snell, K.I.E., Harrell, F.E., Martin, G.P., Reitsma, J.B., Moons, K.G.M., Collins, G. and van Smeden, M. (2020) 'Calculating the sample size required for developing a clinical prediction model', *BMJ*, p. m441. Available at: <https://doi.org/10.1136/bmj.m441>.
- Saikia, D. and Mahanta, B. (2019) 'Cardiovascular and respiratory physiology in children.', *Indian journal of anaesthesia*, 63(9), pp. 690–697. Available at: https://doi.org/10.4103/ija.IJA_490_19.

Sarakawabalo, A., Tabana, M.E., Ouro-Bagna, T., Pikabalo, T. and Wilfred, S. (2023)

‘Perioperative Critical Incidents in Pediatric Anesthesia at a Referral Hospital of Togo, Sub-Saharan Africa’, *Int J Anesth Pain Med*, 9(1), p. 87. Available at: <https://doi.org/10.35841/2471-982X.9.1.87>.

Schiff, J.-H., Walther, A., Krier, C. and Hagberg, C.A. (2013) ‘Complications of Managing the Airway’, in *Benumof and Hagberg’s Airway Management*. Elsevier, pp. 1047-1069.e6. Available at: <https://doi.org/10.1016/B978-1-4377-2764-7.00051-8>.

Seta, B., Gholap, S., Aurangabadi, K., Deshmukh, A.M., Wankhede, P., Suryawanshi, P., Vasanth, S., Kurian, M., Philip, E., Jagtap, N. and Pandit, E. (2020) ‘Incidence of Medication Error in Critical Care Unit of a Tertiary Care Hospital: Where Do We Stand?’, *Indian Journal of Critical Care Medicine*, 24(9), pp. 799–803. Available at: <https://doi.org/10.5005/jp-journals-10071-23556>.

Shimelis Legesse, M.H. and Nega Desalegn, S.M. (2015b) ‘Magnitude and Associated Risk Factors of Perioperative Pediatrics Laryngospasm under General Anesthesia’, *Internal Medicine: Open Access*, 05(05). Available at: <https://doi.org/10.4172/2165-8048.1000203>.

Shung, J. (2010) "Intra-operative hypotension in children: does it matter?", *Southern African Journal of Anaesthesia and Analgesia*, 16:2, pp.42-44, Available at: <https://doi.org/10.1080/22201173.2010.10872664>.

Sim, M.A., Ti, L.K., Mujumdar, S., Chew, S.T.H., Penanueva, D.J.B., Kumar, B.M. and Ang, S.B.L. (2022) ‘Sustaining the Gains: A 7-Year Follow-Through of a Hospital-Wide Patient Safety Improvement Project on Hospital-Wide Adverse Event Outcomes and Patient Safety Culture’, *Journal of Patient Safety*, 18(1), pp. e189–e195. Available at: <https://doi.org/10.1097/PTS.0000000000000725>.

Stadler, M., Bardiau, F., Seidel, L., Albert, A. and Boogaerts, J.G. (2003) ‘Difference in Risk Factors for Postoperative Nausea and Vomiting’, *Anesthesiology*, 98(1), pp. 46–52. Available at: <https://doi.org/10.1097/00000542-200301000-00011>.

Staffel, J.G., Weissler, M.C., Tyler, E.P. and Drake, A.F. (1991) ‘The Prevention of Postoperative Stridor and Laryngospasm With Topical Lidocaine’, *Archives of Otolaryngology - Head and Neck Surgery*, 117(10), pp. 1123–1128. Available at: <https://doi.org/10.1001/archotol.1991.01870220071012>.

Szekely, S. M., Runciman, W. B., Webb, R. K., & Ludbrook, G. L. (2005). ‘Crisis management during anaesthesia: desaturation’. *Quality & safety in health care*, 14(3), p.e6. Available at: <https://doi.org/10.1136/qshc.2002.004374>

- Talabi, A. O., Ojo, O. O., Aaron, O. I., Sowande, O. A., Faponle, F. A., & Adejuyigbe, O. (2021). Perioperative mortality in children in a tertiary teaching hospital in Nigeria: a prospective study. *World journal of pediatric surgery*, 4(1), e000237. Available at: <https://doi.org/10.1136/wjps-2020-000237>
- Taneja, B., Srivastava, V. and Saxena, K. N. (2012). 'Physiological And Anesthetic Considerations For The Preterm Neonate Undergoing Surgery'. *Journal Of Neonatal Surgery*, 1(1), pp. 1-13.
- Tarekegn, F., Seyoum, R., Abebe, G., & Terefe, M. (2021). Perioperative pediatric mortality in Ethiopia: A prospective cohort study. *Annals of medicine and surgery* (2012), 67, 102396. Available at: <https://doi.org/10.1016/j.amsu.2021.102396>.
- Tariq, S., Syed, M., Martin, T., Zhang, X. and Schmitz, M. (2018) 'Rates of perioperative respiratory adverse events among caucasian and African American children undergoing general anesthesia', *Anesthesia and Analgesia*, 127(1), pp. 181–187. Available at: <https://doi.org/10.1213/ANE.00000000000003430>.
- Tesoro, S., Marchesini, L. and De Robertis, E. (2019) 'Pediatric Anesthesia.', *Translational medicine @ UniSa*, 20, pp. 1–3.
- Tzabazis, A., Miller, C., Dobrow, M.F., Zheng, K. and Brock-Utne, J.G. (2015) 'Delayed emergence after anesthesia', *Journal of Clinical Anesthesia*, 27(4), pp. 353–360. Available at: <https://doi.org/10.1016/j.jclinane.2015.03.023>.
- Uakritdathikarn, T., Chongsuvivatwong, V., Geater, A.F., Vasinanukorn, M., Thinchana Bns, S. and Klayna Bns, S. (2008) *Perioperative Desaturation and Risk Factors in General Anesthesia*, *J Med Assoc Thai*.
- Van der Griend, B. F., Lister, N. A., McKenzie, I. M., Martin, N., Ragg, P. G., Sheppard, S. J., & Davidson, A. J. (2011). Postoperative mortality in children after 101,885 anesthetics at a tertiary pediatric hospital. *Anesthesia and analgesia*, 112(6), 1440–1447. Available at: <https://doi.org/10.1213/ANE.0b013e318213be52>.
- Visvanathan, T., Kluger, M.T., Webb, R.K. and Westhorpe, R.N. (2005) 'Crisis management during anaesthesia: laryngospasm.', *Quality & safety in health care*, 14(3), p. e3. Available at: <https://doi.org/10.1136/qshc.2002.004275>.
- Wali, A. and Munnur, U. (2013) 'The Patient with a Full Stomach', in *Benumof and Hagberg's Airway Management*. Elsevier, pp. 705-722.e6. Available at: <https://doi.org/10.1016/B978-1-4377-2764-7.00035-X>.
- Walker, S.M., Engelhardt, T., Ahmad, N. and Dobby, N. (2022) 'Perioperative critical events and morbidity associated with anesthesia in early life: Subgroup analysis of United

- Kingdom participation in the NEonate and Children audiT of Anaesthesia pRactice IN Europe (NECTARINE) prospective multicenter observational study', *Paediatric anaesthesia*, 32(7), pp. 801–814. Available at: <https://doi.org/10.1111/pan.14457>.
- Wheeler, A.J., Scahill, S., Hopcroft, D. and Stapleton, H. (2018) 'Reducing medication errors at transitions of care is everyone's business.', *Australian prescriber*, 41(3), pp. 73–77. Available at: <https://doi.org/10.18773/austprescr.2018.021>.
- Woods, B.D. and Sladen, R.N. (2009) 'Perioperative considerations for the patient with asthma and bronchospasm.', *British journal of anaesthesia*, 103 Suppl 1, pp. i57-65. Available at: <https://doi.org/10.1093/bja/aep271>.
- Wudineh, D.M., Berhe, Y.W., Chekol, W.B., Adane, H. and Workie, M.M. (2022) 'Perioperative Respiratory Adverse Events Among Pediatric Surgical Patients in University Hospitals in Northwest Ethiopia; A Prospective Observational Study', *Frontiers in Pediatrics*, 10. Available at: <https://doi.org/10.3389/fped.2022.827663>.