

REFERENCES

- Afsah, Y.R. and Kaneko, N. (2023) 'Barriers to cervical cancer screening faced by immigrant Muslim women: a systematic scoping review', *BMC Public Health*, 23(1), p. 2375. Available at: <https://doi.org/10.1186/s12889-023-17309-9>.
- Aitken, C.A. *et al.* (2019) 'Introduction of primary screening using high-risk HPV DNA detection in the Dutch cervical cancer screening programme: A population-based cohort study', *BMC Medicine*, 17(1), pp. 1–14. Available at: <https://doi.org/10.1186/s12916-019-1460-0>.
- American Cancer Society (2019) 'Cervical Cancer Causes, Risk Factors, and Prevention Risk Factors', *American Cancer Society*, p. 2.
- Anderson, M.C. *et al.* (1991) 'Current views on cervical intraepithelial neoplasia', *Journal of Clinical Pathology*, 44(12), pp. 969–978. Available at: <https://doi.org/10.1136/jcp.44.12.969>.
- Arbyn, M. *et al.* (2018) 'Detecting cervical precancer and reaching underscreened women by using HPV testing on self samples: Updated meta-analyses', *BMJ (Online)*, 363. Available at: <https://doi.org/10.1136/bmj.k4823>.
- Arends, M.J., Buckley, C.H. and Wells, M. (1998) 'Aetiology, pathogenesis, and pathology of cervical neoplasia', *Journal of Clinical Pathology*, 51(2), pp. 96–103. Available at: <https://doi.org/10.1136/jcp.51.2.96>.
- Arrossi, S. *et al.* (2015a) 'Effect of self-collection of HPV DNA offered by community health workers at home visits on uptake of screening for cervical cancer (the EMA study): A population-based cluster-randomised trial', *The Lancet Global Health*, 3(2), pp. e85–e94. Available at: [https://doi.org/10.1016/S2214-109X\(14\)70354-7](https://doi.org/10.1016/S2214-109X(14)70354-7).
- Arrossi, S. *et al.* (2015b) 'Effect of self-collection of HPV DNA offered by community health workers at home visits on uptake of screening for cervical cancer (the EMA study): a population-based cluster-randomised trial', *The Lancet Global Health*, 3(2), pp. e85–e94. Available at: [https://doi.org/10.1016/S2214-109X\(14\)70354-7](https://doi.org/10.1016/S2214-109X(14)70354-7).
- Arrossi, S. *et al.* (2017) 'Evaluation of scaling-up of HPV self-collection offered by community health workers at home visits to increase screening among socially vulnerable under-screened women in Jujuy Province, Argentina', *Implementation Science: IS*, 12, p. 17. Available at: <https://doi.org/10.1186/s13012-017-0548-1>.
- Balasubramaniam, S.D. *et al.* (2019) 'Key molecular events in cervical cancer development', *Medicina (Lithuania)*, 55(7). Available at: <https://doi.org/10.3390/medicina55070384>.
- Baseman, J.G. and Koutsky, L.A. (2005) 'The epidemiology of human papillomavirus infections', *Journal of Clinical Virology*, 32(SUPPL.), pp. 16–24. Available at: <https://doi.org/10.1016/j.jcv.2004.12.008>.
- Bermudez, A., Bhatla, N. and Leung, E. (2015) 'Cancer of the cervix uteri', *International Journal of Gynecology and Obstetrics*, 131(December), pp. S88–S95.

Bhatla, N. *et al.* (2009) ‘Can human papillomavirus DNA testing of self-collected vaginal samples compare with physician-collected cervical samples and cytology for cervical cancer screening in developing countries?’, *Cancer Epidemiology*, 33(6), pp. 446–450. Available at: <https://doi.org/10.1016/j.canep.2009.10.013>.

Black, E., Hyslop, F. and Richmond, R. (2019) ‘Barriers and facilitators to uptake of cervical cancer screening among women in Uganda: a systematic review’, *BMC Women’s Health*, 19(1), p. 108. Available at: <https://doi.org/10.1186/s12905-019-0809-z>.

Brandt, T. *et al.* (2019) ‘Genital self-sampling for HPV-based cervical cancer screening: A qualitative study of preferences and barriers in rural Ethiopia’, *BMC Public Health*, 19(1), pp. 1–9. Available at: <https://doi.org/10.1186/s12889-019-7354-4>.

Bray, F. *et al.* (2013) ‘Global estimates of cancer prevalence for 27 sites in the adult population in 2008’, *International Journal of Cancer*, 132(5), pp. 1133–1145. Available at: <https://doi.org/10.1002/ijc.27711>.

Brewer, N. *et al.* (2021) ‘Acceptability of human papillomavirus (HPV) self-sampling among never- and under-screened Indigenous and other minority women: a randomised three-arm community trial in Aotearoa New Zealand’, *The Lancet Regional Health - Western Pacific*, 16, p. 100265. Available at: <https://doi.org/10.1016/j.lanwpc.2021.100265>.

Bromhead, C. *et al.* (2021) ‘Human Papillomavirus (HPV) Self-Sampling among Never-and Under-Screened Indigenous Māori, Pacific and Asian Women in Aotearoa New Zealand: A Feasibility Study’, *International Journal of Environmental Research and Public Health*, 18(19), p. 10050. Available at: <https://doi.org/10.3390/ijerph181910050>.

Broutet, N. *et al.* (2022) ‘Implementation research to accelerate scale-up of national screen and treat strategies towards the elimination of cervical cancer’, *Preventive Medicine*, 155.

Cancer Council Australia (2019) *National Cervical Screening Program: Guidelines for the management of screen-detected abnormalities, screening in specific populations and investigation of abnormal vaginal bleeding*. Available at: <https://wiki.cancer.org.au/australiawiki/index.php?oldid=207530>.

Castellsagué, X. *et al.* (2006) ‘Worldwide human papillomavirus etiology of cervical adenocarcinoma and its cofactors: Implications for screening and prevention’, *Journal of the National Cancer Institute*, 98(5), pp. 303–315. Available at: <https://doi.org/10.1093/jnci/djj067>.

Chaw, L. *et al.* (2022) ‘Reasons for non-attendance to cervical cancer screening and acceptability of HPV self-sampling among Bruneian women: A cross-sectional study’, *PLoS ONE*, 17(3), p. e0262213. Available at: <https://doi.org/10.1371/journal.pone.0262213>.

Creswell, W.J. and Creswell, J.D. (2018) *Research Design: Qualitative, Quantitative and Mixed Methods Approaches*, Sage Publications, Inc.

Devotta, K. *et al.* (2023) ‘Implementation of a Cervical Cancer Screening Intervention for Under-or Never-Screened Women in Ontario, Canada: Understanding the Acceptability of HPV Self-

Sampling', *Current oncology (Toronto, Ont.)*, 30(7), pp. 6786–6804. Available at: <https://doi.org/10.3390/curroncol30070497>.

Duke, P. *et al.* (2015) 'Effect of vaginal self-sampling on cervical cancer screening rates: a community-based study in Newfoundland', *BMC women's health*, 15, p. 47. Available at: <https://doi.org/10.1186/s12905-015-0206-1>.

Dykens, J.A. *et al.* (2020) 'Evaluating the implementation of cervical cancer screening programs in low-resource settings globally: a systematized review', *Cancer Causes and Control*, 31(5), pp. 417–429. Available at: <https://doi.org/10.1007/s10552-020-01290-4>.

Fereday, J. and Muir-Cochrane, E. (2006) 'Demonstrating Rigor Using Thematic Analysis: A Hybrid Approach of Inductive and Deductive Coding and Theme Development Jennifer', *International Journal of Qualitative Methods*, 5(1), pp. 388–393. Available at: https://doi.org/10.5771/9783845258911_388.

Fujita, M. *et al.* (2022) 'Study protocol of the ACCESS trial: A randomised trial to evaluate the effectiveness of human papillomavirus testing by self-sampling in cervical cancer screening uptake and precancer detection', *BMJ Open*, 12(2), pp. 1–8. Available at: <https://doi.org/10.1136/bmjopen-2021-049803>.

Fujita, M *et al.* (2023) 'Acceptability of self-sampling human papillomavirus test for cervical cancer screening in Japan : A questionnaire survey in the ACCESS trial', *PLoS ONE*, 196, pp. 1–15. Available at: <https://doi.org/10.1371/journal.pone.0286909>.

Fujita, Misuzu *et al.* (2023) 'Acceptability of self-sampling human papillomavirus test for cervical cancer screening in Japan: A questionnaire survey in the ACCESS trial', *PLOS ONE*, 18(6), p. e0286909. Available at: <https://doi.org/10.1371/journal.pone.0286909>.

Ginsburg, O. *et al.* (2017) 'The global burden of women's cancers: an unmet grand challenge in global health', *Lancet*, 389(10071), pp. 847–860. Available at: [https://doi.org/10.1016/S0140-6736\(16\)31392-7](https://doi.org/10.1016/S0140-6736(16)31392-7).The.

Global Burden of Disease Cancer Collaboration (2015) 'The Global Burden of Cancer 2013', *JAMA Oncology*, 1(January 2014), pp. 505–527. Available at: <https://doi.org/10.1001/jamaoncol.2015.0735>.The.

Gottschlich, A. *et al.* (2017) 'Acceptability of Human Papillomavirus Self-Sampling for Cervical Cancer Screening in an Indigenous Community in Guatemala', *Journal of Global Oncology*, 3(5), pp. 444–454. Available at: <https://doi.org/10.1200/JGO.2016.005629>.

Harding-Esch, E.M. *et al.* (2017) 'Self-sampling and self-testing for STIs and HIV: The case for consistent nomenclature', *Sexually Transmitted Infections*, 93(2), p. 80. Available at: <https://doi.org/10.1136/sextrans-2016-052841>.

ICO/IARC Information Centre on HPV and Cancer (2023) *Indonesia Human Papillomavirus and Related Cancers, Fact Sheet 2021, HPV Information Centre.*

Kale, S. *et al.* (2023) ‘Addressing Cancer Disparities Through Community Engagement: Lessons and Best Practices’, *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.43445>.

Lofters, A.K. *et al.* (2017) ‘Exploring the acceptability of human papillomavirus self-sampling among Muslim immigrant women’, *Cancer Management and Research*, 9, pp. 323–329. Available at: <https://doi.org/10.2147/CMAR.S139945>.

Nishimura, H. *et al.* (2021) ‘HPV self-sampling for cervical cancer screening: a systematic review of values and preferences’, *BMJ Global Health*, 6(5), p. e003743. Available at: <https://doi.org/10.1136/bmjgh-2020-003743>.

Pan American Health Organization (2016) *Integrating HPV Testing in Cervical Cancer Screening Programs*.

Petignat, P. and Vassilakos, P. (2012) ‘Is it time to introduce HPV self-sampling for primary cervical cancer screening?’, *Journal of the National Cancer Institute*, 104(3), pp. 166–167. Available at: <https://doi.org/10.1093/jnci/djr544>.

Phoolcharoen, N. *et al.* (2018) ‘Acceptability of Self-Sample Human Papillomavirus Testing Among Thai Women Visiting a Colposcopy Clinic’, *Journal of Community Health*, 43(3), pp. 611–615. Available at: <https://doi.org/10.1007/s10900-017-0460-2>.

Prabhu, M. and Eckert, L.O. (2016) ‘Development of World Health Organization (WHO) recommendations for appropriate clinical trial endpoints for next-generation Human Papillomavirus (HPV) vaccines’, *Papillomavirus Research*, 2(October), pp. 185–189. Available at: <https://doi.org/10.1016/j.pvr.2016.10.002>.

Racey, C.S., Withrow, D.R. and Gesink, D. (2013) ‘Self-collected HPV testing improves participation in cervical cancer screening: a systematic review and meta-analysis’, *Canadian Journal of Public Health = Revue Canadienne De Sante Publique*, 104(2), pp. e159–166. Available at: <https://doi.org/10.1007/BF03405681>.

Robbers, G.M.L. *et al.* (2021) ‘Facilitators and barriers for the delivery and uptake of cervical cancer screening in Indonesia: a scoping review’, *Global Health Action*, 14(1), pp. 1–15. Available at: <https://doi.org/10.1080/16549716.2021.1979280>.

Rose Foundation, M. (2019) *Program ROSE: Removing Obstacles to Cervical Screening*. Available at: <https://www.programrose.org/>.

Schiffman, M. *et al.* (2005) ‘Human papillomavirus and cervical cancer’, *Journal of Clinical Virology*, 32(1), pp. S16–24. Available at: <https://doi.org/10.1007/s00340-014-5843-9>.

Schiffman, M. *et al.* (2011) ‘Human papillomavirus testing in the prevention of cervical cancer’, *Journal of the National Cancer Institute*, 103(5), pp. 368–383. Available at: <https://doi.org/10.1093/jnci/djq562>.

Sekhon, M., Cartwright, M. and Francis, J.J. (2017) 'Acceptability of healthcare interventions: An overview of reviews and development of a theoretical framework', *BMC Health Services Research*, 17(1), pp. 1–14. Available at: <https://doi.org/10.1186/s12913-017-2031-8>.

Small, W. *et al.* (2017) 'Cervical cancer: A global health crisis', *Cancer*, 123(13), pp. 2404–2412. Available at: <https://doi.org/10.1002/cncr.30667>.

Sung, H. *et al.* (2021) 'Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries', *CA: A Cancer Journal for Clinicians*, 71(3), pp. 209–249. Available at: <https://doi.org/10.3322/caac.21660>.

Tavafian, S.S. (2012) 'Predictors of Cervical Cancer Screening: An Application of Health Belief Model', in *Topics on Cervical Cancer With an Advocacy for Prevention*. IntechOpen. Available at: <https://doi.org/10.5772/27886>.

Torre, L.A. *et al.* (2015) 'Global cancer statistics, 2012', *CA: A Cancer Journal for Clinicians*, 65(2), pp. 87–108. Available at: <https://doi.org/10.3322/caac.21262>.

Ubah, C. *et al.* (2022) 'Perceived Barriers to Cervical Cancer Screening Uptake among Women of an Urban Community in South-Eastern Nigeria', *Asian Pacific Journal of Cancer Prevention: APJCP*, 23(6), pp. 1959–1965. Available at: <https://doi.org/10.31557/APJCP.2022.23.6.1959>.

Vahabi, M. and Lofters, A. (2016) 'Muslim immigrant women's views on cervical cancer screening and HPV self-sampling in Ontario, Canada', *BMC Public Health*, 16(1), p. 868. Available at: <https://doi.org/10.1186/s12889-016-3564-1>.

Vance, M.E. and Keele, B. (2013) 'Development and validation of the cervical cancer knowledge and beliefs of appalachian women questionnaire', *Journal of Nursing Measurement*, 21(3), pp. 477–501. Available at: <https://doi.org/10.1891/1061-3749.21.3.477>.

WHO (2020) 'WHO recommendations on self-care interventions', *Human Reproduction Programme* [Preprint].

Wong, E.L.Y. *et al.* (2020) 'Acceptability and feasibility of hpv self-sampling as an alternative primary cervical cancer screening in under-screened population groups: A cross-sectional study', *International Journal of Environmental Research and Public Health*, 17(17), pp. 1–15. Available at: <https://doi.org/10.3390/ijerph17176245>.

Wong, E.L.-Y. *et al.* (2020) 'Acceptability and Feasibility of HPV Self-Sampling as an Alternative Primary Cervical Cancer Screening in Under-Screened Population Groups: A Cross-Sectional Study', *International Journal of Environmental Research and Public Health*, 17(17), p. 6245. Available at: <https://doi.org/10.3390/ijerph17176245>.

Zhao, F.-H. *et al.* (2012) 'Pooled analysis of a self-sampling HPV DNA Test as a cervical cancer primary screening method', *Journal of the National Cancer Institute*, 104(3), pp. 178–188. Available at: <https://doi.org/10.1093/jnci/djr532>.