

DAFTAR PUSTAKA

- Albregtsen, F. (2008). *Statistical Texture Measures Computed from Gray Level Cooccurrence Matrices*.
- Breiman, L. (2001). Random Forests. *Machine Learning, Kluwer Academic Publishers*, 45, 5–32.
- C. Pignatale, F. (2022). *Sen2Cor 2.11.00 Configuration and User Manual: Vol. Ompr.Tpzg.Sum.001*. Copernicus Space Component Sentinel Optical Imaging Mission Performance Cluster Service .
- Danoedoro, P. (2009). Land-use information from the satellite imagery: Versatility and contents for local physical planning. *Saarbrücken: Lambert Academic Publishing*.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. ANDI Yogyakarta.
- Dirhamyah. (2018). Luas Terumbu Karang Indonesia Capai 25.000 KM Persegi. *Retrieved from <https://indonews.id/artikel/17839/LIPI-Luas-Terumbu-Karang-Indonesia-Capai-25000-KM-Persegi/> [9 Mei 2021]*.
- Dwikarsa, Y. (2021). *Klasifikasi Habitat Benitik Pada Perairan Dangkal dari Citra Ortofoto dengan Teknik Object Based Image Analysis (OBIA)*.
- Evany, L. T., & Prasetyo, Y. J. (2018). *Analisis Index Vegetasi Pesisir Pantai Aceh Pasca Tsunami Menggunakan Citra Satelit Landsat 7 Dan Landsat 8 Dengan Metode Clustering Algoritma K-Means*.
- Green, Edmund., Peter, M., Edwards, A., & Christopher, C. (2000). *Mapping Mangroves. In Remote Sensing Handbook for Tropical Coastal Management*.
- Guntur, Prasetyo, D., & Wawan. (2012). *Pemetaan Terumbu Karang: Teori, Metode dan Praktik*. Bogor: Ghalia Indonesia.
- Hafizt, M., Iswari, M. Y., & Prayudha, B. (2017). Kajian Metode Klasifikasi Citra Landsat-8 untuk Pemetaan Habitat Bentik di Kepulauan Padaido , Papua
Assessment of Landsat-8 Classification Method for Benthic Habitat Mapping in Padaido Islands , Papua Abstrak Pendahuluan Metodologi. *Oseanologi Dan Limnologi Di Indonesia*, 2(1), 1–13. <https://jurnal-oldi.or.id/index.php/oldi/article/view/69/67>

- Harlick. (1973). Textural Features for Image Classification. *IEEE Transactions on Systems, Man, and Cybernetics*, (6), 610–621.
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112.
<https://doi.org/10.1080/01431160500034086>
- Hedley, J. D., Roelfsema, C., Brando, V., Giardino, C., Kutser, T., Phinn, S., Mumby, P. J., Barrilero, O., Laporte, J., & Koetz, B. (2018). Coral reef applications of Sentinel-2: Coverage, characteristics, bathymetry and benthic mapping with comparison to Landsat 8. *Remote Sensing of Environment*, 216, 598–614. <https://doi.org/10.1016/j.rse.2018.07.014>
- Jensen, John. "R. (2005). *Introductory Digital Image Processing: A Remote Sensing Perspective*. (Upper Saddle River, Ed.).
- Kay, S., Hedley, J. D., & Lavender, S. (2009). Sun glint correction of high and low spatial resolution images of aquatic scenes: A review of methods for visible and near-infrared wavelengths. *Remote Sensing*, 1(4), 697–730.
<https://doi.org/10.3390/rs1040697>
- Kurnia Dwi Antari Putri. (2018). *Perbandingan Akurasi Pemetaan Habitat Bentik Berdasarkan Klasifikasi Berbasis Piksel Dengan Klasifikasi Berbasis Objek Menggunakan Citra Planetscope (Studi Kasus di Pulau Tabuhan, Kabupaten Banyuwangi, Provinsi Jawa Timur)*. Universitas Gadjah Mada.
- Lazuardi, Wahyu. (2018). *Kajian Citra Multiresolusi Untuk Pemetaan Lifeform Terumbu Karang, Studi kasus Pulau Parang, Kepulauan Karimunjawa*. Universitas Gadjah Mada.
- Lillesand, T. , Kiefer, R. W. , & Chipman, J. (2015). *Remote sensing and image interpretation* (John Wiley & Sons).
- Liu, J., Hirose, T., Kapfer, M., Bennett, J., McCullough, G., Hochheim, K., & Stainton, M. (2007). Operational water quality monitoring over Lake Winnipeg using satellite remote sensing data. *American Society for Photogrammetry and Remote Sensing - 28th Canadian Symposium on Remote Sensing and ASPRS Fall Specialty Conference 2007*, 151–160.

- Lois, J., Vincent, D., Bringfried, P., Magdalena, M.-K., Jakub Bieniarz, Uwe Mueller-Wilm, Enrico Cadau, & Ferran Gascon. (2016). Sentinel-2 Sen2cor: L2a Processor For Users. *Proceedings Living Planet Symposium 2016*, 1–8.
- Lu, D., & Weng, Q. (2007). A survey of image classification methods and techniques for improving classification performance. In *International Journal of Remote Sensing* (Vol. 28, Issue 5, pp. 823–870). Taylor and Francis Ltd. <https://doi.org/10.1080/01431160600746456>
- Lyons, M. B., Phinn, S. R., & Roelfsema, C. M. (2012). Long term land cover and seagrass mapping using Landsat and object-based image analysis from 1972 to 2010 in the coastal environment of South East Queensland, Australia. *ISPRS Journal of Photogrammetry and Remote Sensing*, 71, 34–46. <https://doi.org/10.1016/j.isprsjprs.2012.05.002>
- Lyzenga, D. R. (1981). Remote sensing of bottom reflectance and water attenuation parameters in shallow water using aircraft and landsat data. *International Journal of Remote Sensing*, 2(1), 71–82. <https://doi.org/10.1080/01431168108948342>
- McCoy. (2005). *Field methods in remote sensing*. Guilford Press.
- Mills, J. E., & Morrison, A. M. (2003). Measuring Customer Satisfaction with Online Travel. In *Information and Communication Technologies in Tourism 2003* (pp. 10–19). Springer Vienna. https://doi.org/10.1007/978-3-7091-6027-5_2
- Miquel Massot, C., Gabriel Oliver, C., Laura Ruano, A., & Margaret Miró, J. (2013). *Texture Analysis of Seabed Images: Quantifying the Presence of Posidonia Oceanica at Palma Bay*. IEEE.
- Munasik, M., Romadhoni, A. A., & Helmi, M. (2021). Komparasi Pola Spasial Kondisi Terumbu Karang Taman Nasional Karimunjawa. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 14(2), 175–184. <https://doi.org/10.21107/jk.v14i2.11436>
- Munawaroh, Rudiastuti, A. W., Dewi, R. S., Ramadhani, Y. H., Rahadiati, A., Sutrisno, D., Ambarwulan, W., Pujawati, I., Suryanegara, E., Wijaya, S. W., & Hartini, S. (2021). Benthic Habitat Mapping using Sentinel 2A: A

- preliminary Study in Image Classification Approach in An Absence of Training Data. *IOP Conference Series: Earth and Environmental Science*, 750(1). <https://doi.org/10.1088/1755-1315/750/1/012029>
- Muzaky Luthfi, O., Isdianto, A., Fairuz Haykal, M., & Muhammad Abdillah, P. (2021). *Ekosistem Terumbu Karang*.
<https://www.researchgate.net/publication/374946227>
- Oktaviani, O. N., Hollanda, D., & Kusuma, A. (2017). *Pengenalan Citra Satelit Sentinel-2 Untuk Pemetaan Kelautan*. *XLII*, 40–55.
- Phinn, S. R., Roelfsema, C. M., & Mumby, P. J. (2011). Analysis for mapping geomorphic and ecological zones on coral reefs. *International Journal of Remote Sensing*, July 2012, 37–41.
- Phinn, S. R., Roelfsema, C. M., & Mumby, P. J. (2012). Multi-scale, object-based image analysis for mapping geomorphic and ecological zones on coral reefs. *International Journal of Remote Sensing*, 33(12), 3768–3797.
<https://doi.org/10.1080/01431161.2011.633122>
- Rahmawan, A. D., Pawestri, D. A., Fakhriyah, R. A., Pasha, H. D. S., Ferryandy, M., Sugandi, D., Ridwana, R., & Somantri, L. (2020). Penggunaan Metode Unsupervised (ISO Data) untuk Mengkaji Kerapatan Vegetasi di Kecamatan Pangandaran. *Jurnal Pendidikan Geografi Undiksha*, 8(1), 01.
<https://doi.org/10.23887/jjpg.v8i1.22752>
- Reid, C. , Marshall, J. , Logan, D. , & Kleine, D. . (2009). *Coral Reef and Climate Change :The Guide for Education and Awareness* (Vol. 1). CoralWatch : The University of Queensland.
- Rodriguez-Galiano, V. F., Chica-Olmo, M., Abarca-Hernandez, F., Atkinson, P. M., & Jeganathan, C. (2012). Random Forest classification of Mediterranean land cover using multi-seasonal imagery and multi-seasonal texture. *Remote Sensing of Environment*, 121, 93–107.
<https://doi.org/10.1016/j.rse.2011.12.003>
- Roelfsema, C. M., Phinn, S. R., & Joyce, K. E. (2004). *Evaluating Benthic Survey Techniques for Validating Maps of Coral Reefs Derived from Remotely Sensed Images*.

- Story, M., & Congalton, R. G. (1986). *Accuracy Assessment: A User's Perspective*.
- Sutanto. (1986). *Penginderaan Jauh (Jilid 1)*. Gadjah Mada University Press.
- Svetnik, V., Liaw, A., Tong, C., Christopher Culberson, J., Sheridan, R. P., & Feuston, B. P. (2003). Random Forest: A Classification and Regression Tool for Compound Classification and QSAR Modeling. *Journal of Chemical Information and Computer Sciences*, 43(6), 1947–1958.
<https://doi.org/10.1021/ci034160g>
- Syah, A. F. (2010). Penginderaan Jauh Dan Aplikasinya Di Wilayah Pesisir Dan Lautan. *Kelautan*, 3(1), 18–28.
<https://journal.trunojoyo.ac.id/jurnalkelautan/article/view/838/737>
- Tobler, W. R. (1987). Experiments in migration mapping by computer. In *American Cartographer* (Vol. 14, Issue 2).
<https://doi.org/https://doi.org/10.1559/152304087783875273>
- Traganos, D., & Reinartz, P. (2018). Mapping Mediterranean seagrasses with Sentinel-2 imagery. *Marine Pollution Bulletin*, 134, 197–209.
<https://doi.org/10.1016/j.marpolbul.2017.06.075>
- Trisakti, B., Noviar, H., Bidang, P., Daya, S., & Darat, W. (2012). *Utilization Of Polarization And Texture Bands Of Pisar-L2 Data For Land Cover Classification In Forest Area Using Supervised Classification Method*.
- Tyner, J. A. (1992). *Introduction to thematic cartography*.
- Van der Meer, F. D., van der Werff, H. M. A., & van Ruitenbeek, F. J. A. (2014). Potential of ESA's Sentinel-2 for geological applications. *Remote Sensing of Environment*, 148, 124–133. <https://doi.org/10.1016/j.rse.2014.03.022>
- Wakhidah, N. (2010). *Clustering Menggunakan K-Means Algorithm (K-Means Algorithm Clustering)*.
- Walker, B. K. (2012). Spatial analyses of benthic habitats to define coral reef ecosystem regions and potential biogeographic boundaries along a latitudinal gradient. *PLoS ONE*, 7(1). <https://doi.org/10.1371/journal.pone.0030466>
- Wicaksono, P. (2016). Improving the accuracy of multispectral-based benthic habitats mapping using image rotations: The application of principle

- component analysis and independent component analysis. *European Journal of Remote Sensing*, 49, 433–463. <https://doi.org/10.5721/EuJRS20164924>
- Wicaksono, P., & Aryaguna, P. A. (2020). Analyses of inter-class spectral separability and classification accuracy of benthic habitat mapping using multispectral image. *Remote Sensing Applications: Society and Environment*, 19. <https://doi.org/10.1016/j.rsase.2020.100335>
- Wicaksono, P., Danoedoro, P., Hartono, & Nehren, U. (2016). Mangrove biomass carbon stock mapping of the Karimunjawa Islands using multispectral remote sensing. *International Journal of Remote Sensing*, 37(1), 26–52. <https://doi.org/10.1080/01431161.2015.1117679>
- Wicaksono, P., Harahap, S. D., Hafizt, M., Maishella, A., & Yuwono, D. M. (2023). Seagrass ecosystem biodiversity mapping in part of Rote Island using multi-generation PlanetScope imagery. *Carbon Footprints*, 2(4). <https://doi.org/10.20517/cf.2023.9>
- Wicaksono, P., Wulandari, S. A., Lazuardi, W., & Munir, M. (2021). Sentinel-2 images deliver possibilities for accurate and consistent multi-temporal benthic habitat maps in optically shallow water. *Remote Sensing Applications: Society and Environment*, 23. <https://doi.org/10.1016/j.rsase.2021.100572>