

DAFTAR PUSTAKA

- Adinugroho, W. C., Suryadiputra, I. N. N., & Saharjo, B. H. (2005). *Panduan pengendalian kebakaran hutan dan lahan gambut* (Nomor January 2005). Wetlands International – Indonesia Programme.
- Allen, R. (2005). *PENMAN – MONTEITH EQUATION*. 180–188.
- Amiro, B. D., Chen, J. M., & Liu, J. (2000). Net primary productivity following forest fire for Canadian ecoregions. *Canadian Journal of Forest Research*, 30(6), 939–947. <https://doi.org/10.1139/x00-025>
- Aniszewski, T., Drozdov, S. N., Kholoptseva, E. S., Kurets, V. K., Obshatko, L. A., Popov, E. G., & Talanov, A. V. (1998). Effects of light and temperature on net primary productivity of fodder galega (*galega orientalis lam.*). *Acta Agriculturae Scandinavica Section B: Soil and Plant Science*, 48(1), 34–40. <https://doi.org/10.1080/09064719809362476>
- Arrafi, M., Somantri, L., & Ridwana, R. (2022). Pemetaan Tingkat Keparahan Kebakaran Hutan dan Lahan Menggunakan Algoritma Normalized Burn Ratio (NBR) Pada Citra Landsat 8 di Kabupaten Muaro Jambi. *Jurnal Geosains dan Remote Sensing*, 3(1), 10–19. <https://doi.org/10.23960/jgrs.2022.v3i1.68>
- Baldo, M., Buldrini, F., Chiarucci, A., Rocchini, D., Zannini, P., Ayushi, K., & Ayyappan, N. (2023). Remote sensing analysis on primary productivity and forest cover dynamics: A Western Ghats India case study. *Ecological Informatics*, 73(November 2022), 101922. <https://doi.org/10.1016/j.ecoinf.2022.101922>
- Bo, T., Kerang, L., Xuemei, S., & Mingkui, C. (2003). The temporal and spatial patterns of terrestrial net primary productivity in China. *Journal of Geographical Sciences*, 13(2), 163–171. <https://doi.org/10.1007/bf02837454>
- Bowman, D. M. J. S., Murphy, B. P., Williamson, G. J., & Cochrane, M. A. (2014). Pyrogeographic models, feedbacks and the future of global fire regimes. *Global Ecology and Biogeography*, 23(7), 821–824. <https://doi.org/10.1111/geb.12180>

- BPS Kabupaten Muaro Jambi. (2023). Retrieved from <https://muarojambikab.bps.go.id/indicator/12/427/1/jumlah-penduduk-hasil-proyeksi-interim-.html>
- Chandra, K., Bhardwaj, A. K., Chandra, K. K., & Kumar Bhardwaj, A. (2015). Incidence of forest fire in India and its effect on terrestrial ecosystem dynamics, nutrient and microbial status of soil. *Researchgate.Net*, 5(2), 69–78. <https://doi.org/10.5923/j.ijaf.20150502.01>
- Chin W. Wynne. (1998). The Partial Least Squares Approach to Structural Equation Modeling. In *Modern Methods for Business Research* (Vol. 10, hal. 295–336).
- Churniawan, T. H. (2008). *Pendugaan NPP (Net Primary Production) Menggunakan NetPro V1.1 (Studi Kasus Taman Nasional Lorelindu , Sulawesi Tengah Tahun 2001 dan 2005)*.
- Córdova, M., Carrillo-Rojas, G., Crespo, P., Wilcox, B., & Célleri, R. (2015). Evaluation of the Penman-Monteith (FAO 56 PM) Method for Calculating Reference Evapotranspiration Using Limited Data. *Mountain Research and Development*, 35(3), 230–239. <https://doi.org/10.1659/MRD-JOURNAL-D-14-0024.1>
- Diem, P. K., Diem, N. K., Can, N. T., Minh, V. Q., Huong, H. T. T., Diep, N. T. H., & Tao, P. C. (2022). Assessing the applicability of Fusion Landsat-MODIS data for mapping agricultural land use - A case study in An Giang Province. *IOP Conference Series: Earth and Environmental Science*, 964(1). <https://doi.org/10.1088/1755-1315/964/1/012005>
- Ding, L., Li, Z., Xu, K., Huang, M., Shen, B., Hou, L., Xiao, L., Liang, S., Shi, Z., Wang, X., Guo, K., Yang, Y., Xin, X., & Chang, J. (2024). A water stress factor based on normalized differenced water index substantially improved the accuracy of light use efficiency model for arid and semi-arid grasslands. *Journal of environmental management*, 349(January), 119566. <https://doi.org/10.1016/j.jenvman.2023.119566>
- Dong, T., Wu, B., Meng, J., Du, X., & Shang, J. (2016). Sensitivity analysis of retrieving fraction of absorbed photosynthetically active radiation (FPAR)

using remote sensing data. *Shengtai Xuebao*, 36(1), 1–7.
<https://doi.org/10.1016/j.chnaes.2015.12.003>

Ellis, T. M., Bowman, D. M. J. S., Jain, P., Flannigan, M. D., & Williamson, G. J. (2022). Global increase in wildfire risk due to climate-driven declines in fuel moisture. *Global Change Biology*, 28(4), 1544–1559.
<https://doi.org/10.1111/gcb.16006>

Escuin, S., Navarro, R., & Fernández, P. (2008). Fire severity assessment by using NBR (Normalized Burn Ratio) and NDVI (Normalized Differenced Vegetation Index) derived from LANDSAT TM/ETM images. *International Journal of Remote Sensing*, 29(4), 1053–1073.
<https://doi.org/10.1080/01431160701281072>

Fahey, T. J., & Knapp, A. K. (2007). *Principles and Standards for Measuring Primary Production*. Oxford University Press.

Fawzi, N. I., & Ihsan, N. I. F. V. N. (2022). Landsat 8. Sebuah Teori dan teknik pemrosesan tingkat dasar. In *Elmarkazi Publisher All* (Vol. 2, Nomor 6).

Fibyana, V. (2020). *Pemetaan Area Terbakar Dengan Metode Normalized Burn Ratio (NBR) Menggunakan Data Landsat 8 OLI/TIRS Di Kota Palangkaraya*. Universitas Jember.

Field, C. B., Behrenfeld, M. J., Randerson, J. T., & Falkowski, P. (1998). Primary production of the biosphere: Integrating terrestrial and oceanic components. *Science*, 281(5374), 237–240. <https://doi.org/10.1126/science.281.5374.237>

Firmansyah, M. A., & Subowo. (2012). Dampak Kebakaran Lahan Terhadap Kesuburan Fisik, Kimia, dan Biologi Tanah Serta Alternatif Penanggulangan Dan Pemanfaatannya. *Jurnal Sumberdaya Lahan*, 6(2), 89–100.

Gharehbaghi, A., & Kaya, B. (2022). Calibration and evaluation of six popular evapotranspiration formula based on the Penman-Monteith model for continental climate in Turkey. *Physics and Chemistry of the Earth*, 127(March), 103190. <https://doi.org/10.1016/j.pce.2022.103190>

Giglio, L., Descloitres, J., Justice, C. O., & Kaufman, Y. J. (2003). An enhanced

contextual fire detection algorithm for MODIS. *Remote Sensing of Environment*, 87(2–3), 273–282. [https://doi.org/10.1016/S0034-4257\(03\)00184-6](https://doi.org/10.1016/S0034-4257(03)00184-6)

Global Forest Resource Assessment 2020. (n.d.). Retrieved from <https://www.fao.org/forest-resources-assessment/2020/en/>

Global Forest Watch (2021). Primary Rainforest Destruction Increased 12% from 2019 to 2020. Retrieved from <https://wri-indonesia.org/en/insights/primary-rainforest-destruction-increased-12-2019-2020>

Gonsamo, A., & Chen, J. M. (2017). Vegetation primary productivity. In *Comprehensive Remote Sensing* (Vol. 1–9). Elsevier. <https://doi.org/10.1016/B978-0-12-409548-9.10535-4>

Hafni, D. A. F. (2017). *Estimasi Luas Kebakaran dan Emisi Karbon Akibat Kebakaran Hutan dan Lahan Gambut di Kabupaten Siak, Provinsi Riau*. 82.

Hatta, M. (2008). *Dampak Kebakaran Hutan Terhadap Sifat-sifat Tanah di Kecamatan Besitang Kabupaten Langkat*.

Haxeltine, A., & Prentice, I. C. (1996). A General Model for the Light-Use Efficiency of Primary Production. *Functional Ecology*, 10(5), 551. <https://doi.org/10.2307/2390165>

Huang, C., Sun, C., Nguyen, M. T., Wu, Q., He, C., Yang, H., Tu, P., & Hong, S. (2023). Spatio-temporal dynamics of terrestrial Net ecosystem productivity in the ASEAN from 2001 to 2020 based on remote sensing and improved CASA model. *Ecological Indicators*, 154(October). <https://doi.org/10.1016/j.ecolind.2023.110920>

Huang, G., Li, Z., Li, X., Liang, S., Yang, K., Wang, D., & Zhang, Y. (2019). Estimating surface solar irradiance from satellites: Past, present, and future perspectives. *Remote Sensing of Environment*, 233(September 2018), 111371. <https://doi.org/10.1016/j.rse.2019.111371>

Huang, X., He, L., He, Z., Nan, X., Lyu, P., & Ye, H. (2022). An improved Carnegie-Ames-Stanford Approach model for estimating ecological carbon

sequestration in mountain vegetation. *Frontiers in Ecology and Evolution*, 10(December). <https://doi.org/10.3389/fevo.2022.1048607>

Indiarto, D., & Sulistyawati, E. (2013). Monitoring Net Primary Productivity dynamics in Java Island using MODIS satellite imagery. *34th Asian Conference on Remote Sensing 2013, ACRS 2013*, 2, 1730–1737.

Jay, S., Potter, C., Crabtree, R., Genovese, V., Weiss, D. J., & Kraft, M. (2016). Evaluation of modelled net primary production using MODIS and landsat satellite data fusion. *Carbon Balance and Management*, 11(1). <https://doi.org/10.1186/s13021-016-0049-6>

Jiang, C., Wu, Z. F., Cheng, J., Yu, Q., & Rao, X. Q. (2015). Impacts of urbanization on net primary productivity in the pearl river delta, China. *International Journal of Plant Production*, 9(4), 581–598.

June, T., Ibrom, A., & Gravenhorr, G. (2006). Integration of NPP semi mechanistic - Modelling, remote sensing and CIS in estimating CO₂ absorption of forest vegetation in Lore Lindu National Park. *Biotropia*, 13(1), 22–36. <https://doi.org/10.11598/btb.2006.13.1.217>

Keeley, J. E. (2009). Fire intensity, fire severity and burn severity: A brief review and suggested usage. *International Journal of Wildland Fire*, 18(1), 116–126. <https://doi.org/10.1071/WF07049>

Kehutanan, K. L. H. dan. (2020). Status Lingkungan Hidup dan Kehutanan 2020. *Kementerian Lingkungan Hidup dan Kehutanan*, 14–50.

Kelana, R. I., Rahmanelli, & Syahar, F. (2018). Analisis Deforestasi Hutan Lindung Kota Padang Tahun 2007 - 2016 dan Dampaknya Terhadap emisi Karbon Hutan. *Buana*, 3(3), 451–465.

Kementerian LHK. (2020). *Status Hutan & Kehutanan Indonesia*. https://www.menlhk.go.id/site/single_post/4695/status-hutan-dan-kehutanan-indonesia-2020

KLHK. (2022). *Status Hutan & Kehutanan Indonesia Tahun 2022 (Menuju FOLU Net Sink 2030)*.

- Kopp, G. (2014). An assessment of the solar irradiance record for climate studies. *Journal of Space Weather and Space Climate*, 4. <https://doi.org/10.1051/swsc/2014012>
- Key, C. H., & Benson, N. C. (2000). Measuring and Remote Sensing of Burn Severity. U.S. Geological Survey Wildland Fire Workshop, Los Alamos.
- Lang, D., Zheng, J., Shi, J., Liao, F., Ma, X., Wang, W., Chen, X., & Zhang, M. (2017). A comparative study of potential evapotranspiration estimation by eight methods with FAO Penman–Monteith method in southwestern China. *Water (Switzerland)*, 9(10). <https://doi.org/10.3390/w9100734>
- Lillesand, T., Kiefer, R., & Chipman, J. (2004). Remote Sensing and Image Interpretation (Fifth Edition). In *The Geographical Journal* (Vol. 146). <https://doi.org/10.2307/634969>
- Lindgren, D. T. (1985). *Land Use Planning and Remote Sensing*. Martinus Nijhoff Publishers.
- Lu, D. (2006). The potential and challenge of remote sensing-based biomass estimation. *International Journal of Remote Sensing*, 27(7), 1297–1328. <https://doi.org/10.1080/01431160500486732>
- Ma, X., Huo, T., Zhao, C., Yan, W., & Zhang, X. (2020). Projection of Net Primary Productivity under Global. *Atmosphere, C*, 1–23.
- Manik, T. K., Sanjaya, P., & Rosadi, R. A. B. (2017). Comparison of Different Models in Estimating Standard Evapotranspiration in Lampung Province, Indonesia. *International Journal of Environment, Agriculture and Biotechnology*, 2(5), 2309–2318. <https://doi.org/10.22161/ijeab/2.5.5>
- Medlyn, B. E. (1998). Physiological basis of the light use efficiency model. *Tree Physiology*, 18(3), 167–176. <https://doi.org/10.1093/treephys/18.3.167>
- Mufadhol. (2022, April 12). Automatic Weather Station (AWS). Retrieved December 11, 2023, from <https://iklim.sumsel.bmkg.go.id/automatic-weather-station-aws/>

- Muhlis, S. T. P. M. P., Fatmawati, S. P. M. P., Dr. Iradhatullah Rahim, S. P. M. P., & Dr. Syamsia, S. P. M. P. (2019). *Aplikasi Data Penginderaan Jauh Untuk Pengelolaan Sumber Daya Alam dan Lingkungan*. Penerbit Qiara Media.
<https://books.google.co.id/books?id=scjEDwAAQBAJ>
- Notohadinegoro, K. T. (2006). Pembakaran dan Kebakaran Lahan. *Universitas Gadjah Mada*, 16–17.
http://faperta.ugm.ac.id/download/publikasi_dosen/tejoyuwono/1991/1997_pemb.pdf
- Novitasari, R. (2017). Proses Respirasi Seluler Pada Tumbuhan. *Prosiding Seminar Nasional Pendidikan Biologi dan Biologi*, 89–96.
[http://seminar.uny.ac.id/sembiouny2017/sites/seminar.uny.ac.id/sembiouny2017/files/B 12a.pdf](http://seminar.uny.ac.id/sembiouny2017/sites/seminar.uny.ac.id/sembiouny2017/files/B%2012a.pdf)
- Nurdin, N., Amri, K., Djalil, A. R., As, M. A., Jaya, I., & Agus. (2015). Dinamika Tutupan Perairan Dangkal Pulau-Pulau Kecil, Kepulauan Spermonde. *Majalah Ilmiah Globö*, 17(2), 105–112.
- Pachavo, G., & Murwira, A. (2014). Remote sensing net primary productivity (NPP) estimation with the aid of GIS modelled shortwave radiation (SWR) in a Southern African Savanna. *International Journal of Applied Earth Observation and Geoinformation*, 30(1), 217–226.
<https://doi.org/10.1016/j.jag.2014.02.007>
- Pei, Y., Huang, J., Wang, L., Chi, H., & Zhao, Y. (2018). An improved phenology-based CASA model for estimating net primary production of forest in central China based on Landsat images. *International Journal of Remote Sensing*, 39(21), 7664–7692. <https://doi.org/10.1080/01431161.2018.1478464>
- Pellegrini, A. F. A., Ahlström, A., Hobbie, S. E., Reich, P. B., Nieradzik, L. P., Staver, A. C., Scharenbroch, B. C., Jumpponen, A., Anderegg, W. R. L., Randerson, J. T., & Jackson, R. B. (2018). Fire frequency drives decadal changes in soil carbon and nitrogen and ecosystem productivity. *Nature*, 553(7687), 194–198. <https://doi.org/10.1038/nature24668>
- Pemerintah Indonesia. 1999. Undang-Undang Nomor 24 Tahun 2007 tentang

Kehutanan. Sekretariat Negara. Jakarta

Pemerintah Indonesia. 1999. Undang-Undang Nomor 54 Tahun 1999 tentang Pembentukan Kabupaten Sarolangun, Kabupaten Tebo, Kabupaten Muaro Jambi, Dan Kabupaten Tanjung Jabung Timur. Sekretariat Negara. Jakarta

Peng, C., & Apps, M. J. (1999). Modelling the response of net primary productivity (NPP) of boreal forest ecosystems to changes in climate and fire disturbance regimes. *Ecological Modelling*, 122(3), 175–193. [https://doi.org/10.1016/S0304-3800\(99\)00137-4](https://doi.org/10.1016/S0304-3800(99)00137-4)

Peng, D. L., Huang, J. F., Huete, A. R., Yang, T. M., Gao, P., Chen, Y. C., Chen, H., Li, J., & Liu, Z. Y. (2010). Spatial and seasonal characterization of net primary productivity and climate variables in southeastern China using MODIS data. *Journal of Zhejiang University: Science B*, 11(4), 275–285. <https://doi.org/10.1631/jzus.B0910501>

Potter, S., Randerson, T., Field, B., Matson, A., & Mooney, H. A. (1993). *Terrestrial Ecosystem Production: A Process Model Based on Global Satellite and Surface Data*. 7(4), 811–841.

Pusfatja LAPAN. (2015). *Pedoman Pemanfaatan Data LANDSAT-8 untuk Deteksi Daerah Terbakar (Burned Area)*. September 2014, 21.

Putra, A. H., Oktari, F., & Putriana, A. M. (2019). Deforestasi dan pengaruhnya terhadap tingkat bahaya kebakaran hutan di Kabupaten Agam Provinsi Sumatera Barat. *Jurnal Dialog Penanggulangan Bencana*, 10(2), 191–200.

Putra, A., Ratnaningsih, A. T., & Ikhwan, M. (2018). Pemetaan Daerah Rawan Kebakaran Hutan Dan Lahan Dengan Menggunakan Sistem Informasi Geografis (Studi Kasus: Kecamatan Bukit Batu, Kab. Bengkalis). *Wahana Forestra: Jurnal Kehutanan*, 13(1), 55–63. <https://doi.org/10.31849/forestra.v13i1.1555>

Rasyid, F. (2014). Permasalahan dan dampak kebakaran hutan. *Jurnal Lingkar Widyaaiswara*, 4, 47–59. http://juliwi.com/published/E0104/Paper0104_47-59.pdf

- Republik Indonesia. 2009. Peraturan Menteri Kehutanan Republik Indonesia Nomor : P.39/Menhut-II/2009 Tahun 2009. Kementerian Lingkungan Hidup dan Kehutanan. Jakarta
- Saharjo, B. H., Syaufina, L., Nurhayati, A. D., Putra, E. I., Walidi, R. D., & Wardana. (2018). Pengendalian Kebakaran Hutan dan Lahan di Wilayah Komunitas Terdampak Asap. In *IPB Press*.
http://www.unesco.or.id/publication/shs/Final_Ver_Pengendalian_Karhutla.pdf
- Sahoo, D. P., Sahoo, B., & Tiwari, M. K. (2022). MODIS-Landsat fusion-based single-band algorithms for TSS and turbidity estimation in an urban-waste-dominated river reach. *Water Research*, 224(September), 119082.
<https://doi.org/10.1016/j.watres.2022.119082>
- Sannigrahi, S., Pilla, F., Basu, B., Basu, A. S., Sarkar, K., Chakraborti, S., Joshi, P. K., Zhang, Q., Wang, Y., Bhatt, S., Bhatt, A., Jha, S., Keesstra, S., & Roy, P. S. (2020a). Examining the effects of forest fire on terrestrial carbon emission and ecosystem production in India using remote sensing approaches. *Science of the Total Environment*, 725(April), 138331.
<https://doi.org/10.1016/j.scitotenv.2020.138331>
- Sannigrahi, S., Pilla, F., Basu, B., Basu, A. S., Sarkar, K., Chakraborti, S., Joshi, P. K., Zhang, Q., Wang, Y., Bhatt, S., Bhatt, A., Jha, S., Keesstra, S., & Roy, P. S. (2020b). Examining the effects of forest fire on terrestrial carbon emission and ecosystem production in India using remote sensing approaches. *Science of the Total Environment*, 725(March), 138331.
<https://doi.org/10.1016/j.scitotenv.2020.138331>
- Saputra, A. D., Setiabudidaya, D., Setyawan, D., & Iskandar, I. (2019). Validasi Areal Terbakar dengan Metode Normalized Burning Ratio Menggunakan UAV (Unmanned Aerial Vehicle): Studi Kasus. *Jurnal Penelitian Sains*, 19(2), 66–72. <http://ejurnal.mipa.unsri.ac.id/index.php/jps/article/view/476>
- Sari, P. C., Subiyanto, S., & Awaluddin, M. (2014). Analisis Deforestasi Hutan Di Provinsi Jambi Menggunakan Metode Penginderaan Jauh (Studi Kasus

- Kabupaten Muaro Jambi). *Jurnal Geodesi Undip Jurnal Geodesi Undip*, 3(April), 28–43.
- Saturi, S. (2020). Mengulas Karhutla jambi 2019, Awal Tahun Riau mulai kebakaran. Retrieved from <https://www.mongabay.co.id/2020/01/27/mengulas-karhutla-jambi-2019-awal-tahun-riau-mulai-kebakaran/>
- Simonett, D. S. (1975). *Fundamentals of Image Interpretation, In. Manual of Remote Sensing*. The American Society of Photogrammetry.
- Somantri, L. (2009). Teknologi Penginderaan Jauh (Remote Sensing). *Geografi, UPI*, 1–13.
- Sugiarto, Y. (2003). *Untuk Menentukan Nilai Npp (Net Primary Production)*. 5172.
- Sugiarto, Y., June, T., & Sapto P, B. (2008). Estimation of Net Primary Productivity (NPP) Using Remote Sensing Approach and Plant Physiological Modeling. *Agromet*, 22(2), 183. <https://doi.org/10.29244/j.agromet.22.2.183-199>
- Sutanto. (1986). *Penginderaan Jauh; Jilid I*. Gadjah Mada University Press.
- Suwarsono, Rokhmatuloh, & Waryono, T. (2013). Pengembangan Model Identifikasi Daerah Bekas Kebakaran Hutan Dan Lahan (Burned Area) Menggunakan Citra Modis Di Kalimantan (Model Development of Burned Area Identification Using Modis Imagery in Kalimantan). *Jurnal Penginderaan Jauh*, 10(2), 93–112.
- Syaufina, L., Saharjo, B. H., Nurhayati, A. D., Putra, E. I., Waldi, R. D., & Wardana. (2018). *Mari Belajar Kebakaran Hutan dan Lahan*. IPB Press.
- Tempfli, K., Huurneman, G. C., Bakker, W., Janssen, L. L. F., Feringa, W. F., Gieske, A., Grabmaier, K. A., Hecker, C., Horn, J., Kerle, N., Meer, F. D., Parodi, G., Pohl, C., Reeves, C. V, Ruitenbeek, F. J. A., Schetselaar, E., Weir, M., Westinga, E., & Woldai, T. (2009). *Principles of remote sensing : an introductory textbook*. (hal. 56–85).

- United Nations Framework Convention on Climate Changes. (1999). CASA (Carnegie-Ames-Stanford Approach) Model. Retrieved September 3, 2023, https://unfccc.int/files/adaptation/methodologies_for/vulnerability_and_adaptation/application/pdf/casa__carnegie-ames-stanford_approach__model.pdf
- U.S. Geological Survey. (2023, September 14). Retrieved September 20, 2023, from <https://www.usgs.gov/landsat-missions>
- U.S. Geological Survey. (2023, February 21). Retrieved September 20, 2023, from <https://www.usgs.gov/landsat-missions/landsat-8>
- Wahyuni, H., & Suranto, S. (2021). Dampak Deforestasi Hutan Skala Besar terhadap Pemanasan Global di Indonesia. *JHIP: Jurnal Ilmiah Ilmu Pemerintahan*, 6(1), 148–162. <https://doi.org/10.14710/jiip.v6i1.10083>
- Wang, C., Jiang, Q., Deng, X., Lv, K., & Zhang, Z. (2020). Spatio-temporal evolution, future trend and phenology regularity of net primary productivity of forests in northeast china. *Remote Sensing*, 12(21), 1–22. <https://doi.org/10.3390/rs12213670>
- Wulder, M. E., & Franklin, S. E. (2006). *Book Review Understanding Forest Disturbance and Spatial Pattern: Remote Sensing and GIS Approaches. January 2007*, 2007–2008.
- Wulandari, E. (2019). ASAP Kebakaran Hutan di Jambi “membuat Langit Menjadi Merah.” Retrieved from <https://www.bbc.com/indonesia/indonesia-49787843>
- Xie, Y. L., Wang, H. Y., & Lei, X. D. (2017). Effects of climate change on net primary productivity in larix olgensis plantations based on process modeling. *Chinese Journal of Plant Ecology*, 41(8), 826–839. <https://doi.org/10.17521/cjpe.2016.0382>
- Yan, Y., Liu, X., Wang, F., Li, X., Ou, J., Wen, Y., & Liang, X. (2018). Assessing the impacts of urban sprawl on net primary productivity using fusion of Landsat and MODIS data. *Science of the Total Environment*, 613–614, 1417–1429. <https://doi.org/10.1016/j.scitotenv.2017.09.139>
- Zhang, M., Lin, H., Wang, G., Sun, H., & Cai, Y. (2019). Estimation of vegetation

productivity using a Landsat 8 time series in a heavily urbanized area, central China. *Remote Sensing*, 11(2). <https://doi.org/10.3390/rs11020133>

Zhu, W., Pan, Y., He, H., Yu, D., & Hu, H. (2006). Simulation of maximum light use efficiency for some typical vegetation types in China. *Chinese Science Bulletin*, 51(4), 457–463. <https://doi.org/10.1007/s11434-006-0457-1>